

# StoreFile

by Takis Merkouris, NeXT Systems Engineer

## Overview

This example demonstrates the `IXStoreFile` class of the Indexing Kit. It allows you to create `IXStoreFiles` for storing data bearing objects. Objects may be added to the store, replaced and removed. Please use the ".store" filename extension for the `IXStoreFiles` you create, because this is the extension recognized by the `OpenPanel`. You will not be able to open the `IXStoreFiles` you have created unless they have this extension.

## Classes defined in StoreFile

The **`DataWrapper`** class is a simple class with two attributes: `key` (`char *`), and `value` (`int`). No semantics are attached to the key other than associating a name with an instance. Names do not have to be unique in this application.

The data wrappers that hold user data are stored by archiving into store blocks, and the block numbers

allocated for them are stored in a list of auxiliary data wrappers. Each auxiliary wrapper contains the key and the block number of its principal. The list of auxiliaries is stored in the boot block of the IXStoreFile (this is the first block allocated after you create an IXStore or IXStoreFile - guaranteed to have the &CHue 1); the in- memory list and the one stored in the IXStoreFile are kept synchronized at all times.

The code that implements the **DataWrapper** lives in DataWrapper.[hm]; the code that implements the access to the IXStoreFile lives in StoreManager.[hm] and is implemented by the **StoreManager** class, also the window's delegate. The **Controller** class is the distribution class which creates StoreManager objects.

## Change History

Updated for 3.0 Release  
Revised July 19, 1992

Mai Nguyen  
Jack Greenfield