

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
ALPS ELECTRIC									
MFM									
DRND-10A	2	615	17	616	616		60.00	10.46	3.5
DRND-20A	4	615	17	616	616		60.00	20.91	3.5
RLL									
DRPO-20D	2	615	26	616	616		60.00	15.99	3.5
RPO-20A	2	615	26	616	616		60.00	15.99	3.5
AMPEX									
MFM									
PYXIS-13	4	320	17	132	132		90.00	10.88	5.25
PYXIS-20	6	320	17	132	132		90.00	16.32	5.25
PYXIS-27	8	320	17	132	132		90.00	21.76	5.25
PYXIS-7	2	320	17	132	132		90.00	5.44	5.25
AREAL									
IDE									
BP200	2	3400	60			H	29.00	204.00	2.5
MD2050	2	819	60			H	29.00	49.14	2.5
MD2100	2	1638	60			H	29.00	98.28	2.5
UnKnown									
MD2060	2						0.00	62.90	2.5
SCSI									
BP100	2	1720	60			H	29.00	103.20	2.5
ATASI									
ESDI									
6120	15	1925	71				14.00	1025.06	5.25
676	15	1925	54				16.00	779.63	5.25
MFM									
3020	3	645	17	320	none		0.00	16.45	5.25
3033	5	645	17	320	none	F	0.00	27.41	5.25
3046	7	645	17	320	none	F	0.00	38.38	5.25
3051	7	704	17	350	none		0.00	41.89	5.25
3051+	7	733	17	368			0.00	43.61	5.25
3053	7	733	17	365	none		0.00	43.61	5.25
3058	8	1024	17	none	none		0.00	69.63	5.25
3075	8	1024	17	1024	none		0.00	69.63	5.25
3085	8	1024	17	512	none		0.00	69.63	5.25
BASF									
MFM									
6185	6	440	17	220	220		0.00	22.44	5.25
6186	4	440	17	220	220		0.00	14.96	5.25
6187	2	440	17	220	220		0.00	7.48	5.25
6188-R1	2	612	17				0.00	10.40	5.25
6188-R3	4	612	17				0.00	20.81	5.25
BRAND TECH									
ESDI									
BT9124E	5	1166	36			H	16.50	104.94	3.5
BT9170E	7	1072	41			H	16.50	153.83	3.5
BT9220E	9	1208	36			H	16.50	195.70	3.5
UnKnown									
BT8085	8	1024	17				0.00	69.63	
BT8128	8	1024	31				0.00	126.98	
BT8170	8	1024	17				0.00	69.63	
BULL									
MFM									

D 530	3	987	17	none	none	F	0.00	25.17	5.25
D 550	5	987	17	none	none	F	0.00	41.95	5.25
D 570	7	987	17	none	none	F	0.00	58.73	5.25
D 585	7	1166	17	none		F	0.00	69.38	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
C. ITOH									
MFM									
YD-3530	5	731	17	732		H	0.00	31.07	5.25
YD-3540	7	731	17	732		H	26.00	43.49	5.25
SCSI									
YD-3042	4	788	31	789		F	26.00	48.86	5.25
YD-3082	8	788	26	789		F	26.00	81.95	5.25
CARDIFF									
ESDI									
F-3080E	5	1024	26	none	none	H	20.00	66.56	3.5
F-3127E	5	1024	35	none	none	H	20.00	89.60	3.5
MFM									
F-3053	5	1024	17	none	none		20.00	43.52	3.5
SCSI									
F-3080	5	1024	26	none	none		20.00	66.56	3.5
F-3080S	5	1024	26	none	none	H	20.00	66.56	3.5
F-3127	5	1024	42	none	none		20.00	107.52	3.5
F-3127S	5	1024	35	none	none	H	20.00	89.60	3.5
CDC									
ESDI									
94156-48	5	925	17	none	none	F	28.00	39.31	5.25
94156-67	6	925	20	none	none	F	28.00	55.50	5.25
94156-86	9	925	17	none	none	F	28.00	70.76	5.25
94166-101	5	969		none	none		16.50	86.00	5.25
94166-141	7	969		none	none		16.50	121.00	5.25
94166-182	9	969		none	none		16.50	160.00	5.25
94181-702	15	1549				F	16.00	0.00	5.25
94186-265	9	1412					0.00	0.00	5.25
94186-324	11	1412					0.00	0.00	5.25
94186-383	13	1412		none	none	F	19.50	328.00	5.25
94186-383-H	15	1224		none	none		14.50	329.00	5.25
94186-442	15	1412		none	none	F	16.00	373.00	5.25
94196-766	15	1632				F	17.00	676.00	5.25
94216-106	5	969	36	none	none	H	16.50	87.21	5.25
94246-182	4	1453				H	15.00	160.00	5.25
94246-383	7	1748				H	15.00	337.00	5.25
94316-111	5	1072	41	N/A	N/A	H	23.00	109.88	3.5
94316-136	5	1072	48	N/A	N/A	H	15.00	128.64	3.5
94316-155	7	1072	36	N/A	N/A	H	15.00	135.07	3.5
94316-200	9	1072	36	N/A	N/A	H	15.00	173.66	3.5
94356-111	5	1072	34	none	none			91.12	3.5
94356-155	7	1072	34	none	none		15.00	127.57	3.5
94356-200	9	1272	34	none	none		18.00	194.62	3.5
WREN III	5	969	43				18.00	104.17	5.25
IDE									
94204-74	5	941				H	28.00	65.50	5.25
94204-81	5	1024				H	28.00	71.30	5.25
94208-75	5	966				H	30.00	60.00	5.25
94244-274	4	1747				H	16.00	193.00	5.25
94244-383	7	1747				H	16.00	337.00	5.25
94314-136	5	1547	31	N/A	N/A	H	15.00	119.89	3.5
94335-150	9	1072	28	none	none	H	15.00	135.07	3.5
94354-111	5	1072				H	15.00	98.00	3.5

94354-126	7	1072	29	none	none	H	0.00	108.81	
94354-133	5	1272	29			H	15.00	117.00	3.5
94354-155	7	1072	29			H	15.00	138.00	3.5
94354-160	9	1072	29	none	none	H	0.00	139.90	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
IDE									
94354-186	7	1272	29			H	15.00	164.00	3.5
94354-200	9	1072	36	none	none	H	0.00	173.66	
94354-230	9	1272	36	none	none	H	0.00	206.06	
MFM									
94155-120	8	960	17	0	none	F	28.00	65.28	5.25
94155-120P	8	960	17	0	none	F	28.00	65.28	5.25
94155-135P	9	960	17	0	none	F	28.00	73.44	5.25
94155-19	3	697	17	128	none		0.00	17.77	
94155-21	3	697	17	128	none	F	28.00	17.77	5.25
94155-25	4	615	17	128		F	0.00	20.91	
94155-25AT	4	697	17	128	none		0.00	23.70	
94155-28	4	697	17	128	none		0.00	23.70	
94155-36	5	697	17	128	none	F	28.00	29.62	5.25
94155-38	5	733	17	128	none		0.00	31.15	
94155-48	5	925	17	128	none	F	28.00	39.31	5.25
94155-51	5	989	17			F	28.00	43.00	5.25
94155-57	6	925	17	128	none	F	28.00	47.17	5.25
94155-67	7	925	17	128	none	F	28.00	55.04	5.25
94155-77	8	925	17	128	none		0.00	62.90	
94155-85	8	1024	17	0	none	F	28.00	69.63	5.25
94155-85P	8	1024	17	0	none	F	28.00	69.63	5.25
94155-86	9	925	17	128	none	F	28.00	70.76	5.25
94155-96	9	1024	17	0	none	F	28.00	78.34	5.25
94155-96P	9	1024	17	0	none	F	28.00	78.34	5.25
94156-72	9	925	17	128		F	0.00	70.76	
94204-65	8	941	17	0	none	F	28.00	63.99	5.25
94204-71	8	1024	17	0	none	F	28.00	69.63	5.25
94205-30	3	989	17	128		F	0.00	25.22	
94205-51	5	989	17	128	none	H	32.00	42.03	5.25
94295-51	5	989	17	990	none		28.00	42.03	
94335- 55	5	1072	17	none	none	H	25.00	45.56	3.5
94335-100	9	1072	17	none	none	H	25.00	82.01	3.5
94355-100	9	1072	17	none	none	H	16.50	82.01	3.5
94355-55	5	1072	17	none	none	H	16.50	45.56	3.5
BJ7D5A 77731608	5	671	17		128	F		28.52	5.25
BJ7D5A 77731613	5	734	17		128			31.20	
BJ7D5A 77731614	4	671	17		128	F	36.00	22.81	5.25
UnKnown									
9720-1230	15	1635					16.00	1056.00	8.0
9720-368	10	1217					18.00	316.00	8.0
9720-500	10	1217					18.00	427.00	8.0
9720-736	15	1635					16.00	637.00	8.0
9720-850	15	1381					16.00	727.00	8.0
SABRE 1230	15	1635					16.00	1236.00	8.0
SABRE 368	10	1217					18.00	368.00	8.0
SABRE 500	10	1217					18.00	500.00	8.0
SABRE 736	15	1635					16.00	741.00	8.0
SABRE 850	15	1381					16.00	851.00	8.0
OTHER									
97500-12G	17					F	12.00	0.00	5.25
97509-12G	17					F	12.00	0.00	5.25
RLL									

94155-135	9	960	26	none	none	H	28.00	112.32	5.25
94205-77	5	989	26	none	none	H	28.00	64.28	5.25
94335-150	9	1072	26	none	none	H	25.00	125.42	3.5
94355-150	9	1072	26			H	15.00	125.42	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
94161-101	5	969				F	17.00	86.00	5.25
94161-121	0	969		none	none	F	16.50	0.00	5.25
94161-141	7	969				F	17.00	121.00	5.25
94161-182	9	969				F	17.00	160.00	5.25
94161-86	0	969		none	none	F	16.50	0.00	5.25
94171-300	9	1365	36	none	none	F	16.50	221.13	5.25
94171-344	9	1549		none	none	F	17.50	320.00	5.25
94171-350	9	1549					17.00	307.00	5.25
94171-375	9	1549					16.00	0.00	5.25
94171-376	9	1549					18.00	330.00	5.25
94181-385H	15					F	10.70	337.00	5.25
94181-574	15	1549		none	none	F	16.00	550.00	5.25
94181-702	15	1549				F	17.00	613.00	5.25
94186-383	13	1412				F	20.00	0.00	5.25
94186-383-H	15	1224					15.00	0.00	5.25
94186-442	15	1412					16.00	0.00	5.25
94191-766	15	1632				F	17.00	676.00	5.25
94211-106	5	1024	36			H	18.00	92.16	5.25
94211-209	5	1547	36			H	18.00	139.23	5.25
94211-91	5	969	36	none	none	H	16.50	87.21	5.25
94221-125	3	1547				H	18.00	110.00	5.25
94221-190	5	1547	52	none	none	H	8.30	201.11	5.25
94221-209	5	1547				H	18.00	183.00	5.25
94241-383	7					H	14.00	338.00	5.25
94241-502	7					H	16.00	440.00	5.25
94311-136	5	1224	39	N/A	N/A	H	15.00	119.34	
94311-136	5	1224	39	N/A	N/A	H	15.00	119.34	
94311-136S	5	1224	39	N/A	N/A	H	15.00	119.34	
94351-111	5	1068	36	N/A	N/A	H	15.00	96.12	3.5
94351-126	7	1068	36	N/A	N/A	H	15.00	134.57	3.5
94351-128	7	1068	36	N/A	N/A	H		134.57	3.5
94351-133S	5	1268					15.00	116.00	3.5
94351-134	7	1068	36			H	15.00	134.57	3.5
94351-155	7	1068					15.00	138.00	3.5
94351-155S	7	1068					15.00	138.00	3.5
94351-160	9	1068	36			H		173.02	3.5
94351-172	9	1068	36	none	none		16.50	173.02	3.5
94351-186S	7	1268					15.00	163.00	3.5
94351-200	9	1068	36					173.02	3.5
94351-200S	9	1068	36					173.02	3.5
94351-230S	9	1272	36					206.06	3.5
94601-12G	15					F	15.00	1050.00	5.25
94601-767	15					F	12.00	676.00	5.25
97501-15G	17					F	12.00	0.00	5.25
CENTURY DATA									
ESDI									
CAST-10203E	3	1050	35	1051		F	28.00	55.13	5.25
CAST-10304	4	1050	35	1051		F	28.00	73.50	5.25
CAST-10304E	4	1050	35	1051		F	28.00	73.50	5.25
CAST-10305	5	1050	35	1051		F	28.00	91.88	5.25
CAST-10305E	5	1050	35	1051		F	28.00	91.88	5.25
CAST-14404	4	1590	35	1591		H	25.00	111.30	5.25

CAST-14404E	4	1590	35	1591	H	25.00	111.30	5.25
CAST-14405	5	1590	35	1591	H	25.00	139.13	5.25
CAST-14405E	5	1590	35	1591	H	25.00	139.13	5.25
CAST-14406	6	1590	35	1591	H	25.00	166.95	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
ESDI									
CAST-14406E	6	1590	35	1591		H	25.00	166.95	5.25
CAST-24509	9	1599	35	1600		F	18.00	251.84	5.25
CAST-24509E	9	1599	35	1600		F	18.00	251.84	5.25
CAST-24611	11	1599	35	1600		F	18.00	307.81	5.25
CAST-24611E	11	1599	35	1600		F	18.00	307.81	5.25
CAST-24713	13	1599	35	1600		F	18.00	363.77	5.25
CAST-24713E	13	1599	35	1600		F	18.00	363.77	5.25
SCSI									
CAST-10203S	3	1050	35	1051		F	28.00	55.13	5.25
CAST-10304S	4	1050	35	1051		F	28.00	73.50	5.25
CAST-10305S	5	1050	35	1051		F	28.00	91.88	5.25
CAST-14404S	4	1590	35	1591		H	25.00	111.30	5.25
CAST-14405S	5	1590	35	1591		H	25.00	139.13	5.25
CAST-14406S	6	1590	35	1591		H	25.00	166.95	5.25
CAST-24509S	9	1599	35	1600		F	18.00	251.84	5.25
CAST-24611S	11	1599	35	1600		F	18.00	307.81	5.25
CAST-24713S	13	1599	35	1600		F	18.00	363.77	5.25
CMI									
MFM									
CM 3206	4	306	17				0.00	10.40	
CM 3426	4	612	17	256	none	H	0.00	20.81	
CM 5018H			17			F	85.00	15.00	5.25
CM 5205	2	256	17	128	128		0.00	4.35	5.25
CM 5206	2	306	17	128	none		0.00	5.20	5.25
CM 5410	4	256	17	128	128		0.00	8.70	5.25
CM 5412	4	306	17	128	none		0.00	10.40	5.25
CM 5616	6	256	17	128	128		0.00	13.06	5.25
CM 5619	6	306	17	128	none		0.00	15.61	5.25
CM 5826	8	306	17				0.00	20.81	
CM 6213	2	640	17	256	none		0.00	10.88	5.25
CM 6426	4	615	17	256	none	F	0.00	20.91	5.25
CM 6426S	4	640	17	300		F	0.00	21.76	
CM 6626	4	640	17	256	none	F	0.00	21.76	
CM 6640	6	640	17	256	none	F	0.00	32.64	5.25
CM 7660	6	960	17	512	none		0.00	48.96	5.25
CM 7880	8	960	17	512	none		0.00	65.28	5.25
CMS									
ESDI									
F115ESDI-T							30.00	114.00	5.25
F150AT-CA							17.00	150.00	5.25
F150AT-WCA							17.00	150.00	5.25
F320AT-CA							15.00	320.00	5.25
F70ESDI-T							30.00	73.00	5.25
H330E1 PS Expr.	7	1780	54				14.00	330.00	5.25
H340E1 Expr.	7	1780	54				14.00	340.00	5.25
PSExpress 150							17.00	150.00	5.25
PSExpress 320							15.00	320.00	5.25
UnKnown									
F150EQ-WCA							17.00	150.00	5.25
COGITO									
MFM									
CG 906	2	306	17	128	128		0.00	5.20	

CG 912	4	306	17	128	128	0.00	10.40
CG 925	4	612	17	128	128	0.00	20.81
PT 912	2	612	17	307	307	0.00	10.40
PT 925	4	612	17	307	307	0.00	20.81

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
CONNER									
IDE									
CP-2024	2	653	26			4	48.70	16.98	3.5
CP-2034							19.00	32.00	2.5
CP-2044							19.00	42.00	2.5
CP-2064							19.00	64.00	2.5
CP-30104	4	1522	26			H	27.80	79.14	3.5
CP-3022	2	636	27				26.00	17.17	3.5
CP-3024	2	636	26			4	35.40	16.54	3.5
CP-3044	2	1047	41			4	33.40	42.93	3.5
CP-3102	8	776	25				26.00	77.60	3.5
CP-3102A	8	776	25				26.00	77.60	3.5
CP-3102B	8	772	25				26.00	77.20	3.5
CP-3104	8	776	33			H	33.40	102.43	3.5
CP-3184							19.00	80.00	3.5
CP-3204	8	1366	39			H	19.00	209.70	3.5
CP-3204F	8	1366	26			H	24.60	142.06	3.5
CP-342	4	805	29			H	26.00	46.69	3.5
CP-344	4	805	26			H	37.30	41.86	3.5
CP-3504						H	12.00	510.00	3.5
CP-4024	2	627	26			4	39.30	16.30	3.5
CP-4044	2	1104	26			4	60.30	28.70	3.5
SCSI									
CP-2020						H	0.00	20.00	2.5
CP-30080						H	0.00	84.00	3.5
CP-30100	4	1522	41			T	27.80	124.80	3.5
CP-3020	2	636	32			4	35.40	20.35	3.5
CP-3040	2	1047	41			4	33.40	42.93	3.5
CP-3100	8	776	29	none	none	H	29.00	90.02	3.5
CP-3180						H	19.00	80.00	3.5
CP-3200F	8	1366	39			H	24.60	213.10	3.5
CP-340	4	788	26	none	none		29.00	40.98	3.5
CP-340	4	805	26	none	none	H	37.30	41.86	3.5
CP-3500							12.00	510.00	3.5
CORE INTNL									
ESDI									
AT 150							16.00	0.00	5.25
HC 100F							9.00	0.00	5.25
HC 150	9	968	35			F	16.00	152.46	5.25
HC 175	8						16.00	177.80	5.25
HC 260	12	1212	35			F	25.00	254.52	5.25
HC 310	15	1582	35			F	16.00	415.27	5.25
HC 315	8	1447	57				16.00	329.92	5.25
HC 380							16.00	0.00	5.25
HC 40	4	564	35			F	10.00	39.48	5.25
HC 650	15	1661	53				16.00	660.25	5.25
HC 655	16	1447	57				16.00	659.83	5.25
HC 90	5	969	35			H	16.00	84.79	5.25
IDE									
HC 200	8						16.00	200.00	5.25
AT 30	5	733	17			F	21.00	31.15	5.25
AT 32	5	733	17			H	21.00	31.15	5.25
AT 40	5	924	17			F	26.00	39.27	5.25

AT 63	5	988	17	F	26.00	41.99	5.25
AT 72	9	924	17	F	26.00	70.69	5.25
OPTIMA 30	5	733	17	H	21.00	31.15	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
MFM									
OPTIMA 40	5	963	17			H	26.00	40.93	5.25
OPTIMA 70	9	918	17			F	26.00	70.23	5.25
RLL									
AT 30	5	733	26			F	21.00	47.65	5.25
AT 32	5	733	26			H	21.00	47.65	5.25
AT 40	5	924	26			F	26.00	60.06	5.25
AT 63	5	988	26			F	26.00	64.22	5.25
AT 72	9	924	26			F	26.00	108.11	5.25
OPTIMA 30	5	733	26			H	21.00	47.65	5.25
OPTIMA 40	5	963	26			H	26.00	62.59	5.25
OPTIMA 70	9	918	26			F	26.00	107.41	5.25
SCSI									
HC 1000S	14						18.00	0.00	5.25
HC 650S	14						18.00	663.00	5.25
CYNTHIA									
MFM									
D520	4	640	17	none	none		0.00	21.76	
D.E.C.									
SCSI									
RZ23							33.00	104.00	3.5
RZ24							24.00	209.00	3.5
DATA TECH.									
SCSI									
DTC-HF12	2	301	78				65.00	23.48	5.25
DTC-HF24	2	506	78				60.00	39.47	5.25
DISCTRON									
MFM									
D-503	2	153	17	-				2.60	
D-504	2	215	17	-				3.65	
D-506	4	153	17	-				5.20	
D-507	2	306	17	128				5.20	
D-509	4	215	17	128				7.31	
D-512	8	153	17	-				10.40	
D-513	6	215	17	128				10.96	
D-514	4	306	17	128				10.40	
D-518	8	215	17	128				14.62	
D-519	6	306	17	128	128			15.61	
D-526	8	306	17	128	128			20.81	
DISK TECH.									
IDE									
DISCTEC RHD-20			17				23.00	20.00	2.5
DMA									
MFM									
360/306	2	612	17	400	none		0.00	10.40	
DTM									
MFM									
853	8	640	17			F	0.00	43.52	
885	5	1024	17			F	0.00	43.52	
885	8	1024	17			F	0.00	69.63	
ELCOH									
MFM									
DISCACHE10	4	320	17					10.88	

DISCACHE20

8 320 17

21.76

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
EMULEX									
ESDI									
EMS/760							18.00	663.00	5.25
ER2E/760							17.00	663.00	5.25
ES36/760-1							17.00	663.00	5.25
EPSON									
MFM									
HD 850	4	306	17				0.00	10.40	
HD 860	4	612	17				0.00	20.81	
ESPERT									
IDE									
EP-340A	4						25.00	42.80	3.5
FUJI									
MFM									
FK301	4	306	17	128	307			10.40	3.5
FK302-13	2	612	17	307	613			10.40	3.5
FK302-26	4	612	17	307	613			20.81	3.5
FK302-39	6	612	17	307	613			31.21	3.5
FK303-52	8	615	17	616	-		50.00	41.82	3.5
FK305-26	4	615	17	616	-		80.00	20.91	3.5
FK305-39	6	615	17	616	-		80.00	31.36	3.5
FK309-26	4	615	17	616	-		80.00	20.91	3.5
FK309-39	4	615	17				0.00	20.91	3.5
RLL									
FK305-26-R	4	615	26	616	-		80.00	31.98	3.5
FK305-39R	4	615	26				50.00	31.98	3.5
FK305-58R	6	615	26				50.00	47.97	3.5
FK309-39R	4	615	26				0.00	31.98	3.5
SCSI									
FK308S-39R	4	615	26				50.00	31.98	3.5
FK308S-58R	6	615	26				50.00	47.97	3.5
FK309S-50R	4	615	32				50.00	39.36	3.5
FUJITSU									
ESDI									
2244E	5	823	35			F	25.00	72.01	5.25
2245E	7	823	35			F	25.00	100.82	5.25
M 2244E	5	823	35				25.00	72.01	5.25
M 2245E	7	823	35				25.00	100.82	5.25
M 2246E	10	823	35			F	25.00	144.03	5.25
M 2247E	7	1243	35			F	25.00	152.27	5.25
M 2248E	11	1243	35			F	25.00	239.28	5.25
M 2249	15	1243	35			F	18.00	326.29	5.25
M 2249E	15	1243	35			F	25.00	326.29	5.25
M 2261E	8	1658	96			F	16.00	636.67	5.25
M 2263E	15	1658	96			F	16.00	1193.76	5.25
IDE									
M 2611T	2						25.00	45.10	3.5
M 2612T	4	1334					25.00	90.20	3.5
M 2613T	6	1334					25.00	135.20	3.5
M 2614T	8	1334					25.00	180.30	3.5
M 262xT							12.00	520.00	3.5
MFM									
2230 AS	2	320	17	128	128			5.44	

2233 AS	4	320	17	10.88
2234 AS	6	320	17	16.32
2235 AS	8	320	17	21.76
2241 AS	4	754	17	25.64

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
H 2226AD	6	615	17					31.36	
H 2226D	6	615	17					31.36	
M 2226D2	6	615	17				35.00	31.36	3.5
M 2227D2	8	615	17			H	35.00	41.82	3.5
M 2230AS	2	306	17				0.00	5.20	
M 2230AT	2	306	17					5.20	
M 2231	2	306	17				0.00	5.20	
M 2233AS	4	306	17				0.00	10.40	
M 2233AT	4	306	17					10.40	
M 2234AS	6	306	17				0.00	15.61	
M 2235AS	8	306	17				0.00	20.81	
M 2241AS	3	754	17	375			0.00	19.23	
M 2242AS	7	754	17	375			0.00	44.86	
M 2242AS2	7	754	17				30.00	44.86	5.25
M 2243AS	11	754	17	375		F	0.00	70.50	
M 2243AS2	11	754	17				30.00	70.50	5.25
M 2243T	7	1186	17				25.00	70.57	5.25
M 227D2	8	615	17			H	35.00	41.82	3.5
UnKnown									
M 2227D	8	615	45			H		110.70	
OTHER									
M 2380A	27	745				F	16.00	1000.20	8.0
M 2382K/P	27	745				F	16.00	1000.20	8.0
RLL									
M 2225D	4	615	26				35.00	31.98	3.5
M 2225DR	4	615	26				35.00	31.98	3.5
M 2226DR	6	615	26				35.00	47.97	3.5
M 2227DR	8	615	26				35.00	63.96	3.5
M 2243R	7	1186	26				25.00	107.93	5.25
M 2361A	20	842	82			F	18.00	690.44	10.5
SCSI									
2244SA	5	823	35				25.00	72.01	
H 2226SA	6	615						32.00	
M 2244SA	5	823	35				25.00	72.01	5.25
M 2245SA	7	823	35				25.00	100.82	
M 2246SA	10	823	35			F	25.00	144.03	5.25
M 2249S	15	1243				F	18.00	0.00	5.25
M 2261S	8	1658				F	16.00	321.00	5.25
M 2261SA/HA	8	1658				F	16.00	357.00	5.25
M 2263S	15	1658				F	16.00	650.00	5.25
M 2263SA/HA	15	1658				F	16.00	650.00	5.25
M 2344KS	27	624					16.00	690.10	8.0
M 2372K/KS	27	745				F	16.00	823.90	8.0
M 2611SA	2						25.00	45.10	3.5
M 2612S	4	1334				H	20.00	90.00	3.5
M 2613S	6	1334				H	20.00	136.60	3.5
M 2614S	8	1334				H	20.00	182.40	3.5
M 262xSA							12.00	520.00	3.5
HEWLETT-PACKARD									
HP-97530E	4						18.00	0.00	5.25
HP-97532E							17.00	0.00	5.25
HP-97533E							17.00	0.00	5.25

HP-97536E			17.00	0.00	5.25
HP-97544E	8		17.00	340.00	5.25
HP-97548E	16	56	17.00	680.00	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
ESDI									
HP-97556E	11						14.00	681.00	5.25
HP-97558E	15						14.00	1084.00	5.25
HP-97560E	19						14.00	1374.00	5.25
HP-D1660A	8	1457	57				16.00	332.20	5.25
HP-D1661A	16	1457	57				16.00	664.39	5.25
SCSI									
HP-97500-85600							0.00	20.00	3.5
HP-97500-85620							0.00	20.00	3.5
HP-97530S	6						18.00	0.00	5.25
HP-97544S/D	8	1447	57			F	16.50	329.92	5.25
HP-97544T/P	8						17.00	331.00	5.25
HP-97548S/D	16	1447	57			F	16.50	659.83	5.25
HP-97548T/P	16						17.00	663.00	5.25
HP-97549T/P	16						18.00	1000.00	5.25
HP-97556T/P	11						14.00	677.00	5.25
HP-97558T/P	15						14.00	1070.00	5.25
HP-97560T/P	19						14.00	1360.00	5.25
HP-C2233S	5	1511	49				13.00	185.10	3.5
HP-C2234S	7	1511	64				13.00	338.46	3.5
HP-C2235S	9	1511	72				13.00	489.56	3.5
HITACHI									
ESDI									
DK512-12	7	823				F	23.00	94.00	5.25
DK512-17	10	823				F	23.00	134.00	5.25
DK512-8	5	823				F	23.00	67.00	5.25
DK514-38	14	903	51			F	16.00	322.37	5.25
DK514S-38	14	903	51				16.00	322.37	5.25
DK515-12	15						14.00	0.00	5.25
DK515-78	14	1361	69				16.00	657.36	5.25
DK516-12							14.00	0.00	5.25
DK522-10	6	823	36			H	25.00	88.88	5.25
MFM									
DK301-1	4	306	17				85.00	10.40	3.5
DK301-2	6	306	17				85.00	15.61	3.5
DK511-3	5	699	17	300		F	30.00	29.71	5.25
DK511-5	7	699	17	300		F	30.00	41.59	5.25
DK511-8	10	823	17	400		F	23.00	69.95	5.25
DK521-5	6	823	17	400		H	25.00	41.97	5.25
SCSI									
DK312C-20	10						16.00	209.00	3.5
DK312C-25	12						16.00	251.00	3.5
DK314C-41	14						17.00	419.00	3.5
DK512C-12	7	823				F	23.00	94.00	5.25
DK512C-17	10	819	35			F	23.00	143.32	5.25
DK512C-8	5	823				F	23.00	67.00	5.25
DK514C-38	14	903	51				16.00	322.37	5.25
DK515C-78	14	1361	69				16.00	657.36	5.25
DK516C-16							14.00	1500.00	5.25
DK522C-10	6	819	35			H	25.00	86.00	5.25
IBM									
ESDI									
0671E	15						20.00	0.00	5.25

MFM

1430	5	306	17			13.01	
30/5.25			17		55.00	30.00	5.25
665-30	4	615	17	300		20.91	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High Access	Size Megs	Dim
MFM								
665-38	5	733	17	300	732		31.15	
WD12	4	306	17	296	296		10.40	
WD25	8	306	17	296	296		20.81	
UnKnown								
30/2.5						20.00	30.00	2.5
320						0.00	320.00	3.5
60/2.5						20.00	60.00	2.5
WDA-3160	8					16.00	0.00	3.5
WDS-3160	8					16.00	0.00	3.5
OTHER								
WD-3168	8					23.00	0.00	3.5
SCSI								
0661	14					12.00	371.00	3.5
0671S	15					20.00	0.00	5.25
0681	20					11.00	0.00	5.25
IMI								
MFM								
5006	2	306	17	214	none	0.00	5.20	
5012	4	306	17	214	none	0.00	10.40	
5018	6	306	17	214	none	0.00	15.61	
IMPRIMIS								
UnKnown								
9415-519	3	697					0.00	
9415-536	5	697					0.00	
9415-538	5	733					0.00	
94155-120	8	960					0.00	
94155-120P	8	960					0.00	
94155-135	9	960					0.00	
94155-135P	9	960					0.00	
94155-48	5	925					0.00	
94155-56	9	925					0.00	
94155-57	6	925					0.00	
94155-67	7	925					0.00	
94155-77	8	925					0.00	
94155-85	8	1024					0.00	
94155-85P	8	1024					0.00	
94155-86	9	925					0.00	
94155-96	9	1024					0.00	
94155-96P	9	1024					0.00	
94156-48	5	925					0.00	
94156-67	7	925					0.00	
94156-86	9	925					0.00	
94166-101	5	969					0.00	
94166-141	7	969					0.00	
94166-182	9	969					0.00	
94186-383	13	1412					0.00	
94186-383H	15	1224					0.00	
94186-442H	15	1412					0.00	
94196-766	15	1632					0.00	
94204-65	8	941					0.00	
94204-71	8	1024					0.00	
94205-51	5	989					0.00	

94205-77	5	989	0.00
94216-106	5	1024	0.00
94246-383	7	1747	0.00
94354-135	9	1072	0.00

3062	4	306	17	0	none	0.00	10.40	
3512	4	306	17	0	none	0.00	10.40	
3522	4	306	17	0	none	0.00	10.40	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
LT-10	2	615	17	0	none	H	0.00	10.46	3.5
LT-100	2	615	17	0	none	H	85.00	10.46	3.5
LT-20	4	615	17	0	none	H	61.00	20.91	3.5
LT-200	4	615	17	0	none	H	61.00	20.91	3.5
LT-2000	4	615	17	0	none	H	61.00	20.91	3.5
T-10	2	615	17	0	none	H	0.00	10.46	3.5
T-20	4	615	17	0	none	H	61.00	20.91	3.5
RLL									
LT-300	4	615	26	0	none	H	61.00	31.98	3.5
T-30	4	615	26	0	none	H	61.00	31.98	3.5
T-300	4	615	26	0	none	H	61.00	31.98	3.5
SCSI									
LT-4000							0.00	40.00	3.5
MAXTOR									
ESDI									
EXT-4175	7	1224	34	N/A	N/A	F	27.00	145.66	5.25
EXT-4280	11	1224	34	N/A	N/A	F	27.00	228.89	5.25
P1-08E	9					F	13.00	696.00	5.25
P1-12E	15					F	13.00	1051.00	5.25
P1-13E	15					F	13.00	1160.00	5.25
P1-16E	19					F	13.00	1331.00	5.25
P2-17E	19					F	13.00	1470.00	5.25
XT-4170E	7	1224	36	N/A	N/A	F	14.00	154.22	5.25
XT-4175	7	1224	34			F	27.00	145.66	5.25
XT-4230E	9	1224	36	N/A	N/A	F	15.00	198.29	5.25
XT-4280E	11	1224	36			F	27.00	242.35	5.25
XT-4380E	15	1224	36			F	16.00	330.48	5.25
XT-8380E	8	1632	54			F	14.50	352.51	5.25
XT-8610E	12	1632	54	N/A	N/A	F	16.00	528.77	5.25
XT-8760E	15	1632	54			F	16.50	660.96	5.25
XT-8800E	15	1274	71	N/A	N/A	F	15.00	678.40	5.25
IDE									
7040A	2	1170	36			1	17.00	42.12	3.5
7060A						1	15.00	65.00	3.5
7080A	4	1170	36			1	17.00	84.24	3.5
7120A						1	15.00	130.00	3.5
8051A	4	745	28			H	28.00	41.72	3.5
LXT-200A	7	1320					15.00	201.00	3.5
LXT-200S	7	1320	45	N/A	N/A		15.00	207.90	
LXT-213A	7					H	15.00	213.00	3.5
LXT-340A	7					H	13.00	340.00	3.5
LXT-437A						H	13.00	437.00	3.5
LXT-535A						H	13.00	535.00	3.5
MFM									
XT-1050	5	902	17	N/A	N/A		30.00	38.34	
XT-1065	7	918	17	none	none	F	28.00	54.62	5.25
XT-1085	8	1024	17	none	none	F	28.00	69.63	5.25
XT-1105	11	918	17	none	none	F	27.00	85.83	5.25
XT-1140	15	918	17	none	none	F	27.00	117.05	5.25
XT-1140E	15	1024	17	none	none	F	27.00	130.56	5.25
XT-2085	7	1224	17	none		F	30.00	72.83	5.25
XT-2085-	7	1024	17	none			0.00	60.93	

XT-2140	11	1224	17	none		F	30.00	114.44	5.25
XT-2140-	11	1024	17	none		F	0.00	95.74	
XT-2190	15	1224	17	none	none	F	29.00	156.06	5.25
XT-2190-	15	1024	17	none		F	0.00	130.56	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
XT-4380	15	1224	17			F	16.00	156.06	5.25
XT-8760	15	1632	17			F	16.50	208.08	5.25
RLL									
XT-1120R	8	1024	26			F	27.00	106.50	5.25
XT-1240R	15	1024	26			F	27.00	199.68	5.25
SCSI									
7040S	2	1155	36			1	17.00	41.58	3.5
7060S						1	15.00	65.00	3.5
7080S	4	1155	36			1	17.00	83.16	3.5
7120S						1	15.00	130.00	3.5
LXT-100	8	733	32				27.00	93.82	3.5
LXT-100S	8	733	31	N/A	N/A	H	27.00	90.89	
LXT-200	7	1320					15.00	201.00	3.5
LXT-200AT	7	1320	45	N/A	N/A		15.00	207.90	
LXT-213S	7					H	15.00	213.00	3.5
LXT-340S	7					H	13.00	340.00	3.5
LXT-437S						H	13.00	437.00	3.5
LXT-50S	4	733	31	N/A	N/A	H	27.00	45.45	
LXT-535S						H	13.00	535.00	3.5
P0-12S	15					F	13.00	1027.00	5.25
P1-08S	9					F	13.00	696.00	5.25
P1-12S	19					F	11.00	1005.00	5.25
P1-17S	19					F	13.00	1470.00	5.25
RXT-800S	2					F	0.00	0.00	5.25
TAHITI	2					F	0.00	0.00	5.25
XT-3170	9	1224	26				30.00	143.21	5.25
XT-3280	15	1224					30.00	244.40	
XT-3380	15	1224	34			F	27.00	312.12	5.25
XT-4170S	7	1224	36	N/A	N/A	F	14.00	154.22	5.25
XT-4280S	11	1224	36			F	27.00	242.35	5.25
XT-4380S	15	1224	36			F	16.00	330.48	5.25
XT-8380S	8	1632	54			F	14.50	352.51	5.25
XT-8702S				N/A	N/A		17.00	616.00	5.25
XT-8760S	15	1632	62			F	16.50	758.88	5.25
MEGADRIVE									
SCSI									
BASE-1 (DRV)							0.00	0.00	5.60
BASE-2 (DRV)							0.00	0.00	7.50
P-105		1019					19.00	105.00	3.5
P-120		1123					14.00	120.00	3.5
P-170		1123					14.00	170.00	3.5
P-210		1156					14.00	210.00	3.5
P-42		834					19.00	42.00	3.5
P-425							9.00	425.00	3.5
P-84		834					19.00	84.00	3.5
MEMOREX									
MFM									
321	2	320	17	128	none		0.00	5.44	
322	4	320	17	128	none		0.00	10.88	
323	6	320	17	128	none		0.00	16.32	
324	8	320	17	128	none	F	0.00	21.76	
450	2	612	17	350	none		0.00	10.40	

512	3	961	17	480	none	0.00	24.51
513	5	961	17	480	none	0.00	40.84
514	6	961	17	480	none	0.00	49.01

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MICRO STORAGE									
UnKnown									
MS 212	0	0					0.00	0.00	
MICRONET									
SCSI							0.00	40.00	
							0.00	42.00	
							0.00	50.00	
							0.00	80.00	
							0.00	100.00	
							0.00	200.00	
MICROPOLIS									
ESDI									
1352	2	1024	36				23.00	36.86	5.25
1352A	3	1024	36				23.00	55.30	5.25
1353	4	1024	36			F	23.00	73.73	5.25
1353A	5	1024	36			F	23.00	92.16	5.25
1354	6	1024				F	31.30	113.00	5.25
1354	6	1024	36			F	23.00	110.59	5.25
1354A	7	1024	36			F	23.00	129.02	5.25
1355	8	1024	36			F	23.00	147.46	5.25
1516-10S	10	1840	72			F	13.50	662.40	5.25
1517-13	13	1925	72			F	14.00	900.90	5.25
1518-14	14	1925	72			F	14.00	970.20	5.25
1518-15	15	1925	72			F	14.00	1039.50	5.25
1556-11	11	1224	36			F	18.00	242.35	5.25
1557-12	12	1224	36			F	18.00	264.38	5.25
1557-13	13	1224	36			F	18.00	286.42	5.25
1557-14	14	1224	36			F	18.00	308.45	5.25
1557-15	15	1224	36			F	18.00	330.48	5.25
1558-14	14	1224	36			F	26.30	308.45	5.25
1558-15	15	1224	36			F	26.30	330.48	5.25
1566-11	11	1632	54			F	16.00	484.70	5.25
1567-12	12	1632	54			F	16.00	528.77	5.25
1567-13	13	1632	54			F	16.00	572.83	5.25
1568-14	14	1632	54			F	16.00	616.90	5.25
1568-15	15	1632	54			F	16.00	660.96	5.25
1653-4	4	1249	36			H	16.00	89.93	5.25
1653-4	4	1249	36			H	24.30	89.93	5.25
1653-5	4	1249				H	24.30	115.00	5.25
1653-5	5	1249	36			H	16.00	112.41	5.25
1654-6	6	1249	36			H	16.00	134.89	5.25
1654-6	6	1249	36			H	24.30	134.89	5.25
1654-7	7	1249	36			H	16.00	157.37	5.25
1663-4	4	1781	54			H	14.00	192.35	5.25
1663-5	5	1781	54			H	14.00	240.44	5.25
1664-6	6	1781	54			H	14.00	288.52	5.25
1664-7	7	1781	54			H	14.00	336.61	5.25
1743-5	5	1140	48				15.00	136.80	3.5
1744-6	6	1140	48				15.00	164.16	3.5
1744-7	7	1140	48				15.00	191.52	3.5
1745-8	8	1140	48				15.00	218.88	3.5
1745-9	9	1140	48				15.00	246.24	3.5

MFM

1302	3	830	17	400		F	0.00	21.16	5.25
1303	5	830	17	400	none	F	0.00	35.27	5.25
1304	6	830	17	400	none	F	0.00	42.33	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
1323	4	1024	17	none	none	F	28.00	34.82	5.25
1324	6	1024	17	none	none	F	28.00	52.22	5.25
1325	8	1024	17	none	none	F	28.00	69.63	5.25
1333	4	1024	17	none	none	F	28.00	34.82	5.25
1334	6	1024	17	none	none	F	30.00	52.22	5.25
1335	8	1024	17	none	none	F	30.00	69.63	5.25
1353	4	1024	17	none	none	F	28.00	34.82	5.25
1354	6	1024	17	none	none	F	30.00	52.22	5.25
1355	8	1024	17	none	none	F	30.00	69.63	5.25
1551	7	1024	17	none	none	F	30.00	60.93	5.25
1554	11	1224	17	none	none	F	30.00	114.44	5.25
1555	12	1224	17	none	none	F	30.00	124.85	5.25
1556	13	1224	17	none	none	F	30.00	135.25	5.25
1557	14	1224	17	none	none	F	30.00	145.66	5.25
1558	15	1224	17	none	none	F	30.00	156.06	5.25
UnKnown									
1548							8.00	0.00	5.25
1908							8.00	0.00	5.25
RLL									
1323A	5	1024	26	none	none	F	28.00	66.56	5.25
1324A	7	1024	26	none	none	F	28.00	93.18	5.25
1333A	5	1024	26	none	none	F	28.00	66.56	5.25
1334A	7	1024	26	none	none	F	28.00	93.18	5.25
1353A	5	1024	26	none	none	F	28.00	66.56	5.25
1354A	7	1024	26	none	none	F	28.00	93.18	5.25
SCSI									
1373	4	1024	36			F	23.00	73.73	5.25
1373A	5	1024	36			F	23.00	92.16	5.25
1374	6	1024	36			F	23.00	110.59	5.25
1374A	7	1024	36			F	23.00	129.02	5.25
1375	8	1024	36			F	23.00	147.46	5.25
1576-11	11	1220	36			F	18.00	241.56	5.25
1577-12	12	1220	36			F	18.00	263.52	5.25
1577-13	13	1220	36			F	18.00	285.48	5.25
1578-14	14	1220	36			F	18.00	307.44	5.25
1578-15	15	1220	36			F	18.00	329.40	5.25
1586-11	11	1628	54			F	16.00	483.52	5.25
1587-12	12	1628	54			F	16.00	527.47	5.25
1587-13	13	1628	54			F	16.00	571.43	5.25
1588-14	14	1628	54			F	16.00	615.38	5.25
1588-15	15	1628	54			F	16.00	659.34	5.25
1597-10S	10	1834	72			F	13.50	660.24	5.25
1597-13	13	1919	72			F	14.00	898.09	5.25
1598-14	14	1919	72			F	14.00	967.18	5.25
1598-15	15	1919	72			F	14.00	1036.26	5.25
1673-4	4	1249	36			H	16.00	89.93	5.25
1673-5	5	1249	36			H	16.00	112.41	5.25
1674-6	6	1249	36			H	16.00	134.89	5.25
1674-7	7	1249	36			H	16.00	157.37	5.25
1683-4	4	1776	54			H	14.00	191.81	5.25
1683-5	5	1776	54			H	14.00	239.76	5.25
1684-6	6	1776	54			H	14.00	287.71	5.25

1684-7	7	1776	54	H	14.00	335.66	5.25
1773-5	5	1140	48	H	15.00	136.80	3.5
1774-6	6	1140	48	H	15.00	164.16	3.5
1774-7	7	1140	48	H	15.00	191.52	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
1775-8	8	1140	48			H	15.00	218.88	3.5
1775-9	9	1140	48			H	15.00	246.24	3.5
MICROSCIENCE									
ESDI									
5100	7	855	36			H	18.00	107.73	3.5
5100-20	7	855	36			H	18.00	107.73	3.5
7040	3	855	36			H	18.00	46.17	3.5
7100	7	855	36			H	18.00	107.73	3.5
FH-2777E							14.00	0.00	5.25
FH-3777E							14.00	0.00	5.25
HH-2012	4	306					0.00	0.00	
HH-2085	0	0						0.00	
HH-2120	7	1024	33			H	28.00	118.27	5.25
HH-2160	7	1276	35			H	18.00	156.31	3.5
IDE									
7100-20	7	855	36			H	18.00	107.73	3.5
7200	7	1024					18.00	200.00	3.5
MFM									
4050	5	1024	17			H	18.00	43.52	3.5
4070	7	1024	17			H	18.00	60.93	3.5
HH-1050	5	1024	17	none	none	H	28.00	43.52	5.25
HH-1075	7	1024	17			H	28.00	60.93	5.25
HH-1090	7	1314	17			H	28.00	78.18	5.25
HH-312	4	306	17	none	none		0.00	10.40	
HH-315	2	612	17	none	none		0.00	10.40	
HH-325	4	612	17	none	none		80.00	20.81	
HH-4050	5	1024	17			H	18.00	43.52	3.5
HH-4070	7	1024	17			H	18.00	60.93	3.5
HH-612	4	306	17	none	none	H	0.00	10.40	
HH-625	4	612	17					20.81	
HH-712	2	612	17	none	none	H	105.00	10.40	5.25
HH-712A	2	612	17				0.00	10.40	
HH-725	4	612	17	none	none	H	105.00	20.81	5.25
HH-825	4	612	17			H	65.00	20.81	5.25
RLL									
4060	5	1024	26			H	18.00	66.56	3.5
4090	7	1024	26			H	18.00	93.18	3.5
HH-1060	5	1024	26			H	28.00	66.56	5.25
HH-1080	5	1024	26					66.56	
HH-1095	7	1024	26			H	28.00	93.18	5.25
HH-1120	7	1314	26			H	28.00	119.57	5.25
HH-330	4	612	26				0.00	31.82	
HH-4060	5	1024	26			H	18.00	66.56	3.5
HH-4090	7	1024	26			H	18.00	93.18	3.5
HH-738	4	612	26			H	105.00	31.82	5.25
HH-830	4	615	26			H	65.00	31.98	5.25
SCSI									
6100	7	855	36			H	18.00	107.73	3.5
6100-20	7	855	36			H	18.00	107.73	3.5
FH-2777S							14.00	0.00	5.25
FH-3777S							14.00	0.00	5.25
HH-1080S	5	1024	26					66.56	

HH-3120	5	1314	36	H	28.00	118.26	5.25
HH-3160	7	1314		H	27.80	169.00	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MINISCRIBE									
ESDI									
3085E	3	1270				H	17.00	72.00	5.25
3130E	5	1250	34			H	17.00	106.25	5.25
3180E	7	1250				H	17.00	157.00	5.25
6170E	8	1024	34			F	28.00	139.26	5.25
9000E	15	1224	35			F	24.30	321.30	5.25
9230	9	1224	35			F	16.00	192.78	5.25
9230E	9	1224	35			F	17.00	192.78	5.25
9380	15	1224	35			F	16.00	321.30	5.25
9380E	15	1224	35			F	17.00	321.30	5.25
9424E	8	1661	35			F	17.00	232.54	5.25
9780E	15	1661	53			F	17.00	660.25	5.25
IDE									
7040A	2	1170	36	N/A	N/A	T	19.00	42.12	3.5
7080A	4	1170	36				19.00	84.24	
8051A	4	745	28	N/A	N/A	H	28.00	41.72	3.5
8051AT	4	745	28			H	28.00	41.72	3.5
8225A	4	615	17	N/A		H	40.00	20.91	3.5
8225A1	4	615	17	N/A		H	40.00	20.91	3.5
8225AT	2	745	28	N/A		H	28.00	20.86	3.5
8225XT	2	805	26	N/A		H	68.00	20.93	3.5
8425XT	4	615	17	N/A		H	61.00	20.91	3.5
8438XT	4	615	17				61.00	20.91	3.5
8450AT	4	745	28			F	40.00	41.72	3.5
8450XT	4	805	26	N/A	N/A	H	45.00	41.86	3.5
MFM									
1006	2	153	17	128			179.00	2.60	5.25
1006	2	306	17	128	306	F	179.00	5.20	5.25
1012	4	153	17	128		F	179.00	5.20	
1012	4	306	17	128	306	F	179.00	10.40	5.25
2006	2	306	17	128	306	F		5.20	5.25
2006	2	307	17	128		F		5.22	
2006	8	512	17			F	0.00	34.82	
2012	4	306	17	128	306	F	85.00	10.40	5.25
3006	2	306	17		128		0.00	5.20	
3012	2	612	17	256	256	H	155.00	10.40	5.25
3053	5	1024	17			H	25.00	43.52	5.25
3053II	5	1024	17			H	25.00	43.52	5.25
3085	7	1170	17			F	18.40	69.61	5.25
3085	7	1170	17	512	off	H	20.00	69.61	5.25
3130	5	1250	17			H	17.00	53.13	5.25
3180	7	1250	17			H	17.00	74.38	5.25
3212	2	612	17	128	off	H	85.00	10.40	5.25
3212 PLUS	2	612	17	128		H	53.00	10.40	5.25
3412	4	306	17	128	128	H	60.00	10.40	5.25
3425	4	612	17	0	off	H	85.00	20.81	5.25
3425 PLUS	4	612	17		306	H	53.00	20.81	5.25
3650	6	809	17	809	128	H	61.00	41.26	5.25
3650F	6	809	17	809	off	H	46.00	41.26	5.25
4010	2	480	17	128	480	F	133.00	8.16	5.25
4020	4	480	17	128	480	F	133.00	16.32	5.25
5330	6	480	17	128				24.48	

5338	6	612	17	306				31.21	
5440	8	480	17	128				32.64	
5451	8	612	17	306				41.62	
6032	3	1024	17	512	off	F	28.00	26.11	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
6053	5	1024	17	512	off	F	28.00	43.52	5.25
6074	7	1024	17	512		F	28.00	60.93	5.25
6085	8	1024	17	512	off	F	28.00	69.63	5.25
6212	2	615	17	0	off		0.00	10.46	
7426	4	612	17	613				20.81	
8212	2	615	17	128	off		68.00	10.46	3.5
8225XT	4	615	17	N/A			68.00	20.91	3.5
8412	4	306	17	128	off	H	68.00	10.40	3.5
8425	4	615	17	128	off	H	68.00	20.91	3.5
8425F	4	615	17	128	off	H	40.00	20.91	3.5
8425XT	4	615	17	N/A		H	61.00	20.91	3.5
8438XT	4	615	17				61.00	20.91	3.5
UnKnown									
1302	0	0					0.00	0.00	
3312	0	0				H	0.00	0.00	
RLL									
3438	4	613	26			H	85.00	31.88	5.25
3438 PLUS	4	613	26			H	53.00	31.88	5.25
3650R	6	809	26	128	809	H	61.00	63.10	5.25
3675	6	809	26	0	off	H	61.00	63.10	5.25
6079	5	1024	26	512	off	F	28.00	66.56	5.25
6128	8	1024	26	512	off	F	28.00	106.50	5.25
8051	5	981	26					63.77	3.5
8225	2	771	26	128		H	45.00	20.05	3.5
8225XT	2	805	26	N/A		H	68.00	20.93	3.5
8434F	4	615	26				40.00	31.98	3.5
8438	4	615	26	128	off	H	68.00	31.98	3.5
8438F	4	615	26	128	off		40.00	31.98	3.5
8450	4	771	26	128		H	45.00	40.09	3.5
8450A	4	745	28	N/A		H	40.00	41.72	3.5
8450XT	4	805	26	N/A	N/A	H	45.00	41.86	3.5
SCSI									
3085S	3	1255					17.00	72.00	5.25
3130S	5	1255					17.00	115.00	5.25
3180S	7	1255				H	17.00	160.00	5.25
3180SM	7	1255				H	17.00	160.00	5.25
7040S	2	1156	36			T	27.60	41.62	3.5
7080S	4	1156	36			T	27.60	83.23	3.5
8048						H	30.00	40.00	3.5
8051S	4	745	28			H	28.00	41.72	3.5
8225S	2	771	26	128		H	45.00	20.05	3.5
8425S	4	615	17	N/A		H	68.00	20.91	3.5
8450S	4	809				H	68.00	40.00	3.5
9000S	15	1220	36			F	24.30	329.40	5.25
9380S	15	1224	36			F	16.00	330.48	5.25
9380SM	15	1224	36			F	16.00	330.48	5.25
9424S	8	1661	36				17.00	239.18	5.25
9780S	15	1661	53				17.00	660.25	5.25
MITSUBISHI									
ESDI									
MR 5310E	5	977	17	none		H	28.00	41.52	5.25
MFM									

MR 335	7	743			H	20.00	0.00	3.5
MR 521	2	612	17		H	85.00	10.40	5.25
MR 522	4	612	17	300	H	85.00	20.81	5.25
MR 533	3	971	17	none	H	0.00	24.76	5.25
MR 535 MFM	5	971	17	none	H	28.00	41.27	5.25

D 5452	10	823		0.00	
OTHER					
D 5392	16		14.00	0.00	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
D 3835	2	1084	41			1	20.00	44.44	3.5
D 3855	4	1250	41			1	20.00	102.50	3.5
D 3861	7	915	35			H	20.00	112.09	3.5
D 3881	9					H	15.00	0.00	3.5
D 5862	8					F	18.00	0.00	5.25
D 5882	15	1633	53			F	16.00	649.12	5.25
D 5892	19	1678	86			F	14.00	1370.93	5.25
SD020S						H	0.30	20.00	5.25
SD040S						H	0.30	40.00	5.25
NEI									
MFM									
RD 3127	2	612	17				0.00	10.40	
RD 3255	4	612	17				0.00	20.81	
RD 4127	4	306	17				0.00	10.40	
RD 4255	8	306	17				0.00	20.81	
NEWBURY DATA									
ESDI									
NDR 4175	7	1224	36	none		F	28.00	154.22	5.25
NDR 4380	15	1224	36	none		F	28.00	330.48	5.25
MFM									
1065	7	918	17			F	25.00	54.62	5.25
1085	8	1025	17	none		F	26.00	69.70	5.25
1105	11	918	17	none		F	25.00	85.83	5.25
1140	15	918	17	none		F	25.00	117.05	5.25
1140-	15	1024	17			F	25.00	130.56	5.25
2190	15	918	17	none		F	0.00	117.05	5.25
2190-	15	1024	17	none		F	28.00	130.56	5.25
320	4	615	17	none			0.00	20.91	
NDR 2190	15	1224	17					156.06	
NDR 340	8	615	17	none			40.00	41.82	3.5
NDR 360	8	615	17					41.82	
UnKnown									
NDR 4170	7	1224						0.00	
SCSI									
NDR 3170S	9	1224	26	none		F	28.00	143.21	5.25
NDR 3280S	15	1224	26	none		F	28.00	238.68	5.25
NDR 4380S	15	1224	34	none		F	28.00	312.12	5.25
NIPPON									
MFM									
NP02-13	4	306	17			H	68.00	10.40	5.25
NPL									
MFM									
NP 03-6	2	306	17				0.00	5.20	
RLL									
NP 03-13	4	306	26				0.00	15.91	
SCSI									
NP 02-26S	4	640					0.00	0.00	
OKIDATA									
RLL									
OD 526	4	615	26			H	0.00	31.98	
OD 540	6	615	26			H	0.00	47.97	
OLIVETTI									

MFM

5210/2			17	85.00	10.00	5.25
5220/2			17	65.00	20.00	5.25
HD662/11	2	612	17		10.40	
HD662/12	4	612	17		20.81	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====
OPTIMA								
SCSI								
CONCORDE 1050	15					15.00	1050.00	5.25
CONCORDE 635	14					16.00	640.00	5.25
DISCOVERY 420	8					16.00	416.00	5.25
MINIPAK 100	4					25.00	104.00	3.5
MINIPAK 200	8					20.00	209.00	3.5
MINIPAK 300						13.00	320.00	3.5
ORCA TECH.								
ESDI								
760E	15					14.00	0.00	5.25
IDE								
320A	9					12.00	0.00	3.5
400A	9					12.00	0.00	3.5
SCSI								
320S	9					12.00	0.00	3.5
400S	9					12.00	0.00	3.5
760S	15					14.00	0.00	5.25
OTARI								
MFM								
C 214	4	306	17	128	128		10.40	
C 519	6	306	17	128	128		15.61	
C 526	8	306	17	128	128		20.81	
PACIFIC MAG,								
SCSI								
MT-4170S						16.00	170.00	5.25
PACIFIC MAG.								
ESDI								
MT-4115E						16.00	115.00	5.25
MT-4140E						16.00	140.00	5.25
MT-4170E						16.00	170.00	5.25
SCSI								
MT-4115S						16.00	115.00	5.25
MT-4140S						16.00	140.00	5.25
PANASONIC								
MFM								
JU-116	4	615	17			85.00	20.91	3.5
JU-128	7	733	17			35.00	43.61	3.5
PERIPHERAL								
SCSI								
PL-100 TURBO	4					19.00	105.00	3.5
PL-200 TURBO	7					19.00	210.00	3.5
PL-320 TURBO	14					12.00	320.00	3.5
PLUS DEVELOP								
UnKnown								
HARDCARD 20						0.00	20.00	3.5
HARDCARD 40						0.00	40.00	3.5
HARDCARD II 40						19.00	40.00	3.5
HARDCARD II 80						19.00	80.00	3.5
HARDCARD IIXL 50						17.00	50.00	3.5
HARDCARD IIXL105						17.00	105.00	3.5
PRAIRIETEK								
IDE								

Prairie 120	2	615	34	H	23.00	20.91	2.5
Prairie 140	2				0.00	20.00	2.5
Prairie 220	4	612	17	H	28.00	20.81	2.5
Prairie 240	4	615	34	H	28.00	41.82	2.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
IDE									
Prairie 242A	4						0.00	40.80	2.5
Prairie 282A	4						0.00	81.60	2.5
SCSI									
Prairie 220S	4						28.00	20.00	2.5
Prairie 242S	4						0.00	40.80	2.5
Prairie 282S	4						0.00	81.60	2.5
PRIAM									
ESDI									
617	7	1225				F	20.00	153.00	5.25
628	11	1225	35			F	18.00	235.81	5.25
638	15	1225	34			F	20.00	312.38	5.25
ID120	7	1017	34				28.00	121.02	5.25
ID150E	7	1268	34				28.00	150.89	5.25
ID160E	7	1218	36				18.00	153.47	5.25
ID250E	11	1218	36				18.00	241.16	5.25
ID330E	15	1218	36				18.00	328.86	5.25
ID340H-U	7						14.00	340.00	5.25
ID660-U	15						16.00	660.00	5.25
ID700E							0.00	701.00	5.25
IDE									
ID200L-I							15.00	200.00	5.25
ID200L-IC							15.00	200.00	5.25
ID200L-IF							15.00	200.00	5.25
MFM									
502	7	755	17					44.92	
504	7	755	17					44.92	
514	11	1224	17			F	22.00	114.44	5.25
519	15	1224	17	none		F	22.00	156.06	5.25
ID 130	15	1224	17	none	none	F	0.00	156.06	
ID100AT							16.00	103.00	5.25
ID130AT/D2	15	1224	17				20.00	156.06	5.25
ID20	0		17				28.00	20.00	5.25
ID40AT	5	1018	17				23.00	43.27	5.25
ID45	5	1018	17				23.00	43.27	5.25
ID45H	5	1018	17				25.00	43.27	5.25
ID60AT	5	1018	17				23.00	43.27	5.25
ID62AT/D2	7	1018	17				23.00	60.57	5.25
S 14	11	1224	17	none	none	F	0.00	114.44	
S 19	15	1224	17	none	none	F	0.00	156.06	
V 150	5	987	17	none	none		0.00	41.95	
V 160	5	1166	17	none		F	0.00	49.55	
V 170	7	987	17	none	none		0.00	58.73	
V 185	7	1166	17	none		F	0.00	69.38	
UnKnown									
617	11	752	17					70.31	
623	15	752	17					95.88	
630	15	1224	17					156.06	
OTHER									
ID160E-PS/2	7	1195	36				18.00	150.57	5.25
ID250E-PS/2	11	1195	36				18.00	236.61	5.25
ID330E-PS/2	15	1195	36				18.00	322.65	5.25
RLL									

3504						39.00	44.00	3.5
ID230RC	0		26			12.00	233.00	5.25
ID75RC	7	1166	26			18.00	106.11	5.25
V 130	3	987	26	none	none	0.00	38.49	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
RLL									
V 160	5	1166	26	none	none		0.00	75.79	
V 170	7	987	26	none	none		0.00	89.82	
SCSI									
717	7	1225	36			F	20.00	154.35	5.25
728	11	1225	36			F	20.00	242.55	5.25
738	15	1225	36			F	20.00	330.75	5.25
ID160S	7	1218	36				18.00	153.47	5.25
ID250S	11	1218	36				18.00	241.16	5.25
ID330S	15	1218	36				18.00	328.86	5.25
ID700S							0.00	668.00	5.25
PROCOM TECH									
ESDI									
HiPer 380	8						17.00	388.00	5.25
IDE									
PROPAQ 185-15	5						15.00	189.00	3.5
SCSI									
Si 1000/S5	8						15.00	1037.00	5.25
Si 200/PS3	4						18.00	209.00	3.5
Si 585/S5	8						17.00	601.00	5.25
PTI									
IDE									
PT-238A	4	615	26				35.00	31.98	
PT-251A	4	820	26				35.00	42.64	
PT-357A	6	615	26				35.00	47.97	3.5
PT-376A	6	820	26				35.00	63.96	3.5
PT-4102A	8	820	26				35.00	85.28	3.5
MFM									
PT-225	4	615	17	300	none		0.00	20.91	
PT-234	4	820	17				35.00	27.88	
PT-338	6	615	17	none	none	H	35.00	31.36	3.5
PT-351	6	820	17			H	35.00	41.82	3.5
RLL									
PT-238R	4	615	26	300	none		35.00	31.98	
PT-251R	4	820	26				35.00	42.64	5.25
PT-325R	0	0	26				0.00	0.00	
PT-338R	6	615	26	none	none	H	0.00	47.97	
PT-351R	6	820					30.00	60.00	3.5
PT-357R	6	615	26	none	none	H	35.00	47.97	3.5
PT-376R	6	820	26				35.00	63.96	3.5
PT-4102R	8	820	26				35.00	85.28	3.5
SCSI									
PT-238S	4	615	26				35.00	31.98	5.25
PT-251S	4	820	26				35.00	42.64	5.25
PT-357S	6	615	26				35.00	47.97	3.5
PT-376S	6	820	26				35.00	63.96	3.5
QUANTUM									
ESDI									
PRO-100	0	0					19.00	103.00	3.5
PRO-145	0	0					19.00	145.00	3.5
IDE									
GO-DRV-40A							19.00	42.00	2.5
GO-DRV-80A							19.00	84.00	2.5

PRO-120AT	5	1123			15.00	120.00	3.5
PRO-170	7	0	26	H	19.00	168.00	3.5
PRO-210AT	7	1156			15.00	210.00	3.5
PRO-330AT					14.00	330.00	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
IDE									
PRO-40AT	3		28				19.00	42.00	3.5
PRO-425AT							14.00	425.00	3.5
PRO-GEM-160A							19.00	168.00	3.5
PRO-GEM-80A							19.00	84.00	3.5
PRO-LPS-105A	4						17.00	105.00	3.5
PRO-LPS-52AT	2						17.00	52.00	3.5
MFM									
Q-510	2	512	17	256	none		17.00	8.70	
Q-520	4	512	17	256	none		17.00	17.41	
Q-530	6	512	17	256	none		17.00	26.11	
Q-540	8	512	17	256	none		17.00	34.82	
RLL									
LPS-105AT	4	1219	42			T		102.40	3.5
LPS-52AT	2	1219	42			T		51.20	3.5
PRO-120	0	0	26				19.00	0.00	3.5
PRO-40AT	3	0	26				19.00	42.00	3.5
PRO-80AT	6	0	26				19.00	84.00	3.5
SCSI									
GO-DRV-40S							19.00	42.00	2.5
GO-DRV-80S							19.00	84.00	2.5
LPS-105S	4	1219				T		105.00	3.5
LPS-52S	2	1219				T		52.00	3.5
PRO-105S	6	1019				H		105.00	3.5
PRO-120S	5	1123	48			H	19.00	134.76	3.5
PRO-170S	7	1123				H		168.00	3.5
PRO-210S	7	1156				H	15.00	210.00	3.5
PRO-330S							14.00	330.00	3.5
PRO-40	0	0					19.00	0.00	3.5
PRO-40S	3	834	28				19.00	35.03	3.5
PRO-40S	3	834				H		42.00	3.5
PRO-425S							14.00	425.00	3.5
PRO-80	0	0	35				19.00	84.00	3.5
PRO-80S	6	834				H		84.00	3.5
PRO-GEM-160S							19.00	168.00	3.5
PRO-GEM-80S							19.00	84.00	3.5
PRO-LPS-105S	4						17.00	105.00	3.5
PRO-LPS-52S	2						17.00	52.00	3.5
Q-160	12	0				H	26.00	200.00	5.25
Q-250	4	823				H	26.00	53.00	5.25
Q-280	6	823				H	26.00	80.00	5.25
QUME									
UnKnown									
R 200	0	0					0.00	0.00	
R 300	0	0					0.00	0.00	
RICOH									
MFM									
RH-5130	2	612	17	400	none		85.00	10.40	
RH-5260	2	615	17				85.00	10.46	
SCSI									
RH-5261	2	612	17				85.00	10.40	
RH-5500	2	1285	76				25.00	97.66	5.25
RS-9150AR	2	1285	76				25.00	97.66	5.25

RMS								
MFM								
RMS 503	2	153	17	77	77	0.00	2.60	
RMS 506	4	153	17	77	77	0.00	5.20	
RMS 512	8	153	17	77	77	0.00	10.40	

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
RODIME									
ESDI									
COBRA 110at	4						20.00	110.00	3.5
COBRA 210at	5						20.00	210.00	3.5
COBRA 40at							20.00	40.00	3.5
COBRA 80at							20.00	80.00	3.5
RO 5125E	5	1224	34				18.00	104.04	5.25
RO 5180E	7	1224	34				18.00	145.66	5.25
IDE									
RO 3058A	3	868					18.00	45.00	3.5
RO 3059A	2	1216					18.00	46.70	3.5
RO 3088A	5	868					18.00	75.60	3.5
RO 3089A	3	1216					18.00	70.00	3.5
RO 3095A							18.00	80.00	3.5
RO 3128A	7	868					18.00	105.80	3.5
RO 3129A	5	1091					18.00	105.80	3.5
RO 3135A	7	923					19.00	112.50	3.5
RO 3139A	5	1168					18.00	112.50	3.5
RO 3259A							18.00	210.00	3.5
MFM									
RO 101	2	192	17	0	96	F	0.00	3.26	5.25
RO 102	4	192	17	0	96	F	0.00	6.53	5.25
RO 103	6	192	17	0	96	F	55.00	9.79	5.25
RO 104	8	192	17	0	96	F	0.00	13.06	5.25
RO 201	2	321	17	0	132	F	85.00	5.46	5.25
RO 201E	2	640	17	0	none	F	55.00	10.88	5.25
RO 202	4	321	17	0	132	H	85.00	10.91	5.25
RO 202E	4	640	17	0	none	F	55.00	21.76	5.25
RO 203	6	321	17	0	132	H	85.00	16.37	5.25
RO 2031	6	320	17					16.32	
RO 203E	6	640	17	0	none	F	55.00	32.64	5.25
RO 204	8	321	17	0	132	F	85.00	21.83	5.25
RO 204E	8	640	17	0	none	F	55.00	43.52	5.25
RO 206			17				0.00	0.00	
RO 251	2	306	17			H	85.00	5.20	5.25
RO 252	4	306	17	128	64	H	85.00	10.40	5.25
RO 252F	4	306	17			H	0.00	10.40	
RO 3000A-XLA	5	992	17					42.16	
RO 3045	5	872	17	0	none		28.00	37.06	
RO 3055	6	872	17	0	none	H	28.00	44.47	
RO 3065	7	872	17				28.00	51.88	
RO 351	2	306	17				85.00	5.20	
RO 365	4	612	17					20.81	3.5
RO 5065	5	1224	17			H	28.00	52.02	5.25
RO 5090	7	1224	17			H	28.00	72.83	5.25
UnKnown									
RO 3151A							0.00	122.00	3.5
RLL									
RO 3000A-NAT	5	625	26					40.63	
RO 3060R	5	750	26					48.75	
RO 3075R	6	750	26					58.50	
RO 3085R	7	750	26					68.25	
RO 352	4	306	26	128	64	H	85.00	15.91	3.5

RO 5090R
RO 5130R

7 1224 26
7 1224 26

28.00 111.38 5.25
111.38

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
COBRA 110e	4						18.00	105.00	3.5
COBRA 210e	5						18.00	210.00	3.5
COBRA 650e	15						17.00	650.00	5.25
RO 3057S	5	680					28.00	45.30	
RO 3058T	3	868					18.00	45.30	3.5
RO 3059T	2	1216					18.00	46.70	3.5
RO 3070S	0	0					28.00	70.00	
RO 3085S	7	750					28.00	69.90	
RO 3088T	5	868					18.00	75.60	3.5
RO 3089T	3	1216					18.00	70.00	3.5
RO 3128T	7	868					18.00	105.80	3.5
RO 3129T	5	1091					18.00	105.80	3.5
RO 3130S	7	1047	30				22.00	109.94	5.25
RO 3259T							18.00	210.00	3.5
RO 5040	3	1224					28.00	38.00	
RO 5075S	0	0				H	28.00	0.00	5.25
RO 5125-102	5	1219	34				24.00	103.61	5.25
RO 5125-1F2	5	1219	34				18.00	103.61	5.25
RO 5125S	5	1219				H	28.00	0.00	5.25
RO 5178S	7	1219					19.00	144.00	5.25
RO 5180-102	7	1219	34				24.00	145.06	5.25
RO 5180-1F2	7	1219	34				18.00	145.06	5.25
RO 5180S	7	1219				H	28.00	0.00	5.25
RO 652A	0	0					85.00	20.60	
RO 652B	4	306	33				85.00	20.20	
RO 752A	0	0				H	85.00	25.00	5.25
SEAGATE									
ESDI									
ST-1111E	5	1068	36	N/A	N/A		15.00	96.12	
ST-1156E	7	1072	36	N/A	N/A		15.00	135.07	
ST-1201E	9	1072	36	N/A	N/A		15.00	173.66	
ST-2106E	5	1024	34	N/A	N/A		18.00	87.04	
ST-2182E	4	1453	54	N/A	N/A		16.00	156.92	
ST-2383E	7	1747	54	N/A	N/A	H	16.00	330.18	
ST-4182E	9	969	36	N/A	N/A		16.50	156.98	
ST-4192E	8	1147	36			F	17.00	165.17	5.25
ST-4383E	13	1412	34	N/A	N/A	F	18.00	312.05	
ST-4384E	15	1224	34	N/A	N/A	F	14.50	312.12	
ST-4442E	15	1412	34	N/A	N/A	F	16.00	360.06	
ST-4766E	15	1632	53	N/A	N/A	F	16.00	648.72	
ST-4769E							0.00	0.00	5.25
IDE									
ST-1057A	3	1024	26			H	20.00	39.94	3.5
ST-1090A	5	1072	29	N/A	N/A		15.00	77.72	
ST-1102A	5	1024	26			H	20.00	66.56	3.5
ST-1111A	5	1072	36	N/A	N/A		15.00	96.48	
ST-1126A	7	1072	29	N/A	N/A		15.00	108.81	
ST-1133A	5	1272	36	N/A	N/A		15.00	114.48	
ST-1144A	7	1024	26			H	20.00	93.18	3.5
ST-1156A	7	1072	36	N/A	N/A		15.00	135.07	
ST-1162A	9	1072	29	N/A	N/A		15.00	139.90	
ST-1186A	7	1272	36	N/A	N/A		15.00	160.27	

ST-1201A	9	1072	36	N/A	N/A		15.00	173.66	
ST-1239A	9	1272	36	N/A	N/A		15.00	206.06	
ST-125A	4	404	26	none	none	H	28.00	21.01	3.5
ST-125A-1	4	404	26	none	none	H	28.00	21.01	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
ST-1274A							18.00	230.00	3.5
ST-138A	4	604	26	none	none	H	40.00	31.41	3.5
ST-138A-1	4	604	26	none	none	H	28.00	31.41	3.5
ST-1400A							14.00	331.00	3.5
ST-1410A							14.00	340.00	3.5
ST-1480A							14.00	426.00	3.5
ST-157A	6	539	26	none	none	H	40.00	42.04	3.5
ST-157A-1	6	539	26	none	none	H	28.00	42.04	3.5
ST-157R-1	6	615	26	none	none	H	28.00	47.97	3.5
ST-2274A	5	1747	54	N/A	N/A	H	16.00	235.84	
ST-2383A	7	1747	54	N/A	N/A	H	16.00	330.18	
ST-2384A							18.00	330.00	5.25
ST-274A	5	948	26	N/A	N/A	H	29.00	61.62	
ST-280A	5	1032	26	N/A	N/A	H	29.00	67.08	
ST-3025A	1	1616	26				20.00	21.01	3.5
ST-3057A	3	1024	26			T	20.00	39.94	3.5
ST-3096A	3	1024	26			T	20.00	39.94	3.5
ST-3120A							18.00	107.00	3.5
ST-325A	2	697	30				45.00	20.91	3.5
ST-325X	2	697	30				45.00	20.91	3.5
ST-9025A							20.00	21.40	2.5
ST-9051A							20.00	42.80	2.5
ST-9096A							20.00	84.00	2.5
MFM									
ST-1100	9	1072	17	N/A	N/A		15.00	82.01	
ST-124	4	615	17	N/A	N/A		40.00	20.91	
ST-125	4	615	17	none	none	H	40.00	20.91	3.5
ST-125-1	4	615	17	none	none	H	28.00	20.91	3.5
ST-138	6	615	17	none	none	H	40.00	31.36	3.5
ST-138-1	6	615	17	none	none	H	28.00	31.36	3.5
ST-151	5	977	17	none	none	H	24.00	41.52	3.5
ST-206	2	306	17	128		F	0.00	5.20	5.25
ST-212	4	306	17	128	128	F	0.00	10.40	5.25
ST-213	2	615	17	300	none	F	0.00	10.46	5.25
ST-225	4	615	17	300	none	H	65.00	20.91	5.25
ST-251	6	820	17	none	none	H	40.00	41.82	5.25
ST-251-1	6	820	17	none	none	H	28.00	41.82	5.25
ST-252	6	820	17			H	48.30	41.82	5.25
ST-253	5	989	17	N/A	N/A	H	28.00	42.03	
ST-4026	4	615	17	300	none	F	0.00	20.91	5.25
ST-4030	5	733	17		354	F	0.00	31.15	5.25
ST-4038	5	733	17	300	none	F	40.00	31.15	5.25
ST-4038M	5	733	17	none		F	40.00	31.15	5.25
ST-4051	5	977	17	none	none	F	40.00	41.52	5.25
ST-4053	5	1024	17	none		F	28.00	43.52	5.25
ST-406	2	306	17	128	128	F	0.00	5.20	5.25
ST-4085	8	1024	17	N/A	N/A		28.00	69.63	
ST-4086	9	925	17	N/A	N/A		28.00	70.76	
ST-4096	9	1024	17	none	none	F	28.00	78.34	5.25
ST-4097	9	1024	17	N/A	N/A		28.00	78.34	
ST-412	4	306	17	128	128	F	0.00	10.40	5.25
ST-419	6	306	17	128	128	F	0.00	15.61	5.25
ST-425	8	306	17			F	0.00	20.81	5.25

ST-506	4	153	17	128	128	F	0.00	5.20	5.25
ST-706	2	306	17	128		F	0.00	5.20	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
UnKnown									
ST-112	0	0					0.00	0.00	
ST-351							0.00	42.00	3.5
OTHER									
ST-41201J	17	2101	69	N/A	N/A	F	12.00	1232.24	5.25
ST-41201K	17	2101	69	N/A	N/A	F	12.00	1232.24	5.25
ST-6165J	10	823	39	N/A	N/A	F	30.00	160.49	8.5
ST-6315J	19	823	38	N/A	N/A	F	20.00	297.10	8.5
ST-6344J	24	711	39	N/A	N/A	F	18.00	332.75	8.5
ST-6516J	24	711	54	N/A	N/A	F	18.00	460.73	8.5
ST-683J	5	823	36	N/A	N/A	F	30.00	74.07	8.5
ST-81123J	15	1635	80	N/A	N/A	F	15.00	981.00	8.5
ST-81154KT	14	1635	87	N/A	N/A	F	15.00	995.72	8.5
ST-81236J	15	1635	90	N/A	N/A	F	15.00	1103.63	8.5
ST-81236K	15	1635	90	N/A	N/A	F	15.00	1103.63	8.5
ST-82272J	19	2611	80	N/A	N/A	F	13.00	1984.36	8.5
ST-82368K8	16	2611	90	N/A	N/A	F	13.00	1879.92	8.5
ST-82368K9	18	2611	90	N/A	N/A	F	13.00	2114.91	8.5
ST-82500J	19	2611	90	N/A	N/A	F	13.00	2232.41	8.5
ST-82500K	19	2611	90	N/A	N/A	F	13.00	2232.41	8.5
ST-8368J	10	1217	56	N/A	N/A	F	18.00	340.76	8.5
ST-8500J	10	1217	80	N/A	N/A	F	18.00	486.80	8.5
ST-8741J	15	1635	54	N/A	N/A	F	15.00	662.17	8.5
ST-8851J	15	1381	80	N/A	N/A	F	15.00	828.60	8.5
RLL									
ST-1106R	7	977	26				24.00	88.91	3.5
ST-1150R	9	1072	26	N/A	N/A		15.00	125.42	
ST-137R	4	615	26				40.00	31.98	3.5
ST-138R	4	615	26	none	none	H	40.00	31.98	3.5
ST-138R-1	4	615	26	none	none	H	28.00	31.98	3.5
ST-157R	6	615	26	none	none	H	40.00	47.97	3.5
ST-225R	2	667	26	none	none	H	70.00	17.34	5.25
ST-238R	4	615	26	300	none	H	65.00	31.98	5.25
ST-250R	4	667	26	none	none	H	70.00	34.68	5.25
ST-251R	6	820	26	none	none	H	40.00	63.96	5.25
ST-277R	6	820	26	none	none	H	40.00	63.96	5.25
ST-277R-1	6	820	26	none	none	H	28.00	63.96	5.25
ST-278R	6	820	26			H	48.30	63.96	5.25
ST-279R	5	989	26	128	N/A	H	28.00	64.28	
ST-4077R	5	1024	26	none	none	F	28.00	66.56	5.25
ST-4135R	9	960	26	N/A	N/A	F	28.00	112.32	
ST-4144R	9	1024	26	none	none	F	28.00	119.81	5.25
SCSI									
ST-1057N	3	1024	26			H	28.30	39.94	3.5
ST-1090N	5	1072	29	N/A	N/A		15.00	77.72	
ST-1096N	7	906	26	none	none	F	24.00	82.45	3.5
ST-1102N	5	965	34			H	28.30	82.03	3.5
ST-1111N	5	1072	36	N/A	N/A		15.00	96.48	
ST-1126N	7	1068	29	N/A	N/A		15.00	108.40	
ST-1133NS	5	1268	36	N/A	N/A		15.00	114.12	
ST-1144N	7		32			H	28.30	125.00	3.5
ST-1156N	7	1068	36	N/A	N/A		15.00	134.57	
ST-1156NS	7	1068	36	N/A	N/A		15.00	134.57	

ST-1162N	9	1068	29	N/A	N/A	15.00	139.37
ST-1186NS	7	1268	36	N/A	N/A	15.00	159.77
ST-1201N	9	1068	36	N/A	N/A	15.00	173.02
ST-1201NS	9	1068	36	N/A	N/A	15.00	173.02

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
ST-1239NS	9	1268	36	N/A	N/A		15.00	205.42	
ST-125N	4	407	35	none	none	H	40.00	28.49	3.5
ST-125N-1	4	407	35	none	none	H	28.00	28.49	3.5
ST-138N	4	613	35	none	none	H	40.00	42.91	3.5
ST-138N-1	4	613	35	none	none	H	28.00	42.91	3.5
ST-1400N							14.00	331.00	3.5
ST-1410N							14.00	340.00	3.5
ST-1480N							14.00	426.00	3.5
ST-157N	6	613	26	none	none	H	40.00	47.81	3.5
ST-157N-1	6	613	26	none	none	H	28.00	47.81	3.5
ST-177N	5	921	26	none	none	H	24.00	59.87	3.5
ST-2106N	5	1022	34	N/A	N/A		18.00	86.87	
ST-2125N	3	1544	45	N/A	N/A		18.00	104.22	
ST-2209N	5	1544					18.00	179.00	5.25
ST-224N	2						70.00	21.00	5.25
ST-225N	4	615	17	300	none	H	65.00	20.91	5.25
ST-2383N	7	1261	75	N/A	N/A	H	16.00	331.01	
ST-2502N	7	1755	69	N/A	N/A		16.00	423.83	
ST-250N	4	588				H	80.00	42.90	5.25
ST-251N	4	818	26	none	none	H	40.00	42.54	5.25
ST-251N-1	4	818	26	none	none	H	28.00	42.54	5.25
ST-277N	6	820	26	none	none	H	40.00	63.96	5.25
ST-277N-1	6	628	26	none	none	H	28.00	48.98	5.25
ST-296N	6	818	34			H	28.00	83.44	5.25
ST-3025N	1	1616	26				20.00	21.01	3.5
ST-3057N	6	1024	34			T	28.30	104.45	3.5
ST-3096N	3	610	35			T	28.30	32.02	3.5
ST-325N	2	697	30				45.00	20.91	3.5
ST-4051N	5	977			n/a	F	0.00	0.00	
ST-4077N	5	1024	34	none	none	F	28.00	87.04	5.25
ST-4096N	8	1147	26	none	none	F	28.00	119.29	5.25
ST-41200N	15	1931	71	N/A	N/A	F	15.00	1028.26	5.25
ST-4144N	9	1024	26	none	none	F	28.00	119.81	5.25
ST-41520N	17	2101	67	N/A	N/A	F	12.00	1196.52	5.25
ST-41600N							0.00	0.00	5.25
ST-4182N	9	969	34	N/A	N/A		16.50	148.26	
ST-4192N	8	1147	36			F	17.00	165.17	5.25
ST-4350N	9	1412	47	N/A	N/A	F	16.50	298.64	
ST-4376N	9	1546	47	N/A	N/A	F	16.50	326.98	
ST-4385N	15	791	54	N/A	N/A	F	10.70	320.36	
ST-4702N	15	1546	51	N/A	N/A	F	16.50	591.35	
ST-4766N	15	1632	54	N/A	N/A	F	15.50	660.96	
ST-4767N	15	1356	65	N/A	N/A	F	11.90	661.05	
ST-81236N	15	1635	90	N/A	N/A	F	15.00	1103.63	8.5
ST-82500N	19	2611	90	N/A	N/A	F	13.00	2232.41	8.5
ST-8368N	10	1217	56	N/A	N/A	F	18.00	340.76	8.5
ST-8500N	10	1217	80	N/A	N/A	F	18.00	486.80	8.5
ST-8741N	15	1635	54	N/A	N/A	F	15.00	662.17	8.5
ST-8851N	15	1381	80	N/A	N/A	F	15.00	828.60	8.5
SEAGATE SWIFT									
ESDI									
94316-111	5	1072		none	none	H	23.30	98.00	3.5

94316-155	7	1072	H	23.30	130.00	3.5
94316-200	9	1072	H	23.30	177.00	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
MFM									
94355-100	9	1072	17			H	23.30	82.01	3.5
94355-150	9	1072	17			H	23.30	82.01	3.5
RLL									
94314-136	5		26			T	23.30	120.00	3.5
94354-111	5	1072	26			H	23.30	69.68	3.5
94354-126	7	1072	26			H	23.30	97.55	3.5
94354-133	5	1272	26			H	23.30	82.68	3.5
94354-155	7	1072	26			H	23.30	97.55	3.5
94354-160	9	1072	26			H	23.30	125.42	3.5
94354-186	7	1272	26			H	23.30	115.75	3.5
94354-200	9	1072	26			H	23.30	125.42	3.5
94354-230	9	1272	26			H	23.30	148.82	3.5
SCSI									
94311-136 SL	5					T	23.30	120.00	3.5
94311-136S	5					T	23.30	120.00	3.5
94351-111	5	1068				H	23.30	98.00	3.5
94351-126	7	1068				H	23.30	111.00	3.5
94351-133S	5	1268				H	23.30	116.00	3.5
94351-155	7	1068				H	23.30	138.00	3.5
94351-155S	7	1068				H	23.30	138.00	3.5
94351-160	9	1068				H	23.30	142.00	3.5
94351-186S	7	1268				H	23.30	163.00	3.5
94351-200	9	1068				H	23.30	177.00	3.5
94351-200S	9	1068				H	23.30	177.00	3.5
94351-230S	9	1268				H	23.30	211.00	3.5
SEAGATE SWIFT SL									
ESDI									
SL 94316-136	5			none	none	T	23.30	120.00	3.5
SEAGATE WREN II									
MFM									
94155-85 FH	8	1024	17			F	36.30	69.63	5.25
94155-86 FH	8	925	17			F	36.30	62.90	5.25
94155-96 FH	8	1024	17			F	36.30	69.63	5.25
94205-50 HH	5	989	17			H	36.60	42.03	5.25
RLL									
94155-135 FH	9	960	26			F	36.30	112.32	5.25
94204-74 HH	5		26			H	36.30	65.00	5.25
94204-81 HH	5		26			H	36.30	71.00	5.25
94205-70 HH	5	989	26			H	36.30	64.28	5.25
SEAGATE WREN III									
ESDI									
9416X FH	9	969				F	24.80	160.00	5.25
SCSI									
9416X FH	9					F	24.80	160.00	5.25
94211 HH	5					H	26.30	91.00	5.25
SEAGATE WREN IV									
ESDI									
94246-180 HH	4	1453				H	23.30	160.00	5.25
SEAGATE WREN RUNR									
SCSI									
94181-385H	15					F	19.00	337.00	5.25
SEAGATE WREN V									

ESDI

94186 FH	13	1412		F	26.30	328.00	5.25
94186 FH	15	1280	39	F	24.30	374.40	5.25
94186H FH	15	1224		F	22.80	329.00	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
94171-350 FH	9					F	24.80	307.00	5.25
94171-376 FH	9					F	25.80	330.00	5.25
94211-125 HH	3	1068				H	23.30	110.00	5.25
94221-209 HH	5					H	26.30	183.00	5.25
SEAGATE WREN VI									
RLL									
94244-219 HH	4	1747	26			H	24.30	90.84	5.25
94244-383 HH	7	1747	26			H	24.30	158.98	5.25
SCSI									
94241-383	7					H	24.30	338.00	5.25
94241-502	7					H	24.30	440.00	5.25
SHUGART									
MFM									
SA 604	4	159	17	128	128		0.00	5.41	
SA 606	6	159	17	128	128		0.00	8.11	
SA 607	2	306	17	128			0.00	5.20	
SA 612	4	311	17	128	none		0.00	10.57	
SA 706	2	306	17	128			0.00	5.20	
SA 712	4	306	17	128			0.00	10.40	
UnKnown									
SA 724	0	0	17				0.00	0.00	
SIEMENS									
ESDI									
1200	8	1216				F	25.00	174.00	5.25
1300	12	1216				F	25.00	0.00	5.25
1300	12	1216					25.00	261.00	5.25
2200	8	1216				F	25.00	174.00	5.25
2300	12	1216				F	25.00	261.00	5.25
4410	11	1100					16.00	334.00	5.25
5710	15	0					16.00	655.00	
5810	16						18.00	0.00	5.25
SCSI									
4420	11	1100	54				16.00	326.70	5.25
5720	15	0					16.00	0.00	
5820	16						18.00	0.00	5.25
6200							14.00	0.00	5.25
7520	15						16.00	655.00	5.25
SONY									
OTHER									
NWP-539								650.00	N/A
STORAGE DIMENSION									
ESDI									
AT155E	9	1224	36				14.00	198.29	5.25
AT335E	15	1224	36				16.00	330.48	5.25
AT650E	15	1224	54				16.00	495.72	5.25
PS155E	9	1224	36				14.00	198.29	5.25
PS335E	15	1224	36				16.00	330.48	5.25
MFM									
AT120	15	918	17				27.00	117.05	5.25
AT160	15	1224	17				28.00	156.06	5.25
SCSI									
AT1000S	15						15.00	1000.00	5.25

AT100S	3			19.00	105.00	3.5
AT155S	9	1224	36	14.00	198.29	5.25
AT200S	7			15.00	204.00	3.5
AT320S	15	1224	36	16.00	330.48	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
SCSI									
AT650S	15	1632	54				16.00	660.96	5.25
MAC195	7						15.00	195.00	3.5
PS155S	9	1224	36				14.00	198.29	5.25
PS320S	15	1224	36				16.00	330.48	5.25
PS650S	15	1632	54				16.00	660.96	5.25
SYQUEST									
MFM									
SQ-306R	2	306	17			H	0.00	5.20	
SQ-306RD	4	306	17	none	none	H	0.00	10.40	
SQ-312	2	615	17				0.00	10.46	
SQ-312RD	2	615	17	none	none		0.00	10.46	
SQ-315F	4	612	17	none	none		0.00	20.81	
SQ-319	2	612	17				0.00	10.40	
SQ-325	4	612	17				0.00	20.81	
SQ-325F	4	615	17	none	none		0.00	20.91	
SQ-338F	6	615	17	none	none		0.00	31.36	
SQ-340AF	6	640	17					32.64	
UnKnown									
SQ-555							25.00	44.00	5.25
SYSGEN									
SCSI									
MAXI RD45	2						25.00	0.00	5.25
T. I.									
MFM									
TI5	4	153	17	64	64	F	0.00	5.20	5.25
TANDON									
MFM									
TM 251	2	306	17			F	0.00	5.20	
TM 252	4	306	17	none	none	H	0.00	10.40	
TM 261	2	612	17				0.00	10.40	
TM 262	4	615	17	none	none	H	80.00	20.91	
TM 3085	8	1024	17				37.00	69.63	
TM 353	4	306	17					10.40	
TM 361	2	612	17				0.00	10.40	
TM 362	4	615	17	none	none	H	80.00	20.91	
TM 501	2	306	17	153	128	F	0.00	5.20	
TM 502	4	306	17	153	128	F	0.00	10.40	
TM 503	6	306	17	153	128		0.00	15.61	
TM 6025	4	153	17	none	128	F	0.00	5.20	
TM 602S	4	153	17	none	128	F	0.00	5.20	
TM 6035	6	153	17	none	128	F	0.00	7.80	
TM 6035E	6	230	17	128	128	F	0.00	11.73	
TM 603S	6	153	17	none	128	F	0.00	7.80	
TM 603SE	6	230	17	128	128	F	0.00	11.73	
TM 703	5	733	17	none	none	F	0.00	31.15	
TM 705	5	962	17	none			0.00	40.88	
TM 755	5	981	17	none	none	H	37.00	41.69	3.5
RLL									
PD PAC 30	4	615	26			H	40.00	31.98	5.25
TM 244	4	782	26				37.00	40.66	
TM 246	6	782	26				37.00	61.00	
TM 262R	2	782	26					20.33	3.5

TM 264	4	782	26	85.00	40.66	3.5
TM 3085	8	1024	26	37.00	106.50	
TM 344	4	782	26	37.00	40.66	3.5
TM 346	6	782	26	37.00	61.00	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
RLL									
TM 362R	2	782	26				85.00	20.33	3.5
TM 364	4	782	26				85.00	40.66	3.5
TM 702	4	615	26	none	none		0.00	31.98	
TM 702AT	4	615	26	none			0.00	31.98	
TM 703AT	5	733	26	none			0.00	47.65	
SCSI									
TM 2085	9	1004	17				25.00	76.81	
TM 2128	9	1004	26				25.00	117.47	
TM 2170	9	1344	26				25.00	157.25	
TM 270	8	1024						159.00	
TANDY									
IDE									
25-1046	4	782	27				28.00	42.23	3.5
25-4130	4						17.00	100.00	3.5
UnKnown									
25-1045							0.00	0.00	3.5
TEAC									
MFM									
SD-150	4	306	17				0.00	10.40	
SD-510	4	306	17	128	128		0.00	10.40	
SD-520	4	615	17	128	128		0.00	20.91	
UnKnown									
SD-3105H							20.00	105.00	3.5
SD-540	0	0				H	0.00	0.00	
RLL									
SD-340	2	1050	26			T	35.00	27.30	5.25
SD-380	4	1050	26			T	32.70	54.60	3.5
SCSI									
SD-340S	2	1050	40			T	35.70	42.00	3.5
SD-380	4	1050				T	32.70	86.00	3.5
TOKICO									
MFM									
DK-503-2	4	306	17				0.00	10.40	
TOSHIBA									
ESDI									
MK-153FA	5	831	35			F	23.00	72.71	5.25
MK-154FA	7	831	35			F	23.00	101.80	5.25
MK-156FA	10	830	35			F	31.30	145.25	5.25
MK-250F	10	1224	35			F	18.00	214.20	5.25
MK-250FA	10	1224	35				18.00	214.20	5.25
MK-355FA	9	1632	35				16.00	257.04	5.25
MK-358FA	15	1632	35				16.00	428.40	5.25
IDE									
MK-1034FC							0.00	106.00	3.5
MK-1122FC							23.00	43.00	2.5
MK-234FC	7	845					25.00	106.00	3.5
MFM									
MK-130	7	733					25.00	0.00	3.5
MK-134FA	7	733	17			H	25.00	43.61	3.5
MK-53F	5	830	17	512		F	30.00	35.27	5.25
MK-53FA	5	830	17	512	none	F	30.00	35.27	5.25
MK-53FA (M)	5	830	17				30.00	35.27	5.25

MK-53FB	5	830	17	512	none	F	23.00	35.27	5.25
MK-54F	7	830	17	512		F	30.00	49.38	5.25
MK-54FA	7	830	17	512	none	F	30.00	49.38	5.25

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
MFM									
MK-54FB	7	830	17	512	none	F	25.00	49.38	5.25
MK-56F	10	830	17	512		F	30.00	70.55	5.25
MK-56FA	10	830	17	512	none	F	30.00	70.55	5.25
MK-72			17				25.00	72.00	3.5
UnKnown									
MK-353A							28.00	72.00	5.25
RLL									
MK-134FA	7	733	26			H	25.00	66.70	3.5
MK-53F-R	5	830	26					53.95	
MK-53FA (R)	5	830	26				30.00	53.95	5.25
MK-53FB	5	830	26	512	none	F	23.00	53.95	5.25
MK-54F-R	7	830	26					75.53	
MK-54FA	7	830	26	512	none	F	30.00	75.53	5.25
MK-54FB	7	830	26	512	none	F	25.00	75.53	5.25
MK-56F-R	10	830	26					107.90	
MK-56FB	10	830	26	512	none	F	25.00	107.90	5.25
MK-56FB	10	830	26	512	none	F	25.00	107.90	5.25
MK-72PCR			26				25.00	109.00	3.5
SCSI									
MK-153FB	5	830	35			F	23.00	72.63	5.25
MK-154FB	7	830	35			F	23.00	101.67	5.25
MK-156FA	10	830	35			F	23.00	145.25	5.25
MK-156FB	10	831	35			F	23.00	145.43	5.25
MK-232FB	3	845				H	33.30	45.40	3.5
MK-233FB	5	845				H	33.30	75.70	3.5
MK-234FB	7	845				H	33.30	106.00	3.5
MK-250FB	10	1224	35				18.00	214.20	5.25
MK-355FB	9	1632	35				16.00	257.04	5.25
MK-358FB	15	1632	35				16.00	428.40	5.25
TULIN									
MFM									
TL 213	2	612	17			H	0.00	10.40	
TL 226	4	640	17	none	none	H	0.00	21.76	
TL 238	4	640	17	none			0.00	21.76	
TL 240	6	640	17	none	none	H	0.00	32.64	
TL 258	6	640	17	none			0.00	32.64	
TL 326	4	640	17	none	none	H	0.00	21.76	
TL 340	6	640	17	none	none	H	0.00	32.64	
VERTEX									
MFM									
V130	3	987	17					25.17	
V150	5	987	17					41.95	
V170	7	987	17					58.73	
V185	7	1166	17					69.38	
VERTEX/PRIAM									
MFM									
V130	3	987	17		400			25.17	
V150	5	987	17		400			41.95	
V170	7	987	17		400			58.73	
V185	7	1166	17		400			69.38	
WESTERN DIGITAL									
IDE									

PIRANHA 105A				15.00	104.90	3.5
PIRANHA 210A				15.00	209.80	3.5
WD 93028-AD	2	782	27	69.00	21.11	3.5
WD 93044-X	4	782	27	28.00	42.23	3.5

South Texas BBS I/II Hard Drive Listing
HDInfo 5/91

Manufacturer	Heads	Cyls	Sect	Write PreComp	Reduced Write	High	Access	Size Megs	Dim
IDE									
WD 93048-AD	4	782	27				69.00	42.23	3.5
WDAC140	2	1082	39				18.00	42.20	3.5
WDAC280	4	1082	39				18.00	84.40	3.5
MFM									
WD 262	4	615	17			H	80.00	20.91	3.5
WD 362	4	615	17				80.00	20.91	3.5
WD 562-5"	4	615	17				80.00	20.91	3.5
OTHER									
WDAB130							19.00	31.50	2.5
WDAB260							19.00	62.90	2.5
RLL									
WD 344R	4	782	26				40.00	40.66	3.5
WD 382R TM26	2	782	26				85.00	20.33	3.5
WD 383R	4	615	26			H	85.00	31.98	3.5
WD 384R TM36	4	782	26				85.00	40.66	3.5
WD 544R	4	782	26			H	40.00	40.66	3.5
WD 582R	2	782	26			H	85.00	20.33	3.5
WD 583R	4	615	26			H	85.00	31.98	3.5
WD 584R	4	782	26			H	85.00	40.66	3.5
WD 93024-A	2	782	26			H	37.00	20.33	3.5
WD 93028-A	2	782	26				69.00	20.33	3.5
WD 93028-X	2	782	26				70.00	20.33	3.5
WD 93038-X	3	782	26				70.00	30.50	3.5
WD 93044-A	4	782	26			H	37.00	40.66	3.5
WD 93048-A	4	782	26				69.00	40.66	5.3
WD 93048-X	4	782	26				70.00	40.66	3.5
WD 95028-A	2	782	26			H	69.00	20.33	5.25
WD 95028-X	2	782	26			H	69.00	20.33	5.25
WD 95038-X	3	782	26			H	80.00	30.50	5.25
WD 95048-A	4	782	26			H	80.00	40.66	5.25
WD 95048-X	4	782	26			H	80.00	40.66	5.25
SCSI									
CONDOR							13.00	320.00	3.5
PIRANHA 105S							15.00	104.90	3.5
PIRANHA 210S							15.00	209.80	3.5
WESTERN DYNEX									
MFM									
WD 505	2	310	17	none	none	F	0.00	5.27	
XEPEC									
MFM									
OWL I	4	0	17			H	55.00	25.00	5.25
OWL II	4	0	17			H	40.00	30.00	5.25
OWL III	4	0	17			H	38.00	52.00	5.25

Notes.....

1. Drives of this interface type use logical heads and cylinders, the specs
- 2.
3. Drives currently being marketed by Seagate Tech.
4. Drive can be formmated to 1224 cyls. Equal to the XT-2190