

# NEXTSTEP for Intel Processors

**Title:** Hewlett Packard Vectra 486 U Series

**Entry Number:** 1121

**Last Updated:** <<Date June 13 1995>>

## **Product Vendor:**

Hewlett Packard  
3000 Hanover St.  
Palo Alto, CA 94304  
USA

+1 (800) 752-0900 USA toll-free phone

+1 (415) 857 1501 international phone

+1 (800) 333 1917 faxback system

+1 (408) 553 3500 bulletin board system

+1 (415) 857 5518 fax

WWW: <http://www.hp.com/>

**Keywords:** Hewlett, Packard, EISA, Vectra

## **Overview:**

The Hewlett Packard Vectra 486 includes an EISA bus and VGA on the motherboard. An EISA video card is required to display color under NEXTSTEP.

## **Setup and Installation:**

The Quality Assurance Group successfully installed NEXTSTEP Release 3.1 onto a HP U Series configured in the following manner. Use the EISA Configuration Utility provided with your system to confirm that your system's settings match those shown below where applicable.

System - HP Vectra 486 U PC Series - System Board

#### System Board Options

Microprocessor : 66 MHz 486 DX2 - OverDrive  
Power-on Speed = High  
Cache Memory = Enabled  
BIOS Revision = P.04.02

#### Numeric Coprocessor

Coprocessor Detected = Built-In

#### Embedded Video Options

Embedded Video Adapter Display = Embedded Video Disabled  
Embedded Video RAM Size = Disabled

Enhanced Video Performance = Copy Video BIOS  
to RAM at E0000h after video initialization

#### Flexible Disk Drives

Embedded Controller = Primary  
Top Drive = 1.44 MB (3.5-inch)  
Second Drive = Not Installed  
Third Drive = Not Installed  
A and B Location = A = Top Drive, B = Second Drive

Embedded Hard Disk Controller = Disabled

#### Hard Disk Drives

Drive C = Not Installed  
Drive D = Not Installed

## Keyboard Options

NumLock Key = Enabled at Start-Up  
Typing Speed = Medium  
Click Volume = 0 (Off)  
Mini-DIN Mouse Port = Interrupt Enabled

## Dual Serial Ports

Serial Port A = COM1  
Serial Port B = COM2

## Parallel Port Functions

Parallel Port = LPT1  
Parallel Port Bidirectionality = Disabled

## Advanced Features

Lock Additional Input Devices = Disabled  
Extended Memory Limit Report = Special - Full Amount

## Cache Segments

Cache at 0C0000h-0CFFFFh = CFG  
Cache at 0D0000h-0DFFFFh = CFG  
Cache at 0E0000h-0EFFFFh = CFG

## Slot 4 - GRAPHICS ULTRA EISA Video Accelerator Card

### Video

Video Graphics Adaptor = VGA Enable  
Graphics Engine = Graphics Engine  
Graphics Engine Memory Aperture = Aperture Enabled  
Video Interrupt = Video IRQ Enabled

## Embedded - HP Vectra 486U PC Series - System Memory

View Memory Module Configuration = Press [Enter] to View  
Total Memory Installed = 20480 KB (20 MB)

## System Memory Configuration

Base Memory = 640 KB

Reserved Memory = 384 KB ( 0 KB Remapped )

Extended Memory = 19456 KB

## **Known Problems:**