NEXTSTEP for Intel Processors

Title: DataNet Eclipse 535E Entry Number: 1572 Last Updated: <<Date June 13 1995>>

Product Vendor:

DataNet 1188 Elko Drive Sunnyvale, CA 94089 USA

Phone: +1 (408) 747-1100 Fax: +1 (408) 747-0955 WWW: http://digifix.digifix.com/Resellers/Data_Net.htmld/index.html

Contact: Steve Muir (sales), Brien Hutzler (technical)

Keywords: DataNet, Eclipse

Disclaimer:

The information contained herein is provided for informational purposes only, and constitutes neither an endorsement nor a recommendation of the product by NeXT Computer, Inc. All product specifications and descriptions are supplied by the respective vendor. NeXT Computer, Inc. assumes no responsibility with regard to the selection,

performance, compatibility, or use of non-certified systems. All understandings, agreements, and warranties take place directly between the system vendor and the prospective user.

Overview

Data Net provides a listed system for NEXTSTEP release 3.2 for Intel Processors. Please see information below for configuration details.

System Configuration

```
System ID = Eclipse 535e
Motherboard Mfr. = Lion Computer
Model Number€ = 486 Local ISA/VP
Motherbrd Rev No. = 2
Bios Version€ = AMI 486 ISA
Bios Manufacturer€ = AMI
Total Number of Slots€ = 8
Number of EISA€ = 0
Number of ISA€ = 8
Number of VL-Bus€ = 2
No. of Custom Local Bus€ = 0
Number of PCI€ = 0
Total RAM (MB)€ = 16
 SCSI Cont. Mfr. = DPT
SCSI Model No.€ = PM2021
SCSI Interface€ = ISA
SCSI Drive Mfr. = Seagate
SCSI Dr. Model No. = ST3390N
SCSI Size (in MB)€ = 343
Floppy Cont. Mfr. = dtc
Cont. Model No. = 2280
Floppy Interface€ = isa
Floppy Dr. Mfr. = Toshiba
```

```
Floppy Model No. = ND-3565GR
Graphics Mfr. = #9
Graphics Model No. = GXE Level 11
Graphics Interface€ = vl
Chip Set€ = S3928
Total VRAM (MB)€ = 2
RAMDAC€ = BT
LAN Card Mfr. = Intel
LAN Model No. = Ether Express 16 TP
LAN Interface€ = ISA
Sound Card Mfr. = Microsoft
Sound Model No. = Windows Sound System
Sound Interface€ = ISA
CD-ROM Mfr. = Toshiba
CD Model Number€ = XM3401B
Internal/External€ = Internal
Dhry=46511
MIPS=29.124444
Webster=62.150356
Ethernet=18.016638
Driv Device=/dev/sd0a
Disk read speed=1411.614046
D-V=19.936
V-V=14.768
Compile=N/A
```

Known Problems

There are no problems with this system at this time.