

NEXTSTEP for Intel Processors Release 3.3

Display Driver Overview

Driver: Chips & Technologies Wingine

Driver Overview: NeXTanswer #1775

Last Update: March 25, 1996

Availability Information

A version of this driver is on the CDROM

Newer Released Driver in NeXTanswers: No, Version 0.00, as NeXTanswer #

Newer Beta Driver in NeXTanswers: No, Version 0.00, as NeXTanswer #

Driver Name / Installer .pkg: Wingine

Driver Type: Display

Driver Scope: Generic-Chipset

Supported Components: Brooktree Bt482 RAMDAC, C&T 64200 (Wingine), TI TLC34076 RAMDAC

PC Bus / Interface Supported by Driver*: Integrated

General Overview notes: This driver supports Wingine 64200 based display implementations.

Supported Products / Add-on Adapters:

Supported Products / Systems (ie integrated into PC System):

Epson Wingine

LGI Wingine

Special Features of Driver / Driver Notes:

Display Driver Details

Supported Connectors: 15-pin High Density (VGA)

Access Mode: Linear Framebuffer

Adapter Memory: 2MB VRAM

Display Modes (Number in () after resolution indicates frame buffer size required)

32 Bit Color Modes*:

16 Bit Color Modes*:

1024x768 (2MB+), 1120x832 (2MB+)

8 Bit Color / Greyscale Modes*:

Known Problems

Driver Version Notes

Future Planning

Future / Update Planning:

Reason for New Driver / Update:

New Driver / Update Timeframe:

New Driver / Update Description:

Note: Information contained in the "Future Planning" section of this document does not constitute a commitment on the part of NeXT to complete the planned development work.

* - Indicates information that is inclusive of the entire capability of this driver. Not all devices supported by this driver may include all features listed. Check any available NeXTanswers and the hardware manual for the device for additional information.

Product Vendor