NEXTSTEP for Intel Processors Release 3.3 Display Driver Overview

Driver: Tseng Labs ET4000 Driver Overview: NeXTanswer #1813 Last Update: March 25, 1996

Availability Information

A version of this driver is on the CDROM Newer Released Driver in NeXTanswers: No, Version 0.00, as NeXTanswer # Newer Beta Driver in NeXTanswers: No, Version 0.00, as NeXTanswer #

Driver Name / Installer .pkg: TsengLabsET4000 Driver Type: Display Driver Scope: Generic-Chipset Supported Components: Tseng Labs ET4000AX PC Bus / Interface Supported by Driver*: ISA

General Overview notes: 2-bit greyscale only SVGA driver

Supported Products / Add-on Adapters:

Supported Products / Systems (ie integrated into PC System):

Special Features of Driver / Driver Notes:

Display Driver Details

Supported Connectors: 15-pin High Density (VGA) Access Mode: Segmented Framebuffer Adapter Memory: .5MB DRAM, 1MB DRAM

Display Modes (Number in () after resolution indicates frame buffer size required)

32 Bit Color Modes*:

16 Bit Color Modes*:

8 Bit Color / Greyscale Modes*:

Known Problems

Does not work correctly with SotfPC and NEXTIME.

Driver Version Notes

Future Planning

Future / Update Planning: Reason for New Driver / Update: New Driver / Update Timeframe:

New Driver / Update Description:

Note: Information contained in the "Future Planning" section of this document does not constitute a commitment on the part of NeXT to complete the planned development work.

* - Indicates information that is inclusive of the entire capability of this driver. Not all devices supported by this driver may include all features listed. Check any available NeXTanswers and the hardware manual for the device for additional information.

Product Vendor