

PostScript

An Introduction to the PostScript Language

Adapted from:
Scott R. Abel
Regional Systems Engineering Manager
NeXT, Inc.

Language Objectives

- ◆ Uniformity & consistency
- ◆ High-level interface
- ◆ Device independence
- ◆ Target: raster imaging devices

7 - 2

A Range of Applications

- ◆ Document Preparation
- ◆ CAD output
- ◆ Line printer applications
- ◆ Bar code printing
- ◆ Other stuff ...

7 - 3

Requirements

- ◆ Device independent
- ◆ High-level imaging model
- ◆ Extensible interface

7 - 4

Device Independence

- ◆ Resolution from 72 dpi to 2400 dpi
- ◆ Pixel depth from 1 to 48 bits/pixel
- ◆ Uniform treatment of graphics elements, not just lines, but fonts and images can be transformed as well
- ◆ Make the capabilities or limitations of the underlying hardware transparent to the client (user) of the interface

7 - 5

Device Independence

- ◆ Specify what to draw, not how to draw it
- ◆ Base all locations on user coordinate system
- ◆ Implicitly separate client from the server

7 - 6

High- Level Imaging Model

- ◆ Appropriate graphic elements
- ◆ High-quality fonts
- ◆ Generalized Clipping
- ◆ Coordinate Transformations

7 - 7

Imaging Model

- ◆ "Paint" through "Stencil"
- ◆ The paint (source) defines the "color"
- ◆ The stencil (path) defines the "shape"
- ◆ Paths are built up from lines, arcs, and splines
- ◆ The result is the "Source" pushed through the "Stencil" onto the paper
- ◆ Source may be a color or a scanned image

7 - 8

Imaging Model

- ◆ Characters are a shorthand way of specifying a path
- ◆ Coordinate transforms apply to all elements (sources and paths)
- ◆ Typographic-quality characters

7 - 9

Imaging Model

- ◆ 2D, right-handed coordinate system
- ◆ floating-point, 1/72 inch default, user-definable units
- ◆ All graphics elements scale and transform with coordinates

7 - 10

Extensible Interface

- ◆ A programming language: provides procedures and operations on them
- ◆ Allows clients to define procedures for particular task
- ◆ These can be stored (cached) for efficiency
- ◆ Printing task is just a program in this language

7 - 11

Extensible Interface

- ◆ Interface is an ASCII-based, interpreted language
- ◆ PostScript code can be generated by any computer, in any language
- ◆ Can be transmitted in any number of formats and mediums
- ◆ Easy to inspect, modify, and update

7 - 12

Extensible Interface

- ◆ A protocol, independent of any language or operating system
- ◆ Extensible over time
- ◆ Extensible for particular devices
- ◆ Clients can optimize to their needs

7 - 13

Resources

PostScript Language Tutorial and Cookbook, by Adobe Systems, Inc., Addison-Wesley, 1985. ("The Blue Book")

PostScript Language Reference Manual, Second Edition, by Adobe Systems, Inc., Addison-Wesley, 1991. ("The Red Book")

Programming the Display PostScript System with NeXTstep, by Adobe Systems, Inc., Addison-Wesley, 1991. ("The Purple Book")