

See also Generic class
example, 12-4

U

Unordered sequence classes

See also List class, Pair class, Association class,
Hash_Table class; Ordered sequence
classes; Parameterized templates
overview, 1-5
requirements for parameterized type, 7-1
use of operator=, 7-1

V

Vector class

base classes, 6-2

constructors, 6-2—6-3

description, 6-2

example, 6-8

friend functions, 6-7

member functions, 6-3—6-7

requirements for parameterized type, 6-1

use of operator=, 6-1

VERIFY macro

See also EXCEPTION macro; RAISE macro;

STOP macro; IGNORE_ERRORS macro

description, 13-14

example, 13-15

group names as symbols, 13-14

synopsis, 13-15

constructors, 2-11
 description, 2-11
 example, 2-12—2-14
 member functions, 2-11

S

Set class

See also Hash_Table class; List class; Bit_Set class; Parameterized templates
 base classes, 8-2
 description, 8-2
 example, 8-5—8-6
 friend functions, 8-5
 member functions, 8-2—8-5
 public constructors, 8-2
 requirements for parameterized type, 8-1
 use of operator=, 8-1

Stack class

base classes, 6-9
 constructors, 6-9
 description, 6-9
 example, 6-12
 friend functions, 6-11
 member functions, 6-9—6-11
 requirements for parameterized class, 6-1
 use of operator=, 6-1

STOP macro

See also EXCEPTION macro; RAISE macro; VERIFY macro; IGNORE_ERRORS macro
 description, 13-13
 example, 13-14
 group names as symbols, 13-13
 synopsis, 13-13

String class

See also Gen_String class; char* functions; Regexp class
 base class, 2-2
 constructors, 2-2
 definition, 2-1
 example, 2-7—2-8
 friend functions, 2-5—2-7
 member functions, 2-2—2-5
 operator char*, 2-1
 overview, 1-4

Stroustrup, Bjarne, 1-2, 10-1

SYM package

See also symbol_package macro
 description, 11-21
 example of interface to, 11-21
 interface with, 11-21—11-22

Symbol class

See also Package class; Generic class
 base class, 11-2
 definition of a symbol, 1-3, 11-1
 definition of property list, 11-1
 description, 11-2, 14-4
 friend class, 11-2

friend functions, 11-3
 member functions, 11-3
 overview, 1-7, 14-4
 protected constructors, 11-2
 public constructors, 11-2
 use of operator=, 11-1
 symbol_package macro
See also DEFPACKAGE macro;
 DEFPACKAGE_SYMBOL macro
 contents of symbol package file, 11-20
 creation of SYM symbol package, 11-18
 creation of storage file, 11-18
 definition of additional macros, 11-18
 description, 11-17
 example, 11-18—11-20
 implementation details, 11-22—11-24
 implementation of package in symbols.C, 11-20
 synopsis, 11-18

Symbolic computing

See also Symbol class; Package class
 COOL capabilities, 1-3

System interface classes

See also Date_Time class; Timer class
 overview, 1-5

T

template

See also Parameterized templates; container class
 syntax, 5-3

text_package macro

adding translations for other languages, 11-17
 contents of symbol package file, 11-15
 creation of storage file, 11-12
 description, 11-12—11-13
 example, 11-13—11-17
 friend functions, 11-13
 implementation of package in symbols.C, 11-15
 support for multiple language translations, 11-13
 synopsis, 11-13

Time zone.h File

See also Date_Time class
 description, 4-6

Timer class

accuracy, 4-10
 constructors, 4-10
 description, 4-10
 example, 4-11
 member functions, 4-10

Tree classes

See also Binary_Tree class; AVL_Tree class; N_Tree class; Node classes
 use of operator=, 9-1

TYPE_CASE macro

See also Generic class
 description, 12-5
 example, 12-5

type_of

public constructors, 9-16
 requirements for parameterized type, 9-1
 traversal modes, 9-15
 use of operator=, 9-1

Node and tree classes
See also Ordered sequence classes; Unordered sequence classes
 overview, 1-6

Node classes. *See* Binary_Node class; N_Node class; D_Node class

Number classes
See also Random class; Complex class; Rational class; Bignum class; Range class
 definition, 3-1
 overview, 1-5

O

ONCE_ONLY macro
See also MACRO; once_only package
 description, 10-9
 example, 10-9
 synopsis, 10-9

once_only package, description. *See* ONCE_ONLY macro

Ordered sequence classes
See also Parameterized templates; Unordered sequence classes; Vector class; Stack class; Queue class; Matrix class
 overview, 1-5
 requirements for parameterized type, 6-1
 use of operator=, 6-1

P

Package class
See also Symbol class; Generic class; Macro
 base classes, 11-4
 constructors, 11-4
 definition of a package, 1-3, 11-1
 description, 11-3, 14-4
 friend class, 11-4
 friend functions, 11-6—11-7
 member functions, 11-4—11-6
 overview, 1-7
 use of operator=, 11-1

Pair class
See also Association class
 base class, 7-10
 constructors, 7-10—7-11
 description, 7-10
 friend functions, 7-11
 member functions, 7-11
 use of operator=, 7-1

Parameterized classes. *See* Parameterized templates

Parameterized templates
See also Container classes
 COOL, list of, 5-2
 container class, description, 14-3

definition, 1-2
 description, 5-1—5-3, 14-3—14-4
 example of DECLARE and IMPLEMENT, 5-5
 template example, 5-5—5-7
 use of DECLARE and IMPLEMENT, 5-4

Polymorphic management
 description, 12-1, 14-5
 relationship with Generic and class macro, 14-5—14-6

Q

Queue class
 base classes, 6-13
 constructors, 6-13
 description, 6-13
 example, 6-16
 friend functions, 6-16
 member functions, 6-13—6-16
 requirements for parameterized type, 6-1
 use of operator=, 6-1

R

RAISE macro
See also EXCEPTION macro; STOP macro; VERIFY macro; IGNORE_ERRORS macro
 description, 13-11—13-12
 example, 13-12—13-13
 group names as symbols, 13-12
 synopsis, 13-12

Random class
 base class, 3-2
 Constructor, 3-2
 description, 3-1
 example, 3-3
 member functions, 3-2
 ONE_CONGRUENTIAL random generator, 3-2
 SHUFFLE random generator, 3-2
 SIMPLE random generator, 3-2
 SUBTRACTIVE (Knuth) random generator, 3-2
 THREE_CONGRUENTIAL random generator, 3-2

Range class
 base class, 3-20
 constructors, 3-20
 description, 3-20
 example, 3-21—3-22
 member functions, 3-20—3-21

Rational class
 base class, 3-9
 constructors, 3-9
 description, 3-9
 example, 3-13
 friend functions, 3-12
 member functions, 3-9—3-11

Regexp class
See also Gen_String class
 base class, 2-11

description, 7-17
 example, 7-20—7-22
 friend functions, 7-20
 member functions, 7-17—7-20
 requirements for parameterized type, 7-1
 use of operator=, 7-1

heterogeneous containers
See also Generic class
 example, 12-5—12-7

I

IGNORE macro
See also MACRO
 description, 10-11
 example, 10-11
 synopsis, 10-11

IGNORE_ERRORS macro
See also EXCEPTION macro; RAISE macro;
 STOP macro; VERIFY macro
 description, 13-17
 destructors not called, 13-17
 example, 13-18
 synopsis, 13-17

IMPLEMENT macro
See also CCC; DECLARE macro; Parameterized
 templates
 description, 5-4
 example, 5-5
 synopsis, 5-4

INITIALIZE macro
See also MACRO
 description, 10-10
 example, 10-11
 synopsis, 10-10

is_type_of
See also Generic class
 example, 12-4

ISSAME macro
See also MACRO
 description, 10-7
 example, 10-7
 synopsis, 10-7

Iterator class
 base class, 5-12
 constructors, 5-12
 description, 5-12
 example, 5-13
 member functions, 5-13
 provision of multiple iterators, 1-2
 state information, 5-12

J

Jump_Handler class
See also Excp_Handler class; IGNORE_ERRORS
 macro
 base class, 13-16
 constructors, 13-16

description, 13-16
 friend functions, 13-16
 group names as symbols, 13-16
 public methods, 13-16

K

KEYARGS macro
See also MACRO
 description, 10-8
 example, 10-8
 synopsis, 10-8

L

List class
 base classes, 7-2
 constructors, 7-2
 description, 7-2
 example, 7-9—7-10
 friend functions, 7-8
 member functions, 7-2—7-8
 requirements for parameterized type, 7-1
 use of operator=, 7-1

M

MACRO
 description, 10-4
 examples, 10-5—10-7
 implementation, 14-2
 synopsis, 10-4

Matrix class
 base classes, 6-17
 constructors, 6-17
 description, 6-17
 example, 6-19
 friend functions, 6-19
 member functions, 6-17—6-19
 requirements for parameterized type, 6-1
 use of operator=, 6-1

misc.h, fundamental COOL constants, 1-4

N

N_Node class
See also D_Node class; N_Tree class
 base class, 9-11
 description, 9-11
 friend classes, 9-11
 member functions, 9-11—9-12
 public constructors, 9-11
 requirements for parameterized type, 9-1

N_Tree class
See also Binary_Tree class; AVL_Tree class;
 D_Node class; N_Node class
 base class, 9-16
 description, 9-15
 example, 9-18—9-19
 member functions, 9-16—9-17

description, 11-9
synopsis, 11-9

E

enumeration_package macro
 creation of storage file, 11-11
 description, 11-11
 example, 11-11—11-12
 synopsis, 11-11
 use as dynamic enumeration types, 11-11

ERR_MSG text package
 See also text package macro
 creation of, 11-12
 error messages in exceptions, 13-9, 13-18

Exception class, 13-7
 as symbols in a package, 13-18
 base class, 13-3
 constructors, 13-3
 description, 13-3—13-4
 Error, 13-7
 Error, default handler, 13-7
 Fatal, default handler, 13-7
 friend functions, 13-4
 predefined types, 13-7
 public data members in, 13-19
 public methods, 13-4
 System_Error, 13-7
 System_Error, default handler, 13-7
 System_Signal, 13-7
 System_Signal, default handler, 13-8
 Verify_Error, 13-7
 Warning, 13-7
 Warning, default handler, 13-8

Exception handling
 See also Excp_Handler class
 definition, 1-4
 description, 13-1—13-2, 14-7
 macros, 14-7
 overview, 1-4

EXCEPTION macro
 See also RAISE macro; STOP macro; VERIFY macro; IGNORE_ERRORS macro
 description, 13-8
 examples, 13-9—13-11
 group names as symbols, 13-8
 synopsis, 13-8

Exceptions
 See also MACRO; Excp_Handler class; Symbol class; Package class
 description, 13-1—13-2
 description of COOL macros, 13-2
 group names (aliases), 13-2
 group names as symbols, 13-3
 group names, example of, 13-9
 overview, 14-6—14-7
 predefined types, description, 14-7

public data members in user-defined exceptions, 13-19
user-defined types, 13-19

Excp_Handler class
 See also Exception class; MACRO; Symbol class; Package class
 as symbols in a package, 13-18
 base class, 13-5
 constructors, 13-5
 dealing with exceptions, 13-5
 description, 13-5
 example, 13-6
 friend class, 13-5
 global exception handler stack, 13-2
 group names, example of, 13-6
 predefined types, 13-7
 public methods, 13-5

EXPAND_ARGS macro
 See also MACRO
 description, 10-10
 example, 10-10
 synopsis, 10-10

G

Gen_String class
 See also Regexp class; char* functions; String class
 base class, 2-14
 constructors, 2-14
 definition, 2-14
 example, 2-20
 friend functions, 2-18—2-20
 member functions, 2-14—2-18
 operator char*, 2-14

Generic class
 See also class macro; SYM package; Symbol class; Package class; class macro
 addition of member functions, 12-2
 base class, 12-2
 definition, 1-3
 description, 12-2, 14-5
 example of runtime type checking. *See* Generic class
 friend functions, 12-3
 member functions, 12-3
 overview, 1-7
 protected constructors, 12-2
 protected member functions, 12-2
 relationship to SYM package, 12-2
 symbols.C file, 12-2

H

Hash_Table class
 base classes, 7-17
 constructors, 7-17

- data members, 14-8
- description, 14-8—14-11
- error message package, 14-8, 14-11
- naming conventions
 - class, struct, typedef names, 14-9
 - constant declarations, 14-9
 - directory names, 14-9
 - function names, 14-9
 - global and static variables, 14-9
 - predicate function names, 14-9
 - preprocessor and macro names, 14-9
 - variable and data member names, 14-9
- organization and contents of class header files, 14-8
- private, protected, and public data, 14-10
 - regression test suite, 14-8, 14-11
- source code documentation, 14-8
 - guidelines, 14-10—14-11
- source code indentation, 14-11
- source code layout, 14-8
- source code system dependence, 14-8
- source code system independence, 14-11
- variable and class naming conventions, 14-8
- Complex class
 - base class, 3-4
 - constructors, 3-4
 - description, 3-4
 - example, 3-7—3-8
 - friend functions, 3-6—3-7
 - member functions, 3-4—3-6
- Container class
 - See also* Parameterized templates; Ordered sequence classes; Unordered sequence classes
 - available in COOL, 5-10
 - current position, 5-11
 - definition, 1-2
 - description, 5-10
 - making your own, 5-13
 - member functions, 5-11
 - requirements for parameterized type, 5-14
 - storing objects in, 5-14
- COOL
 - audience, 1-1
 - class hierarchy, 1-7, 14-12
 - constants, defined in misc.h, 1-4
 - definition, 1-1
 - description of classes, 1-4—1-7
 - features, 1-1—1-7
 - introduction, 1-1
 - macros, 1-2
 - major features, 1-1
 - methodology, 14-1
 - porting to a new platform, 10-1
 - preprocessor
 - derived from, 1-2, 10-2
 - description, 10-1, 14-1—14-2
 - options, 10-2
 - synopsis, 10-2
 - symbolic computing capabilities, 14-4
 - TRUE and FALSE constants, 1-4
- Country.h File
 - See also* Date_Time class
 - description, 4-7
- Current position
 - See also* Iterator class
 - description of, 5-11
 - example, 10-6
 - member functions, 5-11
 - state information, 5-12
- D**
- D_Node class
 - See also* N_Node class; N_Tree class
 - base class, 9-13
 - description, 9-13
 - friend classes, 9-13
 - member functions, 9-13—9-14
 - public constructors, 9-13
 - requirements for parameterized type, 9-1
- Date_Time class
 - base class, 4-1
 - constructors, 4-1—4-2
 - description, 4-1
 - example, 4-8—4-9
 - friend functions, 4-5—4-6
 - member functions, 4-2—4-5
- DECLARE macro
 - See also* IMPLEMENT macro; Parameterized Templates
 - description, 5-4
 - example, 5-5
 - synopsis, 5-4
- defmacro
 - description, 10-3
 - implementation, 10-3
 - options, 10-3
 - synopsis, 10-3
- DEFPACKAGE macro
 - See also* DEFPACKAGE_SYMBOL macro; MACRO; enumeration_package; text_package; symbol_package; once_only package
 - allocation of storage, 11-10
 - creating specialized packages, 11-10
 - definition, 1-3
 - description, 11-7
 - importance of symbols.C file, 11-10
 - options, 11-7—11-8
 - synopsis, 11-7
- DEFPACKAGE_SYMBOL macro
 - See also* DEFPACKAGE macro
 - adding symbols to a package, 11-9

Symbols

`#pragma defmacro`
 description, 10-1
 implementation. *See* `defmacro`
 overview, 1-2

A

Association class
See also Pair class
 base classes, 7-12
 constructors, 7-12
 description, 7-12
 example, 7-15—7-17
 friend functions, 7-15
 member functions, 7-12—7-15
 requirements for parameterized type, 7-1
 use of `operator=`, 7-1

AVL_Tree class
See also Binary_Tree class; N_Tree class
 base class, 9-7
 description, 9-6—9-7
 example, 9-9—9-10
 friend functions, 9-9
 member functions, 9-7—9-9
 public constructors, 9-7
 requirements for parameterized type, 9-1
 use of `operator=`, 9-1

B

Bignum class
 base class, 3-15
 constructors, 3-15
 description, 3-14
 example, 3-19
 friend functions, 3-17—3-18
 maximum value, 3-14
 member functions, 3-15—3-17
 parsing of character string representations, 3-14

Binary_Node class
See also Binary_Tree class; N_Node class;
 D_Node class
 base class, 9-2
 constructors, 9-2
 description, 9-2
 friend class, 9-2
 member functions, 9-2
 requirements for parameterized type, 9-1

Binary_Tree class

See also Binary_Node class; AVL_Tree class;
 N_Tree class
 base classes, 9-3
 description, 9-3
 example, 9-5—9-6
 friend functions, 9-5
 member functions, 9-3—9-5
 public constructors, 9-3
 requirements for parameterized type, 9-1
 use of `operator=`, 9-1

Bit_Set class
See also Set class; enumeration_package
 base classes, 8-6
 description, 8-6
 example, 8-11
 friend functions, 8-10
 member functions, 8-6—8-10
 public constructors, 8-6

C

Calendar.h File
See also Date_Time class
 description, 4-8

CCC
See also IMPLEMENT macro; Parameterized
 templates
 definition, 1-2, 5-7
 description, 5-7—5-8, 14-4
 example, 5-9
 options, 5-8

char* functions
See also String class; Gen_String class
 description, 2-8
 friend functions, 2-8—2-10

class macro
See also Generic class; MACRO
 definition, 1-4
 description, 12-7, 14-6

classmac macro
See also Generic class; MACRO
 arguments, 12-8
 description, 12-7, 14-6
 example, 12-9—12-10
 interaction with class macro, 12-7
 synopsis, 12-8

Coding style
 build procedure, 14-8, 14-11
 class header file organization, 14-9—14-10

Printed on: Wed Apr 18 07:16:33 1990

Last saved on: Tue Apr 17 12:10:37 1990

Document: index

For: skc