

- command property 60
- top-level-shell 59
 - colormap windows property 59
 - hints property 59, 60
 - icon name property 60
- trace-action action 31
- transient-shell 58
- translate-event function 40

U

- UIMS 3
 - presentation component 4
- undefevent macro 41
- undefine-resources macro 69
- unread-character function 79
- update-state function 10, 12, 33, 50
- user interface
 - lexical component 4, 24
 - semantic component 19, 24
 - syntactic component 19, 24
- user interface management system 3
- using-gcontext macro 65

V

- variables
 - *contact* 20, 21, 30
 - *database* 11, 68, 69, 73
 - *default-display* 26, 27
 - *default-host* 26, 27
 - *default-multipress-delay-limit* 43
 - *default-multipress-verify-p* 43
 - *trace-output* 30, 31
- viewable 12
- visible 12

W

- window 4, 6
- window manager 3, 14, 15, 27, 53, 55, 56, 61
- window system 3
- with-event macro 29
- with-input-editing macro 78
- with-wm-properties macro 61
- wm-message structure 61
- wm-protocols method 58, 61
- wm-shell 56
- wm_delete_window message 61
- wm_save_yourself message 62
- wm_take_focus message 62

X

- X Window System 2
 - events 27
 - graphics context 65
 - host 26
 - server 9, 10, 25, 27, 42
- X-Toolkit 5
- XLIB package 5

next-sibling function 63

O

open-contact-display function 25, 51, 70, 81
 override-shell 56
 changing state 56
 owner 53

P

packages
 CLUE 5
 XLIB 5
 peek-character function 79
 perform-callback action 30
 pop-up 53
 preferred-size method 16, 48
 previous-sibling function 63
 process-all-events function 33
 process-next-event function 10, 13, 29, 33
 property
 client machine 60
 colormap windows 59
 command 60
 for interclient communication 53, 56, 60, 61
 hints 58, 59, 60
 icon name 60
 name 58
 normal hints 58
 protocols 58

R

read-character function 79
 realize method 10, 17
 realized 10, 12
 realized-p method 10, 18
 representation type 71
 standard conversions 71
 resize method 17
 resource 10, 22, 68
 accessing 71
 binding 68
 class 23
 complete class 18, 70
 complete name 18, 70
 constraint 11, 73
 database 5, 9, 11, 25, 39, 68
 initialization 11, 17
 matching 72
 name 9, 23

 non-slot 11, 17
 representation type 23, 71
 specification 11, 19, 22, 70, 73
 type conversion 71
 resource function 19, 72
 root 4, 27, 51
 default 11, 26, 51, 52
 special features 53
 use by an application 52
 root shell 54

S

sensitive-p function 19
 sensitivity 43
 session manager 53, 60, 61
 shell 4, 14, 15, 53
 :map callback 55
 :unmap callback 55
 content 55, 63
 default state 54
 geometry management 55
 hints property 58
 name property 58
 normal hints property 58
 owner 53
 popping down 55
 popping up 55
 protocols property 58
 root 54, 59
 state 55
 transients 58
 stream I/O model 24, 80
 stream-clear-input method 77
 stream-clear-output method 79
 stream-fresh-line method 78
 stream-listen method 77
 stream-peek-char method 77
 stream-read-char method 76
 stream-read-line method 76
 stream-rubout-handler method 77
 stream-unread-char method 77
 stream-write-char method 78
 stream-write-string method 78
 synchronization 33

T

throw-action action 30
 timer 34
 top-level-p function 63
 top-level-session 60
 client machine property 60

destroyed-p function 18
display 4, 25
display method 15, 44
display-class macro 70
display-multipress-delay-limit macro 42
display-multipress-verify-p macro 42
display-name macro 70
display-root function 52
display-root-list function 52
double-click event 36, 41
drawable 6, 66

E

eval-action action 30
event 27, 28
 :timer 34
 compression 16, 44
 dispatching 24
 double-click 36, 41
 synchronizing 33
 translation 24, 33, 38
event loop 24, 32
 example 32
 terminating 33
event loop model 4, 24, 81
event mask 39
event specification 35
 check function 38
 extended syntax 37
 interclient messages 61
 match function 38, 39
event translation 9, 39
 class event translation 38, 41
event-actions function 40

G

gcontext 65
geometry management 12, 47
geometry manager 47
graphics context 65
 hierarchical inheritance 66
 sharing 66

H

handle-event method 38, 39

I

ignore-action action 31

INCOMPLETE! 32
initialize-geometry method 50
initialize-instance method 17
input 24
 compression 9, 16, 44
 focus 16, 46, 50, 51, 62
 global 31
 models 24, 80
 sensitivity 19, 43
inside-contact-p method 18
interactive-stream 4, 24, 76, 80
 input from 76, 79
 make-interactive-stream function 81
 stream-clear-input method 77
 stream-clear-output method 79
 stream-fresh-line method 78
 stream-listen method 77
 stream-peek-char method 77
 stream-read-char method 76
 stream-read-line method 76
 stream-rubout-handler method 77
 stream-unread-char method 77
 stream-write-char method 78
 stream-write-string method 78
 with-input-editing macro 78
interclient communication 4, 53, 55, 56, 60, 61

K

key-press events 37
key-release events 37

L

listen-character function 80

M

make-contact function 9, 10, 11, 71, 73, 81
make-contact functions 54
make-interactive-stream function 81
manage-geometry method 48
manage-priority method 49
managed 12, 48
mapped 12
match function 38
match-p function 72, 75
motion-notify events 35
move method 17
move-focus method 50, 63

N

- apply-callback macro 20
 - callback-p function 20
 - change-geometry function 14
 - change-priority function 14
 - characteristic functions 15
 - contact programmer interface 15
 - contact-complete-class function 18
 - contact-complete-name function 18
 - contact-parent method 47
 - contact-root function 52
 - contact-screen function 52
 - contact-state method 13
 - convert method 71
 - defining a class 21
 - delete-callback function 21
 - delete-event function 40
 - delete-timer function 35
 - describe-action action 30
 - destroy method 15, 21
 - destroyed-p function 18
 - display method 15
 - eval-action action 30
 - event mask 39
 - event-actions function 40
 - handle-event method 39
 - ignore-action action 31
 - initialize-instance method 17
 - initializing 10
 - inquiry functions 18
 - inside-contact-p method 18
 - make-contact function 11
 - managed 12, 48
 - management functions 17
 - mapped 12
 - move method 17
 - next-sibling function 63
 - perform-callback action 30
 - preferred-size method 16
 - presented 13
 - previous-sibling function 63
 - realize method 17
 - realized-p method 18
 - realizing 10, 12, 17, 19
 - reparenting 47
 - resize method 17
 - resource function 19, 72
 - resource initialization 11
 - sensitive-p function 19
 - sensitivity 43
 - state 12, 13
 - throw-action action 30
 - top-level 14, 15, 52, 53
 - top-level-p function 63
 - trace-action action 31
 - translate-event function 40
 - viewable 12
 - visible 12
 - withdrawn 13
 - contact programmer 3
 - contact-complete-class function 18
 - contact-complete-name function 18
 - contact-constraint macro 74
 - contact-display 4, 8, 12, 24
 - add-before-action function 32
 - append-characters function 80
 - before-actions function 32
 - clear-characters function 80
 - default root 11, 26, 51, 52
 - default screen 26
 - delete-before-action function 32
 - display-class macro 70
 - display-multipress-delay-limit macro 42
 - display-multipress-verify-p macro 42
 - display-name macro 70
 - display-root function 52
 - display-root-list function 52
 - input from interactive streams 79
 - listen-character function 80
 - peek-character function 79
 - process-all-events function 33
 - process-next-event function 33
 - read-character function 79
 - unread-character function 79
 - update-state function 12
 - contact-parent method 47
 - contact-root function 52
 - contact-screen function 52
 - contact-state method 13
 - convert method 12, 71
- ## D
- default-resources function 73
 - defcontact 21
 - defcontact macro 10, 11, 22, 73
 - defevent macro 39, 41
 - define-resources macro 69
 - delete-before-action function 32
 - delete-callback function 21
 - delete-child method 47
 - delete-event function 39, 40
 - delete-timer function 35
 - descendant 45
 - describe-action action 30
 - describe-event-translations function 41
 - describe-resource function 69
 - destroy method 15, 21

Index

*

contact 20, 21, 30
database 11, 68, 69, 73
default-display 26, 27
default-host 26, 27
default-multipress-delay-limit 43
default-multipress-verify-p 43
trace-output 30, 31

A

accept-focus-p method 16, 50, 63
actions 9, 24, 29, 31, 38
 argument list 29
 before 26, 31, 33
 predefined 29
add-before-action function 32
add-callback function 21
add-child method 46
add-event function 39, 40
add-timer function 34
ancestor 45
ancestor-p function 63
animation 34
append-characters function 80
application programmer 3
apply-action action 30
apply-callback macro 20

B

before action 26, 31, 33
before-actions function 32
button-press events 36
button-release events 36

C

callback 9, 19, 29
 aborting 20
callback-p function 20

change-geometry function 14, 17, 48
change-layout method 49
change-priority function 14, 49
check function 38
check-function macro 37
class event translation 38, 39, 41
class-constraints function 74
class-resources function 73
classes
 composite 46
 contact 6
 event 28
 interactive-stream 76
 override-shell 56
 root 51
 shell 53
 top-level-session 60
 top-level-shell 59
 transient-shell 58
 wm-shell 56
clear-characters function 80
client-message events 37
CLOS 2, 3
CLUE package 5
CLX 1, 3
complete resource class 18, 70
complete resource name 18, 70
composite 4, 45
 add-child method 46
 change-layout method 49
 delete-child method 47
 initialize-geometry method 50
 manage-geometry method 48
 manage-priority method 49
 move-focus method 50
contact 2, 4, 6
 :destroy callback 15, 21
 accept-focus-p method 16
 add-callback function 21
 add-event function 40
 add-timer function 34
 ancestor-p function 63
 application programmer interface 13, 20
 apply-action action 30

Bibliography

- [1] Bobrow, Daniel G., et al. The Common Lisp Object System Specification (X3J13-88-002). American National Standards Institute, June, 1988.
- [2] Gettys, Jim, et al. Xlib – C Language X Interface, Version 11, Revision 3.
- [3] McCormack, Joel, et al. The X-Toolkit Intrinsics, Version 11, Revision 3.
- [4] Pfaff, G.E., Ed. *User Interface Management Systems*. Springer-Verlag, Berlin, 1985.
- [5] Rosenthal, David S. H. X11 Inter-Client Communication Conventions Manual, Public Review Draft (December 8, 1988).
- [6] Scheifler, Robert W. The X Window System Protocol, Version 11, Revision 3.
- [7] Scheifler, Robert W. and Gettys, Jim. The X Window System. *ACM Transactions on Graphics*, Vol. 5, No. 2 (April 1986).
- [8] Scheifler, Robert W., et al. CLX Interface Specification, Version 4 (September 1987).
- [9] Steele, Guy. *Common LISP: The Language*. Digital Press, Burlington, MA, 1984.

Chapter 8

Acknowledgements

We are indebted to the following individuals, whose careful reading and insightful suggestions have considerably improved the design of CLUE and the clarity of this document.

Jim Dutton	Texas Instruments
Tom Ekberg	Texas Instruments
Haruyuki Kawabe	Nihon Unisys Ltd.
Mark Kirkpatrick	Texas Instruments
Suzanne McBride	Texas Instruments
Dan Stenger	Texas Instruments

By now, the use of CLUE software has grown beyond the scope of our own efforts and has benefited from the contributions of many other programmers. We would particularly like to thank the following CLUE users for helping to make the public implementation of CLUE more useful for all of us.

Martin Dragomirecky	General Electric CRD
Phil Dyskstra	U.S. Army, Ballistics Research Laboratory
Dan Golan	Convex Computer Corporation
Patrick Hogan	Texas Instruments
Craig Timmerman	Texas Instruments
Yvo Van Wezemaël	German National Research Laboratory for Computer Science

No explicit references to a `contact-display` object are necessary. The stream I/O model is implemented in terms of the more basic event loop model, using a `contact-display` object which is created automatically.

The `make-interactive-stream` function creates and returns an `interactive-stream` contact for use by a stream I/O application.

make-interactive-stream

Function

```
(defun make-interactive-stream
  (&rest keywords
   &key (type 'interactive-stream)
   &allow-other-keys)
  (declare (values interactive-stream)))
```

Creates and returns an `interactive-stream` contact. The `contact-display` associated with the `interactive-stream` is created automatically. `keywords` may include any appropriate keyword understood by `open-contact-display` and by `make-contact` for the `interactive-stream`.

type

If given, `type` must be a subclass of `interactive-stream` which specifies the type of `interactive-stream` to return.

Returns the character object which would be returned by `read-character` but does not remove it from the keyboard buffer of the `contact-display`.

listen-character**Function, contact-display**

```
(defun listen-character
      (contact-display)
  (declare (values (boolean))))
```

Returns `nil` if and only if the keyboard buffer of the `contact-display` is empty. Otherwise, the next character in the keyboard buffer is returned (but not removed).

clear-characters**Function, contact-display**

```
(defun clear-characters
      (contact-display))
```

Removes any buffered characters from the keyboard buffer of the `contact-display`. Returns `nil`.

append-characters**Function, contact-display**

```
(defun append-characters
      (contact-display
       chars))
```

`chars` may be either a character or a string. Appends the characters to the keyboard buffer of the `contact-display`.

7.4 Stream I/O Model

In the stream I/O model, an interactive application exchanges character data with an `interactive-stream` contact. The stream I/O model represents applications which use a simple character-based style of user interaction and do not rely upon additional input from pointer devices. Such applications have the following generic structure.

- Create and open a stream.
- Perform application initialization.
- Read a command from the stream and execute it.
- Repeat the previous step until the application terminates.

Outputs a `#\newline` to the `interactive-stream` if and only if the `interactive-stream` is not already at the beginning of a new line. Returns `non-nil` if a `#\newline` was output and `nil` otherwise.

stream-clear-output**Method, interactive-stream**

```
(defmethod stream-clear-output
  ((interactive-stream interactive-stream))
  (declare (values nil)))
```

Aborts any outstanding output operation on the `interactive-stream` and returns `nil`.

7.3 Input From Multiple Streams

Multiple `interactive-stream` contacts can be created for the same `contact-display`. In this case, character input from the user to all such `interactive-stream` contacts is collected in a single keyboard buffer owned by the `contact-display`. When a Common Lisp stream input function operates on an `interactive-stream`, characters are returned from the `contact-display`'s keyboard buffer. Thus, stream input from an `interactive-stream` is implemented by operations on the `contact-display` object (see Section 7.1).

read-character**Function, contact-display**

```
(defun read-character
  (contact-display)
  (declare (values character)))
```

Reads the next character object from the keyboard buffer of the `contact-display`. If the keyboard buffer is empty, then this function waits until the next character for the keyboard buffer arrives.

unread-character**Function, contact-display**

```
(defun unread-character
  (contact-display
   char))
```

Unreads the character object and returns it to the keyboard buffer of the `contact-display`. `char` will be the next character read by `read-character`.

peek-character**Function, contact-display**

```
(defun peek-character
  (contact-display)
  (declare (values character)))
```

Applies the input function to the arguments inside an environment in which the input buffer may be edited by user commands. `options` is a list of rubout handler options. The value of function is returned.

with-input-editing**Macro, interactive-stream**

```
(defmacro with-input-editing
  (stream
   &rest      options)
  &body      body)
```

Executes the body inside an environment which allows user editing of input from `stream`. If `stream` is an `interactive-stream`, then the `stream-rubout-handler` method is used for input operations. The `options` arguments are rubout handler options.

7.2 Interactive Stream Output

Character output to an `interactive-stream` is implemented by the following methods.

stream-write-char**Method, interactive-stream**

```
(defmethod stream-write-char
  ((interactive-stream interactive-stream)
   character)
  (declare (values character)))
```

Outputs the character to the `interactive-stream` and returns the character.

stream-write-string**Method, interactive-stream**

```
(defmethod stream-write-string
  ((interactive-stream interactive-stream)
   string
   &optional start
              end)
  (declare (values string)))
```

Outputs characters in the `string` to the `interactive-stream` and returns the string. The `start` and `end` arguments, if given, indicate a substring that is to be output.

stream-fresh-line**Method, interactive-stream**

```
(defmethod stream-fresh-line
  ((interactive-stream interactive-stream))
  (declare (values boolean)))
```

Reads character objects from the `interactive-stream`, up to and including the next `#\newline` character, and returns them as a string (without the `#\newline`). If given, the `make-array-options` arguments are passed to `make-array` when the returned string is created.

stream-unread-char**Method, interactive-stream**

```
(defmethod stream-unread-char
  ((interactive-stream interactive-stream)
   character))
```

Unreads the character object. `char` will be the next character read by `stream-read-char`.

stream-peek-char**Method, interactive-stream**

```
(defmethod stream-peek-char
  ((interactive-stream interactive-stream)
   peek-type)
  (declare (values character)))
```

Returns the character object which would be returned by `stream-read-char` but does not remove it from the input buffer. If `peek-type` is `t`, `stream-peek-char` skips over any whitespace characters, removing them from the input buffer, and returns the next character.

stream-listen**Method, interactive-stream**

```
(defmethod stream-listen
  ((interactive-stream interactive-stream))
  (declare (values boolean)))
```

Returns `nil` if no character is immediately available from the `interactive-stream`. Otherwise, the next character is returned, as if `stream-peek-char` had been called.

stream-clear-input**Method, interactive-stream**

```
(defmethod stream-clear-input
  ((interactive-stream interactive-stream)))
```

Clears any buffered characters received the `interactive-stream`. Returns `nil`.

stream-rubout-handler**Method, interactive-stream**

```
(defmethod stream-rubout-handler
  ((interactive-stream interactive-stream)
   options
   function
   &rest arguments))
```

Chapter 7

Interactive Streams

CLUE defines a **interactive stream contact**, an object which behaves like a Common Lisp input/output character stream. An interactive stream contact is an instance of the contact class `interactive-stream` and may be given by the application programmer as a stream argument to Common Lisp I/O functions such as `read`, `listen`, `prin1`, etc. The fundamental interface to `interactive-stream` objects consists of methods which implement the basic Common Lisp character stream operations (see [9], Chapter 22) but whose details are implementation-dependent.

7.1 Interactive Stream Input

Character input from an `interactive-stream` is implemented by the following methods. In turn, these methods are implemented using operations on the associated `contact-display` object. See Section 7.3.

stream-read-char **Method, interactive-stream**

```
(defmethod stream-read-char
  ((interactive-stream interactive-stream))
  (declare (values (character))))
```

Reads the next character object from the `interactive-stream`.

stream-read-line **Method, interactive-stream**

```
(defmethod stream-read-line
  ((interactive-stream interactive-stream)
   &rest make-array-options)
  (declare (values (string))))
```

Figure 6.1: Standard Type Conversions

Value Type	Result Type
xlib:card8	xlib:cursor
xlib:image	xlib:pixmap
xlib:stringable	keyword
xlib:stringable	t
xlib:stringable	xlib:boolean
xlib:stringable	xlib:color
xlib:stringable	xlib:cursor
xlib:stringable	xlib:font
xlib:stringable	xlib:image
xlib:stringable	xlib:pixel
xlib:stringable	xlib:pixmap
t	string
(float 0 1)	xlib:pixmap
(rational 0 1)	xlib:pixmap

Figure 6.2: Matching Resource Names

```

(defun match-p (partial-name complete-name complete-class)
  (declare (type list complete-name complete-class partial-name)
           (values (OR null (integer 0))))
  (do ((names complete-name (cdr names))           ;Loop through names...
       (classes complete-class (cdr classes))     ; and classes...
       (score 0 (ash score 2))                   ; adding up the score.
       (exact-matching-p t)                      ;Start looking for exact match.
       (no-exact-match))
      ((or (null partial-name)                   ;Partial name is fully-matched.
           (> (length partial-name) (length names)) ;A match is no longer possible.
           no-exact-match)                       ;...and can't match wildcard.
       (when (null partial-name) score)          ;Return score, if match.
      (let ((name (car names))
            (class (car classes))
            (partial (car partial-name)))
        (when (same-name-p partial '*))
          (setq exact-matching-p nil)           ;Now look for wildcard match.
          (pop partial-name)
          (setq partial (car partial-name)))
        (when
          (cond
            ((same-name-p name partial) (incf score 2)) ;Name match worth 2 points.
            ((same-name-p class partial) (incf score 1)) ;Class match worth 1 points
            ((setq no-exact-match exact-matching-p) nil)) ;No match unless wildcarding.
          ; Otherwise, matching fails but we're wildcarding: just try next name/class.

          (pop partial-name)
          (setq exact-matching-p t))))))

```

Constraint resources allow a parent composite to “attach” resources to its children without the knowledge of the children themselves. More precisely, the set of constraint resources belonging to a contact is defined by the programmer of the *parent* class, not the programmer of the contact’s class. Constraint resources are typically used to control the parent’s geometry management policy. The `contact-constraint` macro may be used to return or change the value of a contact constraint resource.

class-constraints**Function**

```
(defun class-constraints
  (class
   &optional full-p)
  (declare (values resources)))
```

Returns the constraint resource specification list for the given contact `class`. If `full-p` is non-`nil`, then the full resource specification list is returned; otherwise, a list of resource names is returned.

contact-constraint**Macro**

```
(defmacro contact-constraint
  (contact
   resource-name)
  (declare (type contact contact)
           (type symbol resource-name))
  (declare (values constraint-value)))
```

Returns or (with `setf`) changes the value of the given constraint resource of the `contact`.

Returns the value found for a contact resource when the contact was initialized. `resource-name` is the name of a resource defined in the resource specification list for the contact's class or one of its superclasses.

default-resources**Function**

```
(defun default-resources
      (contact
       class
       &optional resource-name)
  (declare (values resource-plist)))
```

Returns the default values for contact resources of the given class (and, optionally, with the given `resource-name`). The return value is a property list of the form (`{resource-name value}*`). Each value is determined by the contents of the resource database (given by the value of the special variable `*database*`) and by the resource specification list of the contact's class, using the same algorithm employed by the `make-contact` function (see Section 2.1.1).

If `contact` is a string, then it is assumed to be a host name. In this case, resources are returned for the default root of a `contact-display` connected to this host.

6.5 Contact Resources

Every contact has a set of resources which are initialized automatically when the contact is created by the `make-contact` function (see Section 2.1.1). If initial values for contact resources are not given as arguments to `make-contact`, then initial values are looked up in the resource database given by the value of the special variable `*database*`.

Two types of resources may be associated with a contact. **Class resources** are determined by the contact class. Class resources are defined by a `:resources` option in the `defcontact` form defining the contact class. The `class-resources` function may be used to return a list of contact class resources.

class-resources**Function**

```
(defun class-resources
      (class
       &optional full-p)
  (declare (values resources)))
```

Returns the resource specification list for the given contact class. If `full-p` is non-`nil`, then the full resource specification list is returned; otherwise, a list of resource names is returned.

A contact may also have **constraint resources** which are determined by the class of the contact's parent. Constraint resources are defined by a `:constraints` option in the `defcontact` form defining the parent class. The `class-constraints` function may be used to return the list of constraint resources defined by a contact class.

The intent of the lookup algorithm is to formalize an intuitive notion of “the closest match”.

- Precedence is given to a match which begins “higher” in the parent-child contact hierarchy. This allows a resource binding with a partial name to define a resource value shared by all members of a contact subtree.
- Precedence is given to the more specific match. A name match is more specific than a class match.
- The more name/class components matched, the closer the match.

The matching of resource names may be precisely defined by the `match-p` function shown in Figure 6.2. `match-p` tests if a partial name matches a complete name/class. If it does, then the value returned is a numerical score representing the closeness of the match (the greater the score, the closer the match). Comparison of names uses a function called `same-name-p`, which uses case-insensitive comparison if either name is a symbol, but uses case-sensitive comparison if both names are strings.

For example, assume that a resource database contains the resource bindings shown in the previous example.

Resource Name	Resource Value
<code>(mail screen-1 reply background)</code>	<code>'green</code>
<code>(mail * background)</code>	<code>'red</code>
<code>(* button background)</code>	<code>'blue</code>

If the mail application’s reply button contact requests the value for its `background` resource, using the complete resource name (`mail screen-1 reply background`) and the complete resource class (`contact-display root button fill`), then each of the partial names in the database “matches.”

```
(match-p '(mail screen-1 reply background) ...) = 680
(match-p '(mail * background) ...)           = 520
(match-p '(* button background) ...)         = 24
```

However, `(mail screen-1 reply background)` is clearly the closest match and has the highest “score.”

The `xlib:get-resource` function uses the above algorithm to look up the resource value in a resource database which is the closest match to a given complete resource name and class. The most common access to resources occurs during contact initialization, using the complete resource name and class of the contact. The `resource` function may be used to return the value of a contact resource found at initialization. The `resource` function also returns a resource value of the correct representation type. The `default-resources` function may be used to return the default values for contact resources.

resource

Function, contact

```
(defun resource
  (contact
   resource-name)
  (declare (values resource-value)))
```

6.3 Representation Types

A representation type allows an application to request different representations of the same resource value. For example, a color value might be represented either as a name string (“red”), a pixel value, an RGB triplet, an HSV triplet, etc. Only one representation for the resource value is actually stored in a resource database. Conversion functions may be invoked to return a representation type different from the one stored.

The representation type used for a contact resource is defined by the `:type` option of its resource specification in the `defcontact`. During contact initialization, a contact resource value read from a resource database by `make-contact` is automatically converted to its specified representation type.

CLUE performs resource representation type conversion by calling the `convert` function. CLUE defines methods for the `convert` function to handle all standard conversions. The standard representation type conversions provided by CLUE are shown in Figure 6.1.

In order to define a new representation type, the contact programmer must define methods for `convert` that handle the new representation type appropriately. Typically, `convert` methods will specify parameter specializers for `type` (e.g. `(eql data-type)`) and for `value` and will be defined only for each valid source/destination type pair.

`convert`

Method

```
(defmethod convert
  (contact
   (value t)
   (type t))
  (declare (values new-value)))
```

Converts the `value` into a new value whose data type is `type`. If the requested conversion cannot be performed, then `nil` is returned.

This method implements a type-conversion facility designed specifically for contact resources. Resource type conversion requires a `contact` argument because resource representation may depend upon attributes of a display, a screen, or even the contact itself.

The primary method for `convert` is capable of converting any read-able string representation of a Common Lisp data type. When the `value` type is `xlib:stringable`, this method uses `read-from-string`; if the result satisfies the `type`, then it is used. The primary `convert` method also handles `type` specifiers of the form `(or type*)` and `(member atom*)`.

6.4 Accessing Resource Values

The power and flexibility of resource management are the result of the way resource values in a resource database are accessed. A resource binding stored in the database generally contains only a partial resource name consisting of a mixture of name and class symbols. To look up a resource value, one starts with a complete resource name and a complete resource class. The lookup algorithm then returns the value for the resource binding whose partial name is the closest match to the complete name and class given. The definition of “closest match” takes into account the top-down, parent-child hierarchy of resource names/classes.

6.2 Complete Names and Classes

In order to access a contact resource value in a resource database, an application uses two items as a “key”: a **complete resource name**, and a **complete resource class**. A contact’s complete resource name and class are derived from the contact and its (current) ancestors. The complete resource name is a list of symbols of the form $(name_1 \dots name_{n-1} name_n)$, where $name_n$ is the name of the contact, $name_{n-1}$ is the name of the contact’s parent, etc., and $name_1$ is the name of the contact-display to which the contact belongs (see below). Similarly, a contact’s complete resource class is a list of type symbols of the form $(class_1 \dots class_{n-1} class_n)$, where $class_n$ is the class of the contact,¹ $class_{n-1}$ is the class of the contact’s parent, etc., and $class_1$ is the class of the contact-display to which the contact belongs². Complete resource name and class lists thus have the same length.

The names of the resources used by a contact are defined by the contact class and are given by the resource specification list in a `defcontact` form (see Section 2.2). Each such contact resource also has a complete resource name, defined to be `(append (contact-complete-name contact) (list resource-name))`. Similarly, the complete resource class of a contact resource is defined to be `(append (contact-complete-class contact) (list resource-class))`, where `resource-class` is given by the `:class` option of the resource specification.

For all contacts that belong to a contact-display, the “top-level” complete resource name component is a resource name symbol associated with the contact-display. Since an application usually uses a single contact-display, this name is usually a symbol which identifies the application itself. This name is given as the value of the `:name` keyword argument to the `open-contact-display` function. In addition, the `display-name` and `display-class` macros may be used to inquire the name and class, respectively, of a contact-display.

display-name

Macro, contact-display

```
(defmacro display-name
  (contact-display)
  (declare (values symbol)))
```

Returns the contact-display resource name symbol.

display-class

Macro, contact-display

```
(defmacro display-class
  (contact-display)
  (declare (values symbol)))
```

Returns the contact-display resource class symbol.

¹The class symbol for a contact is the value of `(class-name (class-of contact))`.

²The complete resource class should not be confused with the inheritance classes of a contact. The complete resource class depends on the parent-child structure of the contact hierarchy and can change at run time. The inheritance class of the contact (its “class precedence list”) is fixed at compile time.

“wildcarding” for partial paths, and can include both resource names and contact class symbols at any position.

A user can establish resource bindings in a resource database by using the `define-resources` macro or the `xlib:add-resource` function. The `describe-resource` function may be used to print the values in a resource database associated with a given name. It can also be useful to process the set of resource bindings in a resource database (for example, to save them to a file). The `xlib:map-resource` function is designed for this purpose.

define-resources

Macro

```
(defmacro define-resources
  (&rest resource-bindings))
```

Establishes values for the given resources in a resource database. The resource database used is given by the value of the special variable `*database*`. The `resource-bindings` arguments form a sequence of name/value pairs. If the resource database already contains a value for a name, then it is replaced by the new value. Value arguments are evaluated but name arguments are not.

undefine-resources

Macro

```
(defmacro undefine-resources
  (&rest resource-bindings))
```

The `resource-bindings` arguments form a sequence of name/value pairs. Any resource binding for a given name argument is removed from a resource database. The resource database used is given by the value of the special variable `*database*`. The name arguments are not evaluated. Value arguments are ignored.

describe-resource

Function

```
(defun describe-resource
  (name
   &optional (database *database*)))
```

Prints on `*standard-output*` a description of each value associated with the name in the given database. Specifically, a resource binding in the database is printed if name is the last element of its resource name.

database

Variable

```
(defvar *database* (make-resource-database :reversep t))
```

Used as the default resource database by CLUE functions.

Chapter 6

Resource Management

Users need a way to specify preferences for various values of the user interface (e.g. colors, fonts, title strings, etc.). Applications, too, need a consistent method for determining the default interface values that are specific to them. It also is useful if application interface values can be modified by a user “externally,” without change to the application program. For example, this capability can make it easy to change the color scheme of a user interface.

In CLX, such interface values are referred to as **resources**. CLX defines functions for storing and retrieving interface resources from a **resource database**. CLUE automatically accesses contact resources during contact initialization; the resource database used is given by the value of the special variable `*database*`.

6.1 Resource Databases

This section summarizes the features of an `xlib:resource-database`. See [2] and [8] for a complete description of CLX resource management.

Conceptually, a resource database is a set of resource name-value pairs (or **resource bindings**). Some examples of resource bindings are shown below. In these examples, we assume that `mail` is the resource name of a mail reading application; `mail` uses a contact of the class `button` whose name is `reply`.

Resource Name	Resource Value
<code>(mail screen-1 reply background)</code>	<code>'green</code>
<code>(mail * background)</code>	<code>'red</code>
<code>(* button background)</code>	<code>'blue</code>

These resource bindings specify that the background color resource of `mail`'s `reply` button has the value `green` on `screen-1`, that the background color for the rest of the `mail` application is always `red` on all screens, and that, in general, the background color for all `button` contacts is `blue`. Thus, the name in a resource binding is a list of symbols (or strings) which are hierarchically related in a way that corresponds to a path down a parent-child tree of contacts. The name can be a partial (or incomplete) path, can use

```
(with-slots (parent font) self
  (using-gcontext
    (gcontext :default (gcontext-from parent)
              :font    font)
    ;; Foreground/background are inherited, but
    ;; font is given by child instance data.
    ...
  ))
```

Changes to values in the inherited default graphics context would then affect the appearance of child contacts. Again, in this example, the programmer is concerned only with specifying the required graphical attributes and defaults, and not with how the `xlib:gcontext` is created.

A contact programmer could also choose to associate a graphics context with each instance of his classes and to perform graphics output with this graphics context directly.

```
(with-slots (gcontext) self
  ;; Graphics context cache is not used.
  ...
)
```

In this case, `xlib:create-gcontext` must be called to compute a value for the `gcontext` slot. Any sharing of `xlib:gcontext` objects among contacts must be controlled explicitly by the programmer, and changes to shared graphics contexts will have side-effects.

Executes the body forms in a lexical context in which `gcontext` is bound to an `xlib:gcontext` object containing the specified attributes. `gcontext-options` is a sequence of keyword-value pairs which can include any attribute keyword accepted by `xlib:create-gcontext`.

A `:drawable` argument must be given. `gcontext` can be used in graphics operations on any `xlib:drawable` with the same root and depth as the given `:drawable` argument.

The optional `:default` keyword argument specifies an existing `xlib:gcontext` object which furnishes default attribute values. Attributes in `gcontext` which are not given by `gcontext-options` then have the value contained in `default`. If `:default` is omitted, then default values for `gcontext` are those defined by the X Window System protocol.

The contents of `gcontext` should not be modified inside the body. This macro replaces the use of the `xlib:create-gcontext` and `xlib:free-gcontext` functions and the `xlib:gcontext-` accessors.

5.2 Policies for Sharing Graphics Contexts

Different policies may be used for sharing graphics contexts among several contacts, depending upon how graphics attribute state information is associated with contact instances.

Typically, a contact class may define instance variables which associate some graphics attribute state with class instances. For example, instances of a contact class for text display might have instance variables which record their current font, foreground color, and background color. Methods of this class would then generally perform graphics output in the body of a `using-gcontext` form, as shown below.

```
(with-slots (font fg bg) self
  (using-gcontext
    (gcontext :font      font
              :foreground fg
              :background bg)
    ...
  ))
```

In this case, graphics output would always exhibit the associated attributes and would use constant defaults for any other graphical attributes. This is an example of a “transparent sharing” policy, since the programmer is not concerned with which `xlib:gcontext` objects are used. Only one `xlib:gcontext` object containing the required attributes needs to be created, and sharing is accomplished automatically via `using-gcontext`’s cache.

A “hierarchical inheritance” policy would allow contacts to inherit defaults for graphical attributes from their ancestors. For example, hierarchical inheritance would allow all children of a given composite to appear in the same foreground/background colors by default. A hierarchical inheritance policy requires the contact programmer to define some method of associating a default `xlib:gcontext` with an ancestor. Then, methods of children contacts could perform graphics output as shown below. In the following example, a function called `gcontext-from` is used to return the inherited graphics context. Here, too, the programmer is concerned only with specifying the required graphical attributes and defaults, and not with how the `xlib:gcontext` is created.

Chapter 5

Graphics Contexts

Clients of the X Window System specify the visual attributes of graphical output primitives by using **graphics contexts**. A graphics context is a set of graphical attribute values (e.g. foreground color, font, line style, “raster-op” function, etc.) which is created and maintained by the X server at the request of a client program. The client program, which may use several different graphics contexts at different times, is responsible for specifying which graphics context is used with each graphical output request. See [6] for a complete treatment of the use of graphics contexts in the X Window System. CLX[8] represents a graphics context by an object of type `xlib:gcontext` and also defines a simple caching scheme which expedites the modification and inquiry of `xlib:gcontext` attributes. CLUE provides support for more efficient sharing of graphics context objects among several components of the user interface. Contact programmers are still free to adopt various policies for sharing graphics contexts, including hierarchical inheritance or no sharing at all.

5.1 Using the Graphics Context Cache

The CLUE macro `using-gcontext` allows the programmer transparent access to a cache of previously-created `xlib:gcontext` objects. As a consequence of the `using-gcontext` macro, most CLUE programmers will seldom need to explicitly create or free graphics contexts. The caching strategy implemented by `using-gcontext` is intended to minimize the number of `xlib:gcontext` objects created. A programmer requests a graphics context containing a specific set of attribute values. The `using-gcontext` macro creates a new `xlib:gcontext` with these attributes only if such a `xlib:gcontext` is not already present in its cache and the cache is not full. If the cache is full, then `using-gcontext` modifies a previously-cached `xlib:gcontext` and returns it.

`using-gcontext`

Macro

```
(defmacro using-gcontext
  ((gcontext
   &rest          gcontext-options
   &key          default
   &allow-other-keys)
   &body)
  body))
```


Returns the next contact in the children list of (`contact-parent contact`) preceding `contact` (or `nil`, if `contact` is the first element of the list).

top-level-p**Function, contact**

```
(defun top-level-p
      (contact)
  (declare (values boolean)))
```

Returns non-`nil` if the parent of `contact` is a root.

This form of event specification matches a `:client-message` event when it is a `:wm_take_focus` message from the window manager. If any accessor function/value pairs are given, then the `data` slot of the event must match each function/value. That is, `(equal (funcall function data) value)` must be true for each *accessor-value*. During accessor matching, the special variable `*event-display*` is bound to the `display` slot of the event. The event display may be needed to convert X resource id numbers in the `data` into the form used in CLX and CLUE.

This message may be received by a `top-level-shell` which has selected the `:wm_take_focus` protocol. This message indicates that the user wants to make the `top-level-shell` (or one of its descendants) the focus for keyboard input.

CLUE defines a default `wm-shell` class event translation for `:wm_take_focus` that automatically sets the input focus to the contact which is the content of the receiving shell (using `accept-focus-p`). If the content is a `composite` and (not `(accept-focus-p content)`), then `move-focus` is used to set the focus to its `composite-focus` child.

4.6 Hierarchy Utility Functions

The following functions are useful for manipulating the contact hierarchy.

ancestor-p

Function, contact

```
(defun ancestor-p
  (contact
   composite)
  (declare (values boolean)))
```

Returns non-nil if `composite` is an ancestor of `contact`.

next-sibling

Function, contact

```
(defun next-sibling
  (contact)
  (declare (values contact)))
```

Returns the next contact in the `children` list of `(contact-parent contact)` following `contact` (or `nil`, if `contact` is the last element of the list).

previous-sibling

Function, contact

```
(defun previous-sibling
  (contact)
  (declare (values contact)))
```

CLUE defines the following special event specifications in order to simplify processing of `:client-message` events sent by the window/session manager to an application shell.

```
(:wm_delete_window accessor-value*)
```

accessor-value ::= function value

This form of event specification matches a `:client-message` event when it is a `:wm_delete_window` message from the session manager. If any accessor function/value pairs are given, then the data slot of the event must match each function/value. That is, `(equal (funcall function data) value)` must be true for each *accessor-value*. During accessor matching, the special variable `*event-display*` is bound to the `display` slot of the event. The event display may be needed to convert X resource id numbers in the data into the form used in CLX and CLUE.

This message may be received by a `top-level-shell` which has selected the `:wm_delete_window` protocol. This message indicates that the user has requested that the `top-level-shell` be destroyed.

```
(:wm_save_yourself accessor-value*)
```

accessor-value ::= function value

This form of event specification matches a `:client-message` event when it is a `:wm_save_yourself` message from the session manager. If any accessor function/value pairs are given, then the data slot of the event must match each function/value. That is, `(equal (funcall function data) value)` must be true for each *accessor-value*. During accessor matching, the special variable `*event-display*` is bound to the `display` slot of the event. The event display may be needed to convert X resource id numbers in the data into the form used in CLX and CLUE.

This message may be received by a `top-level-session` which has selected the `:wm_save_yourself` protocol. This message indicates that the application program should save any internal data in preparation for termination by the session manager.

```
(:wm_take_focus accessor-value*)
```

accessor-value ::= function value

`command`

A string which defines the value of the `:wm-command` property of a `top-level-session`.

4.5.7 Changing Shell Properties

An application programmer controls the way `transient-shell`, `top-level-shell`, and `top-level-session` objects interact with the window manager and the session manager by using accessors defined by these classes to change slot values. In general the effect of using such an accessor is to send a `:change-property` request which modifies one of the standard window properties used for interclient communication. The `with-wm-properties` macro allows more efficient server communication by batching multiple changes to a shell property into a single `:change-property` request.

with-wm-properties

Macro

```
(defmacro with-wm-properties
  ((shell)
   &body body))
```

The given `shell` may be a `transient-shell`, a `top-level-shell`, or a `top-level-session`. Changes to `shell` slots made within the dynamic extent of the body do not immediately cause `:change-property` requests to be sent. Instead, a single `:change-property` request for each modified `shell` property is sent after the body is executed.

4.5.8 Interclient Messages

Application programs may communicate with other clients, such as the window manager and the session manager using standard protocols selected by the `wm-protocols` accessor. See [5] for a description of the standard protocols for interclient communication. These protocols involve `:client-message` events which are sent by the window/session manager to an application `shell`. The `wm-message` structure defines accessor functions which may be used to interpret the data found in any standard `:client-message` event sent by the window/session manager.

wm-message

Structure

```
(defstruct (wm-message (:type (vector int32)))
  protocol
  timestamp)
```

Defines the common data fields of all standard `:client-message` events from a window/session manager mgr. The `protocol` slot is the resource id number (`xlib:card29`) for the `xlib:atom` which identifies the standard message type. The `timestamp` slot is an `xlib:timestamp` identifying the time when the message was sent.

icon-mask

An `xlib:pixmap` which defines the icon mask slot in the `:wm_hints` property of a `top-level-shell`.

icon-title

A string which defines the value of the `:wm_icon_name` property of a `top-level-shell`.

icon-x, icon-y

Define the icon position slots in the `:wm_hints` property of a `top-level-shell`.

4.5.6 Top-Level Sessions

A `top-level-session` is a special kind of `top-level-shell` used to communicate with a session manager. According to standard interclient communication conventions[5], an application should create at least one “main window” which is a `top-level-session`; typical applications use only one `top-level-session`. The accessors defined by the `top-level-session` class allow the application programmer to initialize and modify the standard top-level window properties used to communicate with the window manager. See [5], Section 5.1.1.1.

top-level-session

Class

```
(defcontact top-level-session
  (top-level-shell)
  ((client-host      :type (or null xlib:stringable)
                    :initform nil
                    :initarg :client-host
                    :accessor sm-client-host)
   (command          :type (or null string)
                    :initform nil
                    :initarg :command
                    :accessor sm-command)))
```

client-host

A string which defines the value of the `:wm_client_machine` property of a `top-level-session`.

transient-shell**Class**

```
(defcontact transient-shell
  (wm-shell)
  ())
```

The `top-level-shell` class is the base class of normal top-level shells, with full window manager interaction. A root shell is typically a `top-level-shell`.

top-level-shell**Class**

```
(defcontact top-level-shell
  (wm-shell)
  ((colormap-owners :type list
                   :initform nil
                   :initarg :colormap-owners
                   :accessor wm-colormap-owners)
   (icon :type (or null xlib:drawable)
         :initform nil
         :initarg :icon
         :accessor wm-icon)
   (icon-mask :type (or null xlib:pixmap)
              :initform nil
              :initarg :icon-mask
              :accessor wm-icon-mask)
   (icon-title :type (or null xlib:stringable)
               :initform nil
               :initarg :icon-title
               :accessor wm-icon-title)
   (icon-x :type (or null xlib:int16)
           :initform nil
           :initarg :icon-x
           :accessor wm-icon-x)
   (icon-y :type (or null xlib:int16)
           :initform nil
           :initarg :icon-y
           :accessor wm-icon-y)))
```

colormap-owners

A list of contacts which defines the value of the `:wm-colormap-windows` property of a `top-level-shell`.

icon

An `xlib:drawable` which defines the icon window/pixmap slot in the `:wm-hints` property of a `top-level-shell`.

```

(defcontact wm-shell
  (shell)
  ((hints      :type (or null xlib:wm-hints)
              :initform nil
              :initarg :hints
              :accessor shell-hints)
   (normal-hints :type (or null xlib:wm-size-hints)
                 :initform nil
                 :initarg :normal-hints
                 :accessor shell-normal-hints)
   (protocols   :type (or null list)
                 :initform nil
                 :initarg :protocols
                 :accessor wm-protocols)
   (title       :type (or null xlib:stringable)
                 :initform nil
                 :initarg :wm-title
                 :accessor wm-title)))

```

hints

An `xlib:wm-hints` structure which defines the value of the `:wm_hints` property of a `wm-shell`.

normal-hints

An `xlib:wm-normal-size` structure which defines the value of the `:wm_normal_hints` property of a `wm-shell`.

protocols

A list of atom keywords which defines the value of the `:wm_protocols` property of a `wm-shell`.

title

A string which defines the value of the `:wm_name` property of a `wm-shell`.

The `transient-shell` class is a subclass of shells which are **transients** for their owners. The exact meaning of this relationship is defined by the window manager, but typically a window manager will unmap a `transient-shell` when its owner becomes unmapped or iconified and will not allow a `transient-shell` to be individually iconified. A window manager may also display a `transient-shell` with distinctive “decoration.”

4.5.3 Shell Geometry Management

The single child of a shell is referred to as its **content**. The basic geometry management policy implemented by the `shell` class constrains a shell and its content to have the same width and height; size changes to one are automatically applied to the other. Certain aspects of content geometry — position, border width, and priority — are fixed or irrelevant; changes to these should be applied to the shell instead.

- **Changing the width/height of a shell** causes the width/height of its content to be changed to the new size.
- **Changing the width/height of the content** causes the width/height of its shell to be changed to the new size.
- **Changing the border width of the content** causes the content to be repositioned with respect to its shell, so that the content border is always invisible. Border changes should be applied to the shell instead. See the conventions for top-level window borders in [5].
- **Changing the position of the content** is never approved. Change the position of the shell to move the shell/content with respect to the root.
- **Changing the priority of the content** is meaningless and is never approved. Change the priority of the shell to restack the shell/content with respect to other top-level windows. See the conventions for top-level window priority in [5].

4.5.4 Override Shells

The `override-shell` class is a subclass of shells which override the window manager. Use `override-shell` to contain pop-up menus and other temporary objects which the user can never resize, etc. The `:iconic` state is meaningless for an `override-shell`, which therefore can never assume this state. Setting the state of an `override-shell` to `:iconic` causes it to become `:withdrawn` instead.

`override-shell`

Class

```
(defcontact override-shell
  (shell)
  ())
(:resources
  (override-redirect :initform :on)))
```

4.5.5 Window Manager Shells

The `wm-shell` class is a subclass of shells which interact with the window manager. The accessors defined by the `wm-shell` class allow the application programmer to initialize and modify the standard top-level window properties used to communicate with the window manager. See [5], Section 4.1.2. `wm-shell` should not be instantiated directly. Instead, window manager shells are always instances of one of the `wm-shell` subclasses — `transient-shell` or `top-level-shell`. **wm-shell** **Class**

A shell whose parent and owner are identical is called a **root shell**. The default state of a root shell is `:mapped`. Otherwise, the default state of a shell is `:withdrawn`. These defaults are convenient in the typical case of an application with a single root shell and one or more pop-up shells.

4.5.2 Shell State

The possible values for the `contact-state` of a shell differ slightly from those of ordinary contacts. Because the parent of a shell is always a root, a shell does not have a geometry manager in the usual sense. Instead, a window manager client will typically allow the user to define control the geometry of shells and other top-level windows interactively. Shell states, therefore, correspond to the top-level window states defined in [5]:

<code>:withdrawn</code>	The shell is invisible and unavailable for input.
<code>:iconic</code>	Same as <code>:withdrawn</code> , except that the window manager may display an alternate visual representation of the shell (for example, an icon). The exact nature (and even the existence) of this alternate representation depends on the window manager.
<code>:mapped</code>	The shell is in its “normal” state — mapped and available for input.

Mapping (or “popping up”) a shell means setting its state to `:mapped`. Unmapping (or “popping down”) a shell means setting its state to `:iconic` or `:withdrawn`. Mapping a shell causes its `:map` callback to be invoked. Similarly, unmapping a shell invokes its `:unmap` callback. These callbacks allow the application programmer to change the contents of a shell before it is mapped or after it is unmapped. The required argument list for each of these callbacks is shown below.

`:map` **Callback, shell**

```
(defun map-function ())
```

Invoked before the state of a shell becomes `:mapped`.

`:unmap` **Callback, shell**

```
(defun unmap-function ())
```

Invoked after the state of a shell is changed from `:mapped`.

shell**Class**

```

(defcontact shell
  (composite)
  ((state      :type (member :withdrawn :iconic :mapped)
              :accessor contact-state)
   (owner      :type composite
              :reader shell-owner))
  (:resources state))

```

Different CLUE shell subclasses are used to implement four basic types of interaction with window managers and session managers:

- `override-shell`
- `transient-shell`
- `top-level-shell`
- `top-level-session`

4.5.1 Creating A Shell

A `shell` is a `composite` that has an owner. When a shell is created, the `:parent` argument to `make-contact` defines its owner. The relationship between a shell and its owner is similar to the one between a child and its parent in the following ways.

1. When an owner is destroyed, its shells are also destroyed.
2. The complete resource name/class of a shell contains the name/class of its owner (instead of the name/class of its parent).

However, an owner does not provide geometry management for its shells, and a shell is unaffected by changes to the `contact-state` and sensitivity of its owner.

When a `shell` is created, if the `:parent` argument to `make-contact` is a `contact-display`, then:

```

(contact-parent shell) = (shell-owner shell)
                      = (display-root parent screen)

```

If the `:parent` argument is a `contact`, then:

```

(contact-parent shell) = (contact-root parent)
(shell-owner shell)   = parent

```

The root class is a subclass of the basic `composite` class, but roots are different from ordinary composites in several ways.

- The parent of a root is `nil`.
- The geometrical attributes of a root cannot be changed.
- A root is always created automatically when its `contact-display` is created. A root is never created by an application.
- The name of a root is initialized automatically when it is created. The initial resource name is `:SCREEN-n`, where *n* is the index of the `xlib:screen` object in `(xlib:display-roots contact-display)`³.
- A root composite imposes no geometry management policy.

4.5 Shells

A contact whose parent is a root is called a **top-level** contact. A top-level contact is usually a composite at the top of a hierarchy of other contacts created by an application program. A CLUE application program will normally create at least one top-level contact which encapsulates user interaction for the application. More complex applications will often use multiple top-level contacts, each representing distinct user tasks. Top-level contacts play a special role in a user interface, because only top-level windows are subject to a user's operations for window management (performed via a window manager client) and for session management (performed via a session manager client). Window managers, session managers, and the conventions for intercommunication among these clients are described in [5].

In addition, a top-level contact is often used as a **pop-up** — for example, a menu which “pops up” when a command button contact is “pressed.” A top-level pop-up “belongs” to another contact without being constrained by it in position, size, or stacking order. A top-level contact therefore has both a parent, which is always a root, and an **owner**, from which it may inherit resources values and other properties.

In order to simplify top-level contact programming, CLUE defines a composite subclass called **shells**. A shell is a top-level contact which merely acts as an invisible “container” for exactly one child. From an application programmer's point of view, the child of a shell is really the effective top-level contact. Programmer changes to the size of the child are automatically applied to the shell, and user changes to the size of a shell are automatically applied to its child. The slots of a shell instance contain values which form the window properties used to communicate with window managers and session managers. See [5] for a complete discussion of the conventions for client window properties.

Application programmers rarely need to operate on shells, other than to access their property slots and change their state. In return, shells encapsulate the responsibilities required of top-level windows and conveniently integrate top-level pop-up's into the resource name hierarchy. All top-level contacts should be shells; although this is not strictly required, the behavior of non-shell top-level contacts is not guaranteed to be correct.

³*n* ≡ `(position screen (xlib:display-roots contact-display) :test #'eq)`

display-root**Function, contact-display**

```
(defun display-root
      (contact-display
       &optional screen-index)
  (declare (values root)))
```

Returns the root of the `contact-display` specified by the `screen-index`. If no `screen-index` is given, then the default root is returned. Used with `setf`, this function is also an accessor for changing the default root. Example: `(setf (display-root contact-display) (display-root contact-display 2))`.

display-root-list**Function, contact-display**

```
(defun display-root-list
      (contact-display)
  (declare (values root-list)))
```

Returns a list of all root contacts belonging to the `contact-display`.

contact-root**Function, contact**

```
(defun contact-root
      (contact)
  (declare (values root)))
```

Returns the root to which the `contact` belongs.

contact-screen**Function, contact**

```
(defun contact-screen
      (contact)
  (declare (values screen)))
```

Returns the `xlib:screen` object associated with `(contact-root contact)`.

Many applications will neither be aware of roots nor need to operate on them. This is particularly true in the common case where the display has only one screen. However, the following operations on a root may be useful to an application programmer.

- Specify a root as the parent of another contact in order to create a “top-level” contact on a specific display screen.
- Define actions and event translations for a root ².

²However, it is generally bad practice to attach application meaning to root window input events, since these are often reserved for window managers.

Switches the keyboard input focus to a different child contact and returns the new focus contact. The new focus contact is stored in the composite `focus` slot. The new focus contact is determined by the `direction` and the `start` contact. The value of `direction` is either `:next`, `:previous`, or `:set`. If `direction` is `:set`, then the new focus contact becomes `start`. If `direction` is `:next` or `:previous`, it determines the direction to search in the `children` list, starting with the `start` child.

If `start` is not given, then the current focus child is used as the default starting point.

The `revert-to` argument is used in a call to `xlib:set-input-focus` and determines the contact to which the input focus will revert in the event that the focus contact becomes unviewable.

The primary `move-focus` method considers each child, starting with the child adjacent to `start` in the given `direction`. The first child for which (`accept-focus-p child`) is non-`nil` is then returned.

4.4 Roots

All of the contacts belonging to a `contact-display` form a set of hierarchies. The root of each hierarchy is a special type of composite contact referred to as a **root**.

root

Class

```
(defcontact root
  (composite)
  ((screen :type xlib:screen
          :initarg :screen)))
```

`screen`

The `xlib:screen` object represented by the `root`.

All of the contacts descended from a `root` appear on the same screen of the `contact-display`. A `root` represents a display screen in two ways. First, a `root` typically corresponds to the root window of the screen and inherits all of its properties¹. Input received by a `root` window will be dispatched to its `root` contact. Second, the `xlib:screen` object may be accessed as a slot of the `root`.

The set of `root` objects belonging to a `contact-display` is created automatically when the `contact-display` itself is created, and is never subsequently modified. Each `contact-display` has a default `root` which may be used as the default parent of newly-created contacts (see `make-contact`, Section 2.1.1). The default `root` is typically determined by the `:default-screen` argument to `open-contact-display`. Alternatively, the default `root` may be inquired or modified using the `display-root` function.

¹In some environments, a window manager may establish a non-`root` window as the top-level “parent window”, in which case the `root` will correspond to the “parent window” instead.

Called whenever the set of managed children of the composite changes. This method is expected to make any changes to the geometry or priority of the new managed set which are required by the composite's geometry management policy.

`change-layout` is called once when a new composite is realized. After a composite is realized, `change-layout` is called whenever a managed child is created or destroyed or in response to a change in the state of a child. When a new managed child is created, it is given as the value of the optional `newly-managed` argument. Certain geometry managers may choose to treat a `newly-managed` child specially when enforcing geometry constraints among its managed children.

The primary `change-layout` method simply calls (`change-geometry child :accept-p t`) to validate the current geometry of each managed child.

The initial geometry of a contact is also determined by the geometry management policy of its parent composite. Just before a composite is realized, the `initialize-geometry` function is called to negotiate the initial geometry of all descendants of a composite. This function is called automatically by `update-state` and rarely needs to be invoked directly by application programmers or contact programmers. In some cases, a CLUE program may call `initialize-geometry` in order to complete initial geometry management without realizing a composite.

initialize-geometry

Method, composite

```
(defmethod initialize-geometry
  ((composite composite)))
```

Computes the initial geometry for the composite and all of its descendants. `initialize-geometry` is called recursively for each composite child that is both managed and unrealized. Then, `change-layout` is called to arrange all children according to the geometry management policy of the composite.

4.3 Focus Management

A single child, which is contained in the composite focus slot, is usually designated to serve as the current “keyboard representative” for the composite. A composite provides a method for switching the keyboard input focus between the contacts in its children list. In general, this method calls the `accept-focus-p` method of a child contact before setting it as the keyboard input focus.

move-focus

Method, composite

```
(defmethod move-focus
  ((composite composite)
   &optional (direction :next)
   &key start
   revert-to))
```

Any of the `x`, `y`, `width`, `height`, or `border-width` arguments may be `nil`, indicating a “don’t care” value for the requested change. A geometry manager may also interpret a `nil` value to mean “just use the current value.” Note: `manage-geometry` should never approve the request if the `width` or `height` is 0. Such a value is invalid and represents an “uninitialized” condition, for which `manage-geometry` must suggest an alternative.

The lambda list for this generic function includes `&key` so that contact programmers can define methods with additional keyword arguments.

manage-priority**Method, composite**

```
(defmethod manage-priority
  ((composite composite)
   contact
   priority      ;(member :above :below :top-if :bottom-if :opposite)
   sibling
   &key)
  (declare (values success-p
                   priority
                   sibling)))
```

Called by `change-priority` to change the stacking priority of the `contact`. See the CLX function `xlib:window-priority` for a description of the `priority` and `sibling` arguments. If the requested change is approved, then the first value returned is non-`nil`. Otherwise, the change is not approved and the first value returned is `nil`; in this case, the remaining return values suggest an acceptable compromise request. If only `nil` is returned, no geometry change is allowed.

Either of the `priority` or `sibling` arguments may be `nil`, indicating a “don’t care” value for the requested change. A geometry manager may also interpret a `nil` value to mean “just use the current value.”

The lambda list for this generic function includes `&key` so that contact programmers can define methods with additional keyword arguments.

change-layout**Method, composite**

```
(defmethod change-layout
  ((composite composite)
   &optional newly-managed))
```

of the class or function of the contact. However, some composite contacts will make use of specific knowledge about their children in order to perform geometry management.

Placing geometry control in the hands of a geometry manager in this way has several advantages.

- A geometry manager can arbitrate the competing geometry change requests of several contacts in order to implement constraints among them.
- A given layout style can be applied to any collection of contacts.
- Contact layout style can be changed without the knowledge of individual contacts.

A request to change the geometry of a contact is forwarded to the contact's parent, which actually performs the resulting change. It is important to understand that, due to its constraints, a geometry manager may not be able to perform a change as requested. For example, a request to increase the size of a contact might be refused if its geometry manager enforces a maximum size. If a requested change cannot be done, a geometry manager should suggest a slightly different change which would be acceptable. Frequently, a geometry manager will want a child to compute a suitable geometry for itself; this can be done by calling the `preferred-size` function.

A composite's geometry management policy applies only to the set of its children which are managed. Any child whose `state` is `:withdrawn` is ignored by a geometry manager. Any geometry change to a `:withdrawn` child is performed immediately as requested.

Geometry management is implemented by the following methods of the composite class.

manage-geometry

Method, composite

```
(defmethod manage-geometry
  ((composite composite)
   contact
   x
   y
   width
   height
   border-width
   &key)
  (declare (values success-p
                   x
                   y
                   width
                   height
                   border-width)))
```

Called by `change-geometry` to change the geometry of the contact. If the requested change is approved, then the first value returned is non-`nil`; the remaining return values then give the new geometry of the contact. Otherwise, the change is not approved and the first value returned is `nil`; in this case, the remaining return values suggest an acceptable compromise geometry. If only `nil` is returned, no geometry change is allowed.

Called automatically when the `child` contact become a child of the `composite` (either by child creation or reparenting). This method adds the `child` to the `children` list and implements the result of the insertion on the order of the `children` list.

`composite` contacts may have various ways of ordering their children, usually for geometry management purposes. For example, a `composite` containing a set of command buttons may want to sort the buttons in alphabetical order or to group them by function. A contact programmer may redefine the `add-child` method to implement the required ordering. The primary method for `add-child` simply appends the new child to the end of the `children` list.

The lambda list for this generic function includes `&key` so that contact programmers can define methods with additional keyword arguments.

delete-child**Method, composite**

```
(defmethod delete-child
  ((composite composite)
   child
   &key))
```

Called automatically when the `child` contact leaves the `children` list of the `composite` (either by child destruction or reparenting). This method removes the `child` from the `children` list and implements the result of the deletion on the order and geometry of the `children` list.

The lambda list for this generic function includes `&key` so that contact programmers can define methods with additional keyword arguments.

(setf contact-parent)**Method, contact**

```
(defmethod (setf contact-parent)
  (new-parent
   (contact contact)
   &key x y)
  (declare (values composite)))
```

“Reparents” the `contact` by making it a child of the `new-parent`. `x` and `y` give the position of the `contact` with respect to the origin of its `new-parent`; if omitted, then the `contact`’s relative position is unchanged.

4.2 Geometry Management

A `composite` is expected to act as the **geometry manager** for its child contacts; that is, to control the geometrical properties of its children. As a geometry manager, the role of `composite` is to implement a style of layout for its children. In general, a `composite` may operate on a `contact`’s window without any knowledge

composite**Class**

```
(defcontact composite
  (contact)
  ((children :type list
            :initform nil
            :reader composite-children)
   (focus  :type contact
            :initform nil
            :reader composite-focus)
   (shells  :type list
            :initform nil
            :reader composite-shells))
  (:resources
   (event-mask :type (or null xlib:event-mask)
               :initform (xlib:make-event-mask))
   (focus-name :type symbol)))
```

children

A list of the contacts which are the children of the composite. CLUE automatically ensures that this slot value is always consistent with the window hierarchy stored by the X server. This slot should be modified only as a side-effect of contact creation, destruction, and reparenting; it should never be modified directly.

focus

The member of `children` which is currently designated as the keyboard input focus for the composite. This slot is `nil` if no focus has been designated. Designating a contact as the composite focus does not necessarily redirect keyboard events. Rather, the focus is the current “keyboard representative” for the composite; assigning the keyboard focus to the composite then usually results in assigning it to the focus contact.

shells

A list of shell contacts owned by the composite. See Section 4.5

add-child**Method, composite**

```
(defmethod add-child
  ((composite composite)
   child
   &key))
```

Chapter 4

Contact Hierarchy

4.1 Composites

A contact which is the parent of another contact is known as a **composite**. A composite may be the parent of another composite, leading to a tree-structured contact hierarchy. Contact A is said to be an **ancestor** of contact B (its **descendant**) when A is B's parent or an ancestor of B's parent.

A composite represents a set of contacts which can be manipulated (positioned, presented, etc.) as a unit. A composite is useful whenever several contacts act in concert to provide a single component of the application's user interface. Typical examples include "control panels" and "dialog boxes" — groups of contacts that are presented together and are used to make related adjustments to application data. In some cases, operations on one member of such a structure may change the appearance of another. The composite is the mechanism which allows the operations of its members to be coordinated.

The fundamental aspects of the contact parent-child relationship are the same as those of the window hierarchy defined by the X Window System. In addition, a composite furnishes geometry management and focus management services for its children.

A composite is an instance of the `composite` class, a subclass of the basic `contact` class.

3.8.6 Event Compression

CLUE allows the programmer defining a contact class to ignore certain redundant input events in order to improve contact performance. “Compression” of redundant events is controlled by the class slots `compress-exposures` and `compress-motion`, which are shared by all instances of a contact class.

Contacts which respond to changes in the pointer position may find it difficult to keep up with a rapidly-moving mouse and, in fact, may not need to recognize every individual motion event. Initializing the `compress-motion` slot to `:on` will cause all but the last in a sequence of consecutive `:motion-notify` events to be ignored, with only the most recent event being dispatched to the contact.

Simple contacts may find it more efficient always to display the entire contact image, ignoring `x`, `y`, `width`, and `height` arguments to the `display` method. Such contacts will not be interested in partial exposure events. Initializing the `compress-exposures` slot to `:on` will result in `:exposure` events being dispatched to the contact only when the expose count is zero (i.e. the last of a series of partial exposure events).

Returns or (with `setf`) changes the way that multipress event sequences are verified for the given `contact-display`. When `true`, timeout is verified by requesting a timestamp from the X server. When `nil`, multipress handling will be faster but some double-clicks may be incorrectly interpreted as two single-clicks. The default value is given by the `*default-multipress-verify-p*` special variable.

default-multipress-delay-limit**Variable**

```
(defvar *default-multipress-delay-limit* 250)
```

The default maximum number of milliseconds between events in a multipress sequence.

default-multipress-verify-p**Variable**

```
(defvar *default-multipress-verify-p* t)
```

The default multipress timeout verification switch. When `true`, timeout of multipress events is verified by requesting a timestamp from the X server. When `nil`, multipress handling will be faster but some double-clicks may be incorrectly interpreted as two single-clicks.

3.8.5 Contact Sensitivity

Occasionally, an application may want a component of its user interface to be visible but temporarily unavailable for input. For example, a menu might be used to present all application commands, although some commands may not be valid at all times. Therefore, a contact can either be “sensitive” or “insensitive” to input. When a contact is insensitive, events of the following type are not dispatched to the contact and are ignored.

- `:button-press`
- `:button-release`
- `:enter-notify`
- `:focus-in`
- `:focus-out`
- `:key-press`
- `:key-release`
- `:leave-notify`
- `:motion-notify`

Also, the sensitivity of a contact is typically represented visually. For example, an insensitive contact may be displayed in a distinctive color, greyed out, or stippled.

A contact is insensitive if the value of its `sensitive` slot is `:off`, or if its parent is insensitive. Conversely, a contact is sensitive if and only if it and all of its ancestors have a value of `:on` for `sensitive`.

a `:button-release` event for the same button, with no intervening change in pointer position⁵ or modifier key state. A “double-click” is a sequence of two clicks of the same button in rapid succession. The definition of a double-click “event” is thus time-sensitive; for a double-click to be recognized, the time interval between events in the sequence cannot exceed a certain maximum. The `display-multipress-delay-limit` accessor defines the maximum inter-event time interval, in milliseconds, for a given `contact-display`.

During event translation for a `:button-press` event, CLUE will invoke double-click processing when it attempts to match a `:button-press` event specification containing the `:double-click` keyword (see Section 3.8.1). CLUE then looks ahead into the event stream, checking for the remainder of the double-click sequence. If a double-click is recognized, then the event specification is matched, the corresponding actions are invoked with the initial `:button-press` event, and the rest of the double-click events are discarded. Otherwise, the match fails, all events remain in the event stream, and event translation continues. The `:double-click` keyword can also appear in a `:button-release` event specification. In this case, CLUE attempts to match the event specification by looking ahead for a subsequent click sequence. If a click is found, then the event specification is matched, the corresponding actions are invoked with the initial `:button-release` event, and the rest of the click events are discarded. Otherwise, the match fails, all events remain in the event stream, and event translation continues.

The `:single-click` keyword can be used to explicitly request CLUE double-click processing, in order to verify that a double-click sequence has *not* occurred. An event specification containing the `:single-click` keyword will be matched only when the event is not followed by the rest of a double-click sequence. This form of event specification allows a contact to reliably specify actions for both single- and double-click event sequences, with no dependence on the relative order of `:single-click` and `:double-click` event translations.

Detecting when the `display-multipress-delay-limit` timeout has lapsed is complicated by the possibility of network delays in receiving events from the X server. Timestamps maintained by the X server can be used to verify a timeout, at the expense of a message round-trip between the client and the server. CLUE clients can optionally select such timeout verification for a `contact-display` by using the `display-multipress-verify-p` accessor.

display-multipress-delay-limit

Macro, contact-display

```
(defmacro display-multipress-delay-limit
  (contact-display)
  (declare (values (number))))
```

Returns or (with `setf`) changes the multipress delay limit timeout for the given `contact-display`. This defines the maximum inter-event time interval, in milliseconds, for a multipress event sequence to be recognizable. The default value is given by the `*default-multipress-delay-limit*` special variable.

display-multipress-verify-p

Macro, contact-display

```
(defmacro display-multipress-verify-p
  (contact-display)
  (declare (values (number))))
```

⁵Implementation Note: In practice, very small pointer movements (“jitter”) should be ignored during double-click processing.

Returns a list of actions associated with the given `contact` and event specification. Each element of the returned actions list is either an action name symbol or a list of the form (*action-name argument**).

A process similar to that used by `translate-event` is used to locate an event translation containing the `event-spec`, either in the `contact`'s `event-translations` or among its class event translations. If no such event translation is found, then `nil` is returned.

defevent**Macro**

```
(defmacro defevent
  (class
   event-spec
   &rest actions))
```

Creates a class event translation for the `class`. Each additional argument is either an action name symbol or a list of the form (*action-name argument**). The new event translation replaces any existing class event translation for the same event specification.

undefevent**Macro**

```
(defmacro undefevent
  (class
   event-spec
   &rest actions))
```

Deletes a class event translation for the `class`. The actions are ignored; they are included only for consistency with the syntax of `defevent`.

describe-event-translations**Function**

```
(defun describe-event-translations
  (contact
   &optional (stream *standard-output*))
```

Prints a description of the event translations for a `contact` class or a `contact` instance on the given stream. If `contact` is a class symbol, then this function prints a description of each class event translation for the given class and for each superclass in its class precedence list. If `contact` is a `contact` instance, then the contents of its `event-translations` is also printed.

3.8.4 Double-click Events

CLUE provides for the automatic recognition of “double-clicks” by treating these as specially modified `:button-press` or `:button-release` events. A “click” is a `:button-press` event followed immediately by

handle-event**Method, contact**

```
(defmethod handle-event
  ((contact contact)
   event))
```

Performs all contact processing for the given event. The primary method for the `contact` class calls `translate-event` and invokes all actions that match the event.

translate-event**Function, contact**

```
(defun translate-event
  (contact
   event)
  (declare (values actions)))
```

Looks up the event translation that matches the `event`, using the algorithm described in Section 3.8.3, and returns the list of actions found in the matching event translation.

add-event**Function, contact**

```
(defun add-event
  (contact
   event-spec
   &rest actions))
```

Creates an event translation associating the event specification with the given action symbols in the contact's `event-translations`. Each additional argument is either an action name symbol or a list of the form (*action-name argument**). If an event translation for the given event specification already exists, then its previous actions are replaced by the new actions, without changing its position in the `event-translations`. Otherwise, a new event translation is created and added as the first element of the `event-translations`.

delete-event**Function, contact**

```
(defun delete-event
  (contact
   event-spec))
```

Removes any event translation for the event specification from the contact's `event-translations`.

event-actions**Function, contact**

```
(defun event-actions
  (contact
   event-spec)
  (declare (values actions)))
```


The `event-translations` slot contains a lookup table⁴ whose elements are **event translations**. Each event translation is a list of the form (*event-specification name**), where each *name* is either an action name or a list of the form (*action-name argument**). Thus, each event translation in `event-translations` associates an event specification with one or more actions and, for each action, an optional argument list. The event translations in a contact's `event-translations` slot can be modified by the functions `add-event` and `delete-event`.

Class event translations are event translations which belong to all instances of a contact class. A class event translation is created by the `defevent` macro.

Basic contact event processing consists of the following steps:

- For each event translation in the contact's `event-translations`:
 - The event is matched with the event specification found in the event translation. Matching is done using the `match` function for the event type defined by the event specification.
 - If a match occurs, then each of the actions in the event translation is called and event processing terminates. Any arguments from the matching event translation are given to the actions.
- If no match is found in the previous step, then the contact's class event translations are examined. Starting with the class of the contact, then for each class event translation of the class:
 - The event is matched against the event specification found in the class event translation.
 - If a match occurs, then each of the actions in the event translation is called, using any arguments given, and event processing terminates.
- If no match is found, then the previous step is repeated for the next class in the class precedence list.

This method of structuring contact event processing allows a user and a contact programmer to cooperate in defining a contact's input behavior. Event translations are a contact resource; they can be read from a user-defined resource database and used to initialize a contact's `event-translations` when the contact is created (see Chapter 6 for a complete discussion of contact resource management). Event translations express user preferences for the mapping between input events and actions. On the other hand, only the contact programmer can determine the methods which actually implement the actions. The contact programmer can also provide class event translations to define default input behavior shared by all instances of a contact class.

Most types of events can be received by a contact only if they are selected by the contact's `event-mask`. CLUE automatically initializes a contact's `event-mask` slot to select all event types referenced by its `event-translations` slot and its class event translations. The `event-mask` is also modified appropriately by `add-event` and `delete-event`. As a result, CLUE programmers rarely need to modify a contact's `event-mask` slot directly.

CLUE initiates contact event processing by calling the contact's `handle-event` method. By default, this method simply processes an event according to the contact's event translations and class event translations. However, some contact classes may redefine the `handle-event` method in order to add input processing unrelated to event translations. `handle-event` calls `translate-event` in order to determine which actions will be invoked.

⁴Implementation Note: The `event-translations` slot is conceptually an association list but need not be implemented as one.

```
(defmacro check-function
  (keyword)
  (declare (type keyword keyword))
  (declare (values function)))
```

Returns or (with `setf`) changes the check function for the given event type `keyword`. The `keyword` must be an event key defined by CLX.

The general interfaces required for check/match functions are described below.

```
(defun a-check-function
  (&rest event-spec)
  (declare (values match-function-spec
                  canonical-event-key)))
```

A check function is defined by the `check-function` macro. It is called to validate an event specification list whose first element is the *keyword-symbol*.

A check function signals an error if the `event-spec` is syntactically invalid. Otherwise, the first return value is a list of the form (*match-function* . *canonical-event-spec*). The `car` of this list is a function object which is the corresponding match function. The `cdr` of the list is the event specification in its “canonical form” (i.e. the form required by the match function). The check and match functions can thus establish an internal form of the event specification which optimizes matching. The second return value, if non-`nil`, is a different event key to be used during matching. For example, the default check function for `:up` will return `:key-release` as its second value.

```
(defun a-match-function
  (event
   &rest canonical-event-spec)
  (declare (values boolean)))
```

A match function is returned by the check function of a *keyword-symbol*. It is called to match an event with an event specification list whose first element is the *keyword-symbol*.

A match function is a predicate which returns non-`nil` if the `canonical-event-spec` computed by the corresponding check function matches the given event.

3.8.3 Event Translation

If an input event is received by a specific window, then that window is given as a slot value in the corresponding event object. CLUE begins by determining the contact corresponding to the event window and calling the contact’s `handle-event` method. Subsequent contact event processing involves “translating” the event into calls to the appropriate actions and is controlled by the contact’s `event-translations` slot and its class event translations.

```
(:key-press [key [state [select]])
(:key-release [key [state [select]])
(:up character)
```

key ::= *character* | *keysym* | :any

This form of event specification matches any `:key-press` or `:key-release` event with the given `event-character` or `event-keysym` and with the given state of the modifier keys. By default, *key* is `:any`, in which case the `event-character` and `event-keysym` are ignored during matching. `(:up character)` is an abbreviation for `(:key-release character)`. A *character* is typically a Common Lisp character object, but in general it can be any object associated with a *keysym* via the `xlib:define-keysym` function (see CLX[8]).

The *state* and *select* options operate as described above. However, for this form of event specification, when *key* is a character, then the default value of *select* is 0 (i.e. no modifier keys are selected). This is because the character object already contains modifier state information, as a result of the `keysym-to-character` transformation done by CLX.

```
(:client-message type accessor-value*)
```

accessor-value ::= *function* *value*

This form of event specification matches a `:client-message` event when its `type` slot matches the given *type*. The *type* must be an `xlib:atom`. If any accessor function/value pairs are given, then the `data` slot of the `:client-message` event must match each function/value. That is, `(equal (funcall function data) value)` must be true for each *accessor-value*. During accessor matching, the special variable `*event-display*` is bound to the `display` slot of the event. The event display may be needed to convert X resource id numbers in the `data` into the form used in CLX and CLUE.

3.8.2 Defining New Event Specifications

The syntax for event specifications can be extended to include new specification list forms defined by the programmer. The most general form of an event specification list is (*keyword-symbol* *argument**). The CLUE interface to this general form is defined by two functions: a check function, which verifies the syntactical correctness of the list, and a match function, which matches event objects with the list. The check function for a *keyword-symbol* may be returned or changed by the `check-function` macro.

check-function

Macro

This form of event specification matches any `:motion-notify` event with the given state of the modifier keys. The `state` and `select` options are used to specify the state of the modifier keys required for an event to match the event specification.

`state` is a set which specifies the state of modifier keys: the down state for modifier keys which belong to `state` and the up state for those that do not. `state` defaults to `:none`, which is equivalent to the empty set. `select` specifies the set of modifier keys whose state is examined during matching. `select` defaults to `:same`, which means “same as the `state` set”. The `select` value `:all` means that all modifier keys are considered. The `state` value `:any` is a more readable notation for the default values; it is equivalent to a `state` of `:none` and a `select` of `:same`. Either `state` or `select` may given as a bit string (i.e. an `xlib:mask16` value) in which a 1 bit means that the corresponding modifier key is an element of the set.

A `:motion-notify` event matches the event specification only if the following conditions are satisfied.

- Every modifier key in `select` has the state (up or down) indicated by `state`.
- If there are modifiers keys in `state` which do *not* belong to `select`, then at least one of them is down. This is a way to treat such a set of modifiers as “equivalents” without requiring a specific state for each of them.

```
(:button-press [button [bstate [select]]])
(:button-release [button [bstate [select]]])
```

```
button      ::= :any | :button-1 | :button-2 | :button-3 | :button-4 | :button-5

bstate      ::= :none | :any | click-state-key | (click-state-key*) | xlib:mask16

click-state-key ::= :shift | :lock | :control |
                   :mod-1 | :mod-2 | :mod-3 | :mod-4 | :mod-5 |
                   :meta | :super | :hyper |
                   :button-1 | :button-2 | :button-3 | :button-4 | :button-5 |
                   :single-click | :double-click
```

This form of event specification matches any `:button-press` or `:button-release` event with the given state of the modifier keys. If `button` is given, then only events with the given button in `event-code` are matched. By default, `button` is `:any`, in which case the `event-code` is ignored during matching.

The `select` option operates as described above. The `bstate` option operates the same as the `state` option above. However, `bstate` may also contain either a `:single-click` or a `:double-click` keyword. These keywords, which control the matching of “double-click” events, are described in Section 3.8.4.

delete-timer**Function, contact**

```
(defun delete-timer
  (contact
   &optional name))
```

Destroys the `contact` timer with the specified name. If no name is given, then all timers belonging to the `contact` are destroyed. The return value is `nil` if and only if no `contact` timer of the given name exists.

3.8 Contact Input Programming

This section describes the CLUE interfaces used by a contact programmer to define contact input responses.

3.8.1 Event Specifications

CLUE input processing consists of matching an event with an event specification found in a contact's `event-translations` slot, and then calling actions associated with the matching event specification. An **event specification** is a notation for describing a specific type of event. Syntactically, it is one of the following.

event key A keyword symbol which is the name for an event type (i.e. the value of the `key` slot of an `event` object). This form of event specification matches any `event` which has this `key`.

character A Common Lisp character object. This form of event specification matches any `:key-press` event with this object as its `character`.

list A list of the form *(keyword value*)*. Certain list forms are already defined by CLUE and are described below. Programmers can define new list forms using the interfaces described in Section 3.8.2.

```
(:motion-notify [state [select]])
```

```
state ::= :none | :any | state-key | (state-key*) | xlib:mask16
```

```
select ::= :same | :all | state-key | (state-key*) | xlib:mask16
```

```
state-key ::= :shift | :lock | :control |
              :mod-1 | :mod-2 | :mod-3 | :mod-4 | :mod-5 |
              :meta | :super | :hyper |
              :button-1 | :button-2 | :button-3 | :button-4 | :button-5
```

³Implementation Note: An implementation is permitted to check for the next elapsed timer interval only before reading the next input event. This may affect timing accuracy when an event results in lengthy application processing.

Any buffered requests are sent and all resulting input events are processed, using the following algorithm.

- Call (`xlib:display-finish-output contact-display`) to send any buffered requests and receive any resulting events.
- If any events were received, process each of them via (`process-next-event contact-display :timeout 0`) and then repeat the previous step.

3.7 Timers

CLUE provides support for animation and other types of time-sensitive user interfaces via objects called **timers**. A timer is a source of `:timer` events, inserting them into the event stream of a `contact-display` according to a specific time interval. A timer causes `:timer` events to be dispatched to a specific contact for processing.

A `:timer` event is defined by CLUE and is represented by an `event` object with the following non-nil slot values.

```

key      :timer
contact  timer contact
name     timer name
data     timer data
display  contact-display

```

Timers are abstract “objects” that are not actually represented as CLOS class instances, but instead are defined solely by the following functional interfaces.

add-timer

Function, contact

```

(defun add-timer
  (contact
   name
   interval
   &optional data)
  (declare (values name)))

```

Creates a timer with the given `name` symbol. The new timer replaces any existing timer with the same name. The new timer sends a `:timer` event to the `contact-display` associated with the given `contact` each time the specified time `interval` (given in seconds) elapses³. Such `:timer` events are dispatched to the given `contact` and also contain any given application `data` (see description of `:timer` event above). The timer `name` is returned.

A timer is automatically destroyed when its associated `contact` is destroyed.

The event loop should be terminated by a `throw` to an application-defined `loop-exit-tag`.

process-next-event

Function, contact-display

```
(defun process-next-event
  (contact-display
   &key          timeout))
```

Reads the next input event from the `contact-display` and processes it. If no event is received within the specified `timeout` interval (given in seconds), then `process-next-event` returns `nil`; a `timeout` of `nil` means to wait forever. Otherwise, `process-next-event` returns `t`.

Before reading an event, `process-next-event` calls `update-state` to ensure that the display is consistent with the current state of contacts belonging to the `contact-display` (see Section 2.1.2).

After an event has been read, the following algorithm is used.

- The contact receiving the event is determined.
- All before actions defined for subclasses of the contact's class are called.
- The contact's `handle-event` method is called. The `handle-event` method invokes the process of "event translation," during which the appropriate actions are called to handle the event. See Section 3.8.3) for a complete description of event translation.

3.6 Synchronizing Event Processing

A complex operation, such as presenting a large contact tree, often takes the form of a "chain reaction," wherein the input events which precipitate from contact actions are processed to invoke still more actions and events, etc. In order to synchronize its user interface, an application will sometimes need to wait until the complete chain of events has been processed before continuing the event loop. This synchronization of event processing is achieved by using the `process-all-events` function.

process-all-events

Function, contact-display

```
(defun process-all-events
  (contact-display))
```

add-before-action**Function, contact-display**

```
(defun add-before-action
      (contact-display
       class
       action
       &rest arguments))
```

Adds a new before action for the given `class` to the `contact-display`. The action replaces any existing before action with the same name and class. Any `arguments` given will be passed to the action when it is called. The arguments must correspond to the lambda-list of the action function.

delete-before-action**Function, contact-display**

```
(defun delete-before-action
      (contact-display
       class
       action))
```

Removes from the `contact-display` any existing before action whose name is given by the `action` symbol and whose class is given by the `class` symbol.

before-actions**Function, contact-display**

```
(defun before-actions
      (contact-display)
  (declare (values actions)))
```

Returns the list of before actions for the `contact-display`. Each element of the list returned is a list of the form (*class-name action-name argument**).

3.4.2 Modal Input

(to be completed)

3.5 The Event Loop

The `process-next-event` function implements the body of the application event loop. `process-next-event` reads an input event from a `contact-display` and dispatches it for processing. Using this function, a typical application event loop will have the form shown below.

```
(catch loop-exit-tag
      (loop
        (process-next-event contact-display)))
```


Throws to the `tag`, returning the value.

trace-action

Action, contact

```
(defmethod trace-action
  ((contact contact)
   &rest exceptions))
```

Prints the the action event type and the `contact` name. Output is sent to the stream given by the special variable `*trace-output*`. However, nothing is printed if the action event type is a member of the set of event type keywords given by `exceptions`.

ignore-action

Action, contact

```
(defmethod ignore-action
  ((contact contact)))
```

Used to notify the user that an event has been ignored. The primary method sounds the bell at the X display server.

3.4 Global Event Processing

CLUE defines operations on a `contact-display` object that provide for global event processing that is independent of the event processing implemented by individual contact instances.

3.4.1 Before Actions

A **before action** of a `contact-display` is an action which is called when an event is dispatched to a contact, but before any other contact input processing is performed. Before actions are useful for implementing various kinds of application-dependent event preprocessing. For example, an application could define a before action for the `contact` class that will record every event in a log file.

Associated with a `contact-display` is a list of before actions. Each event received by a `contact-display` is compared with every element of its before actions list. If `c` is the class for which the before action is defined, and if `contact` is the contact instance to which the event has been dispatched, then the before action is called if `(typep contact c)` is true.

The following functions control the before actions of a `contact-display`.

perform-callback**Action, contact**

```
(defmethod perform-callback
  ((contact      contact)
   callback-name
   &rest        args))
```

Invokes the given callback via `(apply-callback contact callback-name args)`.

describe-action**Action, contact**

```
(defmethod describe-action
  ((contact      contact)
   &rest        exceptions))
```

Prints a full description of the action event. Output is sent to the stream given by the special variable `*trace-output*`. However, no description is printed if the action event type is a member of the set of event type keywords given by `exceptions`.

eval-action**Action, contact**

```
(defmethod eval-action
  ((contact      contact)
   &rest        forms))
```

Evaluates the given forms. The special variable `*contact*` is bound to `contact`.

apply-action**Action, contact**

```
(defmethod apply-action
  ((contact      contact)
   function
   &rest        args))
```

Calls the function with the given arguments. The special variable `*contact*` is bound to `contact`.

throw-action**Action, contact**

```
(defmethod throw-action
  ((contact      contact)
   tag
   &optional    value))
```

`keysym`

For `:key-press` and `:key-release` events, this slot contains the `xlib:keysym` object corresponding to the code. This slot is useful in the case where the `event:keysym` does not correspond to any Common Lisp character.

`name`

For a `:timer` event, this slot contains the symbol which is the name of the timer. See Section 3.7.

3.3 Actions

An **action** is a function which is called to process an input event received by a contact instance. An action function accepts an argument list consisting of a contact instance and possibly additional arguments. An action implements a response to the given `event` which is performed by all instances of a contact class. Actions are often generic functions with methods defined for specific contact classes. All responses of a CLUE application to its user input are occur via actions. Typically, actions invoke contact callbacks in order to report the results of user input back to the application.

In general, an action represents a well-defined contact behavior that might be done in response to *any* event. Contact programmers and users can cooperate in defining how user events are bound to contact actions (see Section 3.8.3). In some cases, however, an action may be designed to handle a very specific event type. The `with-event` macro can be used inside the body of an action in order to access slots of the event which caused the action to be called.

with-event

Macro

```
(defmacro with-event
  (slots
   &body body))
```

Creates a lexical context in which the body forms containing references to the specified `slots` of an `event` instance are executed. This macro may appear only inside the dynamic extent of `process-next-event`. It allows actions and other functions to access slots of the event currently being processed.

The `slots` argument is a list which has the same syntax as in the CLOS macro `with-slots`. Each member of the `slots` list is either an event slot name or a list of the form *(variable-name slot-name)*. The body may reference an event slot only by using a slot name or *variable-name* found in `slots`.

Access to the current `event` is intentionally restricted so that implementation of event objects can be optimized safely.

The following actions are general utilities which are predefined by CLUE for the basic `contact` class.

event**Class**

```
(defclass event
  ()
  (above-sibling atom border-width
   character child code
   colormap configure-p contact
   count data display
   drawable event-window focus-p
   format height hint-p
   installed-p key keymap
   keysym kind major
   minor mode name
   new-p override-redirect-p parent
   place property requestor
   root root-x root-y
   same-screen-p selection send-event-p
   state target time
   type width window
   x y))
```

The names and meanings of most event slots are described by CLX[8] and are not discussed in detail here. However, CLUE extends the basic event representation to include the following additional event slots.

character

For `:key-press` and `:key-release` events, this slot contains the Common Lisp character object corresponding to the code, the modifier `state`, and the current keymap of the display.

contact

The contact to which the event is dispatched.

display

The `contact-display` from which the event was read.

key

An event keyword symbol which identifies the type of the event.

protocol

Specifies the X protocol version and extension used. See `xlib:open-display` for a description of this option.

root-class

Specifies the contact subclass used to create root contacts. This option is useful only for specialized clients such as window managers.

default-host

Variable

```
(defvar *default-host* nil)
```

Used by `open-contact-display` as the default host name. If `nil`, `*default-host*` is set to the `:host` given the first time `open-contact-display` is called.

default-display

Variable

```
(defvar *default-display* 0)
```

Used by `open-contact-display` as the default host display id.

3.2 Events

Input from an X server arrives asynchronously in the form of **input events**. The basic set of input events and their contents are defined by the X Window System protocol.

CLUE uses the `event` class to represent an input event as an object. The `event` data structure has a slot for each value that appears in any X input event (i.e. each keyword declared by a `xlib:declare-event` form in CLX). For any actual input event, only a subset of the slots of the corresponding `event` object will be meaningful; the irrelevant slots always have a `nil` value.

name

The application-specific name of the `contact-display`. Technically, this is an application resource name symbol which is the top-level component of the complete resource name for each application contact. See Section 6.2 for a discussion of complete resource names.

class

The application-specific class of the `contact-display`. Technically, this is an application resource class symbol which is the top-level component of the complete resource class for each application contact. See Section 6.2 for a discussion of complete resource classes. If omitted, this defaults to the `contact-display` name.

host

A host name for an X display server². If omitted, the value of the special variable `*default-host*` is used.

display

An integer identifying a display on the host. If omitted, the value of the special variable `*default-display*` is used.

before-actions

A list of before actions which define application event preprocessing. See Section 3.4.1.

default-screen

The index of the default `xlib:screen`. This determines the default `contact-display` root used to create contacts. See Section 4.4.

authorization-name, authorization-data

These options control a host-dependent access control facility. See `xlib:open-display` for a description of these options.

²The types of values allowed for a host name depend on the implementation of CLX. Typically, host names are strings.

these mappings can be read from a resource database as contact resources, a user can tailor a contact's input responses to suit his preferences. Event translation and other aspects of contact input programming are described in Section 3.8.

3.1 The Contact Display

The `contact-display` object type defines the fundamental mechanisms for associating a contact with a CLX `xlib:display` object and for dispatching interactive input events to the contacts which will process them.

A `contact-display` object inherits the behavior of a CLX `display` object and can be substituted wherever a `xlib:display` is allowed¹. An application will usually create a single `contact-display` which represents the connection through which requests are sent to an X server and input events are received.

The basic operations on a `contact-display` are listed below and are described in detail in other parts of this document.

- Read and process an input event (see Section 3.5).
- Read character input from interactive stream contacts (see Section 7.3).
- Establish global processing of input events (see Section 3.4).
- Inquire the available display roots (see Section 4.4).
- Inquire or change the default display root (see Section 4.4).

The `open-contact-display` function is used to create a `contact-display` object and to connect it to an X server.

`open-contact-display`

Function

```
(defun open-contact-display
  (name
   &key
                    class
                    (host *default-host*)
                    (display *default-display*)
                    before-actions
                    (default-screen 0)
                    authorization-name
                    authorization-data
                    protocol
                    (root-class 'root))
  (declare (values contact-display)))
```

Creates and opens a new `contact-display`. The `contact-display` is connected to the X server specified by `host` and `display`.

¹Implementation Note: The `contact-display` object type could be implemented as a CLOS class, but its specification is intended to permit other representations as well. A class definition may not be necessary, since subclassing of this object type is not expected.

Chapter 3

Input

CLUE defines the `contact-display` object type, which represents the basic input processing of an interactive application and which supports the **event loop model** for application input. (The more specialized **stream I/O model** provides a simpler application interface to user interaction, based on **interactive stream contacts**. See Chapter 7.)

In the event loop model, an interactive application has the following generic structure.

- Create and initialize the `contact-display`.
- Create and initialize contacts.
- Read an input event and dispatch it to the appropriate contact.
- Repeat the previous step (the event loop) until the application terminates.

In CLUE, the event loop is represented as an operation on a `contact-display` object. Section 3.5 discusses the CLUE function which implements the application event loop.

CLUE input processing is based on **action** methods. CLUE defines operations which associate input events with actions and process events by calling the appropriate action functions. The process of finding the appropriate contact and its actions is referred to as “dispatching” the event. All responses of a CLUE user interface to input events occur as “side-effects” of actions.

At the center of the CLUE event loop, the contact receiving an input event is then responsible for invoking all appropriate responses. A contact’s response to an input event may be one or more of the following.

- Provide input echoing or feedback, without application intervention (lexical processing).
- Inform another user interface component of the event (syntactic processing).
- Invoke application functions (semantic processing).

For any contact receiving an input event, its response to the event involves a process of **event translation**. Each contact can maintain a set of mappings which translates specific events into sequences of actions. Since

resource-name and *resource-class* are the resource name and class symbols used to access a contact resource.

If `:class` is not given, then the *resource-name* is also used as the class name. The `:type` value is a type specifier which defines the representation type used for the resource. If the *resource-name* is also a slot name, then `:type` option may be omitted; in this case, the slot `:type` option is used as the resource representation type. The `:initform` option gives a form which may be evaluated to define the initial resource value. The `:documentation` option furnishes a documentation string which describes this contact resource.

For programmer convenience, if the *resource-name* is also a slot name, then a keyword `initarg` of the same name is automatically declared for the slot.

Note that the `:resources` option of `defcontact` can play the same role in contact initialization as the `:default-initargs` option of `defclass` and that `defcontact` therefore does not accept `:default-initargs` as a valid option. Instead of `(:default-initargs name value)`, a programmer should specify `(:resources (name :initform value))`.

defcontact**Macro**

```
(defmacro defcontact
  (class-name
   superclasses
   slots
   &rest      options))
```

Generates a `defclass` form defining the `class-name` class, using the `class-name`, `superclasses`, `slots`, and `options`.

`class-name`

A class name symbol.

`superclasses`

A list of superclass symbols for use in a `defclass` form.

`slots`

A list of slot specifications for use in a `defclass` form.

`options`

Each remaining argument gives a class option for `class-name`. Each class option is a list of the form (*option-keyword args**). Valid class options are:

- | | |
|---|--|
| <code>(:constraints resource-specification*)</code> | Defines the constraint resources used by the class. See Section 6.5. |
| <code>(:documentation string)</code> | Defines a documentation string associated with the class. |
| <code>(:resources resource-specification*)</code> | Defines the resources used by the class. See Section 6.5. |

Resources and constraint resources for a contact class are defined by **resource specifications**. Each resource specification is either a resource name symbol or a list of the following form.

```
(resource-name [ :type type-specifier ]
               [ :class resource-class ]
               [ :initform form ]
               [ :documentation string ] )
```

Returns the list of functions and argument lists associated with the callback name for the contact. The return value is a list of the form *((function argument*)*)*. Returns nil if no callback functions are associated with the name.

add-callback**Function, contact**

```
(defun add-callback
      (contact
       name
       function
       &rest arguments)
  (declare (values name)))
```

Creates an entry in the `callbacks` list of the `contact` which associates the given callback name with the given function object and arguments. The function and arguments are placed at the end of the list of callback functions associated with the callback name. The arguments replace any previous arguments for the function in the `callbacks` list.

delete-callback**Function, contact**

```
(defun delete-callback
      (contact
       name
       function))
```

Disassociates the callback function from the given callback name on the contact's `callbacks` list.

contact**Variable**

Bound to the `contact` argument of `apply-callback` in its dynamic extent.

:destroy**Callback, contact**

```
(defun destroy-function ())
```

Invoked by the primary `contact` method for `destroy`. Application programmers can define `:destroy` callback functions to perform special cleanup tasks or to enforce “existence” constraints related to contacts.

2.2 Defining a Contact Class

The `defcontact` macro is used by a contact programmer to define a new contact class. Expansion of this macro generates a `defclass` form defining the class.

The relationship between a callback name and an associated function resembles that between a method name and the code which implements it. In particular, the set of callback names used is the same for all instances of a contact class. These callback names and interfaces constitute a critical part of the application programmer interface to a contact class. However, the key difference is that the associated callback functions and arguments are instance data that are usually different for each class instance.

For example, a contact programmer may define a slider contact which uses a callback named `user-changed-value`. The contact programmer arranges for this callback to be invoked each time the user manipulates the slider position and for it to be passed an argument indicating the new slider value. A programmer of a robot control application may use such a slider to allow a user to adjust the rate at which the robot moves. The application programmer will thus want to modify the slider's `callbacks` slot by adding an element like `(user-changed-value change-robot-speed)`. In this case, `change-robot-speed` should be an application function which accepts a single argument specifying the new robot speed.

Callback functions are called using the `apply-callback` macro. The `callbacks` list of a contact can be modified by the functions `add-callback` and `delete-callback`. Only one callback is involved in the basic contact application programmer interface described in Section 2.1.3 — the `:destroy` callback, which is called by the primary `destroy` method.

apply-callback

Macro, contact

```
(defmacro apply-callback
  (contact
   name
   &rest arguments)
  (declare (values callback-values)))
```

Calls and returns the value(s) of the functions associated with the callback name in the `callbacks` list of the contact. Associated functions are called in order, and the values returned are the values of the last function called. If no such function exists, then `nil` is returned.

Callback functions are executed within a `catch` form using the tag `:abort-callback`. If a callback function executes `(throw :abort-callback value*)`, then `apply-callback` immediately returns the given *value* arguments.

The argument list passed to each associated callback function consists of the given arguments, followed by any function arguments associated with the function in the `callbacks` list. Thus, the caller of `apply-callback` will not be aware of arguments taken from the `callbacks` list. This allows an application programmer freedom to extend the callback calling sequence defined by the contact programmer.

Additionally, `apply-callback` binds the special variable `*contact*` to the value of its contact argument. `*contact*` may then be used within the dynamic extent of `apply-callback` to refer to the contact invoking the callback.

callback-p

Function, contact

```
(defun callback-p
  (contact
   name)
  (declare (values list)))
```

Returns non-nil if and only if the contact has been realized. See Section 2.1.1.

resource**Function, contact**

```
(defun resource
  (contact
   resource-name)
  (declare (values resource-value)))
```

Returns the value found for a contact resource when the contact was initialized. `resource-name` is the name of a resource defined in the resource specification list for the contact's class or one of its superclasses. See Section 6.4.

sensitive-p**Function, contact**

```
(defun sensitive-p
  (contact)
  (declare (values boolean)))
```

Returns non-nil if the contact is sensitive. A contact is sensitive if and only if it and all of its ancestors have a value of `:on` for their `sensitive` slots. See Section 3.8.5 for a discussion of input sensitivity.

2.1.5 Callbacks

A **callback** is a function which represents a connection between a contact and the rest of an application program. A contact calls a callback function in order to report the results of the user interface component which it represents. Thus, callbacks have a crucial role in a CLUE application: they provide a link between the application and its user interface. Callbacks represent the application “semantics” of the user interface. Similarly, callbacks can be used by a contact to communicate its results to another contact. This means that callbacks are also involved in the implementation of the “syntax” that ties together the various components of a user interface.

Each contact instance has a `callbacks` slot containing a list of its callback functions. The `callbacks` slot is an association list containing elements of the form *(callback-name (function argument*)*)*. That is, the `callbacks` list associates a *callback-name* symbol with a sequence of functions and their (optional) argument lists. The *callback-name* is used by the contact programmer to invoke each of the associated functions with the given arguments.

Both the contact programmer and the application programmer are involved in establishing a contact's callbacks. The contact programmer defines a set of callback names and, for each callback, the basic argument and return value protocol to be used. The contact programmer is also responsible for the implementation of contact methods, in which callback functions are invoked via the callback names. The application programmer is responsible for associating with each callback name the actual function(s) and arguments used to implement it. The application programmer can also extend the basic argument protocol used by associated functions.

Inquiry Functions**contact-complete-class****Function, contact**

```
(defun contact-complete-class
      (contact)
  (declare (values complete-class-list)))
```

Returns a list of symbols containing the **complete resource class** of the contact. See Section 6.2.

contact-complete-name**Function, contact**

```
(defun contact-complete-name
      (contact)
  (declare (values complete-name-list)))
```

Returns a list of symbols containing the **complete resource name** of the contact. See Section 6.2.

destroyed-p**Function, contact**

```
(defun destroyed-p
      (contact)
  (declare (values boolean)))
```

Returns non-nil if the contact is being destroyed. Because output to the X server is buffered, there can be a delay between the time that `destroy` is called and the time that all contact display resources have been freed.

inside-contact-p**Method, contact**

```
(defmethod inside-contact-p
            ((contact contact)
             x
             y)
  (declare (values boolean)))
```

Returns non-nil if the given point is inside the contact. `x` and `y` are relative to the origin of the contact coordinate system.

realized-p**Method, contact**

```
(defmethod realized-p
            ((contact contact))
  (declare (values boolean)))
```

Management Functions**initialize-instance****Method, contact**

```
(defmethod initialize-instance
  ((contact contact)
   &key
   &allow-other-keys))
```

See Section 2.1.1. The contact programmer must define an `initialize-instance` :after method to handle initialization for any non-slot resources.

realize**Method, contact**

```
(defmethod realize
  ((contact contact)))
```

Realizes the contact.

move**Method, contact**

```
(defmethod move
  ((contact contact)
   x
   y))
```

Called in order to actually change the position of the contact. An application program must first call `change-geometry` in order to invoke geometry management. The `move` method is called only by `change-geometry`. The contact programmer, however, may find it useful to attach auxiliary methods to `move`.

resize**Method, contact**

```
(defmethod resize
  ((contact contact)
   width
   height
   border-width))
```

Called in order to actually change the size of the contact. An application program must first call `change-geometry` in order to invoke geometry management. The `resize` method is called only by `change-geometry`. The contact programmer, however, may find it useful to attach auxiliary methods to `resize`.

Displays the contact. The `x`, `y`, `width`, and `height` parameters indicate the rectangular portion of the contact which needs to be (re)displayed. `x` and `y` are given relative to the contact's origin. If no optional parameters are given, this method should display the entire contact.

This method is called during contact input processing, in response to `Expose` events. If the `compress-exposures` slot of a contact's class is `:on`, then `display` will be called only for `Expose` events in which the expose count is zero. See Section 3.8.6 for a description of event compression.

The lambda list for this generic function includes `&key` so that contact programmers can define methods with additional keyword arguments.

accept-focus-p**Method, contact**

```
(defmethod accept-focus-p
  ((contact      contact))
  (declare      (values      boolean)))
```

Returns non-`nil` if and only if the contact is willing to become the keyboard input focus. A contact which does not respond to keyboard input events should always return `nil` as the value of this method. The primary method for the `contact` class determines the value returned by inspecting the contact's `event-mask`. Management of contact input focus is discussed further in Section 4.3.

preferred-size**Method, contact**

```
(defmethod preferred-size
  ((contact      contact)
   &key
   width
   height
   border-width)
  (declare      (values      width height border-width)))
```

Returns the preferred size of the contact, based on its current state plus the changes suggested by the `width`, `height`, and `border-width` arguments. This allows the contact to suggest to its geometry manager a size that best fits its current contents, taking into account certain changes that the geometry manager anticipates making. However, a geometry manager is free to ignore or override this preferred size (see Section 4.2).

The primary method for `preferred-size` is `compliant`, returning the given keyword value (or, if no keyword is given, the current value) for `width`, `height`, and `border-width`.

A special case occurs when the `contact` is a top-level shell. In this case, geometry management is provided by the window manager, and the requested priority change (possibly modified by the window manager) is performed immediately. Thus, when the `contact` is a top-level shell, `change-priority` *always* behaves as if `accept-p` is true.

destroy**Method, contact**

```
(defmethod destroy
  ((contact contact)))
```

Called only when the `contact` will no longer be referenced. Frees any resources used by the `contact`. In particular, its window will be destroyed. The primary `contact` method for `destroy` invokes the `contact`'s `:destroy` callback (see Section 2.1.5).

2.1.4 Contact Programmer Interface

The following functions are not intended to be called directly from application programs. However, a `contact` programmer will use them to define the basic behavior of a new `contact` class. Several functions in this `contact` programmer interface are generic functions for which the `contact` class defines methods; these methods may be redefined or modified by the `contact` programmer. In general, there are three types of functions which are used primarily by `contact` programmers.

Characteristic	Have methods that are typically redefined for each <code>contact</code> class.
Management	Have methods used internally to perform various management operations. These methods may have <code>:before</code> , <code>:after</code> , or <code>:around</code> methods for different classes.
Inquiry	Return information used to implement <code>contact</code> methods.

Characteristic Functions**display****Method, contact**

```
(defmethod display
  ((contact contact)
   &optional x
              y
              width
              height
   &key))
```

change-geometry**Function, contact**

```
(defun change-geometry
  (contact
   &key
           x
           y
           width
           height
           border-width
           accept-p)
  (declare (values
            approved-p x y
            width height border-width)))
```

Requests a change to one or more components of the contact's geometry. Approval of the request is handled by the contact's parent (see Section 4.2). The return values indicate how the parent handled the request. If `approved-p` is non-`nil`, then the request was performed as requested and the resulting new geometry values are returned. Otherwise, the request was not performed, but the geometry values returned suggest a compromise request which can be approved instead. If only `nil` is returned, no geometry change is allowed.

If `accept-p` is non-`nil`, then any compromise geometry suggested will be accepted and performed immediately. Non-`nil` is returned for `approved-p` if the original request was performed; if a compromise request was performed instead, then `nil` is returned.

A special case occurs when the contact is a top-level shell. In this case, geometry management is provided by the window manager, and requested geometry changes (possibly modified by the window manager) are performed immediately. Thus, when the contact is a top-level shell, `change-geometry` *always* behaves as if `accept-p` is true.

change-priority**Function, contact**

```
(defun change-priority
  (contact
   priority      ;(member :above :below :top-if :bottom-if :opposite)
   &key
           sibling
           accept-p)
  (declare (values
            approved-p priority sibling)))
```

Requests a change to the contact's stacking priority. See the CLX function `xlib:window-priority` for a description of the `priority` and `sibling` arguments. Approval of the request is handled by the contact's parent (see Section 4.2). The return values indicate how the parent handled the request. If `approved-p` is non-`nil`, then the request was performed as requested and the resulting new priority values are returned. Otherwise, the request was not performed, but the priority values returned suggest a compromise request which can be approved instead. If only `nil` is returned, no priority change is allowed.

If `accept-p` is non-`nil`, then any compromise request suggested will be accepted and performed immediately. Non-`nil` is returned for `approved-p` if the original request was performed; if a compromise request was performed instead, then `nil` is returned.

Makes the user interface consistent with the current `state` of the contacts belonging to the `contact-display`. Any unrealized contact is realized; if it is also managed, then geometry management is invoked to negotiate its initial position, size, and priority. Any `:mapped` contact is mapped.

`update-state` is called internally by CLUE (by `process-next-event`) and is not typically called by CLUE programmers directly. However, there are cases when it is useful to invoke the `update-state` function to cause realization explicitly (for example, to complete initial negotiation of the size of a `:managed` contact before positioning and mapping it).

The default `state` value is `:mapped`. As a result, unless specified otherwise, all contacts will automatically be viewable after `update-state` is called (in particular, after a call to `process-next-event`). After initialization and realization, the `(setf contact-state)` accessor method causes transitions in a contact's state and its visible effect. The most common usages are setting a contact's state to `:withdrawn` to withdraw it or to `:mapped` to present it.

2.1.3 Application Programmer Interface

The following are the basic functions used by application programmers to operate on contacts. Some of these are generic functions for which the `contact` class defines a method.

`(setf contact-state)`

Method, `contact`

```
(defmethod (setf contact-state)
  (new-state
   (contact contact)))
```

Changes the state of the `contact` to the `new-state`. The visible effect of contact state transitions are described below.

New Value	Visible Effect
<code>:withdrawn</code>	The contact is withdrawn, i.e. removed from geometry management and made invisible and unavailable for input.
<code>:mapped</code>	The contact is presented, i.e. mapped and placed under geometry management.
<code>:managed</code>	The contact is unmapped and placed under geometry management.

See Section 4.2 for a complete discussion of geometry management.

If the initial value found for a resource is not of the type given by the `:type` option in its resource specification, then `make-contact` will attempt to convert the value to the correct type. The new contact's `convert` method is called to perform all representation type conversions for resources (see Section 6.3). This type conversion is a convenient way to initialize a slot or resource with an object which must be created by a request to the X server (e.g. `xlib:font`, `xlib:cursor`, `xlib:pixmap`, etc.).

2.1.2 Contact State

The visual effect of a contact upon the user interface is controlled by the value of its `state` slot and is related to two factors³.

- **Mapping:** The concepts of **mapped**, **viewable**, and **visible** apply to any `xlib:window` object and therefore to contacts as well[6]. A contact is said to be “mapped” if (`xlib:map-window contact`) has been called. A contact is “viewable” if it and all of its ancestors are mapped. A contact is “visible” only if someone looking at the display screen can actually see some part of it; that is, the contact is viewable and is not completely occluded by any other windows.
- **Geometry management:** A contact under geometry management control is said to be “managed.” As a result of CLUE geometry management, any changes to the position or size of a managed contact may affect the geometry of its managed siblings, its parent, and (in general) any other managed member of the contact subtree to which it belongs. Creating or destroying a managed contact can have a similar result. However, changes involving an unmanaged contact do not have this kind of “ripple” effect on the visible user interface.

These factors are not independent. In CLUE, it is invalid for a contact to be mapped but unmanaged, because this contradicts the purpose of geometry management⁴. Thus, the `state` slot of a contact has one of three values.

<code>:withdrawn</code>	The contact is unmanaged and unmapped.
<code>:managed</code>	The contact is managed but unmapped.
<code>:mapped</code>	The contact is both managed and mapped.

The conditions corresponding to a contact's `state` are not guaranteed to be satisfied until the contact is realized. CLUE calls the `update-state` function in order to force consistency of the state of all contacts belonging to a `contact-display` (see Section 3.1).

`update-state`

Function, `contact-display`

```
(defun update-state
  (contact-display))
```

³See Chapter 4 for a complete discussion of contact hierarchy and geometry management.

⁴However, CLUE does not prevent a programmer who truly wants a mapped-but-unmanaged contact from using `xlib:map-window` to accomplish this.

make-contact**Function, contact**

```
(defun make-contact
  (class
   &rest      initargs
   &key       parent
             defaults))
```

Creates and returns a new instance of the given contact `class`, according to the remaining `initargs`, which are keyword-value pairs. The optional `:defaults` argument is a list of keyword-value pairs; its use is described later below.

A value for the `:parent` argument must be given. The parent may be a `contact` or a `contact-display` object. If a `contact` is given as the parent, then the new contact is associated with the parent's `contact-display`. If a `contact-display` is given as the parent, then the new contact is associated with the `contact-display` and its parent is set to the root given by the value of the contact's `screen` resource or (if no such resource value has been defined) to the default root of the `contact-display`.

In addition to slot-filling `initargs`, keyword arguments may be contact resource names. Resource values given as arguments to `make-contact` override those read from a resource database.

The `make-contact` function also establishes an initial value for each of the contact's resources (see Section 6.5). Class resources for the contact are determined by the contact class and are specified when the contact class is defined, using the `defcontact` macro (see Section 2.2). Constraint resources for the contact are determined by the class of the contact's parent. For each contact resource a value is determined by the following procedure.

- If the resource name keyword appears in `initargs` with a non-`nil` value, then the value given is used (specifying a `nil` resource value in `initargs` is equivalent to omitting the resource name altogether).
- If no value was found in the previous step, then the complete resource name and class are used to look up a value in a resource database (see Section 6.4). The resource database used is given by the value of the special variable `*database*`.
- If no value was found in the previous step and the resource name appears in the `:defaults` list with a non-`nil` value, then this value is used. Thus, assigning a resource value in the `:defaults` list is a way for an application programmer to suggest a resource value which may be overridden by the contents of the resource database.
- If no value was found in the previous step, then the value used is the one specified for the default resource value in the `defcontact` form defining the contact class (i.e. the value of the resource specification `:initform` option).
- If the resource is a contact slot name and if no value was found by the previous steps, then the `:initform` value for the slot is used.

If the resource name is a contact slot name, then the slot is set to the value found. If the contact programmer is also using non-slot resources, then an `initialize-instance :after` method must be defined to handle these values.

`x, y, width, height, border-width`

These geometrical attributes of a contact window are defined by CLX. Such attributes can always be requested from the X server, but they are also made available to the client application as slot values of the `contact` object. CLUE automatically ensures that these slot values are consistent with the values stored by the X server.

`depth, background, event-mask`

These non-geometrical attributes of a contact window are defined by CLX. Such attributes can always be requested from the X server, but they are also made available to the client application as slot values of the `contact` object. CLUE automatically ensures that these slot values are consistent with the values stored by the X server.

2.1.1 Contact Creation

The creation of a contact object is actually a two-step process, in which a contact instance is first **initialized** and then **realized**. Initialization consists of collecting initial values for all contact attributes. However, no X server resources (windows, etc.) are actually allocated. Later, when the contact is realized, these resources are allocated and contact creation is complete. Postponing server resource allocation until realization can make the process of creating a new contact much more efficient. It is common for server resources to be affected by operations that occur after initialization but before the contact is actually displayed to the user. For example, when creating a complex contact hierarchy, the addition of descendants can modify the size of ancestor contact windows (see Chapter 4 for a discussion of composite contacts and geometry management). In this case, realization of the composite contact would occur after the initialization of all of its descendants and would allocate a window using the final adjusted size.

Initialization of a new contact object is performed by the `make-contact` function. Many initial attributes of a contact are considered to be resources that can be read from a resource database (see Chapter 6). Contact resources are described in the resource specification list given in the `defcontact` form defining a contact class (see Section 2.2). For example, the resource specification list for the `contact` class allows values for certain slots, for window creation attributes, and for other attributes to be read from a resource database during contact initialization. The `make-contact` function implements most of the resource processing done during contact initialization².

Typically, CLUE programmers need not be aware of contact realization. CLUE realizes a contact automatically by calling the `realize` function during the next call to `process-next-event` after initialization. However, there are cases when it is useful to invoke the `update-state` function to cause realization explicitly (see Section 2.1.2). Contact programmers can use the `realized-p` method to ensure that operations which depend on the existence of contact server resources are not performed before the contact has been realized. For example, graphics output to a contact cannot occur before it is realized, because its window does not yet exist.

²Implementation Note: It is also possible to create a new metaclass for contact objects, with a specialized `default-initargs` method for getting initializations from a resource database. This would mean that the CLOS `make-instance` function could be used instead of `make-contact`. However, standardization of CLOS metaclass functionality is currently incomplete. Furthermore, the use of a special `make-contact` function allows for various optimizations in contact initialization.

name

The name of the contact. Technically, this is a resource name symbol which can be used to access contact resources stored in a resource database. See Chapter 6 for a complete discussion of contact resource management. By default, the name of a contact is (`class-name (class-of contact)`).

parent

The parent contact of the contact (see Chapter 4). CLUE automatically ensures that this slot value is always consistent with the window hierarchy stored by the X server. The `:parent` initarg is a required argument to the `make-contact` function.

state

A state variable which controls the visual effect of the contact. See Section 2.1.2. The state of a contact determines whether it is viewable and whether it is under geometry management control.

callbacks

`callbacks` is an association list containing the contact `callbacks`. Callbacks are also discussed in Section 2.1.5.

compress-exposures, compress-motion

Flags which control the filtering of redundant input events. See Section 3.8.6. These are class data shared by all instances of the contact class.

event-translations

`event-translations` is lookup table which controls how the contact responds to input events that it receives. Each of its elements is an **event translation** which associates an input event with one or more contact **actions**. The `event-translations` are a contact resource that can be read from a resource database. See Section 3.8.3 for a description of event translations and their syntax.

sensitive

A flag which represents the contact's input sensitivity state. See Section 3.8.5.

```

;; Internal1

initialization)

(:resources

;; Slot values

border-width
callbacks
background
depth
event-mask
event-translations
height
name
sensitive
width
x
y

;; Window attributes

(backing-store      :type (or null (member :not-useful :when-mapped :always)))
(border            :type (or null (member :copy) xlib:pixel pixmap))
(cursor            :type (or null (member :none) xlib:cursor))
(override-redirect :type (or null (member :on :off)))
(save-under        :type (or null (member :on :off)))

;; Other resources

(documentation      :type (or list string))
(screen             :type xlib:card8)))

```

The slots of the contact class are described below.

display

This slot is the same as the `display` slot of an `xlib:window` object. A contact is always associated with a `contact-display` object. See Section 3.1 for a description of `contact-display` objects.

¹Internal slots are implementation-dependent and are not guaranteed to exist in every environment. Programs which use such slots may not be portable to every CLUE implementation.


```

;; Callbacks

(callbacks      :type      list
                :reader    contact-callbacks
                :initform  nil)

;; Input control

(compress-exposures :type      (member :off :on)
                   :reader    contact-compress-exposures
                   :initform  :off
                   :allocation :class)
(compress-motion   :type      (member :off :on)
                   :reader    contact-compress-motion
                   :initform  :on
                   :allocation :class)
(event-translations :type      list
                   :initform  nil)
(event-mask        :type      (or null xlib:event-mask)
                   :accessor  contact-event-mask
                   :initform  (xlib:make-event-mask :exposure))
(sensitive         :type      (member :off :on)
                   :accessor  contact-sensitive
                   :initform  :on)

;; Attributes

(border-width     :type      xlib:card16
                 :reader    contact-border-width
                 :initform  1)
(background       :type      (or (member :none :parent-relative)
                                xlib:pixel xlib:pixmap))
                 :accessor  contact-background
                 :initform  :parent-relative)
(depth           :type      xlib:card16
                 :reader    contact-depth
                 :initform  0)
(height          :type      xlib:card16
                 :reader    contact-height
                 :initform  0)
(width           :type      xlib:card16
                 :reader    contact-width
                 :initform  0)
(x               :type      xlib:int16
                 :reader    contact-x
                 :initform  0)
(y               :type      xlib:int16
                 :reader    contact-y
                 :initform  0)

```

Chapter 2

Contacts

2.1 Using Contacts

The fundamental properties of a contact are defined by the `contact` class. All contact classes must be defined using the `defcontact` macro (see Section 2.2). Contacts are a subclass of the CLX `xlib:window` data type and a contact object may be used wherever a `xlib:window` object is allowed. Because `xlib:window` is a subtype of `xlib:drawable`, a contact can also be an argument to all CLX operations on `xlib:drawable` objects.

contact

Class

```
(defcontact contact (xlib:window)

;; Hierarchy

((display :type xlib:display
          :reader contact-display
          :initarg :display)
 (name :type symbol
       :reader contact-name
       :initarg :name )
 (parent :type contact
         :accessor contact-parent
         :initarg :parent))

;; State

(state :type (member :withdrawn :managed :mapped)
      :accessor contact-state
      :initarg :state
      :initform :mapped))
```

1.3.4 Resources

CLUE allows various values of the user interface (e.g. colors, fonts, title strings, etc.) to be treated as **resources** which can be stored and retrieved from a **resource database**, using the resource management facilities of CLX. User interface values in a resource database can be modified by a user “externally,” without change to the application program. This provides a consistent mechanism for contact objects to integrate the preferences of both the interface programmer and an individual user.

1.4 Previous Work

The design of CLUE was modelled on the X-Toolkit (Xt) library [3]. The X-Toolkit is a user interface programming package, designed chiefly for programmers using the C language, and distributed with the X Window System itself. CLUE could be described as a translation of the X-Toolkit “intrinsic” into the domain of Common Lisp and CLOS.

1.5 Packages

All CLUE symbols (classes, functions, methods, macros, etc.) are interned in the package named CLUE. Unless otherwise specified, all symbols defined by this specification are assumed to be interned in the CLUE package.

All symbols which belong to CLX are interned in the XLIB package. References in this document to CLX symbols will always specify the XLIB package explicitly.

This distinction contributes to the separation of application programming from user interface programming, one of the primary goals of a UIMS. In terms of the Seeheim UIMS model[4], contacts represent the presentation (or lexical) component of a user interface.

1.3 Summary of Features

1.3.1 Contacts, Composites, and Interactive Streams

CLUE defines the basic class of **contact** objects, the fundamental components of a user interface. Contacts are a subclass of the CLX `xlib:window` data type and a contact object may be used wherever a `xlib:window` object is allowed.

Additionally, CLUE defines the subclass of **composites**, representing contacts which are the “parents” of other contacts. A composite contact may be the parent of another composite, leading to a tree-structured contact hierarchy. A composite also furnishes geometry management and input focus management services for the contacts which are its children. **Roots** are special composite contacts used to represent entire display screens. **Shells** are composites which handle the duties required by standard conventions for top-level X windows[5]. CLUE defines several shell subclasses which implement client interaction with window managers and session managers.

An **interactive stream** is another contact subclass defined by CLUE. Interactive streams are designed to integrate CLUE with the conventional stream-based I/O of Common Lisp.

1.3.2 The Event Loop, Contact Displays, and Contact Input

CLUE defines the `contact-display` object type, which represents the basic input processing of an interactive application and which supports the **event loop model** for application input. A `contact-display` object inherits the behavior of a CLX `xlib:display` object and can be substituted wherever a `xlib:display` is allowed.

In CLUE, the event loop is represented as an operation on a `contact-display` object, which dispatches input events to the appropriate contact. At the center of the CLUE event loop, the contact receiving an input event is then responsible for invoking all appropriate responses.

1.3.3 Graphics Contexts

Clients of the X Window System specify the visual attributes of graphical output primitives by using **graphics contexts**. CLUE provides support for more efficient sharing of graphics context objects among several components of the user interface. Contact programmers are still free to adopt various policies for sharing graphics contexts, including hierarchical inheritance or no sharing at all.

- To simplify and raise the level of the dialog between the application and the user. A contact insulates the application programmer from the detailed behavior of a user interface component (displaying its contents, acquiring its input, etc.). As an “agent” of the application, a contact can direct communication with the user in terms closer to the application’s domain.
- To define a uniform framework within which many different types of user interface objects can be combined. The contact class raises to a higher level the commonality between a great variety of interface objects — menus, forms, dials, scroll bars, buttons, dialog boxes, text entry, etc.

Because CLUE is an object-oriented programming system, it is described in terms of the proposed standard Common Lisp Object System (CLOS)[1]. The CLUE specification thus consists primarily of a set of CLOS classes, generic functions, and methods.

The subclassing and inheritance properties of CLOS are important to the use of contacts. A contact (sub)class implements a specific interface technique (for input, output, or both) and a specific presentation style. Thus, a contact subclass can represent either an extension in technique (e.g. a hierarchical-pop-up-menu subclass of a pop-up-menu class) or a variation in style only (e.g. a drop-shadow-pop-up-menu subclass). This is expected to lead to the development of contact “libraries”, providing a rich repertoire of interface techniques and a choice of several functionally-interchangeable styles.

1.2.2 The User Interface Programming System

As defined by CLUE, contact objects represent an intermediate level of abstraction within a larger user interface programming system. CLUE relies upon the services of a lower-level subsystem typically referred to as a **window system**. CLUE, in turn, forms the basis for a more comprehensive **user interface management system** (UIMS).

CLUE depends on a window system to provide programmer interfaces for controlling interactive I/O hardware — the display screen(s), the keyboard, the pointer, etc. Specifically, CLUE is defined in terms of the X Window System protocol[6] and CLX, the Common Lisp programmer’s interface to the X Window System[8].

Most window systems, including X, contain a component that is commonly called the **window manager**. The window manager is the part of the window system that provides a user interface to various operations on windows — changing a window’s position, size, visibility, etc. Since an X window manager is simply another application program (albeit a rather specialized one), the definition of a window manager is *not* included in the CLUE specification.

CLUE distinguishes two different aspects of programming the user interface:

- Defining a contact
- Using a contact

The **application programmer** who instantiates and uses a contact object does not need to know how the class and methods of the contact were implemented by the **contact programmer**. In particular, the window system interfaces used by the contact programmer need not be visible to the CLUE application programmer.

the methodology of object-oriented programming.

Modular

CLUE should comprise a well-defined and self-sufficient layer of the user interface programming system. Using CLUE, an application programmer should be able to implement most types of user interfaces without accessing underlying software layers and without knowledge of the implementation internals of CLUE objects.

Compatible

CLUE must be compatible with related software systems which will be separately standardized. CLUE is based on the X Window System which, because of its wide distribution and broad support, constitutes a *de facto* standard¹. CLUE should be consistent with future Common Lisp standards for object-oriented programming. Therefore, CLUE is based on the proposed Common Lisp Object System (CLOS) [1].

1.2 Overview

1.2.1 Contacts

In CLUE, the basis for programming the user interface of an application program is object-oriented programming — creating objects called **contacts** and invoking their methods.

An interactive application program can be considered to consist of a collection of functions, some of which perform the processing that is essential to the application's purpose (e.g. text editing, knowledge base management, etc.). Other functions exist solely for the purpose of communicating with the application's human user. In CLUE, such human interface functions are represented by objects known as **contacts**. Contacts are responsible for presenting application information to the user on the display screen and for informing the application of input sent by the user via interactive input devices (such as the keyboard and the pointer). A contact generally embodies a component of the user interface that knows how to:

- display its contents,
- process input events that are directed to it, and
- report its results (if any) back to the application.

A contact provides a relatively high-level abstraction for user interface programming. The purpose of such an abstraction is twofold:

¹X is also being considered by ANSI for a proposed national standard for display management.

Chapter 1

Introduction

This document describes the Common Lisp User Interface Environment (CLUE), a portable system for user interface programming in Common Lisp. CLUE is based on the X Window System[7] and extends X to provide an architectural model for the construction of interactive Lisp applications. In this model, a user interface is composed of a set of abstract interface objects. CLUE defines the basic programmer interfaces for defining interface object types, creating interface objects, and using them to control the dialog between the application and its human user.

1.1 Goals

Portable

Applications which use CLUE should be easily portable to any hardware/software environment which provides an implementation of CLUE and CLX[8], the Common Lisp programmer's interface to the X Window System. CLUE itself should be a portable software system written in Common Lisp[9].

Flexible

CLUE is intended to support the development of a wide variety of user interface styles. In particular, it should be possible to use CLUE to implement any of the user interfaces found in current Lisp development environments. Both graphical and textual interfaces should be easy to create. In order to achieve this goal, CLUE is “policy-free”. That is, decisions about user interface style — the look, feel, consistency, and techniques of the interface — are left to the user interface programmer.

Extensible

CLUE should provide the ability to define and deploy new types of user interface objects which refine and extend the behavior of more basic object types. CLUE provides this ability through

List of Figures

6.1	Standard Type Conversions	75
6.2	Matching Resource Names	75

<i>CONTENTS</i>	iii
4.5 Shells	53
4.5.1 Creating A Shell	54
4.5.2 Shell State	55
4.5.3 Shell Geometry Management	55
4.5.4 Override Shells	56
4.5.5 Window Manager Shells	56
4.5.6 Top-Level Sessions	60
4.5.7 Changing Shell Properties	61
4.5.8 Interclient Messages	61
4.6 Hierarchy Utility Functions	63
5 Graphics Contexts	65
5.1 Using the Graphics Context Cache	65
5.2 Policies for Sharing Graphics Contexts	66
6 Resource Management	68
6.1 Resource Databases	68
6.2 Complete Names and Classes	70
6.3 Representation Types	71
6.4 Accessing Resource Values	71
6.5 Contact Resources	73
7 Interactive Streams	76
7.1 Interactive Stream Input	76
7.2 Interactive Stream Output	78
7.3 Input From Multiple Streams	79
7.4 Stream I/O Model	80

2.1.5	Callbacks	19
2.2	Defining a Contact Class	21
3	Input	24
3.1	The Contact Display	25
3.2	Events	27
3.3	Actions	29
3.4	Global Event Processing	31
3.4.1	Before Actions	31
3.4.2	Modal Input	32
3.5	The Event Loop	32
3.6	Synchronizing Event Processing	33
3.7	Timers	34
3.8	Contact Input Programming	35
3.8.1	Event Specifications	35
3.8.2	Defining New Event Specifications	37
3.8.3	Event Translation	38
3.8.4	Double-click Events	41
3.8.5	Contact Sensitivity	43
3.8.6	Event Compression	44
4	Contact Hierarchy	45
4.1	Composites	45
4.2	Geometry Management	47
4.3	Focus Management	50
4.4	Roots	51

Contents

1	Introduction	1
1.1	Goals	1
1.2	Overview	2
1.2.1	Contacts	2
1.2.2	The User Interface Programming System	3
1.3	Summary of Features	4
1.3.1	Contacts, Composites, and Interactive Streams	4
1.3.2	The Event Loop, Contact Displays, and Contact Input	4
1.3.3	Graphics Contexts	4
1.3.4	Resources	5
1.4	Previous Work	5
1.5	Packages	5
2	Contacts	6
2.1	Using Contacts	6
2.1.1	Contact Creation	10
2.1.2	Contact State	12
2.1.3	Application Programmer Interface	13
2.1.4	Contact Programmer Interface	15

Common Lisp User Interface Environment

Kerry Kimbrough
LaMott Oren

Texas Instruments Incorporated

Version 6.0
July 10, 1989

©1987, 1988, 1989 Texas Instruments Incorporated

Permission is granted to any individual or institution to use, copy, modify and distribute this document, provided that this complete copyright and permission notice is maintained, intact, in all copies and supporting documentation. Texas Instruments Incorporated makes no representations about the suitability of the software described herein for any purpose. It is provided "as is" without express or implied warranty.