

; QuickDraw Equates -- This file defines the public equates for QuickDraw.

; Transfer modes

srcCopy	EQU	0
srcOr	EQU	1
srcXor	EQU	2
srcBic	EQU	3
notSrcCopy	EQU	4
notSrcOr	EQU	5
notSrcXor	EQU	6
notSrcBic	EQU	7
patCopy	EQU	8
patOr	EQU	9
patXor	EQU	10
patBic	EQU	11
notPatCopy	EQU	12
notPatOr	EQU	13
notPatXor	EQU	14
notPatBic	EQU	15

; Definitions for Font Style Bits (right to left)

boldBit	EQU	0
italicBit	EQU	1
ulineBit	EQU	2
outlineBit	EQU	3
shadowBit	EQU	4
condenseBit	EQU	5
extendBit	EQU	6

; FontInfo record

ascent	EQU	0	; ascent [word]
descent	EQU	2	; descent [word]
widMax	EQU	4	; maximum width [word]
leading	EQU	6	; leading [word]

; Point structure

v	EQU	0	; vertical coordinate [word]
h	EQU	2	; horizontal coordinate [word]

; Rectangle structure

topLeft	EQU	0	; upper left corner [point]
botRight	EQU	4	; lower right corner [point]
top	EQU	0	; top coordinate [word]
left	EQU	2	; left coordinate [word]

```
bottom      EQU 4      ; bottom coordinate [word]
right       EQU 6      ; right coordinate [word]

; Bitmap Structure

baseAddr    EQU 0      ; bitmap base address [pointer]
rowBytes    EQU 4      ; row bytes (must be even) [word]
```

```

bounds          EQU 6           ; bounding box [rectangle]
bitmapRec      EQU 14          ; size of a bitmap

; Cursor Structure

data           EQU 0           ; visible bits [32 bytes]
mask          EQU $20          ; mask bits [32 bytes]
hotSpot       EQU $40          ; relative origin [point]
cursRec       EQU 68           ; size of a cursor

; PenState record

psLoc         EQU 0           ; pen location [point]
psSize       EQU 4           ; pen size [point]
psMode       EQU 8           ; pen mode [word]
psPat        EQU 10          ; pen [pattern]
psRec        EQU 18          ; size of pen state

; Polygon record

polySize      EQU 0           ; total bytes [word]
polyBBox     EQU 2           ; bounding box [rectangle]
polyPoints   EQU 10          ; vertices [Points]

; Region Structure

rgnSize      EQU 0           ; total bytes [word]
rgnBBox     EQU 2           ; bounding box [rectangle]
rgnData     EQU 10          ; region data [array]

; Picture Structure

picSize      EQU 0           ; total bytes [word]
picFrame    EQU 2           ; bounding box [rectangle]
picData     EQU 10          ; picture byte codes [array]

; QDProcs structure

textProc     EQU 0           ; [pointer]
lineProc    EQU 4           ; [pointer]
rectProc    EQU 8           ; [pointer]
rRectProc   EQU $C          ; [pointer]
ovalProc    EQU $10          ; [pointer]
arcProc     EQU $14          ; [pointer]
polyProc    EQU $18          ; [pointer]
rgnProc     EQU $1C          ; [pointer]
bitsProc    EQU $20          ; [pointer]
commentProc EQU $24          ; [pointer]
txMeasProc  EQU $28          ; [pointer]
getPicProc  EQU $2C          ; [pointer]
putPicProc  EQU $30          ; [pointer]

```

```
qdProcsRec      EQU  $34      ; size of QDProcs record
; GrafPort Structure
device          EQU  $0       ; device code [word]
portBits        EQU  $2       ; port's bitmap [bitmap]
portBounds      EQU  $8       ; bounding box of bitmap [rect]
```

portRect	EQU \$10	; port's rectangle [rect]
visRgn	EQU \$18	; visible region [handle]
clipRgn	EQU \$1C	; clipping region [handle]
bkPat	EQU \$20	; background [pattern]
fillPat	EQU \$28	; fill [pattern]
pnLoc	EQU \$30	; pen location [point]
pnSize	EQU \$34	; pen size [point]
pnMode	EQU \$38	; pen mode [word]
pnPat	EQU \$3A	; pen [pattern]
pnVis	EQU \$42	; pen visible [word]
txFont	EQU \$44	; text font [word]
txFace	EQU \$46	; text face [word]
txMode	EQU \$48	; text mode [word]
txSize	EQU \$4A	; text size [word]
spExtra	EQU \$4C	; space extra [fixed]
fgColor	EQU \$50	; foreground color mask [long]
bkColor	EQU \$54	; background color mask [long]
colrBit	EQU \$58	; color bit [word]
patStretch	EQU \$5A	; pattern stretch [word]
picSave	EQU \$5C	; picture being saved [handle]
rgnSave	EQU \$60	; region being saved [handle]
polySave	EQU \$64	; polygon being saved [handle]
grafProcs	EQU \$68	; QDProcs array [pointer]
portRec	EQU \$6C	; size of grafport

## ; QuickDraw Global Variables

GrafGlobals	EQU 0	; A5 offset to globptr
thePort	EQU 0	;GrafPtr
white	EQU thePort-8	;Pattern
black	EQU white-8	;Pattern
gray	EQU black-8	;Pattern
ltGray	EQU gray-8	;Pattern
dkGray	EQU ltGray-8	;Pattern
arrow	EQU dkGray-68	;Cursor
screenBits	EQU arrow-14	;BitMap
randSeed	EQU screenBits-4	;LONGINT

## ; Color Separation

normalBit	EQU 0	; normal screen mapping
inverseBit	EQU 1	; inverse screen mapping
redBit	EQU 4	; RGB additive mapping
greenBit	EQU 3	; for photos from screen
blueBit	EQU 2	
cyanBit	EQU 8	; CMYBk subtractive mapping
magentaBit	EQU 7	; for ink jet printer

yellowBit	EQU	6
blackBit	EQU	5
blackColor	EQU	33
whiteColor	EQU	30
redColor	EQU	205
greenColor	EQU	341
blueColor	EQU	409

```

cyanColor      EQU  273
magentaColor   EQU  137
yellowColor    EQU   69

```

```
; Standard Picture Comments
```

```

picLParen      EQU   0
picRParen      EQU   1

```

```
; QuickDraw verbs
```

```

frame          EQU   0
paint          EQU   1
erase          EQU   2
invert         EQU   3
fill           EQU   4

```

```
; QuickDraw private global variables
```

```

wideOpen       EQU  randSeed-4      ;RgnHandle
wideMaster     EQU  wideOpen-4      ;RgnPtr
wideData       EQU  wideMaster-10   ;Fake Region
rgnBuf         EQU  wideData-4      ;PointsHandle
rgnIndex       EQU  rgnBuf-2        ;INTEGER
rgnMax         EQU  rgnIndex-2      ;INTEGER
playPic        EQU  rgnMax-4        ;Long
qdSpare0       EQU  playPic-2       ;unused word
thePoly        EQU  qdSpare0-4      ;POLYHANDLE
polyMax        EQU  thePoly-2       ;INTEGER
patAlign       EQU  polyMax-4       ;Point
fontAdj        EQU  patAlign-4      ;Fixed Point
fontPtr        EQU  fontAdj-4       ;long, ^FMOutput record
playIndex      EQU  fontPtr-4       ;long
fontData       EQU  playIndex-22    ;unused word
lastGrafGlob   EQU  fontData
grafSize       EQU  4-lastGrafGlob   ;total size in bytes

```

```
;*****FROM HERE TO THE ENDIF IS ALL THE NEW STUFF FOR COLOR QUICKDRAW
```

```

hiliteBit      EQU   7              ; flag bit in HiliteMode (lowMem flag)

```

```
; Equates for resource ID's
```

```

defQDColors    EQU  127            ; resource ID of clut for default QDColors

```

```

;
;
;
;

```

```
    PixMap field offsets
```

pmBaseAddr	EQU	\$0	;	[long]	
pmNewFlag	EQU	\$4	;	[1 bit]	upper bit of rowbytes is flag
pmRowBytes	EQU	\$4	;	[word]	
pmBounds	EQU	\$6	;	[rect]	
pmVersion	EQU	\$E	;	[word]	pixMap version number
pmPackType	EQU	\$10	;	[word]	defines packing format



```

pmPackSize      EQU  $12      ; [long]  size of pixel data
pmHRes          EQU  $16      ; [fixed] h. resolution (ppi)
pmVRes          EQU  $1A      ; [fixed] v. resolution (ppi)
pmPixelFormat   EQU  $1E      ; [word]  defines pixel type
pmPixelFormat   EQU  $20      ; [word]  # bits in pixel
pmCmpCount      EQU  $22      ; [word]  # components in pixel
pmCmpSize       EQU  $24      ; [word]  # bits per field
pmPlaneBytes    EQU  $26      ; [long]  offset to next plane
pmTable         EQU  $2A      ; [long]  color map
pmReserved      EQU  $2E      ; [long]  MUST BE 0

pmRec           EQU  $32      ; size of pixMap record

;
; PixPat field offsets
;

patType         EQU  $0       ; [word] type of pattern
patMap          EQU  $2       ; [long] handle to pixmap
patData         EQU  $6       ; [long] handle to data
patXData        EQU  $A       ; [long] handle to expanded pattern data
patXValid       EQU  $E       ; [word] flags whether expanded pattern valid
patXMap         EQU  $10      ; [long] handle to expanded pattern data
pat1Data        EQU  $14      ; [8 bytes] old-style pattern/RGB color

ppRec           EQU  $1C      ; size of pixPat record

;
; Pattern types
;

oldPat          EQU  0        ; foreground/background pattern
newPat          EQU  1        ; self-contained color pattern
ditherPat       EQU  2        ; rgb value to be dithered

oldCsrPat       EQU  $8000    ; old-style cursor
cCsrPat         EQU  $8001    ; new-style cursor

;
; additional offsets in a color GrafPort
;

portPixMap      EQU  portBits  ; [long] pixelMap handle
portVersion     EQU  portPixMap+4 ; [word] port version number
grafVars        EQU  portVersion+2 ; [long] handle to more fields
chExtra         EQU  grafVars+4 ; [word] character extra
pnLocHFrac      EQU  chExtra+2 ; [word] pen fraction

bkPixPat        EQU  bkPat     ; [long] handle to bk pattern
rgbFgColor      EQU  bkPixPat+4 ; [6 bytes] RGB components of fg color
rgbBkColor      EQU  rgbFgColor+6 ; [6 bytes] RGB components of bk color

```

```
pnPixPat      EQU  $3A      ; [long] handle to pen's pattern
fillPixPat    EQU  pnPixPat+4 ; [long] handle to fill pattern

;
;
;                GDevice field offsets
```

```

gdRefNum      EQU  $0      ; [word] unitNum of driver
gdID          EQU  $2      ; [word] client ID for search procs
gdType       EQU  $4      ; [word] fixed/CLUT/direct
gdITable     EQU  $6      ; [long] handle to inverse table
gdResPref    EQU  $A      ; [word] preferred resolution for inverse tables
gdSearchProc EQU  $C      ; [long] search proc (list?) pointer
gdCompProc   EQU  $10     ; [long] complement proc (list?) pointer
gdFlags      EQU  $14     ; [word] grafDevice flags word
gdPMap       EQU  $16     ; [long] handle to pixMap describing device
gdRefCon     EQU  $1A     ; [long] reference value
gdNextGD     EQU  $1E     ; [long] handle of next gDevice
gdRect       EQU  $22     ; [rect] device's bounds in global coordinates
gdMode       EQU  $2A     ; [long] device's current mode
gdCCBytes    EQU  $2E     ; [word] depth of expanded cursor data
gdCCDepth    EQU  $30     ; [word] depth of expanded cursor data
gdCCXData    EQU  $32     ; [long] handle to cursor's expanded data
gdCCXMask    EQU  $36     ; [long] handle to cursor's expanded mask
gdReserved   EQU  $3A     ; [long] MUST BE 0

gdRec        EQU  $3E     ; size of GrafDevice record

; VALUES FOR GDType

clutType     EQU  0       ; 0 if lookup table
fixedType    EQU  1       ; 1 if fixed table
directType   EQU  2       ; 2 if direct values

; BIT ASSIGNMENTS FOR GDFlags

gdDevType    EQU  0       ; 0 = monochrome; 1 = color
ramInit      EQU  10      ; 1 if initialized from 'scrn' resource
mainScrn     EQU  11      ; 1 if main screen
allInit      EQU  12      ; 1 if all devices initialized
screenDevice EQU  13      ; 1 if screen device [not used]
noDriver     EQU  14      ; 1 if no driver for this GDevice
scrnActive   EQU  15      ; 1 if in use

; CCrsr (Color Cursor) field offsets
;
;
; NOTE THAT THE FIRST FOUR FIELDS ARE PARALLEL TO THE FIRST FOUR FIELDS
; OF A PATTERN SO THAT PATCONVERT CAN BE USED TO EXPAND A CURSOR
;
;

crsrType     EQU  0       ; [WORD] CURSOR TYPE
crsrMap      EQU  crsrType+2 ; [LONG] HANDLE TO CURSOR'S PIXMAP
crsrData     EQU  crsrMap+4 ; [LONG] HANDLE TO CURSOR'S COLOR DATA
crsrXData    EQU  crsrData+4 ; [LONG] HANDLE TO EXPANDED DATA
crsrXValid   EQU  crsrXData+4 ; [WORD] DEPTH OF EXPANDED DATA (0 IF NONE)
crsrXHandle  EQU  crsrXValid+2 ; [LONG] HANDLE FOR FUTURE USE
crsr1Data    EQU  crsrXHandle+4 ; [16 WORDS] ONE-BIT DATA
crsrMask     EQU  crsr1Data+32 ; [16 WORDS] ONE-BIT MASK

```

```
crsrHotSpot      EQU  crsrMask+32    ;[POINT] HOT-SPOT FOR CURSOR
crsrXTable       EQU  crsrHotSpot+4  ;[LONG] TABLE ID FOR EXPANDED DATA
crsrID           EQU  crsrXTable+4   ;[LONG] ID FOR CURSOR

crsrRec          EQU  crsrID+4       ;SIZE OF CURSOR SAVE AREA
```

```

;
; Clcon (Color Icon) field offsets
;
;
iconPMap      EQU 0                ;[PIXMAP] ICON'S PIXMAP
iconMask      EQU iconPMap+pmRec   ;[BITMAP] 1-BIT VERSION OF ICON ONE-BIT
; MASK FOR ICON
iconBMap      EQU iconMask+bitmapRec ;[BITMAP] 1-BIT VERSION OF ICON
iconData      EQU iconBMap+bitmapRec ;[LONG] HANDLE TO PIXMAP DATA
; FOLLOWED BY BMAP AND MASK DATA
iconRec       EQU iconData+4      ;SIZE OF ICON HEADER

;
; Gamma Table format
;
;
gVersion      EQU 0                ; [word] gamma version number
gType        EQU gVersion+2       ; [word] gamma data type
gFormulaSize EQU gType+2          ; [word] Formula data size
gChanCnt     EQU gFormulaSize+2   ; [word] number of channels of data
gDataCnt     EQU gChanCnt+2       ; [word] number of values/channel
gDataWidth   EQU gDataCnt+2      ; [word] bits/corrected value (data packed to next
; larger byte size)
gFormulaData EQU gDataWidth+2     ; [array] data for formulas, followed by gamma values

;
; EXTENSIONS TO THE QDPROCS RECORD
;
;
opcodeProc    EQU $34             ; [pointer]
newProc1      EQU $38             ; [pointer]
newProc2      EQU $3C             ; [pointer]
newProc3      EQU $40             ; [pointer]
newProc4      EQU $44             ; [pointer]
newProc5      EQU $48             ; [pointer]
newProc6      EQU $4C             ; [pointer]
cqdProcsRec   EQU $50             ; size of QDProcs record

;
; OFFSETS WITHIN GRAFVAR:
;
;
rgbOpColor    EQU 0                ; [6 bytes] color for addPin, subPin and average
rgbHiliteColor EQU rgbOpColor+6    ; [6 bytes] color for hiliting
pmFgColor     EQU rgbHiliteColor+6 ; [4 bytes] palette handle for foreground color
pmFgIndex     EQU pmFgColor+4      ; [2 bytes] index value for foreground
pmBkColor     EQU pmFgIndex+2      ; [4 bytes] palette handle for background color
pmBkIndex     EQU pmBkColor+4      ; [2 bytes] index value for background
pmFlags       EQU pmBkIndex+2     ; [2 bytes] flags for Palette Manager

grafVarRec    EQU pmFlags+2        ; size of grafVar record

; color manager equates
Appendix B - System Equates 13

```

; RGBColor structure

red	EQU	\$0	;red channel intensity	[short]
green	EQU	\$2	;green channel intensity	[short]
blue	EQU	\$4	;blue channel intensity	[short]

```

rgbColor          EQU  $6          ;size of record

; ColorSpec structure

value            EQU  $0          ;value field          [short]
rgb              EQU  $2          ;rgb values          [rgbColor]
colorSpecSize    EQU  $8          ;size of record

; MatchRec structure

;red             EQU  $0          ;defined in RGBColor
;green          EQU  $2          ;defined in RGBColor
;blue           EQU  $4          ;defined in RGBColor
matchData       EQU  $6          ; [long]
matchRecSize    EQU  $A

;
;          ColorTable field offsets
;

ctSeed          EQU  0            ; [long] id number for table
transIndex      EQU  ctSeed+4    ; [word] index of transparent pixel
ctSize          EQU  transIndex+2; [word] number of entries in CTTable
ctTable         EQU  ctSize+2    ; [variant] array of color spec

ctRec           EQU  ctTable     ; size of record without color table
ctEntrySize    EQU  8           ; size of each entry in table

minSeed        EQU  1023        ; minimum seed value (< minSeed reserved for rsrc ID's)

protect        EQU  7           ; protect bit is bit #8
reserveBit     EQU  6           ; reserve bit is bit #7

invalColReq    EQU  -1         ; invalid color table request

; CProcRec structure

nxtComp        EQU  $0          ;link to next proc   [pointer]
compProc       EQU  $4          ;pointer to routine  [pointer]
cProcSize      EQU  8           ; size of CProcRec

; inverse Table structure
ITabSeed       EQU  $0          ;[long] ID of owning color table
ITabRes        EQU  $4          ;[word] client ID
ITTable        EQU  $6          ;table of indices starts here

; SProcRec structure

nxtSrch        EQU  $0          ;[pointer] link to next proc
srchproc       EQU  $4          ;[pointer] pointer to routine
sProcSize      EQU  8           ; size of SProcRec

```

; request List structure

reqLSize	EQU	0	; request list size [word]
reqLData	EQU	2	; request list data [words]



;System Equates -- This file defines the low-level equates for the Macintosh software. The comments marked with ";+" denote categories or managers.

```
PCDeskPat      EQU   $20B      ; desktop pat, top bit only! others are in use
HiKeyLast     EQU   $216      ; Same as KbdVars
KbdLast       EQU   $218      ; Same as KbdVars+2

ExpandMem     EQU   $2B6      ; pointer to expanded memory block
expandSize    EQU   64       ; size of expanded memory block

; more specific fields for _Open

ioMix         EQU   $1C       ; General purpose field imported by driver[long]
ioFlags       EQU   $20       ; General purpose flags [word]
ioSlot        EQU   $22       ; Slot [byte]
ioId          EQU   $23       ; Id [byte]

ioSEBlkPtr    EQU   $22       ; Pointer to the seBlock [long]

; ioFlags:
fMulti        EQU   $00       ; b0 = fMulti: ioSEBlkPtr is valid (ioSlot, ioId are invalid)

; Test Manager EQU's
videoMagic    EQU   $5A932BC7; When VideoInfoOk contains this value, the video card is ok
(CritErr).

; Unit table size constants (Used in startInit.a)
unitEntries   EQU   64        ; default # of entries in unit table
maxUTEntries  EQU   unitEntries+64 ; Set Max higher so the table can grow.

bgnSlotUnit   EQU   48        ; default start unit number for slots.
bgnSlotRef    EQU   -(bgnSlotUnit+1) ; default start RefNum for slots.

; Start Boot state constants.
sbState0     EQU   0          ;StartBoot code is at state-0.
sbState1     EQU   1          ;StartBoot code is at state-1.

; The Alarm Clock

almrFIEnable  EQU   0          ; 1 => alarm clock mechanism is triggered

; start of new low mem

SCSIBase     EQU   $0C00      ; (long) base address for SCSI chip read
SCSIDMA      EQU   $0C04      ; (long) base address for SCSI DMA
```

Appendix B - System Equates 17

SCSIHsk	EQU	\$0C08	; (long) base address for SCSI handshake
SCSIGlobals	EQU	\$0C0C	; (long) ptr for SCSI mgr locals
RGBBlack	EQU	\$0C10	; (6 bytes) the black field for color <C413>
RGBWhite	EQU	\$0C16	; (6 bytes) the white field for color <C413>
RowBits	EQU	\$0C20	; (word) screen horizontal pixels

```

ColLines          EQU  $0C22    ; (word) screen vertical pixels

ScreenBytes EQU  $0C24    ; (long) total screen bytes

; $0C28 unused (was SlotDT)

NMIFlag          EQU  $0C2C    ; (byte) flag for NMI debounce
VidType          EQU  $0C2D    ; (byte) video board type ID
VidMode          EQU  $0C2E    ; (byte) video mode (4=4bit color)

SCSIPoll         EQU  $0C2F    ; (byte) poll for device zero only once.
                  ; (init to $FFFF, by default)

SEVarBase        EQU  $0C30    ; ($0C30-0CB0) 128 bytes for sys err data
                  ; note!!! - if changed, need to change also in hwequ file

MMUFlags         EQU  $0CB0    ; (byte) cleared to zero (reserved for future use)
MMUType          EQU  $0CB1    ; (byte) kind of MMU present
MMU32bit         EQU  $0CB2    ; (byte) boolean reflecting current machine MMU mode
MMUFluff         EQU  $0CB3    ; (byte) fluff byte forced by reducing MMUMode to MMU32bit.
MMUTbl           EQU  $0CB4    ; (long) pointer to MMU Mapping table
MMUTblSize       EQU  $0CB8    ; (long) size of the MMU mapping table

SInfoPtr         EQU  $0CBC    ; (long) pointer to Slot manager information

ASCBase          EQU  $0CC0    ; (long) pointer to Sound Chip
SMGlobals        EQU  $0CC4    ; (long) pointer to Sound Manager Globals

TheGDevice       EQU  $0CC8    ; (long) the current graphics device
CQDGlobals       EQU  $0CCC    ; (long) quickDraw global extensions

; TEMPORARY EQUATES

DeskCPat         EQU  $0CD8    ;[PixPatHandle] Handle to desk pixPat
DeskPatDisable   EQU  $0CDC    ;[byte/boolean] if 0, then use deskCPat

ADDBase          EQU  $0CF8    ; (long) pointer to Front Desk Buss Variables

WarmStart        EQU  $0CFC    ; (long) flag to indicate it is a warm start
wmStConst        EQU  $574C5343 ; warm start constant

TimeDBRA         EQU  $0D00    ; (word) number of iterations of DBRA per millisecond
TimeSCCDB        EQU  $0D02    ; (word) number of iter's of SCC access & DBRA.

SlotQDT          EQU  $0D04    ; ptr to slot queue table
SlotPrTbl        EQU  $0D08    ; ptr to slot priority table
SlotVBLQ         EQU  $0D0C    ; ptr to slot VBL queue table
ScrnVBLPtr       EQU  $0D10    ; save for ptr to main screen VBL queue
SlotTICKS        EQU  $0D14    ; ptr to slot tickcount table

```

;4appletalk	EQU	\$0D1C	; (long) pointer to appletalk globals
TableSeed	EQU	\$0D20	; (long???) seed value for color table ID's
SRsrcTblPtr	EQU	\$0D24	; (long) pointer to slot resource table.

```

JVBLTask          EQU   $0D28      ; vector to slot VBL task interrupt handler

WMgrCPort         EQU   $0D2C      ; window manager color port

VertRRate         EQU   $0D30      ; (word) Vertical refresh rate for start manager.

; additional private low memory globals for nuMac's and later
;SynListHandle    EQU   $0D32      ;a handle to a list of synthesized fonts
;LastFore         EQU   $0D36      ;8 bytes: last foreground and background colors (FM)
;LastMode         EQU   $0D3E      ;word: last text mode (Font Manager)
;LastDepth        EQU   $0D40      ;word: last depth font prepared for
;FMExist          EQU   $0D42      ;byte: clear if InitFonts has already been called

; Unused $0D43-0D53

;MBProcHndl      EQU   $0D54      ; Alladin/ handle to current menubar defproc
;mRect           EQU   $0D58      ; Alladin/ used by mbar defproc
;MenuCInfo       EQU   $0D5C      ; handle to menu color table

ChunkyDepth      EQU   $0D60      ; depth of the pixels
CrsrPtr          EQU   $0D62      ; pointer to cursor save area
PortList         EQU   $0D66      ; list of grafports<C14X>

MickeyBytes      EQU   $0D6A      ; long pointer to cursor stuff

QDErr            EQU   $0D6E      ; QuickDraw error code [word]

VIA2DT           EQU   $0D70      ; 32 bytes for VIA2 dispatch table for NuMac
; uses $0D70 - $0D8F

SInitFlags       EQU   $0D90      ; StartInit.a flags [word]

DTQueue          EQU   $0D92      ; (10 bytes) deferred task queue header
DTQFlags         EQU   $0D92      ; flag word for DTQueue
DTskQHdr         EQU   $0D94      ; ptr to head of queue
DTskQTail        EQU   $0D98      ; ptr to tail of queue
JDTInstall       EQU   $0D9C      ; (long) ptr to deferred task install routine

HiliteRGB        EQU   $0DA0      ; 6 bytes:  rgb of hilite color

TimeSCSIDB       EQU   $0DA6      ; (word) number of iter's of SCSI access & DBRA

DSCtrAdj         EQU   $0DA8      ; (long) Center adjust for DS rect.

IconTLAddr       EQU   $0DAC      ; (long) pointer to where start icons are to be put.

VideoInfoOK      EQU   $0DB0      ; (long) Signals to CritErr that the Video card is ok

EndSRTPtr        EQU   $0DB4      ; (long) Pointer to the end of the Slot Resource Table (Not the
SRT buffer).

```

SDMJumpTblPtr	EQU	\$0DB8	; (long) Pointer to the SDM jump table
JSwapMMU	EQU	\$0DBC	; (long) jump vector to SwapMMU routine
SdmBusErr	EQU	\$0DC0	; (long) Pointer to the SDM busErr handler
LastTxGDevice	EQU	\$0DC4	; (long) copy of TheGDevice set up for fast text measure

```
; Unused $0DC8-... ; PLEASE MAINTAIN THIS POINTER TO UNUSED
```

```
; CRSRSAVE $88C-8CB is no longer used
; *** RESERVED FOR USE BY QUICKDRAW ***
```

```
NewCrsrJTbl      EQU  $88C    ; location of new crsr jump vectors
NewCrsrJCnt      EQU  1       ; 2 new vectors
JAllocCrsr       EQU  $88C    ; (long) vector to routine that allocates cursor
JSetCCrsr        EQU  $890    ; (long) vector to routine that sets color cursor
JOpcodeProc      EQU  $894    ; (long) vector to process new picture opcodes
CRSRBASE         EQU  $898    ; (long) scrnBase for cursor
CrsrDevice       EQU  $89C    ; (long) current cursor device
SrcDevice        EQU  $8A0    ; (LONG) Src device for Stretchbits
MainDevice       EQU  $8A4    ; (long) the main screen device
DeviceList       EQU  $8A8    ; (long) list of display devices
CRSRROW         EQU  $8AC    ; (word) rowbytes for current cursor screen
QDColors        EQU  $8B0    ; (long) handle to default colors
```

```
; QuickDraw
```

```
HiliteMode       EQU  $938    ; used for color highlighting
```

```
; END OF TEMPORARY EQUATES
```

```
; Exception vectors
```

```
BusErrVct        EQU  $08     ; bus error vector
```

```
;-----
; MMU Equates
;-----
```

```
; MMU Mode bits
```

```
;
; type MMU_Mode = (true32b,false32b)
```

```
false32b        EQU  0       ;modified
true32b          EQU  1
```

```
;+ System Error Handler
```

```
RestProc         EQU  $A8C    ; Resume procedure f      InitDialogs [pointer]
```

```
; equates for new queue elements
```

```
slQType          EQU  6       ; slot interrupt queue element ID  <C409>
```

```
;Default Startup
```

```
;DefaultRec offsets for set/get default startup
```

```
drDriveNum      EQU 0      ;[INTEGER]  
drRefNum        EQU 2      ;[INTEGER]
```



## ; Deferred Task Queue Element

dtQType	EQU	7	; deferred task queue element ID
inDTQ	EQU	6	; bit index for "in deferred task" flag
dtLink	EQU	0	; Link to next element [pointer]
dtType	EQU	4	; Unique ID for validity [word]
dtFlags	EQU	6	; optional flags [word]
dtAddr	EQU	8	; service routine [pointer]
dtParm	EQU	\$C	; optional A1 parameter [long]
dtResrvd	EQU	\$10	; reserved [long]
dtQEISize	EQU	20	; length of DT queue element in bytes

## ;+ ROM Equates

ROM85	EQU	\$28E	; (word) actually high bit - 0 for ROM vers \$75 (sic) and later
ROMMapHndl	EQU	\$B06	; (long) handle of ROM resource map

## ;+ Screen Equates

ScrVRes	EQU	\$102	; screen vertical dots/inch [word]
ScrHRes	EQU	\$104	; screen horizontal dots/inch [word]
ScrnBase	EQU	\$824	; Screen Base [pointer]
ScreenRow	EQU	\$106	; rowBytes of screen [word]

## ; Mouse/Keyboard

MBTicks	EQU	\$16E	; tick count @ last mouse button [long]
JKybdTask	EQU	\$21A	; keyboard VBL task hook [pointer]
KeyLast	EQU	\$184	; ASCII for last valid keycode [word]
KeyTime	EQU	\$186	; tickcount when KEYLAST was rec'd [long]
KeyRepTime	EQU	\$18A	; tickcount when key was last repeated [long]

## ;+ Parameter RAM (a twenty byte copy of the real parameter ram).

SPConfig	EQU	\$1FB	; config bits: 4-7 A, 0-3 B (see use type below)
SPPortA	EQU	\$1FC	; SCC port A configuration [word]
SPPortB	EQU	\$1FE	; SCC port B configuration [word]

## ; SCC Serial Chip Addresses

SCCRd	EQU	\$1D8	; SCC base read address [pointer]
SCCWrt	EQU	\$1DC	; SCC base write address [pointer]

## ; Serial port use type

useFree	EQU	0	; Use undefined
useATalk	EQU	1	; AppleTalk

```
useAsync          EQU  2          ; Async
useExtClk        EQU  3          ; externally clocked

; Unpacked, user versions of parameter ram

DoubleTime       EQU  $2F0       ; double click ticks [long]
```

```

CaretTime      EQU  $2F4      ; caret blink ticks [long]
KeyThresh      EQU  $18E      ; threshold for key repeat [word]
KeyRepThresh   EQU  $190      ; key repeat speed [word]
SdVolume       EQU  $260      ; Global volume(sound) control [byte]

```

## ;+ System Clocks

```

Ticks          EQU  $16A      ; Tick count, time since boot [long]
Time           EQU  $20C      ; clock time (extrapolated) [long]

```

## ;+ Cursor

```

iBeamCursor    EQU  1        ; text selection cursor
crossCursor    EQU  2        ; for structured selection
plusCursor     EQU  3        ; for drawing graphics
watchCursor    EQU  4        ; for indicating a long delay

```

## ; result codes for Relstring call

```

sortsBefore    EQU  -1       ; str1 < str2
sortsEqual     EQU  0        ; str1 = str2
sortsAfter     EQU  1        ; str1 > str2

```

## ;+ Queue Package

```

qInUse         EQU  7        ; queue-in-use flag bit

```

## ; Header Record

```

qHeadSize      EQU  $A       ; queue header size
qFlags         EQU  0        ; miscellaneous flags [word]
qHead          EQU  2        ; first element in queue [pointer]
qTail          EQU  6        ; last element in queue [pointer]

```

## ; General Purpose Queue Element Definition

```

qLink          EQU  0        ; link to next queue element [pointer]
qType          EQU  4        ; queue element type [word]

```

## ;+ Event Manager

```

evType         EQU  4        ; event queue element is type 4

```

## ; Event Type Numbers (in EvtNum)

```

nullEvt        EQU  0        ; event 0 is the null event
mButDwnEvt     EQU  1        ; mouse button down is event 1

```

mButUpEvt	EQU	2	; mouse button up is event 2
keyDwnEvt	EQU	3	; key down is event 3
keyUpEvt	EQU	4	; key up is event 4
autoKeyEvt	EQU	5	; auto-repeated key is event 5
updatEvt	EQU	6	; update event
diskInsertEvt	EQU	7	; disk-inserted event
activateEvt	EQU	8	; activate/deactive event

```

netWorkEvt      EQU  $A      ; network event
ioDrvrEvt      EQU  $B      ; driver-defined event
app1Evt        EQU  $C      ; application defined events
app2Evt        EQU  $D
app3Evt        EQU  $E
app4Evt        EQU  $F

; Modifier bits in event record

activeFlag     EQU  $0      ; activate?
btnState       EQU  $7      ; state of button?
cmdKey         EQU  $8      ; command key down?
shiftKey       EQU  $9      ; shift key down?
alphaLock      EQU  $A      ; alpha lock down?
optionKey      EQU  $B      ; option key down?

; Event Record Definition

evtNum         EQU  0      ; event code [word]
evtMessage     EQU  2      ; event message [long]
evtTicks       EQU  6      ; ticks since startup [long]
evtMouse       EQU  $A      ; mouse location [long]
evtMeta        EQU  $E      ; state of modifier keys [byte]
evtMBut        EQU  $       ; state of mouse button [byte]
evtBlkSize     EQU  $10     ; size in bytes of the event record

MonkeyLives    EQU  $100    ; monkey lives if >= 0 [word]
SEvtEnb       EQU  $15C    ; enable SysEvent calls from GNE [byte]
JournalFlag    EQU  $8DE    ; journaling state [word]
JournalRef     EQU  $8E8    ; Journalling driver's refnum [word]

;+ Memory Manager

; Master pointer bits for handles - USE _HLock, _HPurge, etc. for portability

lock           EQU  7      ; lock bit in a master pointer
purge         EQU  6      ; bit for purgeable/unpurgeable
resource      EQU  5      ; bit to flag a resource handle

RSDHndl       EQU  $28A    ; resource driver handle (-1 until initialized)

BufPtr        EQU  $10C    ; top of application memory [pointer]
StkLowPt      EQU  $110    ; Lowest stack as measured in VBL task [pointer]
TheZone       EQU  $118    ; current heap zone [pointer]
ApplLimit     EQU  $130    ; application limit [pointer]
SysZone       EQU  $2A6    ; system heap zone [pointer]
ApplZone      EQU  $2AA    ; application heap zone [pointer]
HeapEnd       EQU  $114    ; end of heap [pointer]
HiHeapMark    EQU  $BAE    ; (long) highest address used by a zone below sp<01Nov85

```

JTC>

MemErr	EQU	\$220	; last memory manager error [word]
maxSize	EQU	\$800000	; outrageously large memory mgr request
dfltStackSize	EQU	\$00002000	; 8K size for stack
mnStackSize	EQU	\$00000400	; 1K minimum size for stack

; \_InitZone argument table.

```
startPtr      EQU 0      ; Start address for zone [pointer]
limitPtr     EQU 4      ; Limit address for zone [pointer]
cMoreMasters EQU 8      ; Number of masters to allocate at time [word]
pGrowZone    EQU 10     ; growZone procedure [pointer]
```

; Control/Status Call Codes

```
killCode      EQU 1      ; KillIO code
drvStsCode    EQU 8      ; status call code for drive status
ejectCode     EQU 7      ; control call eject code
tgBuffCode    EQU 8      ; set tag buffer code
```

; Driver flags, (Bit definitions for DCtlFlags byte)

```
dReadEnable   EQU 0      ; enabled for read operations
dWriteEnable  EQU 1      ; enabled for writing
dCtlEnable    EQU 2      ; enabled for control operations
dStatEnable   EQU 3      ; enabled for status operations
dNeedGoodBye EQU 4      ; needs a "goodbye kiss"
dNeedTime     EQU 5      ; needs "main thread" time
dNeedLock     EQU 6      ; needs to be accessed at interrupt level
```

; Run-Time flags, (Bit definitions for DCtlFlags+1 byte)

```
dOpened      EQU 5      ; bit to mark driver 'Open'
dRAMBased    EQU 6      ; 1=RAM-based Driver, 0=ROM-based
drvActive     EQU 7      ; bit to mark the driver active
```

; Drive queue element offsets

```
dQDrive      EQU $6     ; drive number [word]
dQRefNum     EQU $8     ; driver refnum [word]
dQFSID       EQU $A     ; file system handling this drive [word]
dQDrvSz      EQU $C     ; number of blocks this drive [word]
dQDrvSz2     EQU $E     ; if qType = 1, high word of drive size
```

; Queue Element Type Definitions

```
ioQType      EQU 2      ; I/O queue element is type 2
drvQType     EQU 3      ; timer queue element is type 3
fsQType      EQU 5      ; File System VCB element
```

; Device Control Entry Definition

```
dCtlEntrySize EQU $34 ; length of a DCE [52 bytes]
dCtlDriver    EQU 0      ; driver [handle]
dCtlFlags     EQU 4      ; flags [word]
dCtlQueue     EQU 6      ; queue header
```

dCtlQHead	EQU	8	; queue first-element [pointer]
dCtlQTail	EQU	\$C	; queue last-element [pointer]
dCtlPosition	EQU	\$10	; position [long]
dCtlStorage	EQU	\$14	; driver's private storage [handle]
dCtlRefNum	EQU	\$18	; refNum of this driver [word]
dCtlCurTicks	EQU	\$1A	; counter for timing systemTask calls [long]
dCtlWindow	EQU	\$1E	; driver's window (if any) [pointer]



dCtlDelay	EQU	\$22	; number of ticks between sysTask calls [word]
dCtlEMask	EQU	\$24	; desk accessory event mask [word]
dCtlMenu	EQU	\$26	; menu ID associated with driver [word]
dCtlSlot	EQU	\$28	; device slot Number [byte]
dCtlSlotId	EQU	\$29	; device Id within slot [byte]
dCtlDevBase	EQU	\$2A	; driver scratch ptr/offset from base to device [long]
dCtlOwner	EQU	\$2E	; ptr to task control block(ownership) [Ptr]
dctlExtDev	EQU	\$32	; Id of external device [byte]

## ; Driver Globals

UTableBase	EQU	\$11C	; unit I/O table [pointer]
UnitNtryCnt	EQU	\$1D2	; count of entries in unit table [word]
JFfetch	EQU	\$8F4	; fetch a byte routine for drivers [pointer]
JStash	EQU	\$8F8	; stash a byte routine for drivers [pointer]
JIODone	EQU	\$8FC	; IODone entry location [pointer]

## ;Chooser

chooserID	EQU	1	; caller value for the chooser
-----------	-----	---	--------------------------------

## ;+ I/O System

## ; File positioning modes for ioPosMode field of I/O record

fsAtMark	EQU	0	; at current position of mark
fsFromStart	EQU	1	; offset relative to beginning of file
fsFromLEOF	EQU	2	; offset relative to logical end-of-file
fsFromMark	EQU	3	; offset relative to current mark
rdVerify	EQU	\$40	; read verify mode

## ; Permission values for ioPermsn field of I/O record

fsCurPerm	EQU	0	; whatever is currently allowed
fsRdPerm	EQU	1	; request to read only
fsWrPerm	EQU	2	; request to write only
fsRdWrPerm	EQU	3	; request to read and write
fsRdWrShPerm	EQU	4	; request for shared read and write

## ; I/O record (general fields with trap-specific ones listed below)

ioQEISize	EQU	\$32	; length of I/O parameter block [50 bytes]
ioLink	EQU	\$0	; queue link in header [pointer]
ioType	EQU	\$4	; type for safety check [byte]
ioTrap	EQU	\$6	; the trap [word]
ioCmdAddr	EQU	\$8	; address to dispatch to [pointer]
ioCompletion	EQU	\$C	; completion routine [pointer]

ioResult	EQU	\$10	; I/O result code [word]
ioFileName	EQU	\$12	; file name pointer [pointer]
ioVRefNum	EQU	\$16	; volume refnum [word]
ioDrvNum	EQU	\$16	; drive number [word]
ioRefNum	EQU	\$18	; file reference number [word]
ioFileType	EQU	\$1A	; specified along with FileName [byte]

; specific fields for \_Read, \_Write

ioBuffer	EQU	\$20	; data buffer [pointer]
ioByteCount	EQU	\$24	; requested byte count [long]
ioNumDone	EQU	\$28	; actual byte count completed [long]
ioPosMode	EQU	\$2C	; initial file positioning mode/eol char [word]
ioPosOffset	EQU	\$2E	; file position offset [long]

; specific fields for \_Allocate

ioReqCount	EQU	\$24	; requested new size [long]
ioActCount	EQU	\$28	; actual byte count allocated [long]

; specific fields for \_Open

ioPermsn	EQU	\$1B	; permissions [byte]
ioOwnBuf	EQU	\$1C	; "private" 522-byte buffer [pointer]

; specific fields for \_ReName

ioNewName	EQU	\$1C	; new name pointer [pointer]
-----------	-----	------	------------------------------

; specific fields for \_GetFileInfo, \_SetFileInfo

ioFQEISize	EQU	\$50	; File command parameter length [80 bytes]
ioFDirIndex	EQU	\$1C	; directory index of file [word]
ioFIAttrib	EQU	\$1E	; in-use bit=7, lock bit=0 [byte]
ioFFIType	EQU	\$1F	; file type [byte]
ioFIUsrWds	EQU	\$20	; finder info [16 bytes]
ioFFINum	EQU	\$30	; file number [long]
ioDirID	EQU	\$30	; directory ID
ioFIStBlk	EQU	\$34	; start file block (0000 if none) [word]
ioFILgLen	EQU	\$36	; logical length (EOF) [long]
ioFIPyLen	EQU	\$3A	; physical length in bytes [long]
ioFIRStBlk	EQU	\$3E	; resource fork's start file block [word]
ioFIRLgLen	EQU	\$40	; resource fork's logical length (EOF) [long]
ioFIRPyLen	EQU	\$44	; resource fork's physical length [long]
ioFICrDat	EQU	\$48	; creation date & time [long]
ioFIMdDat	EQU	\$4C	; last modification date & time [long]

; Specific fields for \_GetEOF, \_SetEOF

ioLEOF	EQU	\$1C	; logical end-of-file [long]
--------	-----	------	------------------------------

; Specific fields for \_SetFileType

```
ioNewType          EQU   $1C          ; new type byte [byte]

; Specific fields for _GetVollInfo, _GetVolume, _SetVolume, _MountVol, _UnmountVol, _Eject.
; Note that these traps have a bigger record size.

ioVQEISize         EQU   $40          ; Volume command parameter length [64 bytes]
ioVDrvNum          EQU   $16          ; drive or volume number [word]
```

```

ioVNPtr          EQU   $12      ; name buffer (or zero) [pointer]
ioVollIndex      EQU   $1C      ; volume index number [word]

ioVCrDate       EQU   $1E      ; creation date & time [long]
ioVLsBkUp       EQU   $22      ; last backup date & time [long]
ioVAtrb         EQU   $26      ; Volume attributes [word]
ioVNmFls        EQU   $28      ; # files in directory [word]
ioVDirSt        EQU   $2A      ; start block of file dir [word]
ioVBILn         EQU   $2C      ; length of dir in blocks [word]
ioVNmAIBlks     EQU   $2E      ; num blks (of alloc size) this dev [word]
ioVAIBlkSiz     EQU   $30      ; alloc blk byte size [long]
ioVCIpSiz       EQU   $34      ; bytes to try to allocate at a time [long]
ioAIBlSt        EQU   $38      ; starting block in block map [word]
ioVNxtFNum      EQU   $3A      ; next free file number [long]
ioVFrBlk        EQU   $3E      ; # free alloc blks for this vol [word]

;--- New File System Equates ---
;
; Catalog structure equates:

fsRtParID       EQU   1        ; DirID of parent's root
fsRtDirID       EQU   2        ; Root DirID
fsXTCNID        EQU   3        ; Extent B*-Tree file ID
fsCTCNID        EQU   4        ; Catalog B*-Tree file ID
fsUsrCNID       EQU   $10      ; First assignable user CNode ID

; Additional equates for catalog information return:

ioFIBkDat       EQU   $50      ; File's last backup date
ioFlxFndrInfo   EQU   $54      ; File's additional finder info bytes
ioFIParID       EQU   $64      ; File's parent directory ID
ioFIClpSiz      EQU   $68      ; File's clump size, in bytes

; Additional equates for directory information return:

ioDirFlg        EQU   4        ; Bit in ioFIAttrb set to indicate directory
ioDrUsrWds      EQU   $20      ; Directory's user info bytes
ioDrDirID       EQU   $30      ; Directory ID
ioDrNmFls       EQU   $34      ; Number of files in a directory
ioDrCrDat       EQU   $48      ; Directory creation date
ioDrMdDat       EQU   $4C      ; Directory modification date
ioDrBkDat       EQU   $50      ; Directory backup date
ioDrFndrInfo    EQU   $54      ; Directory finder info bytes
ioDrParID       EQU   $64      ; Directory's parent directory ID

ioHFQEISiz      EQU   $6C      ; Size of a Hierarchical File Queue Element

; Additional equates for _TFGetVollInfo:

ioVLsMod        EQU   $22      ; Last modification date
ioVSigWord      EQU   $40      ; Volume signature

```

ioVCBVMst	EQU	\$2A	
ioVNxtCNID	EQU	\$3A	
ioVDrvInfo	EQU	\$42	; Drive number (0 if volume is offline)
ioVDRefNum	EQU	\$44	; Driver refNum
ioVFSID	EQU	\$46	; ID of file system handling this volume
ioVBkup	EQU	\$48	; Last backup date (0 if never backed up)
ioVSeqNum	EQU	\$4C	; Sequence number of this volume in volume set

```

ioVWrCnt          EQU   $4E      ; Volume write count
ioVFilCnt         EQU   $52      ; Total number of files on volume
ioVDirCnt         EQU   $56      ; Total number of directories on the volume
ioVFndrInfo EQU   $5A      ; Finder information for volume

ioHVQEISize EQU   $7A      ; Length of Hierarchical Volume information PB

; New fields for _GetFCBInfo:

ioFCBIndx        EQU   $1C      ; FCB index for _GetFCBInfo
ioFCBFiller1     EQU   $1E      ; filler
ioFCBFINm        EQU   $20      ; File number
ioFCBFlags       EQU   $24      ; FCB flags
ioFCBStBlk       EQU   $26      ; File start block
ioFCBEOF         EQU   $28      ; Logical end-of-file
ioFCBPLEn        EQU   $2C      ; Physical end-of-file
ioFCBCrPs        EQU   $30      ; Current file position
ioFCBVRefNum     EQU   $34      ; Volume refNum
ioFCBClpSiz      EQU   $36      ; File clump size
ioFCBParID       EQU   $3A      ; Parent directory ID

; New fields for _GetWDInfo:

ioWDIndex        EQU   $1A      ; Working Directory index for _GetWDInfo
ioWDProcID       EQU   $1C      ; WD's ProcID (long)
ioWDVRefNum      EQU   $20      ; WD's Volume RefNum (word)
ioWDDirID        EQU   $30      ; WD's DirID (long)

; New fields for _FSControl call:

ioFSVrsn         EQU   $20      ; File system version

; New field for CatMove

ioNewDirID       EQU   $24      ; destination directory for CatMove

;
;--- End of New File System Equates ---

; Specific fields for _Control, _Status

csCode           EQU   $1A      ; control/status code [word]
csParam          EQU   $1C      ; operation-defined parameters [22 bytes]

; FInfo (Finder Information) record layout

fdType           EQU   $0       ; type of file [long]
fdCreator        EQU   $4       ; file's creator [long]
fdFlags          EQU   $8       ; flags [word]
fdLocation       EQU   $A       ; file's location [point]
fdFldr           EQU   $E       ; file's window [word]

```

; added for HFS

; FXInfo record layout

fdIconID	EQU	\$0	; Icon ID [word]
fdUnused	EQU	\$2	; unused but reserved [4 words]



```

fdComment      EQU  $A      ; Comment ID [word]
fdPutAway      EQU  $C      ; Home Dir ID [2 words]

; DInfo record layout

frRect         EQU  $0      ; Folder Rect [4 words]
frFlags        EQU  $8      ; Flags [word]
frLocation     EQU  $A      ; Location [2 words]
frView         EQU  $E      ; Folder view [word]

; DXInfo record layout

frScroll       EQU  $0      ; scroll position [2 words]
frOpenChain    EQU  $4      ; dirID chain of open folders [2 words]
frUnused       EQU  $8      ; unused but reserved [word]
frComment      EQU  $A      ; comment [word]
frPutAway      EQU  $C      ; Dir ID [2 words]

;end of addition

; Masks for fdFlags field of FInfo record defined above

fHasBundle     EQU  13      ; set if file has a bundle
fInvisible     EQU  14      ; set if file's icon is invisible
fTrash         EQU  -3      ; file is in Trash window
fDeskTop       EQU  -2      ; file is on desktop
fDisk          EQU  0       ; file is in disk window

; File System Globals

DrvQHdr        EQU  $308    ; queue header of drives in system [10 bytes]
BootDrive      EQU  $210    ; drive number of boot drive [word]
EjectNotify    EQU  $338    ; eject notify procedure [pointer]
IAZNotify      EQU  $33C    ; world swaps notify procedure [pointer]
SFSaveDisk    EQU  $214    ; last vRefNum seen by standard file [word]
CurDirStore   EQU  46+$36A ; save dir across calls to Standard File [long]

;+ Date-Time record (for use with _Secs2Date, and _Date2Secs)

dtYear         EQU  $0      ; year (1904..) [word]
dtMonth        EQU  $2      ; month (1..12) [word]
dtDay          EQU  $4      ; day (1..31) [word]
dtHour         EQU  $6      ; hour (0..23) [word]
dtMinute       EQU  $8      ; minute (0..59) [word]
dtSecond       EQU  $A      ; second (0..59) [word]
dtDayOfWeek    EQU  $C      ; day of week, sunday..saturday (1..7) [word]

;+ Miscellaneous stuff

```

```
OneOne      EQU   $A02      ; constant $00010001 [long]
MinusOne    EQU   $A06      ; constant $FFFFFFFF [long]
Lo3Bytes    EQU   $31A      ; constant $00FFFFFF [long]

ROMBase     EQU   $2AE      ; ROM base address [pointer]
```

```
RAMBase      EQU  $2B2      ; RAM base address [pointer]
SysVersion   EQU  $15A      ; version # of RAM-based system [word]
RndSeed      EQU  $156      ; random seed/number [long]
```

```
;+ Scratch Areas
```

```
scratch20    EQU  $1E4      ; scratch [20 bytes]
scratch8     EQU  $9FA      ; scratch [8 bytes]
```

```
;+ Scrap Manager
```

```
ScrapSize    EQU  $960      ; scrap length [long]
ScrapHandle   EQU  $964      ; memory scrap [handle]
ScrapCount   EQU  $968      ; validation byte [word]
ScrapState   EQU  $96A      ; scrap state [word]
ScrapName    EQU  $96C      ; pointer to scrap name [pointer]
```

```
;+ Desk Accessories
```

```
; Message Definitions (in CSCode of control call)
```

```
accEvent     EQU  $40      ; event message from SystemEvent
accRun       EQU  $41      ; run message from SystemTask
accCursor    EQU  $42      ; cursor message from SystemTask
accMenu      EQU  $43      ; menu message from SystemMenu
accUndo      EQU  $44      ; undo message from SystemEdit
accCut       EQU  $46      ; cut message from SystemEdit
accCopy      EQU  $47      ; copy message from SystemEdit
accPaste     EQU  $48      ; paste message from SystemEdit
accClear     EQU  $49      ; clear message from SystemEdit

goodBye      EQU  -1       ; goodbye message
```

```
;International stuff
```

```
IntlSpec     EQU  $BA0     ; (long) - ptr to extra Intl data
```

```
;Switcher
```

```
SwitcherTPtr EQU  $286    ; Switcher's switch table
```

```
; Trap bits for memory manager
```

```
tSysOrCurZone EQU  10    ; bit set implies System Zone
```

```
clearBit          EQU    9          ; bit clear implies Current Zone  
                  ; bit set means clear allocated memory.
```

; Peripheral chips and Magic Hardware addresses

```

CPUFlag          EQU   $12F      ; $00=68000, $01=68010, $02=68020 (old ROM inits to $00)
                                   ; (this is old DskWr11 flag . . .)

; VIA (6522) interface chip

VIA              EQU   $1D4      ; VIA base address [pointer]

; Disk Address

IWM              EQU   $1E0      ; IWM base address [pointer]

; Interrupt secondary vectors

Lvl1DT          EQU   $192      ; Interrupt level 1 dispatch table [32 bytes]
Lvl2DT          EQU   $1B2      ; Interrupt level 2 dispatch table [32 bytes]
ExtStsDT        EQU   $2BE      ; SCC ext/sts secondary dispatch table [16 bytes]

; Parameter Ram

SPValid         EQU   $1F8      ; validation field ($A7) [byte]
SPATalkA        EQU   $1F9      ; AppleTalk node number hint for port A
SPATalkB        EQU   $1FA      ; AppleTalk node number hint for port B
SPAlarm         EQU   $200      ; alarm time [long]
SPFont          EQU   $204      ; default application font number minus 1 [word]
SPKbd           EQU   $206      ; kbd repeat thresh in 4/60ths [2 4-bit]

SPPrint         EQU   $207      ; print stuff [byte]
SPVoICtl        EQU   $208      ; volume control [byte]
SPClikCaret     EQU   $209      ; double click/caret time in 4/60ths[2 4-bit]

SPMisc1         EQU   $20A      ; miscellaneous [1 byte]
SPMisc2         EQU   $20B      ; miscellaneous [1 byte]

GetParam        EQU   $1E4      ; system parameter scratch [20 bytes]
SysParam        EQU   $1F8      ; system parameter memory [20 bytes]

; Cursor

CrsrThresh      EQU   $8EC      ; delta threshold for mouse scaling [word]
JCrsrTask       EQU   $8EE      ; address of CrsrVBLTask [long]
MTemp           EQU   $828      ; Low-level interrupt mouse location [long]
RawMouse        EQU   $82C      ; un-jerked mouse coordinates [long]
CrsrRect        EQU   $83C      ; Cursor hit rectangle [8 bytes]
TheCrsr         EQU   $844      ; Cursor data, mask & hotspot [68 bytes]
CrsrAddr        EQU   $888      ; Address of data under cursor [long]
CrsrSave        EQU   $88C      ; data under the cursor [64 bytes]
CrsrVis         EQU   $8CC      ; Cursor visible? [byte]
CrsrBusy        EQU   $8CD      ; Cursor locked out? [byte]

```

```
CrsrNew      EQU  $8CE    ; Cursor changed? [byte]
CrsrState    EQU  $8D0    ; Cursor nesting level [word]
CrsrObscure  EQU  $8D2    ; Cursor obscure semaphore [byte]
```

## ; Mouse/Keyboard

KbdVars	EQU	\$216	; Keyboard manager variables [4 bytes]
KbdType	EQU	\$21E	; keyboard model number [byte]
MBState	EQU	\$172	; current mouse button state [byte]
KeyMap	EQU	\$174	; bitmap of the keyboard [2 longs]
KeypadMap	EQU	\$17C	; bitmap for numeric pad-18bits [long]
Key1Trans	EQU	\$29E	; keyboard translator procedure [pointer]
Key2Trans	EQU	\$2A2	; numeric keypad translator procedure [pointer]
JGNEFilter	EQU	\$29A	; GetNextEvent filter proc [pointer]
KeyMVars	EQU	\$B04	; (word) for ROM KEYM proc state
Mouse	EQU	\$830	; processed mouse coordinate [long]
CrsrPin	EQU	\$834	; cursor pinning rectangle [8 bytes]
CrsrCouple	EQU	\$8CF	; cursor coupled to mouse? [byte]
CrsrScale	EQU	\$8D3	; cursor scaled? [byte]
MouseMask	EQU	\$8D6	; V-H mask for ANDing with mouse [long]
MouseOffset	EQU	\$8DA	; V-H offset for adding after ANDing [long]

## ; System Clocks

AlarmState	EQU	\$21F	; Bit7=parity, Bit6=beeped, Bit0=enable [byte]
------------	-----	-------	--

## ;+ Vertical Blanking Interrupt Handler

## ; VBL Block Queue Element

vType	EQU	1	; VBL queue element is type 1
inVbl	EQU	6	; bit index for "in VBL" flag
vblink	EQU	0	; Link to next element [pointer]
vblType	EQU	4	; Unique ID for validity [word]
vblAddr	EQU	6	; service routine [pointer]
vblCount	EQU	\$A	; timeout count [word]
vblPhase	EQU	\$C	; phase count [word]
VBLQueue	EQU	\$160	; VBL queue header [10 bytes]

## ; Event manager

jPlayCtl	EQU	16	; playBack call
jRecordCtl	EQU	17	; record call
jcTickCount	EQU	0	; journal code for TickCount
jcGetMouse	EQU	1	; journal code for GetMouse
jcButton	EQU	2	; journal code for Button
jcGetKeys	EQU	3	; journal code for GetKeys
jcEvent	EQU	4	; journal code for GetNextEvent(Avail)
SysEvtMask	EQU	\$144	; system event mask [word]
SysEvtBuf	EQU	\$146	; system event queue element buffer [pointer]
EventQueue	EQU	\$14A	; event queue header [10 bytes]

EvtBufCnt            EQU    \$154            ; max number of events in SysEvtBuf - 1 [word]

; Event Queue Element Data Structure

evtQWhat            EQU    6            ; event code [word]  
evtQMessage        EQU    8            ; event message [long]  
evtQWhen            EQU    \$C            ; ticks since startup [long]



```

evtQWhere      EQU  $10      ; mouse location [long]
evtQMeta       EQU  $14      ; state of modifier keys [byte]
evtQMBut       EQU  $15      ; state of mouse button [byte]
evtQBlkSize    EQU  $16      ; size of event record counting queue info

; flags in flags field in heapzone header

fOnCheck       EQU  0        ; Turn On Checking
fChecking      EQU  1        ; Checking on
fNSelCompct    EQU  4        ; Use non-selective compact algorithm when 1.
fNoRvrAlloc    EQU  5        ; Don't use rover allocation scheme when 1.
fNSelPurge     EQU  6        ; Use non-selective purge algorithm when 1.
fRelAtEnd      EQU  7        ; MakeBk packs rels at end of free bk when 1.

ROZ            EQU  $0        ; bit in flags field of MemMgr zone header

; Block Types

tybkMask       EQU  3        ; Mask for block type
tybkFree       EQU  0        ; Free Block
tybkNRel       EQU  1        ; Non-Relocatable
tybkRel        EQU  2        ; Relocatable

; Block Offsets

tagBC          EQU  0        ; Tag and Byte Count field [long]
handle         EQU  4        ; back pointer to master pointer [pointer]
blkData        EQU  8        ; data starts here

; Heap Zone header

bkLim          EQU  $0        ; last block in zone [pointer]
purgePtr       EQU  $4        ; roving purge placeholder [pointer]
hFstFree       EQU  $8        ; first free handle [pointer]
zcbFree        EQU  $C        ; # of free bytes in zone [long]
gzProc         EQU  $10       ; grow zone procedure [pointer]
mAllocCnt      EQU  $14       ; # of master ptrs to allocate [word]
flags          EQU  $16       ; Flags [word]
cntRel         EQU  $18       ; # of allocated relocatable blocks [word]
maxRel         EQU  $1A       ; max # of allocated rel. blocks [word]
cntNRel        EQU  $1C       ; # of allocated non-rel. blocks [word]
maxNRel        EQU  $1E       ; max # of allocated non-rel. blocks [word]
cntEmpty       EQU  $20       ; # of empty handles [word]
cntHandles     EQU  $22       ; total # of handles [word]
minCBFree      EQU  $24       ; min # of bytes free [long]
purgeProc      EQU  $28       ; purge warning procedure [pointer]
allocPtr       EQU  $30       ; roving allocator [pointer]
heapData       EQU  $34       ; start of heap zone data

```

GZRootHnd	EQU	\$328	; root handle for GrowZone [handle]
GZRootPtr	EQU	\$32C	; root pointer for GrowZone [pointer]
GZMoveHnd	EQU	\$330	; moving handle for GrowZone [handle]
MemTop	EQU	\$108	; top of memory [pointer]
MmInOK	EQU	\$12E	; initial memory mgr checks ok? [byte]
HpChk	EQU	\$316	; heap check RAM code [pointer]
MaskBC	EQU	\$31A	; Memory Manager Byte Count Mask [long]

```

MaskHandle      EQU  $31A      ; Memory Manager Handle Mask [long]
MaskPtr        EQU  $31A      ; Memory Manager Pointer Mask [long]
MinStack       EQU  $31E      ; min stack size used in InitApplZone [long]
DeflStk        EQU  $322      ; default size of stack [long]
MMDefFlags     EQU  $326      ; default zone flags [word]

;+ System Error Handler

DSAlertTab     EQU  $2BA      ; system error alerts [pointer]
DSAlertRect    EQU  $3F8      ; rectangle for disk-switch alert [8 bytes]
DSDrawProc     EQU  $334      ; alternate syserror draw procedure [pointer]
DSWndUpdate    EQU  $15D      ; GNE not to paintBehind DS AlertRect? [byte]
WWExist        EQU  $8F2      ; window manager initialized? [byte]
QDExist        EQU  $8F3      ; quickdraw is initialized [byte]
ResumeProc     EQU  $A8C      ; Resume procedure from InitDialogs [pointer]
DSErrCode      EQU  $AF0      ; last system error alert ID

;+ Drivers

dskRfN         EQU  $FFFB     ; 3.5" disk reference number
IntFlag        EQU  $15F     ; reduce interrupt disable time when bit 7 = 0

; Serial I/O Driver

SerialVars     EQU  $2D0     ; async driver variables [16 bytes]

PortAUse       EQU  $290     ; bit 7: 1 = not in use, 0 = in use
                ; bits 0-3: current use of port (see use type)
                ; bits 4-6: user specific

PortBUse       EQU  $291     ; port B use, same format as PortAUse
SCCAsTs        EQU  $2CE     ; SCC read reg 0 last ext/sts rupt - A [byte]
SCCBSts        EQU  $2CF     ; SCC read reg 0 last ext/sts rupt - B [byte]

; Serial handshake record definition

shFXOn         EQU  $0       ; XOn/XOff output control flags [byte]
shFCTS         EQU  $1       ; CTS hardware handshake flag [byte]
shXOn          EQU  $2       ; XOn character [byte]
shXOff         EQU  $3       ; XOff character [byte]
shErrs         EQU  $4       ; errors that cause abort [byte]
shEvs          EQU  $5       ; status changes that cause events [byte]
shFlnX         EQU  $6       ; XOn/XOff input flow control flag [byte]
shNull         EQU  $7       ; not used [byte]

; Serial status record definition

ssCumErrs      EQU  $0       ; cumulative errors [byte]
ssXOffSent     EQU  $1       ; XOff sent as input control flag [byte]
ssRdPend       EQU  $2       ; read pending flag [byte]
ssWrPend       EQU  $3       ; write pending flag [byte]
ssCTSHold      EQU  $4       ; CTS flow control hold flag [byte]

```

```
ssXOffHold      EQU   $5      ; XOff received as output flow control [byte]
; Disk Driver
; Driver Code Header (for I/O drivers, desk accessories)
drvFlags        EQU   $0      ; various flags and permissions [word]
```

```

drvDelay      EQU  $2      ; # of ticks between systask calls [word]
drvEMask      EQU  $4      ; event mask [word]
drvMenu       EQU  $6      ; driver menu ID [word]
drvOpen       EQU  $8      ; open routine offset [word]
drvPrime      EQU  $A      ; prime routine offset [word]
drvCtl        EQU  $C      ; control routine offset [word]
drvStatus     EQU  $E      ; status routine offset [word]
drvClose      EQU  $10     ; warmstart reset routine offset [word]
drvName       EQU  $12     ; length byte and name of driver [string]

```

; Driver Status record definition

```

dsTrack       EQU  $0      ; current track [word]
dsWriteProt   EQU  $2      ; bit 7=1 if volume locked [byte]
dsDiskInPlace EQU  $3      ; disk in place [byte]
dsInstalled   EQU  $4      ; drive installed [byte]
dsSides       EQU  $5      ; bit 7=0 if single-sided drive [byte]
dsQLink       EQU  $6      ; next queue entry [pointer]
dsDQVers      EQU  $A      ; 1 for HD20 [word]
dsDQDrive     EQU  $C      ; drive number [word]
dsDQRefNum    EQU  $E      ; driver reference number [word]
dsDQFSID      EQU  $10     ; file-system identifier [word]
dsTwoSideFmt  EQU  $12     ; -1 if two-sided disk [byte]
dsDiskErrs    EQU  $14     ; error count [word]

dsDrvSize     EQU  $12     ;drive block size low word [word]
dsDrvS1       EQU  $14     ;drive block size high word [word]
dsDrvType     EQU  $16     ;1 for HD20 [word]
dsDrvManf     EQU  $18     ;1 for Apple Computer, Inc [word]
dsDrvChar     EQU  $1A     ;230 ($E6) for HD20 [word]
dsDrvMisc     EQU  $1C     ;0 -- reserved [byte]

```

```

DskErr        EQU  $142    ; disk routine result code [word]
PWMBuf2       EQU  $312    ; PWM buffer 1 (or 2 if sound) [pointer]

```

; Drive command codes

```

dcRead        EQU  0
dcWrite       EQU  1
dcStatus      EQU  3
dcInit        EQU  25
dcScan        EQU  26

```

; Sound Stuff

```

SoundPtr      EQU  $262    ; 4VE sound definition table [pointer]
SoundBase     EQU  $266    ; sound bitMap [pointer]
SoundVBL      EQU  $26A    ; vertical retrace control element [16 bytes]
SoundDCE      EQU  $27A    ; sound driver DCE [pointer]
SoundActive   EQU  $27E    ; sound is active? [byte]

```

```
SoundLevel      EQU   $27F      ; current level in buffer [byte]
CurPitch       EQU   $280      ; current pitch value [word]

;               I/O System

noQueueBit      EQU   $9        ; tells I/O system not to queue the request
asyncTrpBit     EQU   $A        ; bit in high byte of trap specifying async
```

```

toExtFS          EQU   $3F2      ; hook for external file systems

; File System Globals

DskVerify        EQU   $12C      ; used by 3.5 disk driver for read/verify [byte]
TagData          EQU   $2FA      ; sector tag info for disk drivers [14 bytes]
BufTgFNum        EQU   $2FC      ; file number [long]
BufTgFFlg        EQU   $300      ; flags [word]
BufTgFBkNum      EQU   $302      ; logical block number [word]
BufTgDate        EQU   $304      ; time stamp [word]

; I/O Command Equates for I/O Queue Elements (match trap numbers)

aRdCmd           EQU   2         ; read command
aWrCmd           EQU   3         ; write command
aCtlCmd          EQU   4         ; control command
aStsCmd          EQU   5         ; status command

; New fields for _SetPMSP call: PMSP = "Poor Man's Search Path"

ioPMSPFlg        EQU   $1A      ; Flag whether to enable the PMSP
ioPMSPHook       EQU   $1C      ; Pointer to PMSP hook proc

; Print variables

ScrDmpEnb        EQU   $2F8      ; screen dump enabled? [byte]
ScrDmpType       EQU   $2F9      ; FF dumps screen, FE dumps front window [byte]

; Scrap Variables

ScrapVars        EQU   $960      ; scrap manager variables [32 bytes]
ScrapInfo        EQU   $960      ; scrap length [long]
ScrapEnd         EQU   $980      ; end of scrap vars
ScrapTag         EQU   $970      ; scrap file name [STRING[15]]

; Segment Loader

LaunchFlag       EQU   $902      ; from launch or chain [byte]
SaveSegHandle    EQU   $930      ; seg 0 handle [handle]
CurJTOffset     EQU   $934      ; current jump table offset [word]
CurPageOption   EQU   $936      ; current page 2 configuration [word]
LoaderPBlock     EQU   $93A      ; param block for ExitToShell [10 bytes]
CurApRefNum     EQU   $900      ; refNum of application's resFile [word]
CurrentA5        EQU   $904      ; current value of A5 [pointer]
CurStackBase    EQU   $908      ; current stack base [pointer]
CurApName       EQU   $910      ; name of application [STRING[31]]
LoadTrap         EQU   $12D      ; trap before launch? [byte]

SegHiEnable      EQU   $BB2      ; (byte) 0 to disable MoveHHi in LoadSeg

```

;device manager - Chooser message values

newSelMsg	EQU	12	;a new selection has been made
fillListMsg	EQU	13	;fill the list with choices to be made
getSelMsg	EQU	14	;mark one or more choices as selcted
selectMsg	EQU	15	;a choice has actually been made
deselectMsg	EQU	16	;a choice has been canceled



terminateMsg	EQU	17	;lets device package clean up
buttonMsg	EQU	19	;a button has been clicked
psAlert	EQU	6	;page setup alert bit in HiliteMode
theChooser	EQU	1	

Toolbox Equates -- This file defines the high-level equates for the Macintosh toolbox software. The comments marked with ";+" denote managers.

;+ Resource Manager

; Resource attributes

resSysRef	EQU	7	; reference to system/local reference
resSysHeap	EQU	6	; In system/in application heap
resPurgeable	EQU	5	; Purgeable/not purgeable
resLocked	EQU	4	; Locked/not locked
resProtected	EQU	3	; Protected/not protected
resPreload	EQU	2	; Read in at OpenResource?
resChanged	EQU	1	; Existing resource changed since last update

rcbMask	EQU	\$FD	; Must preserve ResChanged over _ResAttrs
---------	-----	------	---

; Map attributes

mapReadOnly	EQU	7	; is this file read-only?
mapCompact	EQU	6	; Is a compact necessary?
mapChanged	EQU	5	; Is it necessary to write map?

; Resource Manager Globals

TopMapHndl	EQU	\$A50	; topmost map in list [handle]
SysMapHndl	EQU	\$A54	; system map [handle]
SysMap	EQU	\$A58	; reference number of system map [word]
CurMap	EQU	\$A5A	; reference number of current map [word]
ResReadOnly	EQU	\$A5C	; Read only flag [word]
ResLoad	EQU	\$A5E	; Auto-load feature [word]
ResErr	EQU	\$A60	; Resource error code [word]
ResErrProc	EQU	\$AF2	; Resource error procedure [pointer]
SysResName	EQU	\$AD8	; Name of system resource file [STRING[19]]

;new Resource Manager stuff

RomMapInsert	EQU	\$B9E	; (byte) determines if we should link in map
TmpResLoad	EQU	\$B9F	; second byte is temporary ResLoad value.

; the following word values are to be placed into the  
; word located at RomMapInsert

MapTrue	EQU	\$FFFF	; link in ROM map with reload true
MapFalse	EQU	\$FF00	; link in ROM map with reload false

;+ Font Manager

; Standard font ID's

sysFont	EQU	0	; system font ID
applFont	EQU	1	; application font ID
newYork	EQU	2	; standard release fonts
geneva	EQU	3	

```

monaco          EQU  4
venice          EQU  5
london         EQU  6
athens         EQU  7
sanFran       EQU  8
toronto        EQU  9
cairo          EQU 11
losAngeles    EQU 12
times         EQU 20
helvetica     EQU 21
courier       EQU 22
symbol        EQU 23
mobile        EQU 24

```

## ; Font Manager Globals

```

ApFontID       EQU  $984    ; resource ID of application font [word]
FMDefaultSize  EQU  $987    ; default size [byte]
CurFMInput    EQU  $988    ; quickdraw FMInput Record [pointer]
FMgrOutRec     EQU  $998    ; quickdraw FontOutput Record [pointer]
FScaleDisable  EQU  $A63    ; disable font scaling? [byte]

```

## ;new FONT manager stuff

```

WidthListHand  EQU  $8E4    ; list of extra width tables, or nil.
WidthPtr       EQU  $B10    ; (long) Font Mgr global
WidthTabHandle EQU  $B2A    ; Font width table handle for measure
LastSPEExtra   EQU  $B4C    ; (long) most recent value of space extra
SysFontFam     EQU  $BA6    ; (word) System font family ID or zero
SysFontSize    EQU  $BA8    ; (word) System font size (or zero for 12 pt)
FDevDisable    EQU  $BB3    ; (byte) $FF to disable device-defined style extra
LastFOND       EQU  $BC2    ; (long) handle of last font def record
FONDID         EQU  $BC6    ; (word) ID of last font def record
FractEnable    EQU  $BF4    ; (byte) flag for fractional font widths
UsedFWWidths   EQU  $BF5    ; (byte) flag saying if we used fract widths
FScaleHFact    EQU  $BF6    ; (long) horz. font scale factor
FScaleVFact    EQU  $BFA    ; (long) vertical font scale factor

```

## ;+ Window Manager

```

                                ; system windows have negative kinds
dialogKind     EQU  2        ; dialog windows
userKind       EQU  8        ; this and above numbers are for user

```

## ; Values returned by window definition function's hit routine

```

wNoHit         EQU  0        ; not in window at all
wInContent     EQU  1        ; in content area
wInDrag        EQU  2        ; in drag area
wInGrow        EQU  3        ; in grow area
wInGoAway      EQU  4        ; in go away area

```

```
wInZoomIn      EQU 5      ; in zoom in
wInZoomOut     EQU 6      ; in zoom out
```

; FindWindow Return Codes

```
inDesk         EQU 0      ; not in any window
inMenuBar      EQU 1      ; in the menu bar
```

```

inSysWindow      EQU  2      ; in a system window
inContent        EQU  3      ; in content area of user window
inDrag           EQU  4      ; in drag area of user window
inGrow           EQU  5      ; in grow area of user window
inGoAway         EQU  6      ; in go away area of user window
inZoomIn         EQU  7      ; in zoom in part code
inZoomOut        EQU  8      ; in zoom out part code

```

; Resource ID's for windows

```

deskPatID        EQU  16     ; desk pattern PAT ID

documentProc     EQU  0      ; standard document WDEF ID
dBoxProc         EQU  1      ; dialog box (document without titleBar) WDEF ID
plainDBox        EQU  2      ; no border WDEF ID
altDBoxProc      EQU  3      ; no shadow or title WDEF ID
noGrowDocProc    EQU  4      ; no grow area WDEF ID
zoomDocProc      EQU  8      ; with zoom box WDEF ID
zoomNoGrow       EQU 12     ; zoom with no grow box WDEF ID
rDocProc         EQU 16     ; document with rounded corners WDEF ID

```

; Window Data Structure Definition

```

windowPort       EQU  0      ; grafPort [108 bytes]
windowKind       EQU  $6C    ; type of window [word]
wVisible         EQU  $6E    ; visible flag [byte]
wHilited         EQU  $6F    ; select (hilite) flag [byte]
wGoAway          EQU  $70    ; has go away button [byte]
wZoom           EQU  $71    ; has zoom box [byte]
structRgn        EQU  $72    ; structure region of window [Handle]
contRgn          EQU  $76    ; content region of window [Handle]
updateRgn        EQU  $7A    ; update region of window [Handle]
windowDef        EQU  $7E    ; window definition procedure [Handle]
wDataHandle      EQU  $82    ; window proc-defined data [Handle]
wTitleHandle     EQU  $86    ; title string [Handle]
wTitleWidth      EQU  $8A    ; width in pixels of title string [word]
wControlList     EQU  $8C    ; control list of this window [handle]
nextWindow       EQU  $90    ; next window in z-ordered list [pointer]
windowPic        EQU  $94    ; picture handle for updates [handle]
wRefCon          EQU  $98    ; application use [long]
windowSize       EQU  $9C    ; size of window data structure

```

; Window Manager Globals

```

WindowList       EQU  $9D6   ; Z-ordered linked list of windows [pointer]
PaintWhite       EQU  $9DC   ; erase newly drawn windows? [word]
WMgrPort         EQU  $9DE   ; window manager's grafport [pointer]
GrayRgn          EQU  $9EE   ; rounded gray desk region [handle]
CurActivate     EQU  $A64   ; window slated for activate event [pointer]
CurDeactivate   EQU  $A68   ; window slated for deactivate event [pointer]

```

DragHook	EQU	\$9F6	; user hook during dragging [pointer]
DeskPattern	EQU	\$A3C	; desk pattern [8 bytes]
DeskHook	EQU	\$A6C	; hook for painting the desk [pointer]
GhostWindow	EQU	\$A84	; window hidden from FrontWindow [pointer]

;+ Menu Manager

; "ASCII" marks for menu characters

noMark	EQU	0	
commandMark	EQU	\$11	; command fan (cloverleaf)
checkMark	EQU	\$12	; check mark for menus
diamondMark	EQU	\$13	; diamond mark for menus
appleMark	EQU	\$14	; desk ornament menu title

; MenuList Data Structure Definition -- one per menuBar

			; 6 Byte header
lastMenu	EQU	0	; number of bytes in this menuList [word]
lastRight	EQU	2	; h coordinate of 1st free point in menuBar [word]
			; one of the following per menu
menuoH	EQU	0	; menu handle [handle]
menuLeft	EQU	4	; coordinate of left edge of menu [word]

; MenuInfo Data Structure -- one per menu

menuID	EQU	0	; unique ID for each menuBar [word]
menuWidth	EQU	2	; menu width [word]
menuHeight	EQU	4	; menu height [word]
menuDefHandle	EQU	6	; menu definition proc [handle]
menuEnable	EQU	\$A	; enable flags, one bit/item [long]
menuData	EQU	\$E	; menu item string [STRING]
menuBlkSize	EQU	\$E	; size of a menu block plus dataString

; MenuString Data Structure -- one per menu item

itemIcon	EQU	0	; icon byte
itemCmd	EQU	1	; apple (command key) byte
itemMark	EQU	2	; checkmark character byte
itemStyle	EQU	3	; style byte

; Menu Manager Globals

MenuList	EQU	\$A1C	; current menuBar list structure [handle]
MenuFlash	EQU	\$A24	; flash feedback count [word]
MenuHook	EQU	\$A30	; user hook during menuSelect [pointer]
MBarEnable	EQU	\$A20	; menuBar enable for desk accessories[word]
MBarHook	EQU	\$A2C	; user hook during menuSelect [pointer]

;new Menu Manager stuff

MBarHeight	EQU	\$BAA	; (word) height of menu bar (usually 20)
------------	-----	-------	--

;+ Control Manager

; Part Codes



inButton	EQU	10	; in a push button
inCheckBox	EQU	11	; in a checkBox button
inUpButton	EQU	20	; in up button area of a dial
inDownButton	EQU	21	; in down button area of a dial
inPageUp	EQU	22	; in page up (gray) area of a dial
inPageDown	EQU	23	; in page down (gray) area of a dial

```

inThumb          EQU    129          ; in thumb area of a dial

; Constants for axis parameter of DragGrayRgn and DragControl

noConstraint     EQU    0            ; free form dragging
hAxisOnly       EQU    1            ; horizontally only
vAxisOnly       EQU    2            ; vertically only

; Resource ID's for controls

pushButProc     EQU    0            ; rounded-corner pushButtons CDEF ID
checkBoxProc    EQU    1            ; check-box type buttons CDEF ID
radioButProc    EQU    2            ; radio buttons CDEF ID
scrollBarProc   EQU    16           ; scrollBar CDEF ID
useWFont        EQU    8            ; add this to get window font CDEF ID

sBarPatID       EQU    17           ; scrollBar pattern ID

; Control Template

nextControl     EQU    $0           ; next control in the list [handle]
contrlOwner     EQU    $4           ; owning window [pointer]
contrlRect      EQU    $8           ; bounding rectangle [8 bytes]
contrlVis       EQU    $10          ; visible state [byte]
contrlHilite    EQU    $11          ; hilite state [byte]
contrlValue     EQU    $12          ; current value of control [word]
contrlMin       EQU    $14          ; minimum value of control [word]
contrlMax       EQU    $16          ; maximum value of control [word]
contrlDefHandle EQU    $18          ; control definition procedure [handle]
contrlData      EQU    $1C          ; data for definition proc [handle]
contrlAction    EQU    $20          ; local actionProc [pointer]
contrlRFcon     EQU    $24          ; refcon defined by application [long]
contrlTitle     EQU    $28          ; title string [STRING]
contrlSize      EQU    $28          ; size of control data structure less title

; Control Manager Globals

DragPattern     EQU    $A34         ; DragTheRgn pattern [8 bytes]
DragFlag        EQU    $A44         ; implicit parameter to DragControl [word]
CurDragAction  EQU    $A46         ; implicit actionProc for dragControl [pointer]

;+ Text Edit

; Justification styles

teJustLeft     EQU    0            ; left justified text
teJustRight    EQU    -1           ; right justified text
teJustCenter   EQU    1            ; center justified text
teForceLeft    EQU    -2           ; for Arabic fonts, force left justification

```

; Text Edit Record

teDestRect	EQU	\$0	; destination rectangle [8 bytes]
teViewRect	EQU	\$8	; view rectangle rectangle [8 bytes]
teSelRect	EQU	\$10	; select rectangle [8 bytes]

teLineHite	EQU	\$18	; lineheight [word]
teAscent	EQU	\$1A	; first baseline offset [word]
teSelPoint	EQU	\$1C	; selection point [long]
teSelStart	EQU	\$20	; selection start [word]
teSelEnd	EQU	\$22	; selection end [word]
teActive	EQU	\$24	; active [byte]
teWordBreak	EQU	\$26	; word break routine [pointer]
teClikProc	EQU	\$2A	; click loop routine [pointer]
teClikTime	EQU	\$2E	; time of last click [long]
teClikLoc	EQU	\$32	; location of double click [long]
teCarTime	EQU	\$34	; time for next caret toggle [long]
teCarOn	EQU	\$38	; is caret on? [byte]
teCarAct	EQU	\$39	; is caret active? [byte]
teJust	EQU	\$3A	; fill style [word]
teLength	EQU	\$3C	; length of text below [word]
teTextH	EQU	\$3E	; text [handle]
teRecBack	EQU	\$42	; unused [word]
teRecLine	EQU	\$44	; unused [word]
teLftClick	EQU	\$46	; click was to left? [byte]
teLftCaret	EQU	\$47	; caret was to left? [byte]
teCROnly	EQU	\$48	; <CR> only for line breaks? [byte]
teFontStuff	EQU	\$4A	; space for font specifier [8 bytes]
teFont	EQU	\$4A	; text font [word]
teFace	EQU	\$4C	; text face [word]
teMode	EQU	\$4E	; text mode [word]
teSize	EQU	\$50	; text size [word]
teGrafPort	EQU	\$52	; grafport for editing [pointer]
teHiHook	EQU	\$56	; hook for hilite routine [pointer]
teCarHook	EQU	\$5A	; hook for hilite routine [pointer]
teNLines	EQU	\$5E	; number of lines [word]
teLines	EQU	\$60	; line starts [words...]
teRecSize	EQU	\$68	; base size of a record w/o lines
; Text Edit Globals			
TEScrpLength	EQU	\$AB0	; textEdit Scrap Length [word]
TEScrpHandle	EQU	\$AB4	; textEdit Scrap [handle]
TEWdBreak	EQU	\$AF6	; default word break routine [pointer]

```
;new TE stuff
```

```
WordRedraw      EQU   $BA5      ; (byte) - used by TextEdit RecalDraw  
TESysJust       EQU   $BAC      ; (word) system justification (intl. textEdit)  
TEFlags         EQU   teRecBack ; turn whole byte into bit flags  
teFAutoPos      EQU   6         ; set this bit for auto position/scroll
```

## ;+ Dialog Manager

## ; Item codes in item list

userItem	EQU	0	; application-defined (dialog only)
ctrlItem	EQU	4	; must be added to following four items
btnCtrl	EQU	0	; standard button
chkCtrl	EQU	1	; standard check box
radCtrl	EQU	2	; standard radio button
resCtrl	EQU	3	; control defined in resource file
statText	EQU	8	; static text
editText	EQU	16	; editable text (dialog only)
iconItem	EQU	32	; icon
picItem	EQU	64	; quickdraw picture
itemDisable	EQU	128	; add to any of above to disable

## ; Generic buttons

okButton	EQU	1	; OK button
cancelButton	EQU	2	; Cancel button

## ; Alert/Dialog Resource ID's

stopIcon	EQU	0	; stop icon ID
noteIcon	EQU	1	; note icon ID
cautionIcon	EQU	2	; caution icon ID

## ; Dialog Template

dBounds	EQU	\$0	; dialog bounds rectangle
dWindProc	EQU	\$8	; window proc ID
dVisible	EQU	\$A	; visible flag
dGoAway	EQU	\$C	; go away flag
dRefCon	EQU	\$E	; reference constant
dItems	EQU	\$12	; item list ID and handle
dTitle	EQU	\$14	; dialog window title

## ; Alert Template

aBounds	EQU	\$0	; alert box height and width
alItems	EQU	\$8	; item list ID
aStages	EQU	\$A	; stages word

## ; Dialog/Alert Window Record

dWindow	EQU	\$0	; window record
items	EQU	\$9C	; Item list [handle]
teHandle	EQU	\$A0	; textEdit object [handle]
editField	EQU	\$A4	; current field being edited [word]
editOpen	EQU	\$A6	; is editing open? [word]

aDefItem	EQU	\$A8	; default item for alerts [word]
dWindLen	EQU	\$AA	; dialog record length
; In each item			
itmHndl	EQU	0	; handle to the item
itmRect	EQU	\$4	; bounding rect of item

```

itmType          EQU   $C      ; item type
itmData          EQU   $D      ; item string, must be even length

; Dialog Manager Globals

ANumber          EQU   $A98    ; active alert ID [word]
ACount           EQU   $A9A    ; # times this alert called [word]
DABeeper         EQU   $A9C    ; beep routine [pointer]
DAStrings        EQU   $AA0    ; paramText substitution strings [4 handles]
DIgFont          EQU   $AFA    ; default dialog font ID [word]

;+ Package Globals

AppPacks         EQU   $AB8    ; packages' code [8 handles]

;+ Finder related Globals

FinderName       EQU   $2E0    ; "Finder" name [STRING[15]]
AppParmHandle    EQU   $AEC    ; handle to hold application parameters

;+ Miscellaneous Globals

AppIScratch      EQU   $A78    ; application scratch area [12 Bytes]
ToolScratch      EQU   $9CE    ; scratch area [8 bytes]
TempRect         EQU   $9FA    ; scratch rectangle [8 bytes]

; System Patterns

sysPatListID     EQU   0      ; ID of PAT# which contains 38 patterns

; Resource Manager

mCCMask          EQU   $60     ; mapCompact + mapChanged
mChMask          EQU   $20     ; mapChanged
mCoMask          EQU   $40     ; mapCompact

; Font Manager

; Font header values

propFont         EQU   $9000   ; proportional font type
prpFntH          EQU   $9001   ; with height table
prpFntW          EQU   $9002   ; with width table
prpFntHW         EQU   $9003   ; with height & width table

```



fixedFont	EQU	\$B000	; fixed-pitch font type
fxdFntH	EQU	\$B001	; with height table
fxdFntW	EQU	\$B002	; with width table
fxdFntHW	EQU	\$B003	; with height & width table
fontWid	EQU	\$ACB0	; width-only font type

; control/status codes for linkage w/font manager

fMgrCtl1 EQU 8 ; printer drivers

; Font Header Data Record

fFontType EQU 0 ; font type [word]  
 fFirstChar EQU 2 ; ASCII code of first char [word]  
 fLastChar EQU 4 ; ASCII code of last char [word]  
 fWidMax EQU 6 ; maximum width of any char in pixels [word]  
 fKernMax EQU 8 ; Negative of maximum character kern [word]  
 fNDescent EQU 10 ; negative of descent [word]  
 fFRectWidth EQU 12 ; width of font rectangle [word]  
 fFRectHeight EQU 14 ; height of font rectangle [word]  
 fOWTLoc EQU 16 ; offset to offset/width table [word]  
 fAscent EQU 18 ; ascent above baseline in pixels [word]  
 fDescent EQU 20 ; descent below baseline in pixels [word]  
 fLeading EQU 22 ; space between lines in pixels [word]  
 fRowWords EQU 24 ; row width of bit image / 2 [word]

; Font Manager Input Record (CurFMInput)

fmlnFamily EQU 0 ; family [word]  
 fmlnSize EQU 2 ; size [word]  
 fmlnFace EQU 4 ; face [word]  
 fmlnNeedBits EQU 5 ; needBits [byte]  
 fmlnDevice EQU 6 ; device number [byte]  
 fmlnNumer EQU 8 ; numerator of scale [fixed]  
 fmlnDenom EQU 12 ; denominator of scale [fixed]

; Font Manager Output record (FMgrOutRec)

fmOutError EQU 0 ; error code [word]  
 fmOutFontH EQU 2 ; the actual font [handle]  
 fmOutBold EQU 6 ; bolding factor [byte]  
 fmOutItalic EQU 7 ; italic factor [byte]  
 fmOutULOffset EQU 8 ; underline offset [byte]  
 fmOutULShadow EQU 9 ; underline halo [byte]  
 fmOutULThick EQU 10 ; underline thickness [byte]  
 fmOutShadow EQU 11 ; shadow factor [byte]  
 fmOutExtra EQU 12 ; extra horizontal width [byte]  
 fmOutAscent EQU 13 ; height above baseline [byte]  
 fmOutDescent EQU 14 ; height below baseline [byte]  
 fmOutWidMax EQU 15 ; maximum width of character [byte]  
 fmOutLeading EQU 16 ; space between lines [byte]  
 fmOutNumer EQU 18 ; point for numerators of scale factor [long]  
 fmOutDenom EQU 22 ; point for denominators of scale factor [long]

;WidthTable data structure

widTabData	EQU	0	;ARRAY[1..256] OF LONGINT character widths
widTabFont	EQU	1024	;Handle font record used to build table
widthSExtra	EQU	1028	;LONGINT space extra used for table
widthStyle	EQU	1032	;LONGINT extra due to style
widthFID	EQU	1036	;INTEGER font family ID
widthFSize	EQU	1038	;INTEGER font size request

widthFace	EQU	1040	;INTEGER style (face) request
widthDevice	EQU	1042	;INTEGER device requested
widthVInScale	EQU	1044	;FIXED scale factors requested
widthHInScale	EQU	1048	;FIXED scale factors requested
widthAFID	EQU	1052	;INTEGER actual font family ID for table
widthFHand	EQU	1054	;Handle family record used to build up table
widthUsedFam	EQU	1058	;BOOLEAN used fixed point family widths
widthAFace	EQU	1059	;BYTE actual face produced
widthVOutput	EQU	1060	;INTEGER vertical scale output value
widthHOutput	EQU	1062	;INTEGER horizontal scale output value
widthVFactor	EQU	1064	;INTEGER vertical scale output value
widthHFactor	EQU	1066	;INTEGER horizontal scale output value
widthASize	EQU	1068	;INTEGER actual size of actual font used
widTabSize	EQU	1070	;INTEGER total size of table

## ; Font Family Definition

ffFlags	EQU	0	; flags for family (word)
ffFamID	EQU	2	; family ID number (word)
ffFirst	EQU	4	; ASCII code of first character (word)
ffLast	EQU	6	; ASCII code of last character (word)
ffAscent	EQU	8	; maximum ascent expressed for 1 pt (word)
ffDescent	EQU	10	; maximum descent expressed for 1 pt (word)
ffLeading	EQU	12	; maximum leading expressed for 1 pt (word)
ffWidMax	EQU	14	; maximum widMax expressed for 1 pt (word)
ffWTabOff	EQU	16	; offset to width table (long)
ffKernOff	EQU	20	; offset to kerning table (long)
ffStylOff	EQU	24	; offset to style mapping table (long)
ffProperty	EQU	28	; style property info (12 words)
ffIntl	EQU	52	; reserved for international use (2 words)
ffVersion	EQU	56	; FOND version number

## ; Font Characterization Table

dpiVert	EQU	0	; vertical dots per inch [word]
dpiHoriz	EQU	2	; horizontal dots per inch [word]
boldChr	EQU	4	; bold characteristics [3 bytes]
italChr	EQU	7	; italic characteristics [3 bytes]
			; unused [3 bytes]
outlineChr	EQU	13	; outline characteristics [3 bytes]
shadowChr	EQU	16	; shadow characteristics [3 bytes]
condChr	EQU	19	; condensed characteristics [3 bytes]
extendChr	EQU	22	; extended characteristics [3 bytes]
underChr	EQU	25	; underline characteristics [3 bytes]

## ; Globals

CurFMFamily	EQU	\$988	; current font family
CurFMSize	EQU	\$98A	; current font size
CurFMFace	EQU	\$98C	; current font face
CurFMNeedBits	EQU	\$98D	; boolean specifying whether it needs strike

CurFMDevice	EQU	\$98E	; current font device
CurFMNumer	EQU	\$990	; current numerator of scale factor
CurFMDenom	EQU	\$994	; current denominator of scale factor
FOutRec	EQU	\$998	; Font Manager output record
FMDotsPerInch	EQU	\$9B2	; h,v dotsPerInch of current device

FMStyleTab EQU \$9B6 ; style heuristic table supplied by device

RomFont0 EQU \$980 ; system font [handle]

GotStrike EQU \$986 ; Do we have the strike? [byte]

; Window Manager

; Window Definition Procedure Messages

wDrawMsg EQU 0 ; draw yourself

wHitMsg EQU 1 ; hit test

wCalcRgnMsg EQU 2 ; recalculate your regions

wInitMsg EQU 3 ; initialize yourself

wDisposeMsg EQU 4 ; dispose any private data

wGrowMsg EQU 5 ; drag out grow outline

wGlconMsg EQU 6 ; draw the grow icon

OldStructure EQU \$9E6 ; saved structure region [handle]

OldContent EQU \$9EA ; saved content region [handle]

SaveVisRgn EQU \$9F2 ; temporarily saved visRegion [handle]

CurDeKind EQU \$A22 ; window kind of deactivated window [word]

SaveUpdate EQU \$9DA ; Enable update accumulation? [word]

; Menu Manager

; Menu Definition Procedure Messages

mDrawMsg EQU 0 ; draw yourself

mChooseMsg EQU 1 ; select an item

mSizeMsg EQU 2 ; calculate your size

; Menu Resource IDs

textMenuProc EQU 0 ; standard text menu MDEF ID

maxMenu EQU \$60 ; maximum of 16\*6 menus in menuBar

mListSize EQU \$66 ; menu list is 102 bytes long

TheMenu EQU \$A26 ; ID of hilited menu [word]

SavedHandle EQU \$A28 ; saved bits under a menu [handle]

;misc Menu stuff

MrMacHook EQU \$A2C ; Mr. Macintosh hook [pointer]

; Control manager

; Control Definition Procedure Messages

drawCtlMsg EQU 0 ; draw message

hitCtlMsg	EQU	1	; hit test message
calcCtlMsg	EQU	2	; calc region message
newCtlMsg	EQU	3	; init message
dispCtlMsg	EQU	4	; dispose any private data message
posCtlMsg	EQU	5	; adjust indicator position message
thumbCtlMsg	EQU	6	; calculate rectangles for thumb dragging
dragCtlMsg	EQU	7	; custom drag message

```

trackCtlMsg          EQU    8          ; track yourself message

; Text Edit

TEDoText            EQU    $A70        ; textEdit doText proc hook [pointer]
TERecal            EQU    $A74        ; textEdit recalText proc hook [pointer]

;stage definition--packed 2 to a byte, 4 stages in a word

volBits            EQU    3          ; number of beeps
alBit              EQU    4          ; alert bit (put up box this time?)
okDismissal       EQU    8          ; bit for OK/Cancel default in each stage

; DialogList Data Structure Definitions

dlgMaxIndex        EQU    0          ; maximum index (=items-1) stored here

SaveProc           EQU    $A90        ; address of Save failsafe procedure
SaveSP            EQU    $A94        ; Safe SP for restart or save

; Package Manager

FPState           EQU    $A4A        ; floating point state [6 bytes]
App2Packs         EQU    $BC8        ; $BC8-$BE7 eight more package handles

; Resource Manager

RMGRPerm          EQU    $BA4        ; (byte) - permission byte for OpenResFile

; Miscellaneous Constants

screenRadius       EQU    $00100010 ; rounded corners for desk area

; Miscellaneous Globals

IconBitmap        EQU    $A0E        ; bitmap used for plotting things
TaskLock          EQU    $A62        ; re-entering SystemTask [byte]
CloseOrnHook      EQU    $A88        ; hook for closing desk ornaments

;new MacApp stuff

MAErrProc         EQU    $BE8        ; (long) MacApp error proc address
MASuperTab        EQU    $BEC        ; (long) handle to MacApp superclass table

;***** NEW TOOL EQUATES *****
;
; Font Manager

```



; addition to FMgrOutRec (was unused)

fmOutCurStyle EQU 17 ;style algorithimically applied by QuickDraw

;  
-----  
;

; Window Manager

; auxWinRec structure

awNext	EQU	\$0	;next in chain	[Handle]	
awOwner	EQU	\$4	;owner ID	[WindowPtr]	
awCTable	EQU	\$8	;color table	[CTabHandle]	
dialogCTable	EQU	\$C	;handle to dialog manager structures		[handle]
awFlags	EQU	\$10	;handle for Ernie	[handle]	
awResrv	EQU	\$14	;for expansion	[longint]	
awRefCon	EQU	\$18	;user constant	[longint]	
auxWinSize	EQU	\$1C	;size of record		

AuxWinHead	EQU	\$0CD0	;[handle] Window Aux List head	
------------	-----	--------	--------------------------------	--

; Window Part Identifiers which correlate color table entries with window elements

wContentColor	EQU	0
wFrameColor	EQU	1
wTextColor	EQU	2
wHiliteColor	EQU	3
wTitleBarColor	EQU	4

;

; Control Manager

; auxCtlRec structure

acNext	EQU	\$0	;next in chain	[AuxCtlHndI]
acOwner	EQU	\$4	;owner ID	[ControlHandle]
acCTable	EQU	\$8	;color table	[CCTabHandle]
acFlags	EQU	\$C	;misc flag byte	[word]
acReserved	EQU	\$E	;for expansion	[LONGINT]
acRefCon	EQU	\$12	;user constant	[LONGINT]
acSize	EQU	\$16	;size of record	

AuxCtlHead	EQU	\$0CD4	;[handle] Control Aux List head
------------	-----	--------	---------------------------------

; Here are some equates for the colors of control parts

cFrameColor	EQU	0
cBodyColor	EQU	1
cTextColor	EQU	2
cThumbColor	EQU	3

;

; Menu Manager

```
MenuDisable      EQU  $0B54      ; menuID and Item when disabled item selected
MBDFHndl         EQU  $0B58      ; handle to current menu bar defproc
MBSaveLoc       EQU  $0B5C      ; handle to the mbarproc private data
MenuCInfo        EQU  $0D50      ; hanel to menu color information table

; Leftover Alladdin ROM equates
MBProcHndl       EQU  $0D54      ; handle to current menubar defproc
```

```

MRect          EQU   $0D58    ; used by Alladin's mbar proc
MBFlash        EQU   $0D5C    ; used by Alladin's mbar proc

; The following two equates have never been defined in an equate file, they were in
; the mdefproc.      The locations $B26 and $B26 were originally used, and built in to
; the MacPlus and Alladdin Roms, but since scrolling had to work on 64K ROM machines
; $A0A and $A0C were chosen for that.      Hence forth the following values will be used.

TopMenuItem    EQU   $A0A     ; pixel value of top of scrollable menu
AtMenuBottom   EQU   $A0C     ; pixel value of bottom of scrollable menu

;
; color menu table equates (mct = menu color table)
;
mctID          EQU   $0
mctItem        EQU   $2
mctRGB1        EQU   $4
mctRGB2        EQU   $A
mctRGB3        EQU   $10
mctRGB4        EQU   $16
mctReserved    EQU   $1C
mctEntrySize   EQU   $1E

;
; miscellaneous equates for hierarchical menus
;
hMenuCmd       EQU   $1B     ; itemCmd == $1B ==> hierarchical menu for this
hierMenu       EQU   -1     ; InsertMenu(handle, hierMenu), when beforeID ==
; hierMenu, the handle is inserted in the
; hierarchical menuList
mPopUpMsg      EQU   4     ; menu defProc messages

menuDelay      EQU   $7E     ; param ram locations for user settable
menuDrag       EQU   $7F     ; hierarchical menu delay and drag ticks

;
; miscellaneous menubar equates
;
mbMenu1Loc     EQU   $A     ; first menu is 10 pixels from left side of screen

;
; color menu table search (and destroy) messages (mct = menu color table)
;
mctAllIds      EQU   -97     ; search for all IDs for the given Item
mctAllItems    EQU   -98     ; search for all Items for the given ID
mctLastIDIndic EQU   -99     ; last entry in color table has this in ID field

```



; Text Edit

; Set/Replace style modes

fontBit	EQU	0	; set font
faceBit	EQU	1	; set face
sizeBit	EQU	2	; set size
clrBit	EQU	3	; set color
addSizeBit	EQU	4	; add size mode

; handle to style record

teStylesH	EQU	\$4A	; replaces teFont/teFace
-----------	-----	------	--------------------------

; offsets into TStyleRec

nRuns	EQU	0	; [INTEGER] # of entries in styleStarts array
nStyles	EQU	2	; [INTEGER] # of distinct styles
styleTab	EQU	4	; [STHandle] handle to distinct styles
lhTab	EQU	8	; [LHHandle] handle to line heights
teRefCon	EQU	12	; [LONGINT] reserved
teReserved	EQU	16	; [LONGINT] reserved
runs	EQU	20	; array of styles

; offsets into StyleRun array

startChar	EQU	0	; [INTEGER] offset into text to start of style
styleIndex	EQU	2	; [INTEGER] style index
stStartSize	EQU	4	; size of a styleStarts entry

; offsets into STElement

stCount	EQU	0	; [INTEGER] # of times this style is used
stHeight	EQU	2	; [INTEGER] line height
stAscent	EQU	4	; [INTEGER] ascent
stFont	EQU	6	; [INTEGER] font
stFace	EQU	8	; [Style] face
stSize	EQU	10	; [INTEGER] size
stColor	EQU	12	; [RGBColor] color
stRecSize	EQU	18	; size of a teStylesRec      ** <C182/6oct86/MBK> **

; offsets into TextStyle

tsFont	EQU	0	; [INTEGER] font
tsFace	EQU	2	; [Style] face
tsSize	EQU	4	; [INTEGER] size
tsColor	EQU	6	; [RGBColor] color

```
styleSize          EQU  12          ; size of a StylRec          ** <C182/6oct86/MBK> **
; offsets into StScrpRec
scrpNStyles        EQU  0           ; [INTEGER] # of styles in scrap
scrpStyleTab       EQU  2           ; [ScrpSTTable] start of scrap styles array
```

; offsets into scrpSTElement

scrpStartChar	EQU	0	; [LONGINT] char where this style starts
scrpHeight	EQU	4	; [INTEGER] line height
scrpAscent	EQU	6	; [INTEGER] ascent
scrpFont	EQU	8	; [INTEGER] font
scrpFace	EQU	10	; [Style] face
scrpSize	EQU	12	; [INTEGER] size
scrpColor	EQU	14	; [RGBColor] color
scrpRecSize	EQU	20	; size of a scrap record



; System Error Equates -- This file defines the equates for the Macintosh return error codes

; General System Errors (VBL Mgr, Queueing, Etc.)

```
noErr          EQU  0          ; 0 for success
qErr           EQU -1          ; queue element not found during deletion
vTypErr        EQU -2          ; invalid queue element
corErr         EQU -3          ; core routine number out of range
unimpErr       EQU -4          ; unimplemented core routine
seNoDB         EQU -8          ; no debugger installed to handle debugger command <what
num??>
```

; I/O System Errors

```
controlErr     EQU -17
statusErr      EQU -18
readErr        EQU -19
writErr        EQU -20
badUnitErr     EQU -21
unitEmptyErr   EQU -22
openErr        EQU -23
closErr        EQU -24
dRemovErr      EQU -25          ; tried to remove an open driver
dInstErr       EQU -26          ; DrvrInstall couldn't find driver in resources
abortErr       EQU -27          ; IO call aborted by KillIO
notOpenErr     EQU -28          ; Couldn't rd/wr/ctl/sts cause driver not opened
```

; File System error codes:

```
dirFulErr      EQU -33          ; Directory full
dskFulErr      EQU -34          ; disk full
nsvErr         EQU -35          ; no such volume
ioErr          EQU -36          ; I/O error (bummers)
bdNamErr       EQU -37          ; there may be no bad names in the final system!
fnOpnErr       EQU -38          ; File not open
eofErr         EQU -39          ; End of file
posErr         EQU -40          ; tried to position to before start of file (r/w)
mFulErr        EQU -41          ; memory full (open) or file won't fit (load)
tmfoErr        EQU -42          ; too many files open
fnfErr         EQU -43          ; File not found

wPrErr         EQU -44          ; diskette is write protected
fLckdErr       EQU -45          ; file is locked
vLckdErr       EQU -46          ; volume is locked
fBsyErr        EQU -47          ; File is busy (delete)
dupFNERR       EQU -48          ; duplicate filename (rename)
opWrErr        EQU -49          ; file already open with with write permission
paramErr       EQU -50          ; error in user parameter list
rfNumErr       EQU -51          ; refnum error
gfpErr         EQU -52          ; get file position error
volOffLinErr   EQU -53          ; volume not on line error (was Ejected)
```

permErr	EQU	-54	; permissions error (on file open)
volOnLinErr	EQU	-55	; drive volume already on-line at MountVol
nsDrvErr	EQU	-56	; no such drive (tried to mount a bad drive num)
noMacDskErr	EQU	-57	; not a mac diskette (sig bytes are wrong)
extFSErr	EQU	-58	; volume in question belongs to an external fs
fsRnErr	EQU	-59	; file system internal error: during rename the old entry was deleted but could not be restored . . .

```

badMDBErr      EQU  -60      ; bad master directory block
wrPermErr      EQU  -61      ; write permissions error

; Font Manager Error Codes

fontDecError    EQU  -64      ; error during font declaration
fontNotDeclared EQU  -65      ; font not declared
fontSubErr      EQU  -66      ; font substitution occurred

; Disk, Serial Ports, Clock Specific Errors

firstDskErr     EQU  -84
lastDskErr      EQU  -64

noDriveErr      EQU  -64      ; drive not installed
offLinErr       EQU  -65      ; r/w requested for an off-line drive

noNybErr        EQU  -66      ; couldn't find 5 nybbles in 200 tries
noAdrMkErr      EQU  -67      ; couldn't find valid addr mark
dataVerErr      EQU  -68      ; read verify compare failed
badCkSmErr      EQU  -69      ; addr mark checksum didn't check
badBtSlpErr     EQU  -70      ; bad addr mark bit slip nibbles
noDtaMkErr      EQU  -71      ; couldn't find a data mark header
badDCKSum       EQU  -72      ; bad data mark checksum
badDBtSlp       EQU  -73      ; bad data mark bit slip nibbles
wrUnderRun      EQU  -74      ; write underrun occurred

cantStepErr     EQU  -75      ; step handshake failed
tk0BadErr       EQU  -76      ; track 0 detect doesn't change
initIWMErr      EQU  -77      ; unable to initialize IWM
twoSideErr      EQU  -78      ; tried to read 2nd side on a 1-sided drive
spdAdjErr       EQU  -79      ; unable to correctly adjust disk speed
seekErr         EQU  -80      ; track number wrong on address mark
sectNFErr       EQU  -81      ; sector number never found on a track

fmt1Err         EQU  -82      ; can't find sector 0 after track format
fmt2Err         EQU  -83      ; can't get enough sync
VerErr          EQU  -84      ; track failed to verify

clkRdErr        EQU  -85      ; unable to read same clock value twice
clkWrErr        EQU  -86      ; time written did not verify
prWrErr         EQU  -87      ; parameter ram written didn't read-verify
prInitErr       EQU  -88      ; InitUtil found the parameter ram uninitialized

rcvrErr         EQU  -89      ; SCC receiver error (framing, parity, OR)
breakRecd       EQU  -90      ; Break received (SCC)

; AppleTalk error codes

ddpSktErr       EQU  -91      ; error in socket number

```

ddpLenErr	EQU	-92	; data length too big
noBridgeErr	EQU	-93	; no network bridge for non-local send
lapProtErr	EQU	-94	; error in attaching/detaching protocol
excessCollsns	EQU	-95	; excessive collisions on write
portInUse	EQU	-97	; driver Open error code (port is in use)
portNotCf connection)	EQU	-98	; driver Open error code (parameter RAM not configured for this

```

memROZErr      EQU  -99      ; hard error in ROZ

; Scrap Manager error codes

noScrapErr     EQU  -100     ; No scrap exists error
noTypeErr      EQU  -102     ; No object of that type in scrap

; Storage allocator error codes

memFullErr     EQU  -108     ; Not enough room in heap zone
nilHandleErr   EQU  -109     ; Handle was NIL in HandleZone or other;
memWZErr       EQU  -111     ; WhichZone failed (applied to free block);
memPurErr      EQU  -112     ; trying to purge a locked or non-purgeable block;

memAdrErr      EQU  -110     ; address was odd, or out of range;
memAZErr       EQU  -113     ; Address in zone check failed;
memPCErr       EQU  -114     ; Pointer Check failed;
memBCErr       EQU  -115     ; Block Check failed;
memSCErr       EQU  -116     ; Size Check failed;
memLockedErr   EQU  -117     ; trying to move a locked block (MoveHHI)

; New system error codes :

dirNFErr       EQU  -120     ; Directory not found
tMWDOErr       EQU  -121     ; No free WDCB available
badMovErr      EQU  -122     ; Move into offspring error
wrgVolTypErr   EQU  -123     ; Wrong volume type error [operation not supported for MFS]

; Resource Manager error codes (other than I/O errors)

resNotFound    EQU  -192     ; Resource not found
resFNotFound   EQU  -193     ; Resource file not found
addResFailed   EQU  -194     ; AddResource failed
addRefFailed   EQU  -195     ; AddReference failed
rmvResFailed   EQU  -196     ; RmveResource failed
rmvRefFailed   EQU  -197     ; RmveReference failed
resAttrErr     EQU  -198     ; attribute inconsistent with operation
mapReadErr     EQU  -199     ; map inconsistent with operation

;
;
; some miscellaneous result codes

evtNotEnb      EQU  1        ; event not enabled at PostEvent

;
;      System Error Alert ID definitions.  These are just for reference because
;      one cannot intercept the calls and do anything programmatically...

dsSysErr       EQU  32767    ; general system error
dsBusError     EQU  1        ; bus error
dsAddressErr   EQU  2        ; address error

```

dsIllInstErr	EQU 3	; illegal instruction error
dsZeroDivErr	EQU 4	; zero divide error
dsChkErr	EQU 5	; check trap error
dsOvFlowErr	EQU 6	; overflow trap error
dsPrivErr	EQU 7	; privelege violation error

```

dsTraceErr      EQU  8      ; trace mode error
dsLineAErr      EQU  9      ; line 1010 trap error
dsLineFErr      EQU 10      ; line 1111 trap error
dsMiscErr       EQU 11      ; miscellaneous hardware exception error
dsCoreErr       EQU 12      ; unimplemented core routine error
dsIrqErr        EQU 13      ; uninstalled interrupt error

dsIOCoreErr     EQU 14      ; IO Core Error
dsLoadErr       EQU 15      ; Segment Loader Error
dsFPerr         EQU 16      ; Floating point error

dsNoPackErr     EQU 17      ; package 0 not present
dsNoPk1         EQU 18      ; package 1 not present
dsNoPk2         EQU 19      ; package 2 not present
dsNoPk3         EQU 20      ; package 3 not present
dsNoPk4         EQU 21      ; package 4 not present
dsNoPk5         EQU 22      ; package 5 not present
dsNoPk6         EQU 23      ; package 6 not present
dsNoPk7         EQU 24      ; package 7 not present

dsMemFullErr    EQU 25      ; out of memory!
dsBadLaunch     EQU 26      ; can't launch file

dsFSErr         EQU 27      ; file system map has been trashed
dsStknHeap      EQU 28      ; stack has moved into application heap
dsReinsert      EQU 30      ; request user to reinsert off-line volume
dsNotThe1       EQU 31      ; not the disk I wanted
negZcbFreeErr   EQU 33      ; ZcbFree has gone negative
menuPrgErr      EQU 84      ; happens when a menu is purged

;***** ADDITIONS MADE FOR NEW QUICKDRAW AND COLOR *****
; Note: the following error codes are also used but not documented anywhere obvious!!
;
; dsGreeting      EQU  40      ; welcome to Macintosh greeting
; dsFinderErr     EQU  41      ; can't load the Finder error
;

;Slot Declaration ROM Manager Errors

silnitSDTbErr   EQU  1      ;slot int dispatch table could not be initialized.
silnitVBLQsErr  EQU  2      ;VBLqueues for all slots could not be initialized.
silnitSPTbErr   EQU  3      ;slot priority table could not be initialized.

sdmJTInitErr    EQU 10      ;SDM Jump Table could not be initialized.
sdmInitErr      EQU 11      ;SDM could not be initialized.
sdmSRTInitErr   EQU 12      ;Slot Resource Table could not be initialized.
sdmPRAMInitErr  EQU 13      ;Slot PRAM could not be initialized.
sdmPriInitErr   EQU 14      ;Cards could not be initialized.

```

## ;Color Quickdraw &amp; Color Manager Errors

cMatchErr	EQU	-150	; Color2Index failed to find an index
cTempMemErr	EQU	-151	; failed to allocate memory for temporary structures
cNoMemErr	EQU	-152	; failed to allocate memory for structure
cRangeErr	EQU	-153	; range error on colorTable request
cProtectErr	EQU	-154	; colorTable entry protection violation



```
cDevErr      EQU  -155      ; invalid type of graphics device
cResErr      EQU  -156      ; invalid resolution for MakeTable

; errors for Color2Index/ITabMatch

iTabPurgErr  EQU  -9
noColMatch   EQU  -10

; errors for MakeTable

qAllocErr    EQU  -11
tblAllocErr  EQU  -12
overRun      EQU  -13
noRoomErr    EQU  -14
```