

**in**

**COLLABORATORS**

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

in

## 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "datatypes/textclass.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT line
(  0)    link:mln (or ARRAY OF mln)
(  8)    text:PTR TO CHAR
( 12)    textlen:LONG
( 16)    xoffset:INT
( 18)    yoffset:INT
( 20)    width:INT
( 22)    height:INT
( 24)    flags:INT
( 26)    fgopen:CHAR
( 27)    bgopen:CHAR
( 28)    style:LONG
( 32)    data:LONG
(----) ENDOBJECT      /* SIZEOF=36 */
```

```
CONST TDTA_BUFFER=$8000112C,
       ID_CHRS=$43485253,
       LNF_LF=1,
       TDTA_BUFFERLEN=$8000112D,
       LNF_OBJECT=4,
       ID_FTXT=$46545854,
       TDTA_WORDSELECT=$8000112F,
       TDTA_LINELIST=$8000112E,
       TDTA_WORDWRAP=$80001131,
       LNF_SELECTED=8,
       TDTA_WORDDELIM=$80001130,
       LNF_LINK=2
```

```
#define TEXTDTCLASS/0
```