

**in**

**COLLABORATORS**

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

in

## 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "devices/trackdisk.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT publicunit
(  0)    unit:unit (or ARRAY OF unit)
( 38)    comp01track:INT
( 40)    comp10track:INT
( 42)    comp11track:INT
( 44)    stepdelay:LONG
( 48)    settledelay:LONG
( 52)    retrycnt:CHAR
( 53)    pubflags:CHAR
( 54)    currtrk:INT
( 56)    calibratedelay:LONG
( 60)    counter:LONG
(----) ENDOBJECT      /* SIZEOF=64 */

(----) OBJECT drivegeometry
(  0)    sectorsize:LONG
(  4)    totalsectors:LONG
(  8)    cylinders:LONG
( 12)    cylsectors:LONG
( 16)    heads:LONG
( 20)    tracksectors:LONG
( 24)    bufmemtype:LONG
( 28)    devicetype:CHAR
( 29)    flags:CHAR
( 30)    reserved:INT
(----) ENDOBJECT      /* SIZEOF=32 */

(----) OBJECT ioexttd
(  0)    iostd:iostd (or ARRAY OF iostd)
( 48)    count:LONG
( 52)    seclabel:LONG
(----) ENDOBJECT      /* SIZEOF=56 */

CONST DG_SCANNER=6,
```

```
TDERR_BADDIVETYPE=$21,
TD_GETDRIVETYPE=18,
TD_REMOVE=12,
TDF_EXTCOM=$8000,
ETD_RAWWRITE=$8011,
ETD_WRITE=$8003,
TD_RAWWRITE=17,
TD_CHANGENUM=13,
DG_PROCESSOR=3,
TDERR_BADSECHDR=27,
TDERR_NOSECHDR=21,
ETD_FORMAT=$800B,
TD_FORMAT=11,
TD_PROTSTATUS=15,
DRIVE3_5=1,
TDERR_NOMEM=31,
TDERR_BADSECID=23,
ETD_UPDATE=$8004,
TD_CHANGESTATE=14,
IOTDF_WORDSYNC=$20,
IOTDB_WORDSYNC=5,
IOTDF_INDEXSYNC=16,
IOTDB_INDEXSYNC=4,
DG_CDROM=5,
TD_EJECT=23,
TD_SECTOR=$200,
TDERR_BADHDRSUM=24,
TDPF_NOCLICK=1,
TDPB_NOCLICK=0,
DGF_REMOVABLE=1,
DGB_REMOVABLE=0,
DG_COMMUNICATION=9,
ETD_CLEAR=$8005,
TDERR_POSTRESET=$23,
TDERR_TOOFEWSECS=26,
NUMSECS=11,
TDERR_SEEKERROR=30,
NUMUNITS=4,
ETD_SEEK=$800A,
TD_SEEK=10,
TD_GETNUMTRACKS=19,
TD_SECSHIFT=9,
DG_UNKNOWN=31,
TDERR_NOTSPECIFIED=20,
TD_GETGEOMETRY=22,
DG_SEQUENTIAL_ACCESS=1,
DG_DIRECT_ACCESS=0,
TDERR_WRITEPROT=28,
TD_LASTCOMM=24,
ETD_MOTOR=$8009,
TD_MOTOR=9,
TDERR_BADUNITNUM=$20,
TDF_ALLOW_NON_3_5=1,
TDB_ALLOW_NON_3_5=0,
DG_PRINTER=2,
TDERR_BADSEC_PREAMBLE=22,
TD_RemChangeInt=21,
```

```
TD_ADDCHANGEINT=20,  
TDERR_BADSECSUM=25,  
ETD_RAWREAD=$8010,  
ETD_READ=$8002,  
TD_RAWREAD=16,  
DG_OPTICAL_DISK=7,  
TDERR_DISKCHANGED=29,  
DG_WORM=4,  
DRIVE3_5_150RPM=3,  
TDERR_DRIVEINUSE=$22,  
DG_MEDIUM_CHANGER=8,  
DRIVE5_25=2,  
TD_LABELSIZE=16  
  
#define TD_NAME/0
```