

**in**

**COLLABORATORS**

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

in

## 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%
now showing: "devices/keymap.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT keymapresource
(  0)    node:ln (or ARRAY OF ln)
( 14)    list:lh (or ARRAY OF lh)
(----) ENDOBJECT      /* SIZEOF=28 */

(----) OBJECT keymapnode
(  0)    node:ln (or ARRAY OF ln)
( 14)    keymap:keymap (or ARRAY OF keymap)
(----) ENDOBJECT      /* SIZEOF=46 */

(----) OBJECT keymap
(  0)    lokeymaptypes:PTR TO CHAR
(  4)    lokeymap:PTR TO LONG
(  8)    locapsable:PTR TO CHAR
( 12)    lorepeatable:PTR TO CHAR
( 16)    hikeymaptypes:PTR TO CHAR
( 20)    hikeymap:PTR TO LONG
( 24)    hicapsable:PTR TO CHAR
( 28)    hirepeatable:PTR TO CHAR
(----) ENDOBJECT      /* SIZEOF=32 */

CONST DP_2DINDEXMASK=15,
      KCF_CONTROL=4,
      KCB_CONTROL=2,
      KC_VANILLA=7,
      KCF_ALT=2,
      KCB_ALT=1,
      KCF_STRING=$40,
      KCB_STRING=6,
      DP_2DFACSHIFT=4,
      KCF_SHIFT=1,
      KCB_SHIFT=0,
      DPF_DEAD=8,
      DPB_DEAD=3,
```

```
KCF_DEAD=$20,  
KCB_DEAD=5,  
DPF_MOD=1,  
DPB_MOD=0,  
KC_NOQUAL=0,  
KCF_DOWNUP=8,  
KCB_DOWNUP=3,  
KCF_NOP=$80,  
KCB_NOP=7
```