in

COLLABORATORS

	TITLE : in		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "diskfont/glyph.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT glyphwidthentry
(   0)    node:mln (or ARRAY OF mln)
(   8)    code:INT
(  10)    width:LONG
(----) ENDOBJECT      /* SIZEOF=14 */

(----) OBJECT glyphmap
(   0)    bmmodulo:INT
(   2)    bmrows:INT
(   4)    blackleft:INT
(   6)    blacktop:INT
(   8)    blackwidth:INT
(  10)    blackheight:INT
(  12)    xorigin:LONG
(  16)    yorigin:LONG
(  20)    x0:INT
(  22)    y0:INT
(  24)    x1:INT
(  26)    y1:INT
(  28)    width:LONG
(  32)    bitmap:PTR TO CHAR
(----) ENDOBJECT      /* SIZEOF=36 */

(----) OBJECT glyphengine
(   0)    library:PTR TO lib
(   4)    name:LONG
(----) ENDOBJECT      /* SIZEOF=8 */

CONST DISKFONT_GLYPH_I=1
```