in

COLLABORATORS

	TITLE : in		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "midi.m"
NOTE: don't use this output in your code, use the module instead.

LIBRARY midibase                        /* informal notation */
  LockMidiBase()                        /* -30 (1E) */
  UnlockMidiBase()                      /* -36 (24) */
  CreateMSource(A0,A1)                  /* -42 (2A) */
  DeleteMSource(A0)                     /* -48 (30) */
  FindMSource(A0)                       /* -54 (36) */
  CreateMDest(A0,A1)                    /* -60 (3C) */
  DeleteMDest(A0)                       /* -66 (42) */
  FindMDest(A0)                         /* -72 (48) */
  CreateMRoute(A0,A1,A2)                /* -78 (4E) */
  ModifyMRoute(A0,A1)                   /* -84 (54) */
  DeleteMRoute(A0)                      /* -90 (5A) */
  MrouteSource(A0,A1,A2)                /* -96 (60) */
  MrouteDest(A0,A1,A2)                  /* -102 (66) */
  MroutePublic(A0,A1,A2)                /* -108 (6C) */
  GetMidiMsg(A0)                        /* -114 (72) */
  PutMidiMsg(A0,A1)                     /* -120 (78) */
  FreeMidiMsg(A0)                       /* -126 (7E) */
  MidiMsgType(A0)                       /* -132 (84) */
  MidiMsgLength(A0)                     /* -138 (8A) */
  PutMidiStream(A0,A1,A2,D0,D1)         /* -144 (90) */
  LockMRoutes()                         /* -150 (96) */
  UnlockMRoutes()                       /* -156 (9C) */
  FlushMDest(A0)                        /* -162 (A2) */
  GetMidiPacket(A0)                     /* -168 (A8) */
  FreeMidiPacket(A0)                    /* -174 (AE) */
  SetDefaultMRouteInfo(A0,A1)           /* -180 (B4) */
  CreateMListSignal(D0)                 /* -186 (BA) */
  DeleteMListSignal(A0)                 /* -192 (C0) */
ENDLIBRARY
```