

in

| |
|----------------------|
| COLLABORATORS |
|----------------------|

| | | | |
|------------|-------------------|---------------|-----------|
| | TITLE : in | | |
| ACTION | NAME | DATE | SIGNATURE |
| WRITTEN BY | | July 26, 2024 | |

| |
|-------------------------|
| REVISION HISTORY |
|-------------------------|

| | | | |
|--------|------|-------------|------|
| NUMBER | DATE | DESCRIPTION | NAME |
| | | | |

Contents

| | | |
|----------|-----------------------------|----------|
| 1 | in | 1 |
| 1.1 | ModuleInformation | 1 |

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "exec/lists.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT mlh
(  0)   head:PTR TO mln
(  4)   tail:PTR TO mln
(  8)   tailpred:PTR TO mln
(----) ENDOBJECT      /* SIZEOF=12 */

(----) OBJECT lh
(  0)   head:PTR TO ln
(  4)   tail:PTR TO ln
(  8)   tailpred:PTR TO ln
( 12)   type:CHAR
( 13)   pad:CHAR
(----) ENDOBJECT      /* SIZEOF=14 */
```

```
#define IsMsgPortEmpty/1
#define IsListEmpty/1
```