in

COLLABORATORS

	TITLE : in		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now
showing: "intuition/pointerclass.m"

NOTE: don't use this output in your code, use the module instead.

CONST POINTERA_DUMMY=$80039000,
      POINTERYRESN_SCREENRESASPECT=5,
      POINTERYRESN_HIGHASPECT=3,
      POINTERXRESN_70NS=2,
      POINTERYRESN_SCREENRES=4,
      POINTERXRESN_SCREENRES=4,
      POINTERA_YRESOLUTION=$80039006,
      POINTERA_XRESOLUTION=$80039005,
      POINTERYRESN_DEFAULT=0,
      POINTERXRESN_DEFAULT=0,
      POINTERYRESN_HIGH=2,
      POINTERXRESN_35NS=3,
      POINTERXRESN_LORES=5,
      POINTERA_YOFFSET=$80039003,
      POINTERA_XOFFSET=$80039002,
      POINTERXRESN_HIRES=6,
      POINTERA_WORDWIDTH=$80039004,
      POINTERA_BITMAP=$80039001,
      POINTERXRESN_140NS=1
```