in

COLLABORATORS

	TITLE : in		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1   ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "libraries/mathresource.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT mathieeeresource
(   0)   node:ln (or ARRAY OF ln)
(  14)   flags:INT
(  16)   baseaddr:PTR TO INT
(  20)   dblbasinit:LONG
(  24)   dbltransinit:LONG
(  28)   sglbasinit:LONG
(  32)   sgltransinit:LONG
(  36)   extbasinit:LONG
(  40)   exttransinit:LONG
(----) ENDOBJECT      /* SIZEOF=44 */

CONST MATHIEEERESOURCEF_EXTBAS=16,
      MATHIEEERESOURCEF_SGLBAS=4,
      MATHIEEERESOURCEF_DBLBAS=1,
      MATHIEEERESOURCEF_EXTTRANS=$20,
      MATHIEEERESOURCEF_SGLTRANS=8,
      MATHIEEERESOURCEF_DBLTRANS=2
```