

**in**

**COLLABORATORS**

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>in</b>	<b>1</b>
1.1	ModuleInformation . . . . .	1

# Chapter 1

in

## 1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "prefs/overscan.m"
NOTE: don't use this output in your code, use the module instead.
```

```
(----) OBJECT overscanprefs
(   0)    reserved:LONG
(   4)    magic:LONG
(   8)    hstart:INT
(  10)    hstop:INT
(  12)    vstart:INT
(  14)    vstop:INT
(  16)    displayid:LONG
(  20)    viewpos:tpoint (or ARRAY OF tpoint)
(  24)    text:tpoint (or ARRAY OF tpoint)
(  28)    standard:rectangle (or ARRAY OF rectangle)
(----) ENDOBJECT /* SIZEOF=36 */
```

  

```
CONST OSCAN_MAGIC=$FEDCBA89,
ID_OSCN=$4F53434E
```