

in

COLLABORATORS

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "libraries/cybergraphics.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT cybermodenode
(  0)    node:PTR TO LONG
(  4)    modetext[32]:ARRAY OF CHAR
( 36)    displayid:LONG
( 40)    width:LONG
( 44)    height:LONG
( 48)    depth:LONG
( 52)    displaytaglist:PTR TO LONG
(----) ENDOBJECT /* SIZEOF=56 */

CONST PIXFMT_RGB24=9,
      CYBRMATTR_BPPIX=$80000002,
      CYBRIDATTR_BPPIX=$80000005,
      CYBRMREQ_CModelArray=$80040006,
      PIXFMT_ARGB32=11,
      PIXFMT_RGB15PC=3,
      PIXFMT_BGR15PC=4,
      CYBRMREQ_MinHeight=$80040004,
      CYBRMREQ_MaxHeight=$80040005,
      CYBRBIDTG_NominalHeight=$80050002,
      PIXFMT_LUT8=0,
      CYBRMREQ_MinDepth=$80040000,
      CYBRMREQ_MaxDepth=$80040001,
      CYBRBIDTG_Depth=$80050000,
      CYBRMATTR_PIXFMT=$80000004,
      CYBRIDATTR_PIXFMT=$80000001,
      RECTFMT_RGBA=1,
      CYBRMREQ_WinTitle=$80040014,
      PIXFMT_RGB16PC=7,
      PIXFMT_BGR16PC=8,
      CYBRMREQ_MinWidth=$80040002,
      CYBRMREQ_MaxWidth=$80040003,
      CYBRBIDTG_NominalWidth=$80050001,
      PIXFMT_BGR15=2,
```

```
PIXFMT_BGR16=6,  
CYBRMATTR_XMOD=$80000001,  
CYBRMATTR_DISPADR=$80000003,  
PIXFMT_BGR24=10,  
CYBRBIDTG_TB=$80050000,  
CYBRMREQ_Screen=$8004001E,  
RECTFMT_ARGB=2,  
CYBRMATTR_HEIGHT=$80000006,  
CYBRIDATTR_HEIGHT=$80000003,  
CYBRBIDTG_MonitorID=$80050003,  
RECTFMT_RGB=0,  
PIXFMT_BGRA32=12,  
CYBRMATTR_DEPTH=$80000007,  
CYBRIDATTR_DEPTH=$80000004,  
CYBRMREQ_OKText=$80040015,  
CYBRMREQ_CancelText=$80040016,  
CYBRMATTR_WIDTH=$80000005,  
CYBRIDATTR_WIDTH=$80000002,  
PIXFMT_RGB15=1,  
PIXFMT_RGB16=5,  
CYBRMREQ_TB=$80040000
```