

in

COLLABORATORS

	<i>TITLE :</i> in	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		July 26, 2024

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%
now showing: "libraries/diskfont.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT afh
( 0)  numentries:INT
(----) ENDOBJECT      /* SIZEOF=2 */

(----) OBJECT taf
( 0)  type:INT
( 2)  attr:ttextattr (or ARRAY OF ttextattr)
(----) ENDOBJECT      /* SIZEOF=14 */

(----) OBJECT af
( 0)  type:INT
( 2)  attr:textattr (or ARRAY OF textattr)
(----) ENDOBJECT      /* SIZEOF=10 */

(----) OBJECT diskfontheader
( 0)  df:ln (or ARRAY OF ln)
( 14)  fileid:INT
( 16)  revision:INT
( 18)  segment:LONG
( 22)  name[32]:ARRAY OF CHAR
( 54)  tf:textfont (or ARRAY OF textfont)
(----) ENDOBJECT      /* SIZEOF=106 */

(----) OBJECT fch
( 0)  fileid:INT
( 2)  numentries:INT
(----) ENDOBJECT      /* SIZEOF=4 */

(----) OBJECT tfc
( 0)  filename[254]:ARRAY OF CHAR
( 254)  tagcount:INT
( 256)  ysize:INT
( 258)  style:CHAR
( 259)  flags:CHAR
```

```
(----) ENDOBJECT      /* SIZEOF=260 */

(----) OBJECT fc
(  0)    filename[256]:ARRAY OF CHAR
( 256)    ysize:INT
( 258)    style:CHAR
( 259)    flags:CHAR
(----) ENDOBJECT      /* SIZEOF=260 */

CONST DFH_ID=$F80,
      OFCH_ID=$F03,
      TFCH_ID=$F02,
      FCH_ID=$F00,
      AFF_TTATTR=$10000,
      MAXFONTPATH=$100,
      AFF_TAGGED=$10000,
      AFB_TAGGED=16,
      DFH_TAGLIST=18,
      AFF_SCALED=4,
      AFB_SCALED=2,
      AFF_MEMORY=1,
      AFB_MEMORY=0,
      AFF_DISK=2,
      AFB_DISK=1,
      AFF_BITMAP=8,
      AFB_BITMAP=3,
      MAXFONTNAME=$20
```