

in

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	ModuleInformation	1

Chapter 1

in

1.1 ModuleInformation

ShowModule v1.10 (c) 1992 \$#%!

now showing: "cybergraphics.m"

NOTE: don't use this output in your code, use the module instead.

```
LIBRARY cybergfxbase                                /* informal notation */
Dum ()                                              /* -30 (1E) */
Dum ()                                              /* -36 (24) */
Dum ()                                              /* -42 (2A) */
Dum ()                                              /* -48 (30) */
IsCyberModeID (D0)                                  /* -54 (36) */
BestCModeIDTagList (A0)                             /* -60 (3C) */
CmodeRequestTagList (A0,A1)                         /* -66 (42) */
AllocCModeListTagList (A1)                          /* -72 (48) */
FreeCModeList (A0)                                  /* -78 (4E) */
Dum ()                                              /* -84 (54) */
ScalePixelFormat (A0,D0,D1,D2,A1,D3,D4,D5,D6,D7)  /* -90 (5A) */
GetCyberMapAttr (A0,D0)                             /* -96 (60) */
GetCyberIDAttr (D0,D1)                              /* -102 (66) */
ReadRGBPixel (A1,D0,D1)                             /* -108 (6C) */
WriteRGBPixel (A1,D0,D1,D2)                         /* -114 (72) */
ReadPixelFormat (A0,D0,D1,D2,A1,D3,D4,D5,D6,D7)  /* -120 (78) */
WritePixelFormat (A0,D0,D1,D2,A1,D3,D4,D5,D6,D7) /* -126 (7E) */
MovePixelFormat (D0,D1,A1,D2,D3,D4,D5)             /* -132 (84) */
SwapPixelFormat (A0,D0,D1,D2,A1,D3,D4,D5,D6,D7)  /* -138 (8A) */
InvertPixelFormat (A1,D0,D1,D2,D3)                 /* -144 (90) */
FillPixelFormat (A1,D0,D1,D2,D3,D4)                /* -150 (96) */
DoCDrawMethodTagList (A0,A1,A2)                    /* -156 (9C) */
ENDLIBRARY
```