

Table of Symbols

Symbol		Page
\cdot	multiplication, times (\times)	3
a^n	n th power of a	9
\dots	and so on	9
()	parentheses	10
[]	brackets	10
=	equal sign, is equal to	24
$\stackrel{?}{=}$	is this statement true?	24
\neq	is not equal to	24
$<$	is less than	26
\leq	is less than or equal to	26
$>$	is greater than	26
\geq	is greater than or equal to	26
$^\circ$	degree(s)	64
$-a$	the opposite of a	65
$ a $	absolute value of a	65
$\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$	matrix	86
$\frac{1}{a}$	reciprocal of a , $a \neq 0$	108
P	probability of an event	114
$\frac{a}{b}$	ratio of a to b	140

Symbol		Page
\overline{AB}	segment AB	140
AB	the length of \overline{AB}	140
\approx	is approximately equal to	166
$\frac{a}{b}$	rate of a per b	180
(x, y)	ordered pair	203
m	slope	226
k	constant of variation	234
b	y -intercept	241
π	pi, an irrational number approximately equal to 3.14	452
a^{-n}	$\frac{1}{a^n}$, $a \neq 0$	456
$c \times 10^n$	scientific notation, where $1 \leq c < 10$ and n is an integer	470
\sqrt{a}	the nonnegative square root of a	503
\pm	plus or minus	503
$\triangle ABC$	triangle ABC	745
$\angle A$	angle A	752
$\sin A$	sine of $\angle A$	752
$\cos A$	cosine of $\angle A$	752
$\tan A$	tangent of $\angle A$	752

Table of Measures

Time	
60 seconds (sec) = 1 minute (min)	
60 minutes = 1 hour (h)	
24 hours = 1 day	
7 days = 1 week	
4 weeks (approx.) = 1 month	
	365 days 52 weeks (approx.) = 1 year 12 months
	10 years = 1 decade
	100 years = 1 century

Metric	United States Customary
<p>Length</p> <p>10 millimeters (mm) = 1 centimeter (cm)</p> <p>$\frac{100 \text{ cm}}{1000 \text{ mm}} = 1 \text{ meter (m)}$</p> <p>1000 m = 1 kilometer (km)</p>	<p>Length</p> <p>12 inches (in.) = 1 foot (ft)</p> <p>$\frac{36 \text{ in.}}{3 \text{ ft}} = 1 \text{ yard (yd)}$</p> <p>$\frac{5280 \text{ ft}}{1760 \text{ yd}} = 1 \text{ mile (mi)}$</p>
<p>Area</p> <p>100 square millimeters (mm²) = 1 square centimeter (cm²)</p> <p>10,000 cm² = 1 square meter (m²)</p> <p>10,000 m² = 1 hectare (ha)</p>	<p>Area</p> <p>144 square inches (in.²) = 1 square foot (ft²)</p> <p>9 ft² = 1 square yard (yd²)</p> <p>$\frac{43,560 \text{ ft}^2}{4840 \text{ yd}^2} = 1 \text{ acre (A)}$</p>
<p>Volume</p> <p>1000 cubic millimeters (mm³) = 1 cubic centimeter (cm³)</p> <p>1,000,000 cm³ = 1 cubic meter (m³)</p>	<p>Volume</p> <p>1728 cubic inches (in.³) = 1 cubic foot (ft³)</p> <p>27 ft³ = 1 cubic yard (yd³)</p>
<p>Liquid Capacity</p> <p>1000 milliliters (mL) = 1 liter (L)</p> <p>1000 L = 1 kiloliter (kL)</p>	<p>Liquid Capacity</p> <p>8 fluid ounces (fl oz) = 1 cup (c)</p> <p>2 c = 1 pint (pt)</p> <p>2 pt = 1 quart (qt)</p> <p>4 qt = 1 gallon (gal)</p>
<p>Mass</p> <p>1000 milligrams (mg) = 1 gram (g)</p> <p>1000 g = 1 kilogram (kg)</p> <p>1000 kg = 1 metric ton (t)</p>	<p>Weight</p> <p>16 ounces (oz) = 1 pound (lb)</p> <p>2000 lb = 1 ton (t)</p>
<p>Temperature Degrees Celsius (°C)</p> <p>0°C = freezing point of water</p> <p>37°C = normal body temperature</p> <p>100°C = boiling point of water</p>	<p>Temperature Degrees Fahrenheit (°F)</p> <p>32°F = freezing point of water</p> <p>98.6°F = normal body temperature</p> <p>212°F = boiling point of water</p>

Table of Squares and Square Roots

No.	Square	Sq. Root
1	1	1.000
2	4	1.414
3	9	1.732
4	16	2.000
5	25	2.236
6	36	2.449
7	49	2.646
8	64	2.828
9	81	3.000
10	100	3.162
11	121	3.317
12	144	3.464
13	169	3.606
14	196	3.742
15	225	3.873
16	256	4.000
17	289	4.123
18	324	4.243
19	361	4.359
20	400	4.472
21	441	4.583
22	484	4.690
23	529	4.796
24	576	4.899
25	625	5.000
26	676	5.099
27	729	5.196
28	784	5.292
29	841	5.385
30	900	5.477
31	961	5.568
32	1,024	5.657
33	1,089	5.745
34	1,156	5.831
35	1,225	5.916
36	1,296	6.000
37	1,369	6.083
38	1,444	6.164
39	1,521	6.245
40	1,600	6.325
41	1,681	6.403
42	1,764	6.481
43	1,849	6.557
44	1,936	6.633
45	2,025	6.708
46	2,116	6.782
47	2,209	6.856
48	2,304	6.928
49	2,401	7.000
50	2,500	7.071

No.	Square	Sq. Root
51	2,601	7.141
52	2,704	7.211
53	2,809	7.280
54	2,916	7.348
55	3,025	7.416
56	3,136	7.483
57	3,249	7.550
58	3,364	7.616
59	3,481	7.681
60	3,600	7.746
61	3,721	7.810
62	3,844	7.874
63	3,969	7.937
64	4,096	8.000
65	4,225	8.062
66	4,356	8.124
67	4,489	8.185
68	4,624	8.246
69	4,761	8.307
70	4,900	8.367
71	5,041	8.426
72	5,184	8.485
73	5,329	8.544
74	5,476	8.602
75	5,625	8.660
76	5,776	8.718
77	5,929	8.775
78	6,084	8.832
79	6,241	8.888
80	6,400	8.944
81	6,561	9.000
82	6,724	9.055
83	6,889	9.110
84	7,056	9.165
85	7,225	9.220
86	7,396	9.274
87	7,569	9.327
88	7,744	9.381
89	7,921	9.434
90	8,100	9.487
91	8,281	9.539
92	8,464	9.592
93	8,649	9.644
94	8,836	9.695
95	9,025	9.747
96	9,216	9.798
97	9,409	9.849
98	9,604	9.899
99	9,801	9.950
100	10,000	10.000

No.	Square	Sq. Root
101	10,201	10.050
102	10,404	10.100
103	10,609	10.149
104	10,816	10.198
105	11,025	10.247
106	11,236	10.296
107	11,449	10.344
108	11,664	10.392
109	11,881	10.440
110	12,100	10.488
111	12,321	10.536
112	12,544	10.583
113	12,769	10.630
114	12,996	10.677
115	13,225	10.724
116	13,456	10.770
117	13,689	10.817
118	13,924	10.863
119	14,161	10.909
120	14,400	10.954
121	14,641	11.000
122	14,884	11.045
123	15,129	11.091
124	15,376	11.136
125	15,625	11.180
126	15,876	11.225
127	16,129	11.269
128	16,384	11.314
129	16,641	11.358
130	16,900	11.402
131	17,161	11.446
132	17,424	11.489
133	17,689	11.533
134	17,956	11.576
135	18,225	11.619
136	18,496	11.662
137	18,769	11.705
138	19,044	11.747
139	19,321	11.790
140	19,600	11.832
141	19,881	11.874
142	20,164	11.916
143	20,449	11.958
144	20,736	12.000
145	21,025	12.042
146	21,316	12.083
147	21,609	12.124
148	21,904	12.166
149	22,201	12.207
150	22,500	12.247

Table of Trigonometric Ratios

Angle	Sine	Cosine	Tangent
1°	.0175	.9998	.0175
2°	.0349	.9994	.0349
3°	.0523	.9986	.0524
4°	.0698	.9976	.0699
5°	.0872	.9962	.0875
6°	.1045	.9945	.1051
7°	.1219	.9925	.1228
8°	.1392	.9903	.1405
9°	.1564	.9877	.1584
10°	.1736	.9848	.1763
11°	.1908	.9816	.1944
12°	.2079	.9781	.2126
13°	.2250	.9744	.2309
14°	.2419	.9703	.2493
15°	.2588	.9659	.2679
16°	.2756	.9613	.2867
17°	.2924	.9563	.3057
18°	.3090	.9511	.3249
19°	.3256	.9455	.3443
20°	.3420	.9397	.3640
21°	.3584	.9336	.3839
22°	.3746	.9272	.4040
23°	.3907	.9205	.4245
24°	.4067	.9135	.4452
25°	.4226	.9063	.4663
26°	.4384	.8988	.4877
27°	.4540	.8910	.5095
28°	.4695	.8829	.5317
29°	.4848	.8746	.5543
30°	.5000	.8660	.5774
31°	.5150	.8572	.6009
32°	.5299	.8480	.6249
33°	.5446	.8387	.6494
34°	.5592	.8290	.6745
35°	.5736	.8192	.7002
36°	.5878	.8090	.7265
37°	.6018	.7986	.7536
38°	.6157	.7880	.7813
39°	.6293	.7771	.8098
40°	.6428	.7660	.8391
41°	.6561	.7547	.8693
42°	.6691	.7431	.9004
43°	.6820	.7314	.9325
44°	.6947	.7193	.9657
45°	.7071	.7071	1.0000

Angle	Sine	Cosine	Tangent
46°	.7193	.6947	1.0355
47°	.7314	.6820	1.0724
48°	.7431	.6691	1.1106
49°	.7547	.6561	1.1504
50°	.7660	.6428	1.1918
51°	.7771	.6293	1.2349
52°	.7880	.6157	1.2799
53°	.7986	.6018	1.3270
54°	.8090	.5878	1.3764
55°	.8192	.5736	1.4281
56°	.8290	.5592	1.4826
57°	.8387	.5446	1.5399
58°	.8480	.5299	1.6003
59°	.8572	.5150	1.6643
60°	.8660	.5000	1.7321
61°	.8746	.4848	1.8040
62°	.8829	.4695	1.8807
63°	.8910	.4540	1.9626
64°	.8988	.4384	2.0503
65°	.9063	.4226	2.1445
66°	.9135	.4067	2.2460
67°	.9205	.3907	2.3559
68°	.9272	.3746	2.4751
69°	.9336	.3584	2.6051
70°	.9397	.3420	2.7475
71°	.9455	.3256	2.9042
72°	.9511	.3090	3.0777
73°	.9563	.2924	3.2709
74°	.9613	.2756	3.4874
75°	.9659	.2588	3.7321
76°	.9703	.2419	4.0108
77°	.9744	.2250	4.3315
78°	.9781	.2079	4.7046
79°	.9816	.1908	5.1446
80°	.9848	.1736	5.6713
81°	.9877	.1564	6.3138
82°	.9903	.1392	7.1154
83°	.9925	.1219	8.1443
84°	.9945	.1045	9.5144
85°	.9962	.0872	11.4301
86°	.9976	.0698	14.3007
87°	.9986	.0523	19.0811
88°	.9994	.0349	28.6363
89°	.9998	.0175	57.2900

Table of Formulas

Geometric Formulas	
Perimeter of a polygon	$P = a + b + \dots + z$ where $a, b, \dots, z =$ side lengths
Area of a triangle	$A = \frac{1}{2}bh$ where $b =$ base and $h =$ height
Area of a square	$A = s^2$ where $s =$ side length
Area of a rectangle	$A = lw$ where $l =$ length and $w =$ width
Area of a trapezoid	$A = \frac{1}{2}h(b_1 + b_2)$ where $h =$ height and $b_1, b_2 =$ bases
Volume of a cube	$V = s^3$ where $s =$ edge length
Volume of a rectangular prism	$V = lwh$ where $l =$ length, $w =$ width, and $h =$ height
Circumference of a circle	$C = \pi d$ where $\pi \approx 3.14$ and $d =$ diameter $C = 2\pi r$ where $\pi \approx 3.14$ and $r =$ radius
Area of a circle	$A = \pi r^2$ where $\pi \approx 3.14$ and $r =$ radius
Surface area of a sphere	$S = 4\pi r^2$ where $\pi \approx 3.14$ and $r =$ radius
Volume of a sphere	$V = \frac{4}{3}\pi r^3$ where $\pi \approx 3.14$ and $r =$ radius
Other Formulas	
Average speed	$r = \frac{d}{t}$ or $d = rt$ where $r =$ average rate or speed, $d =$ distance, and $t =$ time
Probability of an event	$P = \frac{\text{Number of favorable outcomes}}{\text{Total number of outcomes}}$ where $0 \leq P \leq 1$
Algebraic Formulas	
Slope formula	$m = \frac{y_2 - y_1}{x_2 - x_1}$ where $m =$ slope and (x_1, y_1) and (x_2, y_2) are two points
Quadratic formula	The solutions of $ax^2 + bx + c = 0$ are $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ when $a \neq 0$ and $b^2 - 4ac \geq 0$.
Pythagorean theorem	$a^2 + b^2 = c^2$ where $a, b =$ length of the legs and $c =$ length of the hypotenuse of a right triangle
Distance formula	$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$ where $d =$ distance and (x_1, y_1) and (x_2, y_2) are coordinates of two points
Midpoint formula	The midpoint between (x_1, y_1) and (x_2, y_2) is $\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$.

Table of Properties

Basic Properties			
Closure	Addition $a + b$ is a real number.	Multiplication ab is a real number.	
Commutative	$a + b = b + a$	$ab = ba$	
Associative	$(a + b) + c = a + (b + c)$	$(ab)c = a(bc)$	
Identity	$a + 0 = a, 0 + a = a$	$a(1) = a, 1(a) = a$	
Inverse Property	$a + (-a) = 0$	$a \cdot \frac{1}{a} = 1, a \neq 0$	
Prop. of zero in mult.		$a(0) = 0$	
Property of opposites		$(-1)a = -a$ or $a(-1) = -a$	
Distributive	$a(b + c) = ab + ac$ or $(b + c)a = ba + ca$		
Properties of Equality			
Addition	If $a = b$, then $a + c = b + c$.		
Subtraction	If $a = b$, then $a - c = b - c$.		
Multiplication	If $a = b$, then $ca = cb$.		
Division	If $a = b$, and $c \neq 0$, then $\frac{a}{c} = \frac{b}{c}$.		
Properties of Exponents	Properties of Radicals		
Product of Powers	$a^m \cdot a^n = a^{m+n}$	Product Property	$\sqrt{ab} = \sqrt{a} \cdot \sqrt{b}$
Power of a Power	$(a^m)^n = a^{m \cdot n}$	Quotient Property	$\sqrt{\frac{a}{b}} = \frac{\sqrt{a}}{\sqrt{b}}$
Power of a Product	$(a \cdot b)^m = a^m \cdot b^m$	Properties of Proportions	
Quotient of Powers	$\frac{a^m}{a^n} = a^{m-n}, a \neq 0$	Reciprocal	If $\frac{a}{b} = \frac{c}{d}$, then $\frac{b}{a} = \frac{d}{c}$.
Power of a Quotient	$\left(\frac{a}{b}\right)^m = \frac{a^m}{b^m}, b \neq 0$	Cross-multiplying	If $\frac{a}{b} = \frac{c}{d}$, then $ad = bc$.
Negative Exponent	$a^{-n} = \frac{1}{a^n}, a \neq 0$		
Zero Exponent	$a^0 = 1, a \neq 0$		
Special Products and Their Factors			
Sum and Difference Pattern	$(a + b)(a - b) = a^2 - b^2$		
Square of a Binomial Pattern	$(a + b)^2 = a^2 + 2ab + b^2$		
	$(a - b)^2 = a^2 - 2ab + b^2$		
FOIL	$(a + b)(c + d) = a \cdot c + a \cdot d + b \cdot c + b \cdot d$ First Outer Inner Last		
Properties of Rational Expressions			
Multiplication	$\frac{a}{b} \cdot \frac{c}{d} = \frac{ac}{bd}$		
Division	$\frac{a}{b} \div \frac{c}{d} = \frac{a}{b} \cdot \frac{d}{c}$		
Addition	$\frac{a}{c} + \frac{b}{c} = \frac{a+b}{c}$		
Subtraction	$\frac{a}{c} - \frac{b}{c} = \frac{a-b}{c}$		