



Motion Works MediaShopTM: Interactive Picture

Interactive Picture is a software tool that enable users to add interactivity (hotspots) to still bitmap graphics such as Windows' BMPs, RLEs and DIBs, so that users can build fully interactive custom multimedia applications and presentations quickly and easily.

This tool consists of two components:

- 1) a Visual Basic Custom Control, called the **Interactive Picture Control** (IPICT.VBX).
- 2) an external hotspot editor application, called the **Interactive Picture Tool** (IPCTEDIT.EXE), that is used to create and edit hotspots for a graphical picture.

To learn how to use help, press F1.

Contacting Motion Works

Interactive Picture Control

Interactive Picture Tool (HotSpot Tool)

Contacting Motion Works

If you have any questions, comments, or suggestions, Motion Works would like to hear from you. You can contact Motion Works at:

**Motion Works USA,
524 Second Street, San Francisco,
CA 94107, USA**

Tel: 1-800-800-8476, Direct (415)-541-9333,
Fax: (415)-541-0555



Interactive PictureBox Control (HOTSPOT PICTURE)

Properties

Run-Time Properties

Events

Description

The **Interactive PictureBox** (IPict Control for short), or **HotSpot Picture Control** is a custom Visual Basic Control that allows multimedia application developers to link HotSpot Data Files (file extension of .HSP) created with the **Interactive Picture Tool** to a Visual Basic project that uses still bitmap graphics, and can provide these graphics with full hotspot interactivity capabilities. 'Hotspots' are rectangular regions in a picture that can detect and generate keyboard or mouse input events, so that developers and programmers can handle these events to program in various multimedia responses for the users who will be interacting with these hotspots during run-time. The following is the icon representing this control.



File Name

IPICT.VBX

Object Type

IPict

See Also:

- 1) [Interactive Picture Tool](#) (an External HotSpot Editor Application) for ways to create HotSpots on a given picture, and
- 2) [How to Add this Control to Visual Basic, and Link the HotSpot DataFile to an Interactive PictureBox Visual Basic Control](#)

PROPERTIES

There are a number of properties and events used to communicate between the interactive picture button and Visual Basic. The following is a list of available properties for this control. Asterisk(*) denotes properties that apply to this control only or that require special consideration when used with it.

A. Properties

<u>*About</u>	Index	<u>*ScrollEnable</u>
BackColor	Left	Tag
BorderStyle	Name	Top
<u>*DefaultHotSpotCursor</u>	<u>*PictFileName</u>	Visible
DragIcon	<u>*PictureHeight</u>	Width
DragMode	<u>*PictureLeft</u>	
Enabled	<u>*PictureScaleToFit</u>	
Height	<u>*PictureTop</u>	
HelpContextID	<u>*PictureWidth</u>	
<u>*HotSpotCount</u>	<u>*RunCursor</u>	
<u>*HotSpotFileName</u>	<u>*ScrollCursor</u>	

RUNTIME PROPERTIES

Run-time properties are hidden away from the general properties list but can be used inside the Visual Basic program. The following categories of run-time properties are designed to give user picture control.

B. Hot Spot Array Properties (Run-Time Only)

<u>*HotSpotBottom</u>	<u>*HotSpotName</u>
<u>*HotSpotClickCount</u>	<u>*HotSpotRight</u>
<u>*HotSpotCursorEnabled</u>	<u>*HotSpotTop</u>
<u>*HotSpotCursorName</u>	
<u>*HotSpotEnabled</u>	
<u>*HotSpotLeft</u>	

C. General Run-Time Only Properties

<u>*hDC</u>	Parent
<u>*hPict</u>	<u>*WindHandle</u>

EVENTS

The following is a list of available events for this control. Asterisk(*) denotes events that apply to this control only or that require special consideration when used with it.

D. Events

DragDrop
DragOver
GotFocus
KeyDown
KeyPress
KeyUp
LostFocus


*Load
*ObjMouseDown
*ObjMouseMove
*ObjMouseUp
*ObjMouseDblClk
*Paint

A. PROPERTIES

About Property

Description	Displays an About box for the control which contains the name of the control, and the version number.
Visual Basic	Not Applicable
Remarks	This property can only be used during development time and is activated by double clicking on the About property field which displays "Click here..."
Data Type	Not Applicable

DefaultHotSpotCursor Property

Description Determines whether the Default  Cursor will be displayed for any hotspot in the Control that does not specified a custom cursor.

Visual Basic [form.]IPict.DefaultHotSpotCursor[= settings%]

Remarks The following table lists the DefaultHotSpotCursor property settings for this control.

Setting	Description
0	Disabled
1	Enabled (Default)

Data Type Integer (Boolean)

HotSpotCount Property

Description Indicates the total number of Hotspots defined for this control.

Visual Basic [form.]IPict.HotSpotCount

Remarks This is a **Read-Only** property.

Data Type **Integer**

HotSpotFileName Property

Description	Use this property to associate a HotSpot Definition File (.HSP extension) to the Control. A HotSpot Definition File is generated and saved by the HotSpot Editor (<i>Interactive Picture Tool</i>).
Visual Basic	[form.]IPict.HotSpotFileName[= filename\$]
Remarks	Anytime you edit HotSpots for the Interactive PictureBox Control, and save, this property is automatically updated with the HotSpot Definition File's name
Data Type	String

PictFileName Property

Description	Use this property to associate a Background Picture for the Control. This Control currently supports picture files with the following file extensions: BMP , DIB , and RLE .
Visual Basic	[form.]IPict.PictFileName[= filename\$]
Remarks	For a dialog-driven way of selecting the Picture file that you want, double-click on the property name within the Property Bar to invoke the Common Open File Dialog .
Data Type	String

PictureHeight Property

Description Specifies the Height of the Bitmap in Pixels.

Visual Basic [form.]IPict.PictureHeight[= height%]

Remarks This is a **Read-Only** property

Data Type **Integer**

PictureLeft Property

Description	Determines the offset into or away from the left edge of the Picture itself relative to the left edge of the control window. The unit of measurement is in Pixels.
Visual Basic	[form.]IPict.PictureLeft[= offset%]
Remarks	This property, along with the PictureTop property can be used to custom place a picture in a window or to scroll a large picture within a small control window (with the help of algorithm or scroll bars). If multiple animation cels are placed in consecutive order within a picture file, custom placement can be set up to manipulate simple frame animation.
Data Type	Integer

PictureScaleToFit Property

Description	Determines whether to display the Control's Background Picture in its normal size, or scale it to fit the Control Window's frame.
Visual Basic	[form.]IPict.PictureScaleToFit[= settings%]
Remarks	The default is to always show the picture in its normal size, or feature disabled (0 = Disabled, 1 = Enabled).
Data Type	Integer (Boolean)

PictureTop Property

Description	Determines the offset into or away from the top edge of the Picture itself relative to the top edge of the control window. The unit of measurement is in Pixels.
Visual Basic	[form.]IPict.PictureTop[= settings%]
Remarks	This property, along with the PictureLeft property can be used to custom place a picture in a window or to scroll a large picture within a small control window (with the help of algorithm or scroll bars). If multiple animation cels are placed in consecutive order within a picture file, custom placement can be set up to manipulate simple frame animation.
Data Type	Integer

PictureWidth Property


Description Specifies the Width of the Bitmap in Pixels.

Visual Basic [form.]IPict.PictureWidth


Remarks This is a **Read-Only** property

Data Type Integer

RunCursor Property

Description	Used to specify the general run-time cursor for the Interactive PictureBox Control. The [Default] cursor is the  .
Visual Basic	[form.]IPict.RunCursor[= CursorNumber% or CursorName\$]
Remarks	User may choose to double-click on the property at design time to invoke an OpenFileDialog to select a cursor file (.CUR file). Also see <u>Cursor Specification Interface</u>
Data Type	Integer/String

ScrollCursor Property





















Description	Used to specify the run-time Scroll Mode cursor. Scroll Mode is entered when the ScrollEnable property is set to True , while the user is doing a Left Mouse Drag action in an attempt to 'Grab' and 'Scroll' a picture specified that is larger than the Control window frame. The [Default] Scroll Cursor is the  .
Visual Basic	[form.]IPict.ScrollCursor[= CursorNumber% or CursorName\$]
Remarks	User may choose to double-click on the property at design time to invoke an OpenFileDialog to select a cursor file (.CUR file). Also see <u>Cursor Specification Interface</u>
Data Type	String/Integer

Cursor Specification Interface Section

The *Cursor Specification String* that is required in three different properties in the Interactive PictureBox Control can contain either a:

- **Cursor Resource Name**,
(i.e. "HAND_CURSOR")
- **Cursor Resource ID#** ,
(i.e. "#101") *Note: The Resource ID# must be prefixed by the "#" signed, otherwise the string "101" will be treated as a Logical Cursor Number.*
- **Logical Cursor Number** of one of the built-in VBX Cursors,
(i.e. "1", "10000")
- **Cursor Filename of .CUR extension**,
(i.e. "C:\FINGER.CUR")
- **Windows Built-in Cursors Label Name**, accessed via their "IDC_" names as specified in the Window SDK.
(i.e. "IDC_WAIT")

List of Built-In Cursors:

Cursor Resource Name	Logical Cursor Number	Windows Built-In Cursors Label Name
 FINGER_CURSOR		
 HAND_CURSOR		
 HANDUP_CURSOR	1	
 HANDLEFT_CURSOR	2	
 HANDRGHT_CURSOR	3	
 HANDWALK_CURSOR	4	
 HANDGRAB_CURSOR	5	
 MAGNIFY_CURSOR	6	
 QUESTION_CURSOR	7	
 SOUND_CURSOR	8	
	10000	IDC_ARROW
	10001	IDC_IBEAM
	10002	IDC_WAIT
	10003	IDC_CROSS
	10004	IDC_UPARROW
	10005	IDC_SIZE
	10006	IDC_ICON
	10007	IDC_SIZENWSE
	10008	IDC_SIZENESW
	10009	IDC_SIZEWE



10010

IDC_SIZENS

ScrollEnable Property

Description	Determines if a background picture that is larger than the Control Window can be 'grabbed' and scrolled with the Left Mouse Drag operation.
Visual Basic	[form.]IPict.ScrollEnable[= settings%]
Remarks	<p>The Default value is False or Scrolling is disabled. (False = Disabled, True = Enabled).</p> <p>When this property is enabled, the <u>ScrollCursor</u> will be used whenever the left mouse button is down while the mouse is moving.</p>
Data Type	Integer(Boolean)

B. ARRAYS

HotSpot Information Array Properties (Run-Time Only)

The follow properties are array properties, which means they must be used along with a valid index number. A valid index number must fall between the value of **1** and the value in the Property **HotSpotCount**. These array properties enable the Visual Basic programmer to **set** or **retrieve** data on HotSpots that have already been defined and loaded in memory during run-time.

e.g. Print "The Current HotSpot Name is: " + *IPictureBox1.HotSpotName*(HotSpotID%)

or

IPictureBox1.HotSpotName(HotSpotID%) = "The Kitchen Door"

<u>Property</u>	<u>Type</u>	<u>Description</u>
HotSpotBottom	Integer	The 'Bottom' Coordinate of an already defined HotSpot rectangle.
HotSpotClickCount	Integer	Reports how many times a user has "Clicked" on the HotSpot with the Mouse since the application is run, or since the last time this value is resetted. The HotSpot is considered "Clicked" only when the user has issued a full Mouse-Down and Mouse-Up action on the HotSpot, and while NOT in <i>Scroll Picture Mode</i> .
HotSpotCursorEnabled	Integer	Enabled or Disable Custom Cursor for a particular HotSpot. (True = Enabled or False = Disabled)
HotSpotCursorName	String	This field can contain either a <i>Cursor Resource Name</i> , <i>Cursor Resource ID#</i> , or a <i>Logical Cursor Number</i> of one of the built-in VBX Cursors, or an actual Cursor Filename of .CUR extension. Windows Built-in Cursors can also be accessed via their "IDC_" names as specified in the Window SDK. (For a detail description of the Cursor Interface, and a list of available Built-In Cursors, please see explanation in the Cursor Specification Interface Section in previous pages)
HotSpotEnabled	Integer	Enable or Disable a HotSpot. (True = Enabled or False = Disabled)
HotSpotLeft	Integer	The 'Left' Coordinate of an already defined HotSpot rectangle.
HotSpotName	String	The User-Supplied name or Comments String of an already defined HotSpot.
HotSpotRight	Integer	The 'Right' Coordinate of an already defined HotSpot rectangle.

HotSpotTop

Integer

The 'Top' Coordinate of an already defined HotSpot rectangle.

C. GENERAL RUN-TIME ONLY PROPERTIES

hDC	Integer	Handle to the Off-Screen Memory Device Context that the control uses to retain and refresh the entire Picture image (<i>including areas of the Picture that may be clipped from view outside of a small control window frame</i>), and any changes to it, as well as for high speed scrolling of the image. (Read-Only)
hPict	Integer	Handle of the loaded Picture's Global Memory Buffer. (Read-Only)
WindHandle	Integer	Window Handle of the Control (Read-Only)

D. EVENTS

Load Event

Description	This Event is triggered after the object has been completely loaded, and its properties initialized.
Visual Basic	Sub <i>IPict_Load</i> ()
Remarks	The Load Event gives user an alternative to do some startup at the object Load level, instead of the usual Form_Load() level.

ObjMouseDown Event

Description This Event is Triggered when the Mouse Button is Pressed Down

Visual Basic **Sub** *IPict_ObjMouseDown()*

Remarks This event consists of the following parameters:

HotSpotID% - an assigned Ordinal Number which uniquely Identifies a user-defined HotSpot Object. If the Mouse Cursor is over a HotSpot when the Mouse Button is pressed Down, *ObjID* will contain a positive and non-zero value between **1** and the value in the property **HotSpotCount**, otherwise the value will be **-1**, indicates that the Mouse Cursor is not over a defined HotSpot.

HotSpotName\$ - a text string which holds a Comment, or an Object Name that the VB programmer optionally specified when defining the HotSpot.

Note: *If you want to use the ContextString as a way to reference a HotSpot Object by Name, make sure the name you assigned is unique.*

Button% - the Mouse button that is being pressed down.
Where Button = 1 means the Left Button is pressed Down,
Button = 2 means the Right Button is pressed Down.

Shift% - indicate if any one or a combination of the Shift State keys have been held down while the Mouse Button is pressed down.

These keys are SHIFT, CTRL, and ALT, where:
SHIFT is when Bit 0 is set, or a value of 1,
CTRL is when Bit 1 is set, or a value of 2,
ALT is when Bit 2 is set, or a value of 4.

i.e. SHIFT-CTRL will yield a *Shift* value of 3, whereas
ALT-SHIFT will yield a *Shift* value of 5, and
ALT-CTRL-SHIFT will yield a *Shift* value of 7, etc.

XPixel% - the current horizontal coordinate of the Mouse Cursor (relative to the top-left hand corner of the Picture). If the picture have been scrolled or offsetted, the top-left corner's coordinate would be changed according to the shifts. The unit of the coordinate is in Pixel.

YPixel% - the current vertical coordinate of the Mouse Cursor is relative to the top-left hand corner of the Picture. If the picture have been scrolled or offsetted, the top-left corner's coordinate would be changed according to the shifts. The unit of the coordinate is in Pixel.

ObjMouseMove Event

Description	This Event is triggered when the mouse button is being moved over the Interactive PictureBox Control.
Visual Basic	Sub <i>IPict_ObjMouseMove()</i>
Remarks	This event has the same list of parameters that are identical to the event <u>ObjMouseDown</u> , please see explanation there.

ObjMouseUp Event

Description	This Event is triggered when the mouse button is being released over the Interactive PictureBox Control.
Visual Basic	Sub <i>IPict_ObjMouseUp</i> ()
Remarks	This event has the same list of parameters that are identical to the event <u>ObjMouseDown</u> , please see explanation there.

ObjMouseDown Event

Description	This Event is triggered when the mouse button is being double-clicked over the Interactive PictureBox Control.
Visual Basic	Sub IPict_ObjMouseDown()
Remarks	This event has the same list of parameters that are identical to the event <u>ObjMouseDown</u> , please see explanation there.

Paint Event

Description	This Event is Triggered when part or all of the Control's window is exposed after it has been moved or enlarged, or after a window that was covering the object has been moved.
Visual Basic	Sub <i>IPict_Paint</i> ()
Remarks	No parameters required



Interactive Picture Tool (HotSpot Editor)

Description: The **Interactive Picture Tool** is a hotspot editor that allows users to define 'hotspots' on a given bitmap. A *hotspot* is any rectangular region in a picture graphic that can detect and generate keyboard or mouse input events during run-time, so that user can attach *action(s)* to it. These action(s) can be anything that the user can program in a Visual Basic Control event. The data file that is created by this editor (file extension of .HSP) can be imported into a Visual Basic project via the Interactive PictureBox Control (IPICT.VBX) to create Multimedia presentation.

How To...

(General Step by Step Tutorial)

The following are instruction steps of general and frequently used operations in the Interactive PictureBox Editor. Various ways of performing each of the general operation will be discussed. For a detail discussion of every features and operations of this editor, please refer to the *Reference Section*.

[Invoke the Editor](#)

[Create a New HotSpot DataFile](#)

[Edit or Open an Existing HotSpot Datafile](#)

[Add a HotSpot](#)

[Give Focus or Select a Hotspot](#)

[Delete a HotSpot](#)

[Move a HotSpot](#)

[Size a HotSpot](#)

[Name a HotSpot or Change Information about a HotSpot](#)

[Change a HotSpot Object's Layer](#)

[Save](#)

[Exit the Editor](#)

[Link the HotSpot DataFile to an Interactive PictureBox Visual Basic Control](#)

Reference Section...

User Interface, Menu and Dialogs Explained

[The Main Editor Screen](#)

[The "Select a HotSpot Data File" Dialog](#)

[The "Select a Picture File" Dialog](#)

[The "HotSpot Information" Dialog](#)

[The "Select HotSpot" Dialog \(Non-Modal\)](#)

[The "Save As" Dialog](#)

Concepts

[How HotSpot Object's Layers are Organized](#)

KeyBoard

[HotSpot Editor Keys](#)

To *Invoke* the Editor:

To invoke the Interactive Picture Tool (HotSpot Editor), simply open the "MediaShop" Group in the Program Manager and double-click on the  (*Interactive Picture Tool*) icon.

If this group or icon is not installed, select "**Run...**" from the *File menu* in Program Manager and then execute "**IPCTEDIT.EXE**" (** Note: Remember to enter the correct path as well. **).

Another way is to create an icon in the Program Manager for the application and then double click on the icon.

The final way is to use the File Manager. Simply change to the sub-directory where the application resides, and double-click on it.

To Create a New HotSpot Datafile:

Choose 'New' from the *File Menu*. You will be prompted with the Select a Picture File dialog, where you can choose a picture for reference for marking hotspots. When the picture is loaded, you can begin marking out hotspots on areas of the picture where you want to identify as HotSpots.

To Edit or *Open* an Existing HotSpot Datafile:

- Choose 'Open...' from the *File Menu*. You will first be prompted with the Select a HotSpot Data File dialog, where you can choose a hotspot data file by the file extension (.HSP).

After this selection, you will also be prompted with the Select a Picture File dialog, where you will choose the picture that was used for reference when the hotspot data file was originally created.

When the picture is loaded, you can begin marking out new hotspots on areas of the picture where you want to identify as HotSpots, or edit existing hotspots and its information.

To **Add** a HotSpot:

- Press down on the left mouse button and drag out a rectangle on the area of the bitmap where you want to identify as a HotSpot.
- or*
- Go to the *Edit Menu* and select 'Add'. A new hotspot will be created, and will appear on the top-left corner of the editor window. To position the newly created hotspot, simply drag the hotspot to the area of the bitmap where you want to identify as a HotSpot, and size the rectangle accordingly .

To Give Focus or Select a HotSpot:

- Simply point the mouse over the desired HotSpot and click down on the left mouse button. When the HotSpot does have focus (or selected), it will be shown with four sizing handle on each corner of the rectangle.
- or*
- Go to the *Edit Menu* and choose 'Select HotSpot...' to invoke a "Select HotSpot" dialog. Pick the HotSpot name you wish to give focus to.

To *Delete* a HotSpot:

- Just give the HotSpot focus first, and then press the Delete key.
or
- Give the HotSpot focus first, and then go to the *Edit Menu* and choose 'Delete' to remove it.
or
- If you want to delete all the HotSpots at once, go to the *Edit Menu* and select 'Clear All'. This is a quick way to start over again without having to abandon the bitmap and re-open it again in a brand new session; however, this operation can not be undone once the user answer Yes to proceed at the warning dialog given when 'Clear All' is selected.

To Move a HotSpot:

- Just give the HotSpot focus first, and drag the HotSpot rectangle with the mouse to the desired area on the bitmap.

To Size a HotSpot:

- Just give HotSpot focus first, and adjust the size of the rectangle by moving (dragging with the mouse) the sizing handle on the corner of the rectangle.

To Name a HotSpot or Change Information about a HotSpot:

- Left-Double-click on a HotSpot to invoke the HotSpot Information Dialog.
- or*
- Give HotSpot focus first, then go to the HotSpots Menu and select the 'Change HotSpot Info...' item to invoke the HotSpot Information Dialog. The 'Name HotSpots' item in the Edit Menu will achieve the same result.

In the HotSpot Information dialog, the user can change a Comment or Object Name string to associate with the HotSpot, as well as an opportunity to change a custom cursor to be used whenever the mouse pointer is hovering over the HotSpot's rectangle.

To Change a HotSpot *Object's Layer*:

To change a hotspot's layering position, go to the *Edit Menu* and choose 'Select HotSpot...' to invoke a 'Select HotSpot' dialog. Click on a hotspot name on the list whose position you want to change, and start dragging that name up or down the list, until the hotspot is in a desired location on the list (eg. in front of or behind some other hotspot on the list). On this list, the representation is: top of the list is the furthest back layer, whereas the bottom of the list is the front or top most layer.

Other ways of changing a HotSpot layer includes using the 'Bring to Front', 'Send to Back', 'Bring Higher' and 'Send Lower' menu items in the *HotSpot Menu*, or their hot keys and toolbar's buttons equivalent. See *Reference Section* for details.

Related Topic:

How HotSpot Layers Are Organized

How HotSpot Object's Layers are Organized:

- There are times when you want to change a *HotSpot Object's Layer*, or its position relative to other hotspots in terms of how far toward the very back versus towards the very front. Especially when you create scenarios where you have overlapping hotspots.

Each time a HotSpot is created, it is automatically assigned a HotSpot ID. This ID is based on the ordinal position of the HotSpot in the list. New hotspots that are created are always appended to the bottom of the list, with the highest ID number. When a hotspot in the middle of the list is deleted, all other hotspots that are created later than the deleted hotspots will have their position shuffled up the list, eg. their IDs' value decreased by 1.

What this means is that the first hotspot ever created is always assigned an ID number of 1, the next IDs created will be 2,3,4 and so on. An ID number with the smallest value (eg. the first hotspot ever created) is considered to be the furthest back in position, whereas an ID number with the highest value (eg. the last or most recently created hotspot) is considered to be in the front most position.

Related Topic:

[How to Change a HotSpot Object's Layer](#)



To Save:

- Choose 'Save' or 'Save As...' from the *File Menu*. For the *Save As* option, you will be prompted with the Save As... dialog, where you will have the opportunity to specify a filename of your choice as the name of the to-be-saved hotspot data file. If you are creating a new hotspot file that has never been saved before, choosing *Save* will also invoke the Save As... dialog, so that you will be able to name the newly created data file.


To *Exit* the Editor:

- Choose 'Exit' from the *File Menu* or left double-click on the editor window's system box (located on the top-left corner of the editor's window)

To **Link** the HotSpot DataFile to the Interactive PictureBox Visual Basic Control:

1. Add the IPICT.VBX module to your Visual Basic project. (Choose 'Add File...' from the the *File Menu* in Visual Basic). The  icon will appear on the ToolBox palette if the Interactive PictureBox custom control is loaded successfully.
2. Double-click on the  icon on the ToolBox to create a Interactive PictureBox control on the Form you are working on.
3. Double-Click on the HotSpotFileName property from the Property Window and choose the Hotspot Data File that you have just created and saved using the Interactive PictureBox HotSpot Editor. If the HotSpot Data file (extension .HSP) is loaded successfully, the HotSpotCount property should contain the value of the number of Hotspots created using the editor.
4. The last step: double-click on the PictFileName property from the Property Window and choose the Picture File that you have just used as reference when creating the HotSpot data file using the Interactive PictureBox HotSpot Editor. Now the link is complete!


The Main Editor Screen:



Click anywhere on the graphic above to get context specific help on any of the interface elements.


The "Select a HotSpot Data File" Dialog:

(invoke from the "File Menu - Open Option")




The "Select a Picture File" Dialog:

(invoke from the "File Menu - New Option, or appear immediately after the "Select a HotSpot Data File" Dialog is invoked)



The "HotSpot Information" Dialog:

(The Dialog that appears when double-clicking on a hotspot, or press ENTER key on a selected hotspot. This dialog allows the user to change information and attributes about a hotspot):




The "HotSpot Information" dialog box is a window with a blue title bar and a gray background. It contains several sections for editing hotspot data:

- HotSpot ID / Order:** A text field containing the value "9".
- Enable Hotspot:** A checkbox that is currently checked.
- HotSpot Name / Comment:** A text area containing the text "HAVE".
- HotSpot Rectangle Position:** A section with four input fields: "Left" (175), "Top" (118), "Right" (216), and "Bottom" (134). To the right of these fields are "Ok" and "Cancel" buttons.
- Custom Cursor:** A section with a checkbox labeled "Enable Custom Cursors" (which is unchecked) and a "Browse" button. Below the checkbox is a text field labeled "Cursor Name:".

Click anywhere on the graphic above to get context specific help on any of the interface elements.

The "Select HotSpot" Dialog (Non-Modal):


Choosing a HotSpot (Choose a HotSpot by selecting its name):



Click anywhere on the graphic above to get context specific help on any of the interface elements.

The "Save As" Dialog :

This dialog enables the user to set the path and name of the HotSpot Data filename that they like to save the changes to in the current editing session. This dialog can be invoked from two sources: 1) by choosing the Save As option from the *File Menu*, 2) by choosing Save in the *File Menu* when the HotSpot Data file you are editing is being created and saved for the very first time.



HSP Extension

Default extension of HotSpot files is .HSP.

Directory Status

This area indicates the current directory status.

HotSpot Editor Keys:

Key	Function
F1	Display Help.
ALT+BACKSPACE	Undoes last edit.
DEL	Deletes the selected hotspot.
F2	Selects the last hotspot.
F3	Selects the next hotspot.
F4	Creates / Add a new hotspot.
F5	Display the ' <i>Select a HotSpot</i> ' dialog (non-modal).
ENTER	Invoke the ' <i>HotSpot Information</i> ' dialog.
CTRL+S	Saves any changes to the currently opened HotSpot Data File. If changes has never been saved to a file before, the 'Save As' dialog would be invoked.
CTRL+A	Invokes the 'Save As' dialog to let user save changes to a new or different filename.
CTRL+EQUAL	Promotes the selected hotspot to the very front layer (Bring to Front).
CTRL+MINUS	Demotes the selected hotspot to the very back layer (Send to Back).
SHIFT+EQUAL	Promtes the selected hotspot one layer higher towards the front relative to its current layer positioning (Bring Higher).
SHIFT+MINUS	Demotes the selected hotspot one layer lower towards the back relative to its current layer positioning (Send Lower).

Sizing Handle

Finger Cursor

This cursor indicates that the mouse pointer is hovering over a hotspot, otherwise the mouse pointer will be an arrow pointing upward towards the left.

A Selected HotSpot

A Hotspot

Edit Area

Vertical Scroll Bar

Horizontal Scroll Bar

Sizing Corner

Open

Save

Bring To Front (*ToolBar Button*)

Send To Back (*ToolBar Button*)

Bring Higher (*ToolBar Button*)

Send Lower (*ToolBar Button*)

Add a HotSpot (ToolBar Button)

Delete a HotSpot (*ToolBar Button*)

Caption Bar

Mouse Position

Scroll Offsets

HotSpot Count

HotSpot ID

HotSpot Name

HotSpot Bounding Rectangle Coordinates

Cursor Enable Status

Cursor Name/ID

File Menu

New...
Open...
Close

Save	Ctrl+S
Save As...	Ctrl+A

Exit

Edit Menu

Undo	Alt+Bksp
------	----------

Add	F4
Clear All	
Delete	Del

Last HotSpot	F2
Next HotSpot	F3

Select HotSpot...	F5
Name HotSpot...	Enter

HotSpot Menu

Bring To Front	Ctrl+Equal
Send To Back	Ctrl+Minus
Bring Higher	Shift+Equal
Send Lower	Shift+Minus

Change HotSpot Info	Enter
---------------------	-------

Help Menu

Help	F1
------	----

About...

New... (File Menu)

The **New** menu item will start a new hotspot editing session. This command accomplishes this by first saving and clearing any existing hotspot in the session, then invoke the 'Select a Picture File' dialog to let the user chooses a reference picture to create the hotspots on. Once the picture is loaded, the user can begin the new editing session.


Keyboard: None

ToolBar Icon: None

Open... (*File Menu*)

The **Open** menu item will load a HotSpot Data file as well as a reference picture into the editor after invoking first the 'Select a HotSpot Data File' dialog, and then the 'Select a Picture File' dialog respectively, and let the user make the necessary choices. Once the two selected files are loaded, the user can begin their editing session on the editor.

Keyboard: None


ToolBar Icon: 

Close (*File Menu*)

Save (*File Menu*)

The **Save** menu item will save any changes made to an existing hotspot data file since the last save. If this is going to be a newly created hotspot data file (eg. never been saved before), the Save As dialog will be invoked instead.

Keyboard: Ctrl+S

ToolBar Icon: 

Save As... (File Menu)

This **Save As...** menu item will save any changes made to an existing or new hotspot data file. Choosing this menu item will invoke the Save As dialog.

Keyboard: Ctrl+A

ToolBar Icon: None

Exit (*File Menu*)

Undo (*Edit Menu*)

Add (*Edit Menu*)

Clear All (*Edit Menu*)

Delete (*Edit Menu*)

Last HotSpot (*Edit Menu*)

Next HotSpot (*Edit Menu*)

Select HotSpot (*Edit Menu*)

Name HotSpot (*Edit Menu*)

Bring To Front (*HotSpots Menu*)

Send To Back (*HotSpots Menu*)

Bring Higher (*HotSpots Menu*)

Send Lower (*HotSpots Menu*)

Change HotSpot Info (*HotSpots Menu*)

Help (*Help Menu*)

About... (*Help Menu*)

