

**Connectline5.0**

Copyright © SYSOP@starbase.pfalz.de(ab01.11.1995 SYSOP@starbase.inka.de )

COLLABORATORS
---------------

	TITLE : Connectline5.0		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 20, 2024	

REVISION HISTORY
------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Connectline5.0</b>	<b>1</b>
1.1	AmigaE-Modules for the ConnectLine 5.0 - Libraries	1
1.2	clansi.library (E-MODUL)	1
1.3	clb.library (E-MODUL)	2
1.4	clb.library (E-MODUL) <CONST>	2
1.5	clcheck.library (E-MODUL)	3
1.6	clcheck.library (E-MODUL) <CONST>	3
1.7	cll.library (E-MODUL)	3
1.8	clmacro.library (E-MODUL)	3
1.9	clmidb.library (E-MODUL)	4
1.10	clonline.library (E-MODUL)	4
1.11	clp.library (E-MODUL)	4
1.12	clp_4.library (E-MODUL)	5
1.13	cls.library (E-MODUL)	5
1.14	clutil.library (E-MODUL)	5
1.15	cl_accounts.library (E-MODUL)	7
1.16	cl_ipc.library (E-MODUL)	7
1.17	cl_log.library (E-MODUL)	7
1.18	cl_mail.library (E-MODUL)	8
1.19	cl_mailmaster.library (E-MODUL)	8
1.20	cl_mail_fido.library (E-MODUL)	8
1.21	cl_mail_janus.library (E-MODUL)	8
1.22	cl_message.library (E-MODUL)	9
1.23	cl_mproc.library (E-MODUL)	9
1.24	cl_msg.library (E-MODUL)	9
1.25	cl_mui.library (E-MODUL)	9
1.26	cl_prefs.library (E-MODUL)	10
1.27	cl_route.library (E-MODUL)	11
1.28	cl_shell.library (E-MODUL)	11
1.29	cl_system.library (E-MODUL)	11
1.30	cl_text.library (E-MODUL)	11
1.31	cl_xfer.library (E-MODUL)	12

## Chapter 1

# Connectline5.0

### 1.1 AmigaE-Modules for the ConnectLine 5.0 - Libraries

AmigaE-Modules for Connectline5.0

-----

clb.lib	clb.lib<CONST>	clcheck.lib
clcheck.lib<CONST>	cll.lib	clmacro.lib
clmidb.lib	clonline.lib	clp.lib
clp_4.lib	cls.lib	clutil.lib
cl_accounts.lib	cl_ipc.lib	cl_log.lib
cl_mail.lib	cl_mailmaster.lib	cl_mail_fido.lib
cl_mail_janus.lib	cl_message.lib	cl_mproc.lib
cl_msg.lib	cl_mui.lib	cl_prefs.lib
cl_route.lib	cl_shell.lib	cl_system.lib
cl_text.lib	cl_xfer.lib	cl_ansi.lib

### 1.2 clansi.library (E-MODUL)

```

LIBRARY clansibase
  ClANS_RepeatChar (D0,D1)
  ClANS_GotoXY (D0,D1)
  ClANS_SetLines (D0)
  ClANS_GetLines ()
  ClANS_GetColumns ()
  ClANS_WriteTrunc (A0,D0)
  ClANS_Flush ()
  ClANS_InitConsole (A0)
  ClANS_WaitForMore (D0,D1)
  DisposeGIFList (A0)
  InputGIFList (A0,A1,D0)
  GetGIFIdGIFList (A0)
  DisposeGIF (A0)
  DisplayGIF (A0,D0)
  GetGIFA (A0,A1)
  ClANS_SetStyle (D0,D1,D2)
  ClANS_ClearScreen ()
  ClANS_SetColumns (D0)
  ClANS_SetWindow (D0,D1,D2,D3,D4)
  ClANS_DrawFrame (D0,D1,D2,D3)
  ClANS_WriteTruncMulti (A0,D0,D1)
  ClANS_WriteWordWrapped (A0,D0,D1)
  ClANS_CleanupConsole ()
  NewGIFList ()
  DisplayGIFList (A0)
  InsertGIFList (A0,A1)
  NewGIFA (D0,A0)
  ModifyGIFA (A0,A1)
  EnterGIF (A0,A1)
  InsertNewGIFListA (A0,D0,A1)
ENDLIBRARY

```

### 1.3 clb.library (E-MODUL)

```

LIBRARY clbbase
    ClB_LoadList ()
    ClB_GetEntry (A0)
    ClB_DeleteEntry (A0)
    ClB_LockList (D0)
    ClB_LastEntry (A0)
    ClB_ValidateBox (A0,A1)
    ClB_AddBox (A0,A1)
    ClB_GetBox (A0,A1,D0)
    ClB_FindNewsgroup (A0)
    ClB_GetNumEntries ()
    ClB_NG2BrettName (A0,A1)
    ClB_GetAutoEntry (D0)
    ClB_AddAutoEntry (A0)
    ClB_DelBoxEverywhere (A0)
    ClB_SetA (A0,A1)
    ClB_IsModified ()
    ClB_FindFTSArea (A0)
    ClB_NewAddBox (A0,A1)
    ClB_NewGetBox (A0,D0)
    ClB_Debug ()
    ClB_ValidateNets ()
    ClB_FindBoard_Prev (A0,A1,A2,D0)
    ClB_SaveList ()
    ClB_FindEntry (A0)
    ClB_AddEntry (A0)
    ClB_UnlockList ()
    ClB_ValidateUser (A0,A1)
    ClB_TestBox (A0,A1)
    ClB_DelBox (A0,A1)
    ClB_FindBrett (A0)
    ClB_ClearBrettNetdist (A0)
    ClB_MakeAutoEntry (A0,A1,A2)
    ClB_Reserved1 ()
    ClB_DelAutoEntry (A0)
    ClB_FindAutoEntry (A0)
    ClB_GetA (A0,A1)
    ClB_NewObjectA (A0,D0,A1)
    ClB_NumAutoEntryBoards ()
    ClB_NewTestBox (A0,A1)
    ClB_NewDelBox (A0,A1)
    ClB_GetBoard_Relative (A0,A1,A2,A3,D0)
    ClB_FindBoard_Prefix (A0,A1,A2,D0)
    ClB_FindBoard_Next (A0,A1,A2,D0)

```

```
ENDLIBRARY
```

### 1.4 clb.library (E-MODUL) <CONST>

```

CONST LVOCCLB_LOADLIST=-30,
    LVOCCLB_SAVELIST=$FFFFFFDC,
    LVOCCLB_GETENTRY=$FFFFFFD6,
    LVOCCLB_FINDENTRY=$FFFFFFD0,
    LVOCCLB_DELETEENTRY=$FFFFFFCA,
    LVOCCLB_ADDENTRY=$FFFFFFC4,
    LVOCCLB_LOCKLIST=$FFFFFFBE,
    LVOCCLB_UNLOCKLIST=$FFFFFFB8,
    LVOCCLB_LASTENTRY=$FFFFFFB2,
    LVOCCLB_VALIDATEUSER=$FFFFFFAC,
    LVOCCLB_VALIDATEBOX=$FFFFFFA6,
    LVOCCLB_TESTBOX=$FFFFFFA0,
    LVOCCLB_ADDBOX=$FFFFFF9A,
    LVOCCLB_DELBOX=$FFFFFF94,
    LVOCCLB_GETBOX=$FFFFFF8E,
    LVOCCLB_FINDBRETT=$FFFFFF88,
    LVOCCLB_FINDNEWSGROUP=$FFFFFF82,
    LVOCCLB_CLEARBRETTNETDIST=$FFFFFF7C,
    LVOCCLB_GETNUMENTRIES=$FFFFFF76,
    LVOCCLB_MAKEAUTOENTRY=$FFFFFF70,
    LVOCCLB_NG2BRETTNAME=$FFFFFF6A,
    LVOCCLB_RESERVED1=$FFFFFF64,
    LVOCCLB_GETAUTOENTRY=$FFFFFF5E,
    LVOCCLB_DELAUTOENTRY=$FFFFFF58,

```

```

LVOCLB_ADDAUTOENTRY=$FFFFFF52,
LVOCLB_FINDAUTOENTRY=$FFFFFF4C,
LVOCLB_DELBOXEVERYWHERE=$FFFFFF46,
LVOCLB_GETA=$FFFFFF40,
LVOCLB_SETA=$FFFFFF3A,
LVOCLB_NEWOBJECTA=$FFFFFF34,
LVOCLB_ISMODIFIED=$FFFFFF2E,
LVOCLB_NUMAUTOENTRYBOARDS=$FFFFFF28,
LVOCLB_FINDFTSAREA=$FFFFFF22,
LVOCLB_NEWTESTBOX=$FFFFFF1C,
LVOCLB_NEWADDBOX=$FFFFFF16,
LVOCLB_NEWDELBOX=$FFFFFF10,
LVOCLB_NEWGETBOX=$FFFFFF0A,
LVOCLB_GETBOARD_RELATIVE=$FFFFFF04,
LVOCLB_FINDBOARD_PREFIX=$FFFFFEFE,
LVOCLB_FINDBOARD_NEXT=$FFFFFEF8,
LVOCLB_FINDBOARD_PREV=$FFFFFEF2

```

## 1.5 clcheck.library (E-MODUL)

```

LIBRARY clcheckbase
    ClCheck_Check ()
ENDLIBRARY

```

## 1.6 clcheck.library (E-MODUL) <CONST>

```

CONST LVOCLCHECK_CHECK=-30

```

## 1.7 cli.library (E-MODUL)

```

LIBRARY clibase
    ClL_DelLog ()                ClL_RenameLog (A0)
    ClL_NewOpenLogWindow (A0,A1) ClL_NewCloseLogWindow (A0)
    ClL_GetIWin ()              ClL_AddLogA (D0,A0,A1,A2)
ENDLIBRARY

```

## 1.8 clmacro.library (E-MODUL)

```

LIBRARY clmacrobase
    ClMacro_Encode (A0,A1,D0)    ClMacro_Decode (A0,A1)
    ClMacro_Flush ()
ENDLIBRARY

```

---

## 1.9 clmidb.library (E-MODUL)

```

LIBRARY clmidbase
  ClMID_StoreID (A0,A1)           ClMID_CheckID (A0,A1)
  ClMID_CheckStoreID (A0,A1,A2)  ClMID_Flush ()
  ClMID_CloseDB ()              ClMID_CrunchIDs (D0,A0,A1)
  ClMID_ShowStat ()             ClMID_ResetMinMax ()
  ClMID_ShowMap ()              ClMID_DumpDB ()
ENDLIBRARY

```

## 1.10 clonline.library (E-MODUL)

```

LIBRARY clonlinebase
  ClONL_Open (A0)                ClONL_Close ()
  ClONL_FlushInput ()            ClONL_FlushOutput ()
  ClONL_UpdateUser ()            ClONL_Normal ()
  ClONL_DeleteEOL ()             ClONL_DeleteLine ()
  ClONL_InsertLine ()            ClONL_BlueMode ()
  ClONL_GotoXY (D0,D1)           ClONL_Color (D0,D1,D2)
  ClONL_ClearScreen ()           ClONL_BlueRead (A0,A1,D0,D1,D2)
  ClONL_Wait ()                  ClONL_DrawTitle ()
  ClONL_Edit (A0)                ClONL_RequesterSelect (A0,D0,A1,D1)
  ClONL_GetLocale ()             ClONL_GetCatalog ()
  ClONL_GetUserShell ()          ClONL_IsTTY ()
  ClONL_GetString (A0)           ClONL_VPrintf (A0,A1)
  ClONL_VSprintf (A0,A1,A2)      ClONL_DoCommand (A0,A1)
  ClONL_GetKey ()                ClONL_SendMail (A0,A1,A2,A3,A4)
  ClONL_FreeRange (A0)           ClONL_ParseExpression (A0,D0)
  ClONL_Transfer (A0,A1)         ClONL_GetUserFullName (A0)
  ClONL_GetNameVal (A0)          ClONL_IsKeyPressed ()
  ClONL_Continue ()              ClONL_AddShortMenu (A0,A1,D0)
  ClONL_FreeShortMenu (A0)       ClONL_ShortMenuSelect (A0)
  ClONL_TimeToStr (D0,A0)        ClONL_StrToTime (A0,A1)
  ClONL_GetGadget (A0,A1)        ClONL_AddGadget (A0,D0,A1,A2,D1)
  ClONL_InputMask (A0,A1)        ClONL_ShortMenuSelectVertical (A0)
ENDLIBRARY

```

## 1.11 clp.library (E-MODUL)

```

LIBRARY clpbase
  ClP_GetPrefs ()                ClP_SavePrefs ()
  ClP_GetPort (D0)               ClP_SavePorts ()
  ClP_GetNetz (A0)               ClP_SaveNetze ()
  ClP_AddNetz (A0)               ClP_AllocateUserlist (D0)
  ClP_FreeUserlist ()            ClP_Startup (D0)
  ClP_Exit (D0)                  ClP_RegisterExitHandler (A0)
  ClP_GetSystemName ()           ClP_GetSystemDomain ()
  ClP_Reserved1 ()               ClP_GetGroupName (D0)
  ClP_SetGroup (A0,D0)           ClP_ClrGroup (A0,D0)
  ClP_GetGroup (A0,D0)           ClP_GetSystemAddress ()
  ClP_GetUser (A0,A1,A2)         ClP_SetUser (A0,A1)
  ClP_DelUser (A0,D0)           ClP_AllocMS (D0)

```



```

ClP_FreeMS (D0)
ClP_NumUsers ()
ClP_SaveGroupNames ()
ENDLIBRARY
ClP_NextUser (A0,A1)
ClP_SetSigTask (A0,D0)

```

## 1.12 clp\_4.library (E-MODUL)

```

LIBRARY clpbase
ClPO_GetPrefs ()
ClPO_GetPort (D0)
ClPO_GetNetz (A0)
ClPO_AddNetz (A0)
ClPO_FreeUserlist ()
ClPO_Exit (D0)
ClPO_GetSystemName ()
ClPO_Reserved1 ()
ClPO_SetGroup (A0,D0)
ClPO_GetGroup (A0,D0)
ClPO_GetUser (A0,A1,A2)
ClPO_DelUser (A0,D0)
ClPO_FreeMS (D0)
ClPO_NumUsers ()
ClPO_SavePrefs ()
ClPO_SavePorts ()
ClPO_SaveNetze ()
ClPO_AllocateUserlist (D0)
ClPO_Startup (D0)
ClPO_RegisterExitHandler (A0)
ClPO_GetSystemDomain ()
ClPO_GetGroupName (D0)
ClPO_ClrGroup (A0,D0)
ClPO_GetSystemAddress ()
ClPO_SetUser (A0,A1)
ClPO_AllocMS (D0)
ClPO_NextUser (A0,A1)
ClPO_SetSigTask (A0,D0)
ENDLIBRARY

```

## 1.13 cls.library (E-MODUL)

```

LIBRARY clsbase
Cls_LoadList ()
Cls_GetEntry (A0)
Cls_DeleteEntry (A0)
Cls_LockList (D0)
Cls_LastEntry (A0)
Cls_GetTag (A0,D0)
Cls_DoRouting (A0,A1,A2,A3)
Cls_TestBoxDomain (A0,A1)
Cls_Private1 ()
Cls_GetNumEntries ()
Cls_GetBoxNumber (A0,D0,A1)
Cls_ResetSystemNetData (A0)
Cls_SaveList ()
Cls_FindEntry (A0)
Cls_AddEntry (A0)
Cls_UnlockList ()
Cls_AddTag (A0,A1,D0,D1)
Cls_DelTag (A0,D0)
Cls_FindBox (A0)
Cls_IsThisMe (A0)
Cls_GetTagSize (A0)
Cls_IsModified ()
Cls_GetSystemNetData (A0)
Cls_FindPoint (A0)
ENDLIBRARY

```

## 1.14 clutil.library (E-MODUL)

```

LIBRARY clutilbase
ClU_OpenLibrary (A0,D0)
ClU_DeleteDir (A0)
ClU_CopyFile (A0,A1)
ClU_DeleteFuelGauge (A0)
ClU_DrawFuelGauge (A0,D0,D1)
ClU_OpenLibraryCode (D0)
ClU_ShowRequesterA (A0,A1,A2,A3)
ClU_OpenFileTimeout (A0,D0,D1)
ClU_MoveFile (A0,A1)
ClU_CreateFuelGauge (A0,D0,D1,D2,D3,A1)
ClU_SprintfA (A0,A1,A2)
ClU_CRC16 (A0,D0)

```

ClU_CRC32 (A0,D0)	ClU_rstrchr (A0,D0)
ClU_RefreshFuelGauge (A0)	ClU_Get8Font ()
ClU_Get8TextAttr ()	ClU_CloseScreenSafe (A0)
ClU_SetABPenDrMd (A0,D0,D1,D2)	ClU_OpenFileReally (A0)
ClU_clnl (A0)	ClU_CD (A0)
ClU_Examine (A0,A1)	ClU_GetFileLen (A0)
ClU_SetWaitPointer (A0)	ClU_LockWindow (A0)
ClU_UnlockWindow (A0)	ClU_ELGetNumEntries (A0)
ClU_ELGetEntryNum (A0,A1)	ClU_ELGetEntry (A0,D0)
ClU_DrawRLX (A0,D0,D1,D2)	ClU_DrawRLY (A0,D0,D1,D2)
ClU_strcpylw (A0,A1)	ClU_strcpyup (A0,A1)
ClU_FreeNamedSemaphore (A0)	ClU_ObtainNamedSemaphore (A0,D0)
ClU_GetNameVal (A0)	ClU_FreeNamedSemaphoreName (A0)
ClU_GetSeqNum ()	ClU_GetSeqNumInc (D0)
ClU_MakeNumName (D0,D1,D2,A0)	ClU_iso2ibm (D0)
ClU_ibm2iso (D0)	ClU_siso2ibm (A0)
ClU_sibm2iso (A0)	ClU_MakePath (A0)
ClU_AllocHH ()	ClU_DelHL (A0)
ClU_FreeHH (A0)	ClU_AddHL (A0,A1,A2)
ClU_CloneHH (A0)	ClU_DumpHH (A0,A1,D0)
ClU_LoadHH (A0)	ClU_GetHL (A0)
ClU_GetNextHL (A0)	ClU_FindHL (A0,A1)
ClU_FindNextHL (A0)	ClU_GetHLData (A0)
ClU_GetHLHeader (A0)	ClU_DelHLName (A0,A1)
ClU_SetHLData (A0,A1)	ClU_AttemptNamedSemaphore (A0,D0)
ClU_OpenAsync (A0,D0,D1)	ClU_CloseAsync (A0)
ClU_ReadAsync (A0,A1,D0)	ClU_ReadCharAsync (A0)
ClU_WriteAsync (A0,A1,D0)	ClU_WriteCharAsync (A0,D0)
ClU_SeekAsync (A0,D0,D1)	ClU_CreatePool (D0,D1,D2)
ClU_DeletePool (A0)	ClU_AllocPooled (A0,D0)
ClU_FreePooled (A0,A1,D0)	ClU_AllocVecPooled (A0,D0)
ClU_FreeVecPooled (A0,A1)	ClU_LoadHHfromMem (A0)
ClU_CRC16S (A0,D0,D1)	ClU_CRC32S (A0,D0,D1)
ClU_FlushPort (A0)	ClU_StrDupPooled (A0,A1)
ClU_GetHL_Len (A0)	ClU_DumpHHAsync (A0,A1,D0)
ClU_ZCDatestringToDI (A0,A1)	ClU_ZCDIToDatestring (A0,A1)
ClU_CopyData (A0,A1,D0)	ClU_CopyDataAsync (A0,A1,D0)
ClU_FGetsAsync (A0,A1,D0)	ClU_ExpandTemplateA (A0,A1,D0,A2)
ClU_VFPrintfAsync (A0,A1,A2)	ClU_FtellAsync (A0)
ClU_MatchPattern (A0,A1)	ClU_MUI_MakeStringLinksA (A0,A1)
ClU_AllocFIB ()	ClU_FreeFIB (A0)
ClU_NOL_NewA (A0)	ClU_NOL_Delete (A0)
ClU_NOL_Clone (A0)	ClU_NOL_Save (A0,A1)
ClU_NOL_Load (A0,A1)	ClU_NOL_Info (A0,A1)
ClU_NOL_FindEntry (A0,A1)	ClU_NOL_DeleteEntry (A0)
ClU_NOL_GetEntryName (A0)	ClU_NOL_AddEntry (A0,A1,A2,D0,A3)
ClU_NOL_GetEntryData (A0)	ClU_NOL_GetNumEntries (A0)
ClU_NOL_GetNextEntry (A0)	ClU_NOL_GetPrevEntry (A0)
ClU_ScanDir (A0,A1,A2,A3)	ClU_OpenTempFile (D0,A0)
ClU_CloseTempFile (A0,D0)	ClU_MakeFileList (A0,A1,D0)
ClU_FreeFileList (A0)	ClU_MUI_SetTextA (A0,A1,A2)
ClU_MUI_RunCommandA (A0,A1,A2)	ClU_MUI_InsertSingleStringA (A0,D0,A1,A2)
ClU_AllocVMem (D0,D1)	ClU_FreeVMem (A0)
ClU_NOL_SaveName (A0,A1)	ClU_NOL_LoadName (A0,A1)
ClU_Alert (D0,D1)	ClU_NOL_GetFirstEntry (A0)
ClU_NOL_GetLastEntry (A0)	ClU_NOL_Lock (A0,D0)
ClU_NOL_UnLock (A0)	ClU_NOL_SetEntryName (A0,A1)

---

```

ClU_NOL_ChangeCounter (A0,D0)    ClU_NOL_SwapEntries (A0,A1)
ClU_CreatePort (A0,D0)          ClU_DeletePort (A0)
ClU_Exists (A0)                 ClU_GetScreenPubName (A0,A1)
ClU_AsprintfA (A0,A1,A2)        ClU_SkipDot (A0)
ClU_UpdateFilename (A0)         ClU_CopyFileUpdateFilename (A0,A1,A2)
ClU_FGets (A0,A1,D0)    ClU_MoveFileUpdateFilename (A0,A1,A2)
ClU_SprintfnA (A0,D0,A1,A2)     ClU_NOL_GetEntry (A0,D0)
ClU_RunRexxScript (A0,A1)       ClU_UnGetCAsync (A0)
ClU_FreeArgs (A0)              ClU_ReadArgsFromString (A0,A1,A2)
ClU_OpenLibs (A0,A1,A2)         ClU_CloseLibsA (D0,A0)
ClU_TimerBase ()               ClU_BeginTime (A0)
ClU_EndTime (A0)               ClU_AvgTime (A0,D0)
ClU_FmtTimeval (A0,A1)         ClU_Timecvt (D0,A0)
ClU_Datecvt (A0)               ClU_Timestring (D0,A0)
ClU_DebugNamedSemaphores ()    ClU_ctype ()
ClU_Copy (A0,A1,D0,D1)         ClU_TestHLValA (A0,A1,A2)
ClU_DelHLNameValA (A0,A1,A2)   ClU_CountHLName (A0,A1)
ClU_InsertRotHL (A0,A1)        ClU_DeleteByPattern (A0,A1)
ClU_DoBackupQueue (A0,A1,D0)   ClU_AddFileSizes (A0,A1)
ClU_SplitDomainAdr (A0,A1,A2)  ClU_CalcCRC32File (A0)
ClU_time (A0)                  ClU_getft (A0)
ClU_GetHLDataLong (A0)         ClU_GetHHCharset (A0)
ClU_Get_iso2ibm ()             ClU_Get_ibm2iso ()
ClU_biso2ibm (A0,D0)           ClU_CreateProc (A0,A1,A2)
ClU_AddHLSorted (A0,A1,A2,D0)  ClU_utunpk (D0,A0)
ClU_utpack (A0)                ClU_strnicmp (A0,A1,D0)
ClU_stricmp (A0,A1,D0)         ClU_FmtDateMMDD (D0,A0)
ClU_bibm2iso (A0,D0)           ClU_CalcCRC16File (A0)
ClU_FindInStringTab (A0,A1)    ClU_DebugSemaphore (A0)
ENDLIBRARY

```

## 1.15 cl\_accounts.library (E-MODUL)

```

LIBRARY claccbase
  ClACC_AddTime (A0,A1,D0)        ClACC_AddKBMail (A0,D0,A1,D1)
  ClACC_AddKBNews (A0,D0,A1,D1)  ClACC_AddCLTaler (A0,D0,A1,D1)
ENDLIBRARY

```

## 1.16 cl\_ipc.library (E-MODUL)

```

LIBRARY clipbase
  ClIPC_Setup (A0,A1)              ClIPC_SetInfoA (A0,A1,A2)
  ClIPC_AddAccLog (A0,A1,D0)       ClIPC_GetPortDefs ()
  ClIPC_BBSShatMsg (A0)            ClIPC_SendMsg (D0,D1,D2,D3,A0,A1)
  ClIPC_SendOnlineMessage (A0,A1,A2)
ENDLIBRARY

```

## 1.17 cl\_log.library (E-MODUL)

```
LIBRARY cllogbase
  ClLOG_CloseLog (A0)           ClLOG_DeleteLog (A0)
  ClLOG_AppendLogEntry (A0,A1)  ClLOG_UpdateLogPrefs ()
  ClLOG_AddLogA (D0,A0,A1,A2)
ENDLIBRARY
```

## 1.18 cl\_mail.library (E-MODUL)

```
LIBRARY clmailbase
  ClMAIL_SendA (A0,A1,A2)       ClMAIL_AllocFile (A0,D0)
  ClMAIL_FreeFile (A0)          ClMAIL_FlushAll ()
  ClMAIL_Batch (A0,D0)          ClMAIL_BoxInfo (A0,A1)
  ClMAIL_HandleTrash (A0)        ClMAIL_TestNetLogin (A0)
  ClMAIL_QuerySpecial ()         ClMAIL_HandleNetcall (A0,A1,A2)
  ClMAIL_DoNetcall (A0,A1,A2,D0,D1,A3)
ENDLIBRARY
```

## 1.19 cl\_mailmaster.library (E-MODUL)

```
LIBRARY clmailmasterbase
  ClMM_SendFile (A0,A1,A2)       ClMM_MailSysList ()
  ClMM_GetMailLib (A0)           ClMM_AllocFiles (A0,D0)
  ClMM_FreeFiles (A0)            ClMM_FlushAll ()
  ClMM_Batch (A0,D0)             ClMM_BoxInfo (A0,A1)
  ClMM_TestNetLogin (A0,A1)       ClMM_HandleNetcall (A0,A1,A2,A3)
  ClMM_QuerySpecial (A0,A1)       ClMM_DoNetcall (A0,A1,A2,D0,D1,A3)
  ClMM_GetMailSysList ()         ClMM_GetMailSysIndex (A0)
ENDLIBRARY
```

## 1.20 cl\_mail\_fido.library (E-MODUL)

```
LIBRARY clmailfidobase
  ClMAIL_FIDO_RereadPrefs ()      ClMAIL_FIDO_Adr2Str (A0,A1)
  ClMAIL_FIDO_Str2Adr (A0,A1)     ClMAIL_FIDO_FindAdr (A0)
  ClMAIL_FIDO_FindNet (A0,A1)     ClMAIL_FIDO_GetBoxAdr (A0,A1,D0)
  ClMAIL_FIDO_FindNetByLocalAdr (A0,A1)
ENDLIBRARY
```

## 1.21 cl\_mail\_janus.library (E-MODUL)

```
LIBRARY clmailbase
  ClMAIL_SendA (A0,A1,A2)       ClMAIL_AllocFile (A0,D0)
  ClMAIL_FreeFile (A0)          ClMAIL_FlushAll ()
  ClMAIL_Batch (A0,D0)          ClMAIL_BoxInfo (A0,A1)
  ClMAIL_HandleTrash (A0)        ClMAIL_TestNetLogin (A0)
  ClMAIL_QuerySpecial ()         ClMAIL_HandleNetcall (A0,A1,A2)
  ClMAIL_reserved ()            ClMAIL_reserved1 ()
```

---

```

ClMAIL_reserved2()      ClMAIL_reserved3()
ClMAIL_reserved4()      ClMAIL_reserved5()
ClMAIL_reserved6()      ClMAIL_reserved7()
ClMAIL_reserved8()      ClMAIL_reserved9()
ClMAIL_reserveda()      ClMAIL_reservedb()
ClMAIL_reservedc()      ClMAIL_reservedd()
ClMAIL_reservede()      ClMAIL_reservedf()
ClMAIL_reservedg()      ClMAIL_DoNetcall(A0,A1,A2,D0,D1,A3)
ClMAIL_JANUS_GetPrefs() ClMAIL_JANUS_SavePrefs()
ClMAIL_JANUS_AllocPre(A0,D0) ClMAIL_JANUS_FreePre(A0)
ENDLIBRARY

```

## 1.22 cl\_message.library (E-MODUL)

```

LIBRARY clmbase
ClM_AllocIndex(A0,D0)      ClM_AttemptAllocIndex(A0,D0)
ClM_FreeIndex(A0)          ClM_SendFromMemory(A0,A1,A2)
ClM_SendFromFile(A0,A1,A2) ClM_FirstNew(A0,D0)
ClM_EntryCount(A0)        ClM_GetInfo(A0)
ClM_WriteInfo(A0,A1)      ClM_Goto(A0,D0)
ClM_NextMail(A0)          ClM_PrevMail(A0)
ClM_ReadMail(A0,A1,D0)    ClM_ReadMailToFile(A0,A1,A2)
ClM_ReadMailToMemory(A0,A1) ClM_ActNumber(A0)
ClM_ReadHeader(A0)        ClM_Crunch(A0,D0,D1,A1)
ClM_AllocPMIndex(A0,D0)   ClM_AttemptAllocPMIndex(A0,D0)
ClM_GotoMsgID(A0,A1,D0)   ClM_SendExternalFile(A0,A1,A2,A3)
ENDLIBRARY

```

## 1.23 cl\_mproc.library (E-MODUL)

```

LIBRARY clmprocbase
ClMProc_Newfiles(D0)      ClMProc_Process(A0,A1,A2,A3,D0,D1,D2)
ENDLIBRARY

```

## 1.24 cl\_msg.library (E-MODUL)

```

LIBRARY clmbase
ClMSG_GetIndex(A0,A1)     ClMSG_FreeIndex(A0)
ClMSG_GetA(A0,A1)        ClMSG_SetA(A0,A1)
ClMSG_Move(A0,D0,D1)     ClMSG_Store(A0,D0,A1,A2,D1,D2)
ClMSG_Crunch(A0,A1)
ENDLIBRARY

```

## 1.25 cl\_mui.library (E-MODUL)

```

LIBRARY clmuibase
  ClMUI_NewObjectA (A0,A1)
  ClMUI_SCF_String (A0,D0)
  ClMUI_SCF_CheckMark (D0)
  ClMUI_SCF_SimpleButton (A0)
  ClMUI_SCF_Cycle (A0)
  ClMUI_SCF_Radio (A0,A1)
  ClMUI_SCF_Slider (D0,D1,D2)
  ClMUI_SCF_PopButton (D0)
  ClMUI_SCF_Label1 (A0)
  ClMUI_SCF_LLabel (A0)
  ClMUI_SCF_LLabel2 (A0)
  ClMUI_SCF_KeyLabel1 (A0,D0)
  ClMUI_SCF_KeyLLabel (A0,D0)
  ClMUI_SCF_KeyLLabel2 (A0,D0)
  ClMUI_Boards2lv (A0,D0)
  ClMUI_lv2Gruppen (A0,A1,D0)
  ClMUI_lv2Verteiler (A0,A1,D0)
  ClMUI_FindIn_lv (A0,A1)
  ClMUI_Copy_lv_Active (A0,A1)
  ClMUI_CheckmarkExcludeA (A0)
  ClMUI_SetCycleChainA (A0,A1)
  ClMUI_TickDelay (A0,D0)
  ClMUI_SCF_Set (A0,D0,D1)
  ClMUI_SCF_SetString (A0,A1)
  ClMUI_SCF_SetText (A0,A1)
  ClMUI_SCF_GetInteger (A0,A1)
  ClMUI_SCF_GetCycle (A0,A1)
  ClMUI_SCF_GetCheckmark (A0,A1)
  ClMUI_ErrorRequest ()
  ClMUI_SCF_KeyString (A0,D0,D1)
  ClMUI_SCF_KeyCheckMark (D0,D1)
  ClMUI_SCF_KeyButton (A0,D0)
  ClMUI_SCF_KeyCycle (A0,D0)
  ClMUI_SCF_KeyRadio (A0,A1,D0)
  ClMUI_SCF_KeySlider (D0,D1,D2,D3)
  ClMUI_SCF_Label (A0)
  ClMUI_SCF_Label2 (A0)
  ClMUI_SCF_LLabel1 (A0)
  ClMUI_SCF_KeyLabel (A0,D0)
  ClMUI_SCF_KeyLabel2 (A0,D0)
  ClMUI_SCF_KeyLLabel1 (A0,D0)
  ClMUI_Info (A0)
  ClMUI_Links2lv (A0)
  ClMUI_Gruppen2lv (A0,A1)
  ClMUI_Verteiler2lv (A0,A1)
  ClMUI_FindDel (A0,A1)
  ClMUI_str2lv (A0,A1)
  ClMUI_WildcardSelect (A0,A1,D0)
  ClMUI_HelpFileName (A0,A1)
  ClMUI_DisableA (D0,A0)
  ClMUI_SCF_Get (A0,D0,A1)
  ClMUI_SCF_GetString (A0,A1)
  ClMUI_SCF_SetInteger (A0,D0)
  ClMUI_SCF_SetCycle (A0,D0)
  ClMUI_SCF_SetCheckmark (A0,D0)
ENDLIBRARY

```

## 1.26 cl\_prefs.library (E-MODUL)

```

LIBRARY clprefsbase
  ClP_GetPrefs (D0,D1,A0,D2,A1)
  ClP_GetPrefsSize (D0,D1)
  ClP_DeletePrefsID (D0)
  ClP_RemNotify (A0)
  ClP_NextSubID (A0,D0)
  ClP_MaxSubID (D0)
  ClP_GetSystemAddress ()
  ClP_GetUser (A0,A1,A2)
  ClP_SetUser (A0,A1)
  ClP_NextUser (A0,A1)
  ClP_AllocateUserlist (D0)
  ClP_RequestMailerSem (A0)
  ClP_RemoveMailerSem (A0)
  ClP_PK_Unpack (A0,A1,A2)
  ClP_MakeSpoolName (A0,A1,D0)
  ClP_MakeTrashName (A0,A1,A2)
  ClP_PK_FreeSem ()
  ClP_PK_AttemptSem ()
  ClP_GetDBInfo ()
  ClP_GetNumNewUsers ()
  ClP_SetPrefs (D0,D1,A0,D2,A1)
  ClP_DeletePrefs (D0,D1)
  ClP_AddNotify (D0,A0)
  ClP_ReplyNotify (A0)
  ClP_PrevSubID (A0,D0)
  ClP_GetSystemName ()
  ClP_MakeTempFileName (A0,D0)
  ClP_GetUserByIndex (D0,A0,A1)
  ClP_DelUser (A0,D0)
  ClP_NumUsers ()
  ClP_FreeUserlist ()
  ClP_FreeMailerSem ()
  ClP_PK_FindByStamp (A0,A1)
  ClP_PK_PackA (A0,A1,A2)
  ClP_RenameToSpool (A0)
  ClP_PK_AllocSem ()
  ClP_GetSystemNameLowerCase ()
  ClP_RenameToSpoolSysname (A0,A1)
  ClP_SaveDBInfo ()
  ClP_GetGroupName (D0)

```

```

ClP_SetGroup (A0,D0)          ClP_ClrGroup (A0,D0)
ClP_GetGroup (A0,D0)          ClP_SaveGroupNames ()
ClP_GetPort (D0)              ClP_SavePorts (D0)
ClP_GetNumPorts ()            ClP_RegisterDBViewer (A0,D0)
ClP_PK_RereadPacker ()         ClP_PK_GetPackerList ()
ClP_CallEditor (A0)            ClP_IsPasswordSet (A0)
ClP_TestPassword (A0,A1)       ClP_SetPassword (A0,A1)
ENDLIBRARY

```

## 1.27 cl\_route.library (E-MODUL)

```

LIBRARY clrbase
  ClR_GetRoute (A0,A1,A2,D0)    ClR_IsZER (A0)
  ClR_CalcRouteFee (A0,A1,D0)   ClR_LoadRouteData ()
  ClR_IsThisMe (A0)             ClR_Bang2Domain (A0,A1)
ENDLIBRARY

```

## 1.28 cl\_shell.library (E-MODUL)

```

LIBRARY clshellbase
  ClSHELL_GetUserShell ()       ClSHELL_IsAnsi ()
  ClSHELL_XFer (A0,D0)           ClSHELL_FreeXFerList (A0)
  ClSHELL_GetKey ()
ENDLIBRARY

```

## 1.29 cl\_system.library (E-MODUL)

```

LIBRARY clsbase
  ClS_LoadList ()                ClS_SaveList ()
  ClS_GetEntry (A0)              ClS_FindEntry (A0)
  ClS_DeleteEntry (A0)           ClS_AddEntry (A0)
  ClS_LockList (D0)              ClS_UnlockList ()
  ClS_LastEntry (A0)             ClS_AddTag (A0,A1,D0,D1)
  ClS_GetTag (A0,D0)             ClS_DelTag (A0,D0)
  ClS_DoRouting (A0,A1,A2,A3)    ClS_FindBox (A0)
  ClS_TestBoxDomain (A0,A1)      ClS_IsThisMe (A0)
  ClS_Private1 ()                ClS_GetTagSize (A0)
  ClS_GetNumEntries ()           ClS_RequestA (A0)
  ClS_FreeReqResults (A0)        ClS_GetReqResult (A0,D0)
ENDLIBRARY

```

## 1.30 cl\_text.library (E-MODUL)

```

LIBRARY cltxtbase
  ClTXT_ReadPrefs ()             ClTXT_OpenLocale (A0)
  ClTXT_SPrintfA (A0,A1,A2,A3)   ClTXT_PrintfA (A0,A1,A2)
  ClTXT_FormatDate (A0,A1,A2,A3) ClTXT_Replace (A0,A1,A2,A3)

```

---

```

ClTXT_MakeFile (A0,A1,A2,A3)    ClTXT_OpenCatalog (A0,A1)
ClTXT_CloseCatalog (A0)        ClTXT_GetString (A0,A1,A2)
ClTXT_GetLanguageByDomain (A0) ClTXT_FlushCatalogs ()
ClTXT_GetLanguageList ()       ClTXT_ReplaceAll (A0,A1,A2,D0,A3)
ClTXT_ViewFile (A0,A1,A3)
ENDLIBRARY

```

## 1.31 cl\_xfer.library (E-MODUL)

```

LIBRARY clxferbase
ClXFER_Info ()                  ClXFER_FreeList (A0)
ClXFER_ResetPrefs ()           ClXFER_Transfer (D0,A0,A1,A2,A3)
ClXFER_SER_Close (A0)          ClXFER_AllocateSendfilelist (A0)
ClXFER_SER_Write (A0,A1,D0)    ClXFER_SER_Open (A0,D0,D1,D2,D3,D4,A1)
ClXFER_SER_Query (A0)          ClXFER_SER_SetParams (A0,D0,D1,D2,D3)
ClXFER_SER_CD (A0)             ClXFER_SER_Clear (A0)
ClXFER_SER_Flush (A0)          ClXFER_SER_Inhibit (A0,D0)
ClXFER_SER_WaitMask (A0)       ClXFER_SER_Read (A0,A1,D0,D1,D2,A2)
ClXFER_SER_DropDTR (A0,D0)     ClXFER_SER_TempClose (A0,D0)
ClXFER_SER_SetCheckCD (A0,D0)  ClXFER_SER_SendModemCmd (A0,A1,D0,D1)
ClXFER_SER_GetLineRate (A0)    ClXFER_SER_Converse (A0,D0,D1,A1,A2,A3)
ClXFER_SER_SetLineRate (A0,D0) ClXFER_SER_Gets (A0,A1,D0,D1,A2)
ClXFER_SER_Port_Hangup (A0,A1) ClXFER_SER_Transfer (A0,A1,A2,A3)
ClXFER_GetProtoList ()         ClXFER_SER_Port_Dial (A0,A1,A2,A3,D0,D1)
ClXFER_GetProtoNameIndex (A0)  ClXFER_SER_SetConObject (A0,A1)
ClXFER_GetProtoComment (A0)    ClXFER_SER_SetConWriteObject (A0,A1)
ENDLIBRARY

```