

# Index



# Index

- A
  - API
    - UNIX 11
    - Writing Tools 23
  - Areas, tool data 31
- B
  - BitmapPath parameter 78
  - BarButtonText parameter 77
- C
  - C-callable functions 36
  - Client, writing tool 24
  - Client application, initializing 78
  - Command line method, detection 13
  - Communication
    - between applications 79
    - initializing 14
    - terminating, UOAPI 20
    - UOAPI 14
  - Constants, symbolic 50
- D
  - Data packet
    - initializing 14
    - token 16
  - DescriptiveName parameter 77
  - Detection
    - command line method 13
    - initialization file method 13
    - UOAPI 12
  - Disclaimer 5
- E
  - Editing with WTAPI 34
  - Enumerated types (WTAPI)
    - WTBOOL 48
    - WTENDBLOCK 49
    - WTMODE 48
    - WTMSGID 46
    - WTPOS 48
    - WTSTATUS 47
    - WTTBQTYPE 49
    - WTTTOOL 48
  - Example wtapi.init file 76
- F
  - Files
    - .h 21
    - example wtapi.init 76
    - included with SDK 8
    - wtapi.init 76
  - Format
    - character strings 12
    - parameters, token 21
    - token 21
  - Functions
    - wtcClSend 37
    - wtClReceive 38
    - wtcTlSend 40
    - wtqClSend 41
    - wtqTlSend 42
    - wtTlReceive 45
- H
  - Handling, token 16
  - HelpFileKey parameter 78
  - HelpFilePath parameter 78
- I
  - Initialization file method 13
  - Initializing
    - client application 78
    - communication 14
    - writing tool 79
    - writing tool client 78
  - Initiation, writing tools 27
- Installing
  - UNIX writing tools 76
  - writing tools 27
- Invoking a writing tool 79, 81
- L
  - LongPrompt parameter 77
- M
  - Manipulating variables 17
    - merge, reading 18
    - merge, setting 20
    - system variables 17
  - MenuName parameter 77
  - Merge variables
    - reading 18
    - setting 20
  - Messages
    - sending 79
    - WTAPI 28, 54
  - Method of detection
    - command line 13
    - initialization file 13
- N
  - Notice and Disclaimer 5
- O
  - Overview
    - UOAPI 11
    - Writing Tool Session 27
    - WTAPI 23
- P
  - Parameters
    - BitmapPath 78
    - BarButtonText 77
    - DescriptiveName 77

HelpFileKey 78  
HelpFilePath 78  
LongPrompt 77

MenuName 77  
Parameters 77  
PathExe 77

Parameters parameter 77  
Parameters, format token 21  
PathExe parameter 77

Pipes, transport protocol 78  
 Platform-specific  
   structures 79  
   types 81  
   writing tools 76  
 Polling, UOAPI 17  
 Programming concerns 12  
 Protocol, transport 78

**R**

Range, token 15  
 Reading  
   merge variables 18  
   system variables 17

**S**

Sample program, UOAPI 21  
 Sending messages 79  
 Server, writing tool 24  
 Session, writing tool 27  
 Setting merge variables 20  
 Software Developer's Kit diskette  
   8  
 Standard in 12  
 Standard out 12  
 Starting writing tool 79  
 Strings, character 12  
 Structures, platform-specific 79  
 Switch, command line 13  
 Symbolic constants  
   WTACTION 52  
   WTAPI\_VERSION 50  
   WTDAMODE 50  
   WTINFO 52  
   WTTEXT 51  
   WTUNIT 51  
 System variables 17

**T**

Terminating  
   UOAPI communication 20  
   WTAPI session 35  
 Text  
   correction (WTAPI) 34  
   transmission (WTAPI) 33  
 Token  
   format 21  
   handling 16  
   range 15  
 Tool data areas 31  
 Transport protocol, UNIX 78  
 Types and structures  
   platform-specific 81  
   WTACTION 53, 81  
   WTBUF 53, 81  
   WTBUF 53, 81  
   WTC\_CLACTIVE 54  
   WTC\_CLINACTIVE 54  
   WTC\_INIT 55  
   WTC\_RQCLACTIVE 55  
   WTC\_RQINIT 56  
   WTC\_RQTLTERM 56  
   WTC\_TLINACTIVE 57  
   WTC\_TLTERM 57  
   WTCCLACTIVEP 54  
   WTCCLINACTIVEP 54  
   WTCINITP 55  
   WTCOMM 53, 79  
   WTCOMMDATA 79  
   WTCOUNT 53, 81  
   WTCOUNTP 53, 81  
   WTCRQCLACTIVEP 55  
   WTCRQINITP 56  
   WTCRQTLTERMP 56  
   WTCTLTERMP 57  
   WTDAMODE 53, 81  
   WTINFO 53, 81  
   WTLANG 53, 80  
   WTLANGP 53, 80  
   WTPIPE 79  
   WTQ\_GOTO 58  
   WTQ\_HILITE 59  
   WTQ\_INFOBLOCK 59  
   WTQ\_NEXTTEXTBLOCK 60  
   WTQ\_READTEXTOBJECT  
     61  
   WTQ\_READTOOLDATA 61  
   WTQ\_REPLACE 62  
   WTQ\_TEXTBLOCK 63  
   WTQ\_TLACTIVE 65  
   WTQ\_UNDOREPLACE 65  
   WTQ\_UNITINFO 65  
   WTQ\_WRITETEXTOBJECT  
     66  
   WTQ\_WRITETOOLDATA 66  
   WTQDEHILIT 58  
   WTQDEHILITEP 58  
   WTQGOTOP 58  
   WTQHILITEP 59  
   WTQINFOBLOCKP 60  
   WTQNEXTTEXTBLOCKP 60  
   WTQREADTEXTOBJECTP  
     61  
   WTQREADTOOLDATAP 62  
   WTQREPLACEP 63  
   WTQTEXTBLOCKP 64  
   WTQTLACTIVEP 65  
   WTQUNDOREPLACEP 65  
   WTQUNITINFOP 66  
   WTQWRITETEXTOBJECTP  
     66  
   WTQWRITETOOLDATAP 67  
   WTR\_DEHILITE 67  
   WTR\_GOTO 68  
   WTR\_HILITE 68  
   WTR\_INFOBLOCK 69  
   WTR\_READTEXTOBJECT  
     70  
   WTR\_READTOOLDATA 71  
   WTR\_REPLACE 71  
   WTR\_TEXTBLOCK 72  
   WTR\_TLACTIVE 73  
   WTR\_UNITINFO 73  
   WTR\_WRITETEXTOBJECT  
     74  
   WTR\_WRITETOOLDATA 75  
   WTRDEHILITEP 67  
   WTRGOTOP 68  
   WTRHILITEP 68  
   WTRINFOBLOCKP 69  
   WTRREADTEXTOBJECTP  
     70  
   WTRREADTOOLDATAP 71  
   WTRREPLACEP 72  
   WTRTEXTBLOCKP 72  
   WTRTLACTIVEP 73  
   WTRUNITINFOP 74  
   WTRWRITETEXTOBJECTP

- 74
  - WTRWRITETOOLDATAP 75
  - WTSIZE 53, 81
  - WTSIZEP 53, 81
  - WTTEXT 53, 81
  - WTUNIT 53, 81
- U**
- UNIX**
- platform-specific information 76
  - platform-specific structures 79
  - platform-specific types 81
  - transport protocol 78
  - writing tool 76
- UOAPI**
- communication 14
  - detection 12
  - files 21
  - overview 11
  - polling 17
  - program files 21
  - programming 12
  - terminating communication 20
  - token handling 16
- uoapi.c file 21
- uoapi.h file 21
- User, writing tool 24
- UWPMRS.WP file 21

- V**
- Variables**
- manipulating 17
  - merge, reading 18
  - merge, setting 20
  - reading 17
  - system, reading 17
- W**
- Word strings 12
- WordPerfect for UNIX, invoking
- writing tools from 81
- WordPerfect characters 12
- WP 7 word strings 12
- wpthird.ini file 13
- Writing tool
- client 24
  - initializing 79
  - installation 76
  - invoking from WP60 81
  - server 24
  - user 24
- Writing tool client, initializing 78
- Writing tool session
- initiating 29
  - installation/initiation 27
  - termination 35
- Writing tools, platform-specific 76
- Writing Tools API
- C-callable functions 36
  - customizing parameters 30
  - documentation 26
  - installation/initiation 27
  - messages, sending 28
  - overview 23
  - platform-specific 76
  - session 27
  - termination 35
  - text correction 34
  - text transmission 33
  - tool data areas 31
  - user editing 34
- Writing Tools Application
- Program Interface (WTAPI) 23
- WTACTION type 52, 53, 81
- WTAPI (Writing Tools Application Program Interface) 23
- communication 79
  - installing writing tools 76
  - messages 79
  - platform-specific information 76
- WTAPI messages
- WTC\_CLACTIVE 54
  - WTC\_CLINACTIVE 54
  - WTC\_INIT 55
  - WTC\_RQCLACTIVE 55
  - WTC\_RQINIT 56
- WTC\_RQTLTERM 56
- WTC\_TLINACTIVE 57
- WTC\_TLTERM 57
- WTQ\_DEHILITE 58
- WTQ\_GOTO 58
- WTQ\_HILITE 59
- WTQ\_INFOBLOCK 59
- WTQ\_NEXTTEXTBLOCK 60
- WTQ\_READTEXTOBJECT 61
- WTQ\_READTOOLDATA 61
- WTQ\_REPLACE 62
- WTQ\_TEXTBLOCK 63
- WTQ\_TLACTIVE 65
- WTQ\_UNDOREPLACE 65
- WTQ\_UNITINFO 65
- WTQ\_WRITETEXTOBJECT 66
- WTQ\_WRITETOOLDATA 66
- WTR\_DEHILITE 67
- WTR\_GOTO 68
- WTR\_HILITE 68
- WTR\_INFOBLOCK 69
- WTR\_READTEXTOBJECT 70
- WTR\_READTOOLDATA 71
- WTR\_REPLACE 71
- WTR\_TEXTBLOCK 72
- WTR\_TLACTIVE 73
- WTR\_UNITINFO 73
- WTR\_WRITETEXTOBJECT 74
- WTR\_WRITETOOLDATA 75
- wtapi.init file 76, 78, 81
- example 76
- WTAPI\_VERSION constant 50
- WTBOOL type 48
- WTBUF type 53, 81
- WTBUPF type 53, 81
- WTC\_CLACTIVE message 54
- WTC\_CLINACTIVE message 54
- WTC\_INIT message 30, 55
- WTC\_RQCLACTIVE message 55
- WTC\_RQINIT message 30, 56
- WTC\_RQTLTERM message 56

WTC\_TLINACTIVE message 57  
 WTC\_TLTERM message 57  
 WTCCLACTIVEP type 54  
 WTCCLINACTIVEP type 54  
 WtcClSend function 37  
 WTCINITP type 55  
 WtcClReceive function 38  
 WTCOMM type 53, 79  
 WTCOMMDATA type 79  
 WTCOUNT type 53, 81  
 WTCOUNTP type 53, 81  
 WTCRQCLACTIVEP type 55  
 WTCRQINITP type 56  
 WTCRQTLTERM type 56  
 WtcTlSend function 40  
 WTCTLTERM type 57  
 WTDAMODE constant 50, 53  
 WTDAMODE type 81  
 WTENDBLOCK type 49  
 WTINFO type 52, 53, 81  
 WTLANG type 53, 80  
 WTLANGP type 53, 80  
 WTMODE type 48  
 WTMSGID type 46  
 WTPIPE type 79  
 WTPOS type 48  
 WTQ\_DEHILITE message 58  
 WTQ\_GOTO message 58  
 WTQ\_HILITE message 59  
 WTQ\_INFOBLOCK message 30, 59  
 WTQ\_NEXTTEXTBLOCK message 60  
 WTQ\_READTEXTOBJECT message 61  
 WTQ\_READTOOLDATA message 61  
 WTQ\_REPLACE message 62  
 WTQ\_TEXTBLOCK message 63  
 WTQ\_TLACTIVE message 65  
 WTQ\_UNDOREPLACE message 65  
 WTQ\_UNITINFO message 30, 65  
 WTQ\_WRITETEXTOBJECT message 66  
 WTQ\_WRITETOOLDATA message 66  
 WtqClSend function 41  
 WTQDEHILIT type 58  
 WTQDEHILITE structure 58  
 WTQDEHILITEP type 58  
 WTQGOTOP type 58  
 WTQHILITEP type 59  
 WTQINFOBLOCKP type 60  
 WTQNEXTTEXTBLOCKP type 60  
 WTQREADTEXTOBJECTP type 61  
 WTQREADTOOLDATAP type 62  
 WTQREPLACEP type 63  
 WTQTEXTBLOCKP type 64  
 WTQTLACTIVEP type 65  
 WtqTlSend function 42  
 WTQUNDOREPLACEP type 65  
 WTQUNITINFOP type 66  
 WTQWRITETEXTOBJECTP type 66  
 WTQWRITETOOLDATAP type 67  
 WTR\_DEHILITE message 67  
 WTR\_GOTO message 68  
 WTR\_HILITE message 68  
 WTR\_INFOBLOCK message 30, 69  
 WTR\_READTEXTOBJECT message 70  
 WTR\_READTOOLDATA message 71  
 WTR\_REPLACE message 71  
 WTR\_TEXTBLOCK message 72  
 WTR\_TLACTIVE message 73  
 WTR\_UNITINFO message 30, 73  
 WTR\_WRITETEXTOBJECT message 74  
 WTR\_WRITETOOLDATA message 75  
 WTRDEHILITEP type 67  
 WTRGOTOP type 68  
 WTRHILITEP type 68  
 WTRINFOBLOCKP type 69  
 WTRREADTEXTOBJECTP type 70  
 WTRREADTOOLDATAP type 71  
 WTRREPLACEP type 72  
 WTRTEXTBLOCKP type 72  
 WRTLACTIVEP type 73  
 WTRUNITINFOP type 74  
 WTRWRITETEXTOBJECTP type 74  
 WTRWRITETOOLDATAP type 75  
 WTSIZE type 81  
 WTSIZEP type 53, 81  
 WTSTATUS type 47  
 WTTBQTYPE type 49  
 WTTEXT type 51, 53, 81  
 WtTlReceive function 45  
 WTTOOL type 48  
 WTUNIT type 51, 53, 81