



Power Macintosh 5400/180

Features

High performance

- PowerPC 603e processor running at 180 MHz
- 16MB of RAM
- 1.2GB hard disk drive

Multimedia

- Multiple-scan 15-inch color display (12.8-inch diagonal viewable image size)
- Built-in 8x-speed, tray-loading CD-ROM drive
- CD-quality digital sound with SRS 3D surround sound
- Front-panel volume control and headphone/speaker jack

Connectivity and expandability

- Ethernet expansion slot (card sold separately)
- PCI expansion slot
- SCSI interface
- Serial port

Features Built Into Every Power Macintosh

Fast, easy setup

- Simple to set up and learn; your system is ready to go the first time you turn it on

System 7.5.5 software

- Apple Guide software for step-by-step help with basic system operation
- QuickTime multimedia software
- Macintosh PC Exchange software

Communications

- GeoPort- and LocalTalk-compatible serial ports
- Built-in AppleTalk networking
- File sharing without a dedicated server

With its state-of-the-art RISC-based processor and advanced multimedia capability, the Apple Power Macintosh 5400/180 computer is ready to help you learn, create, and communicate.

The computer's 180-megahertz PowerPC 603e processor and 16 megabytes of RAM let you easily run an abundance of Macintosh applications—and there's plenty of room to store them on the 1.2-gigabyte internal hard drive.

The Power Macintosh 5400/180 includes multimedia features that are expensive add-ons with other computers, including a CD-ROM drive for multimedia applications and a 15-inch monitor (12.8-inch diagonal viewable image size) to display vibrant colors. There's also a built-in microphone to directly record your own sounds.

Multimedia audio is made lifelike through the built-in stereo speakers enhanced by SRS 3D surround sound and the Macintosh 16-bit stereo sound system.

Optional Ethernet connectivity lets you access the Internet—including the World Wide Web—through your local Ethernet network.

Compatibility with MS-DOS or Windows software—based computers is provided in several ways. You can share floppy disks and files by using Macintosh PC Exchange and Macintosh Easy Open software (both included).

If you need more capabilities in the future, expansion is easy through the industry-standard Peripheral Component Interconnect (PCI) slot and built-in SCSI support.

The Power Macintosh 5400/180: Performance and convenience for learning, creating, and communicating.





Power Macintosh 5400/180

Ordering Information

Power Macintosh 5400/180

Order No. M5686LL/B
Computer with built-in multiple-scan 15-inch display (12.8-inch diagonal viewable image size), 1.2GB hard disk, 8x-speed CD-ROM drive, and floppy disk drive. Mouse, keyboard, and cables also included.

Optional Enhancements

High-Performance Module (256K level 2 cache)

Order No. M4505LL/A

Apple Video System

Order No. M2894LL/D

Apple TV/FM Radio System

Order No. M4586LL/A
(Requires the Apple Video System)

Apple External Video Connector

Order No. M4099LL/B

Avid Cinema

Order No. M4561LL/B
(Requires the Apple Video System)

Apple 10BASE-2 (Thin Coax) Ethernet Card

Order No. M4773ZM/A

Apple 10BASE-T (Twisted Pair) Ethernet Card

Order No. M4772ZM/A

Apple AAUI (Generic) Ethernet Card

Order No. M4774ZM/A

Product specifications are subject to change. Check with your Apple reseller for the most current information about product specifications and configurations.

Technical Specifications

Microprocessor

- PowerPC 603e processor running at 180 MHz
- 32K internal cache
- Integrated floating-point unit
- 64-bit memory bus
- Optional High-Performance Module (256K level 2 cache)

Memory

- Comes with 16MB of RAM (uses one DIMM socket)
- Can be expanded to 136MB using two 64MB DIMMs
- Uses 64-bit-wide, 168-pin, 70-nanosecond or faster, fast-paged-mode DIMMs (1K or 2K refresh rate)

Disk drives

- Internal 1.2GB hard disk drive
- Internal Apple SuperDrive floppy disk drive
 - Uses high-density, 1.4MB floppy disks
 - Reads, writes, and formats Macintosh, Windows, MS-DOS, OS/2, and ProDOS disks

Display

Built-in display

- 15-in. RGB color display (12.8-in. diagonal viewable image size)
- 0.28-mm dot pitch
- Noninterlaced, flat, square cathode-ray tube (CRT)
- User-adjustable resolutions from 640 by 480 pixels to 832 by 624 pixels
- Resolution can be changed without restarting the computer
- Refresh rate up to 75 Hz
- Built-in base tilts from -5° to +15°, swivels a full 360°
- Meets SWEDAC MPR2 international guidelines for magnetic-field emissions

Display support

- 16-bit color for display of up to 32,768 colors at 640- by 480-pixel or 800- by 600-pixel resolution
- 8-bit color for display of 256 colors at 832- by 624-pixel resolution
- 1MB video frame buffer (independent of system RAM)

Sound

- Stereo 16-bit sound
- Apple sound enhancements, including SRS 3D surround sound
- Built-in stereo speakers
- Built-in microphone
- Sound-output port
- Sound-input port
- Front headphone jack and volume control

Expansion interfaces

- Optional Ethernet expansion slot
- PCI expansion slot for industry-standard 6.88-in., 15-watt expansion cards
- Apple Desktop Bus port for mouse, keyboard, and other devices (multiple devices can be connected to each other from one port)
- RS-232/RS-422 serial port for an AppleTalk network connection, other networking connections, communications equipment (including GeoPort-compatible devices), or a printer
- SCSI interface port for as many as six external SCSI devices, such as disk drives and/or CD-ROM drives
- Communications slot (used by the built-in Ethernet connector)
- TV/FM radio expansion bay
- Video slot (used by the Apple Video System to connect a VCR, video camera, or other video equipment; supports both composite and S-video input)
- Optional video-output port for connection to an external monitor for video mirroring (also supports connection to an NTSC or PAL video-out interface box, such as the Apple Presentation System)

Disability access

- CloseView software magnifies screen image up to 16 times
- Easy Access software permits combination keys to be pressed sequentially and enables cursor control from the numeric keypad instead of the mouse
- "Visual beep" replaces audible system alerts

Electrical requirements and compliance

- Line voltage: 110 to 240 V AC, RMS, single phase, nominal
- Frequency: 50 to 60 Hz
- Power: 220 W maximum (continuous)
- Includes low-power sleep mode
- U.S. EPA Energy Star compliant

Size and weight

- Height: 17.5 in. (44.5 cm)
- Width: 15.1 in. (38.3 cm)
- Depth: 16 in. (40.6 cm)
- Weight: 47 lb. (21 kg)

Operating environment

- Operating temperature: 50° to 104° F (10° to 40° C)
- Storage temperature: -40° to 116° F (-40° to 47° C)
- Relative humidity: 5% to 95%, noncondensing
- Maximum altitude: 10,000 ft. (3,048 m)

Apple Computer, Inc.
1 Infinite Loop
Cupertino, CA 95014
(408) 996-1010
<http://www.apple.com/>

© 1997 Apple Computer, Inc. All rights reserved. Apple, the Apple logo, Apple SuperDrive, AppleTalk, GeoPort, LocalTalk, Macintosh, Power Macintosh, ProDOS, and QuickTime are trademarks of Apple Computer, Inc., registered in the U.S.A. and other countries. PowerPC is a trademark of International Business Machines Corporation, used under license therefrom. The word SRS is a registered trademark of SRS Labs, Inc. Mention of non-Apple products is for informational purposes only and constitutes neither an endorsement nor a recommendation. Apple assumes no responsibility with regard to the selection, performance, or use of these products. All understandings, agreements, or warranties, if any, take place directly between the vendors and the prospective users.

May 1997. Product specifications are subject to change without notice. Printed in U.S.A.
L02063B