


New Technical Notes

Macintosh



Developer Support

Finding Drivers in the Unit Table Devices

Revised by:
Written by: Rick Blair

March 1988
February 1986

This note will explain how code can be written to determine the reference number of a previously installed driver when only the name is known.

You should already be familiar with The Device Manager chapter of *Inside Macintosh* before reading this technical note.

The Pascal code at the end of this note demonstrates how to obtain the reference number of a driver that has been installed in the Unit Table. The reference number may then be used in subsequent calls to the Device Manager such as `Open`, `Control` and `Prime`.

One thing to note is that the `dRAMBased` bit really only tells you whether `dCtlDriver` is a pointer or a handle, not necessarily whether the driver is in ROM or RAM. SCSI drivers, for instance, are in RAM but not relocatable; their DCE entries contain pointers to them.

From MPW Pascal:

```
PROCEDURE GetDrvRefNum(driverName: Str255; VAR drvRefNum: INTEGER);

TYPE
    WordPtr      = ^INTEGER;

CONST
    UTableBase   = $11C;      {low memory globals}
    UnitNtryCnt   = $1D2;

    dRAMBased     = 6;        {bit in dCtlFlags that indicates ROM/RAM}
    drvName       = $12;      {length byte and name of driver [string]}

VAR
    negCount      : INTEGER;
    DCEH          : DCtlHandle;
    drivePtr       : Ptr;
    s              : Str255;

BEGIN
    UpString(driverName, FALSE); {force same case for compare}

    negCount := - WordPtr(UnitNtryCnt)^; {get -(table size)}
```

```
{Check to see that driver is installed, obtain refNum.}
{Assumes that an Open was done previously -- probably by an INIT.}
{Driver doesn't have to be open now, though.}

drvRefNum := - 12 + 1; {we'll start with driver refnum = -12,
                        right after .ATP entry}

{Look through unit table until the driver found or reach the end.}

REPEAT
    drvRefNum := drvRefNum - 1; {bump to next refnum}
    DCEH := GetDCEHEntry(drvRefNum); {get handle to DCE}

    s := ''; {no driver, no name}

    IF DCEH <> NIL THEN
        WITH DCEH^ DO BEGIN {this is safe -- no chance of heap
                               moving before dCtlFlags/dCtlDriver
                               references}

            IF (dCtlDriver <> NIL) THEN BEGIN
                IF BTST(dCtlFlags, dRAMBased) THEN
                    drivePtr := Handle(dCtlDriver)^ {zee deréference}
                ELSE
                    drivePtr := Ptr(dCtlDriver);

                IF drivePtr <> NIL THEN BEGIN
                    s := StringPtr(ORD4(drivePtr) + drvName)^;
                    UpString(s,FALSE); {force same case for compare}
                END;
            END; {IF}

        END; {WITH}
    UNTIL (s = driverName) OR (drvRefNum = negCount);

    {Loop until we find it or we've just looked at the last slot.}

    IF s <> driverName THEN drvRefNum := 0; {can't find driver}
END;
```

From MPW C:

```
short      GetDrvRefNum(driverName)
char        *driverName[256];

{ /* GetDrvRefNum */

#define      UnitNtryCnt    0x1d2

/*bit in dCtlFlags that indicates ROM/RAM*/
#define      dRAMBased      6
/*length byte and name of driver [string]*/
#define      drvName        0x12

short      negCount,dRef;
DCEHHandle DCEH;
char        *drivePtr,*s;

negCount = -(short *) (UnitNtryCnt); /*get -(table size)*/
```

```
/*Check to see that driver is installed, obtain refNum.*/
/*Assumes that an Open was done previously -- probably by an INIT.*/
/*Driver doesn't have to be open now, though.*/

dRef = -12 + 1; /*we'll start with driver refnum == -12,
               right after .ATP entry*/

/*Look through unit table until we find driver or reach the end.*/

do {
    dRef -= 1; /*bump to next refnum*/
    DCEH = GetDCtlEntry(dRef); /*get handle to DCE*/

    s = "";

    if ((DCEH != nil) && ( (**DCEH).dCtlDriver != nil) )
    {
        if ((**DCEH).dCtlFlags >> dRAMBased) & 1)
            /* test dRamBased bit */
            drivePtr = *(Handle) (**DCEH).dCtlDriver;
            /*zee deréference*/
        else
            drivePtr = (**DCEH).dCtlDriver;

        if (drivePtr != nil)
            s = drivePtr + drvrName;
    }
    } while (EqualString(s,driverName,0,0) && (dRef != negCount));
/*Loop until we find it or we've just looked at the last slot.*/

if (EqualString(s,driverName,0,0))
    return dRef;
else
    return 0; /*can't find driver*/
}/* GetDrvRefNum */
```

That's all there is to locating a driver and picking up the reference number.

Further Reference:

- The Device Manager