

DOpusLhARexx

Geoff Seeley

Copyright © CopyrightÂ©1994 Nirvana Software & Geoff Seeley. All Rights Reserved.

COLLABORATORS

	<i>TITLE :</i> DOpusLhARexx		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Geoff Seeley	July 20, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	DOpusLhARexx	1
1.1	DOpusLhARexx Documentation	1
1.2	Preface	1
1.3	What's New	2
1.4	Copyrights	2
1.5	Acknowledgements	3
1.6	Installation	4
1.7	rexsupport.library	7
1.8	ListLhA	7
1.9	GetSizesLhA	8
1.10	ExtLhaFiles	8
1.11	SelectFilesLhA	9
1.12	DelFilesLhA	10
1.13	AddFilesLhA	10
1.14	RestoreLhADir	11
1.15	ViewLhAFile	12
1.16	PrintLhAFiles	13
1.17	LhaHandler	13
1.18	StopLhAHandler	14
1.19	Menu Options	14
1.20	Using The Scripts	15
1.21	Bugs	16
1.22	History	17
1.23	Author	22
1.24	The Furture	23
1.25	LhA Issues	23
1.26	Index	23

Chapter 1

DOpusLhARexx

1.1 DOpusLhARexx Documentation

Documentation for DOpusLhARexx 40.2

~~~~~

Date: July 1, 1994

© Copyright 1994 Nirvana Software

**Author:** Geoff Seeley

**Overview** - About the archive.

**What's New?** - Changes from the last release.

**Installation** - Setting up on your system.

**Operation** - Using the scripts.

**Copyrights** - Important information.

**Acknowledgments** - Who made it possible.

**Known Bugs** - What doesn't work.

**Program History** - What was done to fix the above :-)

**The Future** - What I would like to do.

### 1.2 Preface

Preface

~~~~~

DOpusLhARexx is a set of ARexx scripts for Directory Opus that will allow you to view LhA archive files in a DOpus window and extract, delete, add, view and print one or more files to/from the archive.

The DOpusLhARexx programs were developed and tested using the following programs and libraries. Your mileage may vary with other versions....

LhA v1.38

Directory Opus v4.11

rexsupport.library v34.9

1.3 What's New

Changes from Release 40.1

~~~~~

Enhancements

~~~~~

- Increased speed!!
- Added script to view file(s) from an LhA archive
- Added script to print file(s) from an LhA archive
- Double click on a file to view
- Click-m-Click extraction of files
- Restore or ignore full pathnames in archive
- Ability to preserve existing files upon extraction
- Directory Opus format help file for scripts
- Proper pattern matching in file selection

Bug Fixes

~~~~~

- Fixed problems with [rexxsupport.library](#) when it's not installed in the ARexx search path.
- Fixed problems with names containing spaces.

## 1.4 Copyrights

Copyrights

~~~~~

The code within DOpusLhARexx is freely distributable and may not be sold for profit, however the code remains:

Copyrighted © 1994 (All rights reserved)

by Nirvana Software and Geoff Seeley.

DOpusLhARexx may be included in public domain libraries such as Fred Fish's "Amiga Freely Redistributable Library" as long as no profit is made from these programs and no files in the archive are modified in any way.

DOpusLhARexx may also be included on the AmiNet CD-ROM. (As long as I get my free copy :-)

If you *must* make improvements to these programs, please, either send them to me for inclusion in a future release, or at least upload them to your nearest AmiNet archive site so that the Amiga community can benefit and enjoy.

No warranties are expressed or implied for these programs. Use them at your own risk.

Directory Opus is copyrighted by Jonathan Potter and sold by Inovatronics, Inc.

ARexx is a trademark of the Wishful Thinking Development Corp. and William S. Hawes.

LhA is copyrighted by Stefan Boberg.

AmigaGuide, Commodore's Installer and Workbench are copyrighted trademarks of Commodore-Amiga, Inc.

1.5 Acknowledgements

Acknowledgements

~~~~~

The following people and groups made these programs possible.

Thanks go to:

Jonathan Potter for creating the indispensable Directory Opus program.

Bill Hawes for implementing Rexx for the Amiga, and Commodore for including it into the OS.

Billy Gates and MicroSoft for creating DOS6, Windows, Word, Excel, etc. which convince me each and every work day that the Commodore Amiga is *\*the\* one and \*only\* platform to program/use...*

The Vancouver Canucks hockey team for providing me with exciting 1994 Stanley Cup play-off action to watch while updating these boring documents. Go Canucks!

Pink Floyd for a *\*wonderful\** concert in Vancouver...

Thanks to the following people for feedback and/or bug reports:

Amnon Itamar Govrin s2543587@techst02.techion.ac.il

Henning Sauer H.SAUER@BIONIC.zer.de

Bastiau Kinne a09j@zfn.uni.bremen.de

Wolfgang Brodowski BRODY@CHEEZY.AWORD.DE

Walter Dees walterd@stack.urc.tue.nl

Reto Thoma Reto\_Thoma@p2.817.chg.imp.com

Micheal Barsoom mbars@bluejay.creighton.edu

Bill Leath(?) bleath@BIX.com

Lothar Mai Hiedermotzing, Germany

Any anybody else I may have missed. (Sorry). Thanks!

## 1.6 Installation

### Installation

~~~~~

Sorry, no Commodore Installer script. You have to install this by hand.

Please read this whole section before starting the installation process.

The DOpusLhARexx archive should contain the following files:

.Product-Info

DOpusLhARexx.readme

DOpusLhARexx/Docs/DOpusLhARexx.guide

DOpusLhARexx/Docs/DOpusLhARexx.doc

DOpusLhARexx/Docs/DOpusLhARexx.HLP

DOpusLhARexx/ARexx/ListLhA.rexx

DOpusLhARexx/ARexx/GetSizesLhA.rexx

DOpusLhARexx/ARexx/ExtractFilesLhA.rexx

DOpusLhARexx/ARexx/SelectFilesLhA.rexx

DOpusLhARexx/ARexx/DelFilesLhA.rexx

DOpusLhARexx/ARexx/AddFilesLhA.rexx

DOpusLhARexx/ARexx/RestoreLhADir.rexx

DOpusLhARexx/ARexx/ViewLhAFile.rexx

DOpusLhARexx/ARexx/PrintLhAFiles.rexx

DOpusLhARexx/ARexx/LhaHandler.rexx

DOpusLhARexx/ARexx/StopLhAHandler.rexx

DOpusLhARexx/s/DirectoryOpus.CFG

DOpusLhARexx/s/DirectoryOpus.CLA

Step 1: Installing the files

~~~~~

I would suggest that you create a subdirectory in DOpus: called "ARexx"

and place the \*.rexx files in this directory. Alternatively, you can

place them into REXX: or even S:. Be sure the set the 'S' (script) bit

on the \*.rexx files using the C:Protect command.

Make sure you have the assign T: setup and pointing to a location with

some free space for temporary files. By default, all the scripts use

T: to store file lists and other temporary files although you may change

this when configuring the scripts to your setup. (See below)

In addition, you should make sure that **rexxsupport.library** is installed

in LIBS: as the scripts require a few functions from this library.

Step 2: Configuring Directory Opus

~~~~~

Start up DOpus and go into the configuration editor.

Select the "Buttons" editor.

Create new buttons with the following characteristics:

Name Cmd Type Command

~~~~ ~~~~~~ ~~~~~~

**ListLhA** ARexx DOpus:ARexx/ListLhA.rexx

**GetSizesLhA** ARexx DOpus:ARexx/GetSizesLhA.rexx

**ExtLhAFiles** ARexx DOpus:ARexx/ExtractFilesLhA.rexx

**SelectFilesLhA** ARexx DOpus:ARexx/SelectFilesLhA.rexx

**DelFilesLhA** ARexx DOpus:ARexx/DelFilesLhA.rexx

**AddFilesLhA** ARexx DOpus:ARexx/AddFilesLhA.rexx

**RestoreLhADir** ARexx DOpus:ARexx/RestoreLhADir.rexx

**ViewLhAFile** ARexx DOpus:ARexx/ViewLhAFile.rexx

**PrintLhAFiles** ARexx DOpus:ARexx/PrintLhAFiles.rexx

All of these buttons should have no flags set and the default stack, priority and close delay values. (Consult the DOpus manual under the section "3.5 BUTTONS/EDITOR" if you don't understand what the above means)

Next, go into the "Menus" editor and add a new menu with the following sub-items: (See section "3.15 MENUS/MANAGER" in the DOpus manual)

Menu Title: Lha Options

Sub Item: **Restore LhA Paths**

Commands: AmigaDOS Setenv LHAREXX\_EXT\_OPTS "-x x "

Command Notify Now Restoring LhA Paths...

Flags: None

Sub Item: **Ignore LhA Paths~**

Commands: AmigaDOS Setenv LHAREXX\_EXT\_OPTS "-x0 e "

Command Notify Now Ignoring LhA paths...

Flags: None

Sub Item: **Overwrite Existing Files**

Commands: AmigaDOS Setenv LHAREXX\_OVR\_OPTS "-m "

Command Notify Overwrite Existing Files On...

Flags: None

Sub Item: **Keep Existing Files~**

Commands: AmigaDOS Setenv LHAREXX\_OVR\_OPTS "-m0 "

Command Notify Existing Files Will Be Kept...

Flags: None

Sub Item: **Start LhA Handler**

Commands: AmigaDOS Run RX DOpus:ARexx/LhaHandler.rexx

Flags: Output Window

Run asynchronously

Workbench to front

Sub Item: **Stop LhA Handler**

Commands: AmigaDOS Run RX DOpus:ARexx/StopLhaHandler.rexx

Flags: Output Window

Run asynchronously

Workbench to front

(NOTE: The tildes (~) and extras spaces above ARE significant)

Step 3: Configuring the Scripts to your Setup

~~~~~

Fire up your favorite text editor and modify the *.rexx files listed above to conform to your system setup. You will only need to modify a few variables near the top of each file in the "configuration variables section".

Step 4: Double-Click/Click-M-Click Support (OPTIONAL)

~~~~~

If you wish to have the ability to extract files with click-m-click or the ability to view a file via a double-click, you will have to install the custom handler script. The custom handler consists of two scripts:

**LhaHandler**

**StopLhAHandler**

I had originally planned to use DOpus' System/Startup ARexx script configuration option to run the custom handler upon startup of DOpus and this does in fact work, however, the problem is when you attempt to exit DOpus, DOpus waits for the handler script to finish (which it doesn't unless it gets the command to do so). The StopLhAHandler script will send the "quit" command to the custom handler which will stop it.

The best way to install and run the custom handler that I've found is to Run it as a background task at boot time. Add a line to your S>User-Startup (or S:Startup-Sequence) that does the following command:

Run RX DOpus:ARexx/LhaHandler.rexx >NIL:

The ListLhA script looks for the custom handler script's port when listing the archive and will instruct DOpus to pass click-m-click/double clicks to the custom handler if the port exists.

If your destination window is full and you use click-m-click to extract a file, you'll notice that, undoubtedly, a file in the destination window

will be highlighted. If this bothers you, I suggest that you use click-hold-drag (same as click-m-click) to extract the file. Click on the file and hold the button, then drag the file horizontally into the destination window.

Step 5: Help File (OPTIONAL)

~~~~~  
If you wish to install DOpus style help for the new buttons and menu items, you must edit the DOpus help file:

DOpus:s/DirectoryOpus.HLP

and add the contents of the DOpusLhARexx.HLP file to this file either at the start or the end of the file.

Sample Configuration

~~~~~  
I've included a copy of my DOpus configuration files in the s/ subdirectory which you may load into ConfigOpus module via the "Configure->Open" menu.

\*\*\* BE CAREFUL NOT TO SAVE THIS CONFIGURATION OVER YOUR PREVIOUS \*\*\*  
\*\*\* CONFIGURATION. YOU HAVE BEEN WARNED. \*\*\*

## 1.7 rexxsupport.library

rexxsupport.library

~~~~~  
Is an external shared library distributed with ARexx and should already be installed in your LIBS: directory. Consult your ARexx documentation if rexxsupport.library is not already installed on your system.

1.8 ListLhA

ListLhA

~~~~~  
What it does:

~~~~~  
The ListLhA script allows the user to list an LhA archive in a buffer window.

How to use it:

~~~~~  
Move into the directory containing the LhA archive you wish to list.

Select an LhA file (only the first selected file is looked at)

Click on the "ListLhA" button.

---

If the selected file is indeed an LhA archive, the buffer window will clear and the archive will be listed in the window.

Notes

~~~~~

The buffer window will display the total size of all the files in the LhA archive and well as the number of files at the bottom of the buffer window (These two entries are un-selectable).

If LhA detects a corrupt file within the archive, ListLhA will put up a requester during the file list parsing which displays the name of the file in question as well as the error message from LhA.

1.9 GetSizesLhA

GetSizesLhA

~~~~~

What it does:

~~~~~

The GetSizesLhA script will do a byte count (total) on the files currently selected in an LhA archive window. (Much like the DOpus equivalent of the "GetSizes" button)

How to use it:

~~~~~

Select the file(s) you wish to total in an LhA archive buffer window.

Click on the "GetSizesLhA" button.

You should then see the total byte/file count listed in the status bar.

## 1.10 ExtLhaFiles

ExtLhaFiles

~~~~~

What it does:

~~~~~

The ExtLhaFiles script will extract one or more files from an LhA archive window into the destination window.

How to use it:

~~~~~

Select the file(s) you wish to extract in the LhA archive buffer window.

Click on the "ExtLhaFiles" button.

The script will then extract the selected file(s) to the destination

window.

Extraction Options:

~~~~~

The ExtLhaFiles script will use the environment variables set using the **Menu Options** to allow restoring/ignoring of full pathnames and also auto-overwriting/confirming overwriting of existing files.

If, during extraction, LhA requires input from the user to confirm an action such as overwriting a file, an **LhA\_Input** window will appear below the **LhA\_Output** window. See the **LhA Issues** section for information on using these windows.

See the **Known Bugs** section for problems relating to these extraction options.

## 1.11 SelectFilesLhA

SelectFilesLhA

~~~~~

What it does:

~~~~~

The SelectFilesLhA script will allow the user to select file(s) in the archive window via a search pattern.

How to use it:

~~~~~

Click on the "SelectFilesLhA" button.

A requester will appear asking you for a pattern to match on. Type in a string that will match all the files you want to select. You may include AmigaDOS wildcards in the pattern (~,*,#?,[],etc).

All files which match the pattern will be selected. Additionally, the GetSizesLhA script will be called and the byte count (total) of the selected files will appear in the status bar.

Notes

~~~~~

In addition, the following special patterns perform the following functions:

"\*" - Select ALL files

"~" - Toggle selection state of files (a selected file is unselected and vice versa)

"" - De-select ALL files

## 1.12 DelFilesLhA

DelFilesLhA

~~~~~

What it does:

~~~~~

The DelFilesLhA script will delete the selected file(s) from an archive window.

How to use it:

~~~~~

Select the file(s) you wish to delete from the LhA archive.

Click on the "DelFilesLhA" button.

A confirmation requester will appear giving you the chance to abort the operation. (Once the files are deleted you CANNOT get them back)

After the files have been deleted from the LhA archive, the buffer window will be updated by calling the ListLhA script.

If you have deleted ALL the files in the LhA archive, you will be asked if you wish to delete the LhA archive. Selecting yes will delete the archive and load the original directory back into the window. If you choose no, the LhA buffer is left alone and you may add files into the empty archive via the "AddFilesLhA" button.

Notes

~~~~~

The DelFilesLha script will prompt the user for confirmation if any of the selected files are actually directory entries. Deleting a directory within an LhA archive, also deletes ALL directories and files in/under that directory. BE AWARE OF THIS!

## 1.13 AddFilesLhA

AddFilesLhA

~~~~~

What it does:

~~~~~

The AddFilesLhA script allows the user to add one or more files to an LhA archive.

How to use it:

~~~~~

List an LhA archive you want to add files into.

In the destination window, select the files and/or directories you wish to add into the archive.

Click on the "AddFilesLhA" button.

A requester will appear asking you if you wish to store the pathnames of the files to be added. Selecting yes will store the paths relative to the source directory you have listed in the source window. Selecting no will ignore the paths and store the files into the archive as if they appeared in one directory.

A second requester will then appear asking you if you wish to add any possible sub-directories. If you have selected a directory in the source window and you say yes to this requester, LhA will also recursively add any files/directories contained within the directorie(s) you have selected. Selecting no will only add files contained in the selected directorie(s) but no sub-directories below that.

The files will be added to the LhA archive and the buffer window will be updated by calling the ListLha script.

Notes

~~~~~

Adding possible subdirectories automatically stores the full path names in the archive.

If you click on the "AddFilesLhA" button with no LhA archive listed, a requester will appear asking you if you wish to create a new LhA archive. Selecting yes will bring up a second requester asking you for a filename for the new archive. Enter a filename (with or without the ".lha" extension, but excluding the path) noting that the archive will be created in the in-active directory window. (The path where the archive is to be created is listed in the requester)

## 1.14 RestoreLhADir

RestoreLhADir

~~~~~

What it does:

~~~~~

The RestoreLhADir script will re-read the directory containing the current LhA archive listed into the buffer window. After the directory has been re-scanned, the LhA archive file is re-highlighted.

How to use it:

~~~~~

Click on the "RestoreLhADir" button.

The directory containing the LhA archive will be read into the buffer window.

Notes

~~~~~

The LhA archive which was previously listed in the buffer will then be auto-selected in the directory window.

## 1.15 ViewLhAFile

ViewLhAFile

~~~~~

What it does:

~~~~~

The ViewLhAFile script will extract and view the selected file(s) using an appropriate viewer.

How to use it:

~~~~~

Select the files you wish to view.

Click on the "ViewLhAFile" button.

Each selected file will be extracted from the archive and viewed with one of the configured viewers based on the extension of the filename. (ie. a file ending in .GIF will be viewed using the GIFViewer command)

If the extension on the filename is not known, the file will be viewed using a default viewer.

Notes

~~~~~

The following file extensions are recognized:

Type Extension(s)

~~~~ ~~~~~~

Text .doc .readme .man .text .txt .me

IFF ILBM .iff .ham .pic .brush

Jpeg .jpg .jpeg .jif

Gif .gif .jif

Icon .info

8svx Sound .snd .8svx

IFF Anim .anim

Mpeg Movie .mpeg .mpg

If the file is not recognized, it will be shown using the default viewer,

I suggest that you use a viewer such as xMore as the default viewer as xMore will display a text file as text and a binary file as a hex dump. The ViewLhAFile only looks at the filename to determine it's type, it does NOT use DOpus' file class function. This may be implemented in a **future** version.

1.16 PrintLhAFiles

PrintLhAFiles

~~~~~

What it does:

~~~~~

The PrintLhAFiles script will extract and print the selected file(s) using the DOpus printing function.

In addition, the contents of the LhA buffer window (archive contents) can also be printed via the DOpus PrintDir function.

How to use it:

~~~~~

Select the files you wish to view.

Click on the "PrintLhAFiles" button.

A requester will appear asking you if you wish to print the buffer window or the selected files. Selecting the "Buffer" button will call the DOpus PrintDir function (See section "2.5 Print Dir Requester" in the DOpus manual). If you select "Files", then the following action takes place.

Each selected file will be extracted from the archive and the DOpus print requester will pop up to allow you to select your favorite printing options. (See section "2.6 Print Requester" in the DOpus manual).

Notes

~~~~~

If you don't have any files selected, you will be asked if you want to print the buffer window contents.

1.17 LhaHandler

LhaHandler

~~~~~

What it does:

~~~~~

The LhaHandler script in a custom handler routine that will allow

click-m-click extraction of files and double-click viewing of files
in an LhA buffer window.

How to use it:

~~~~~

The LhaHandler normally runs as a separate process (See [Installation](#) for details on setting up the handler) and opens an AmigaDOS port for receiving messages from DOpus. If this port is active when the user lists an archive in a directory window, DOpus is instructed to pass click-m-click and double-click messages to the port. The LhaHandler will then perform the corresponding action.

## 1.18 StopLhAHandler

StopLhAHandler

~~~~~

What it does:

~~~~~

The StopLhAHandler script can be used to shut down the [LhaHandler](#) custom handler.

How to use it:

~~~~~

Selecting the "Stop LhA Handler" menu item or running the StopLhAHandler.rexx script from the CLI with "rx" will send a QUIT message to the port of the LhaHandler.

Notes

~~~~~

Stopping the LhaHandler while a current LhA buffer window is listed will cause DOpus to pop up a requester complaining about a missing port if you attempt to click-m-click or double click on a file in the LhA buffer window. (the buffer window is still attached to the handlers port)

## 1.19 Menu Options

Menu Options

~~~~~

Restore LhA Paths

~~~~~

Selecting this menu option will set the environment variable used by the ExtLhAFiles and the LhaHandler scripts to tell LhA to restore the full

---

pathname of the extracted file(s).

Ignore LhA Paths

~~~~~

Selecting this menu option will set the environment variable used by the ExtLhAFiles and the LhaHandler scripts to tell LhA to ignore the full pathname of the extracted file(s).

Overwrite Existing Files

~~~~~

Selecting this menu option will set the environment variable used by the ExtLhAFiles and the LhaHandler scripts to tell LhA to automatically overwrite files with the same name when extracting file(s).

Keep Existing Files

~~~~~

Selecting this menu option will set the environment variable used by the ExtLhAFiles and the LhaHandler scripts to tell LhA to prompt the user before overwriting files with the same name when extracting file(s).

Start LhA Handler

~~~~~

Selecting this menu option will start the custom handler as a background task if it is not already running.

Stop LhA Handler

~~~~~

Selecting this menu option will stop the custom handler running in the background.

1.20 Using The Scripts

Action Scripts

~~~~~

**ListLhA** - Listing an LhA archive

**GetSizesLhA** - Totaling selected files

**ExtLhAFiles** - Extracting selected files

**SelectFilesLhA** - Selecting file via a pattern

**DelFilesLhA** - Deleting selected files

**AddFilesLhA** - Adding selected files

**RestoreLhADir** - Restoring parent directory

**ViewLhAFile** - Viewing selected files

**PrintLhAFiles** - Printing selected files

Utility Scripts

---

~~~~~  
LhaHandler - Custom buffer handler

StopLhAHandler - Stopping the handler

Menu Items

~~~~~  
**Restore LhA Paths** - Make LhA restore full pathnames

**Ignore LhA Paths** - Make LhA ignore pathnames

**Overwrite Existing Files** - Make LhA auto-overwrite files

**Keep Existing Files** - Make LhA confirm overwrites

**Start LhA Handler** - Start custom handler

**Stop LhA Handler** - Stop custom handler

## 1.21 Bugs

Known Bugs

~~~~~  
If you find a problem, please tell me about it (See **Author**), and I'll try to fix it ASAP. Please feel free to send in your suggestions for enhancements as well...

1) None of the scripts which modify the LhA archive (add/delete) check the permissions of the archive file to check if it's writable

Limitations & Quirks

~~~~~  
DOpus (at this time) only allows file entries of 256 characters. This of course limits the scripts to LhA archives with pathnames of about 246 characters in length.

LhA has path limits similar to those of DOpus as well.

When ignoring pathname restoration during file extraction, LhA will attempt to extract ALL files in the archive with the same name as one of the selected files (regardless of whether the other file(s) are selected or not). If you have the overwrite existing files option turned off, you may selectively choose the correct files to extract as the files are extracted in the order they are listed in the buffer window.

LhA archives containing auto-display files (.displayme) will display the .displayme file on the Workbench screen and not the DOpus screen. If it appears as if LhA has "frozen" during the extraction process, flip the Workbench screen to the front to check for and cancel the .displayme file. Additionally, you can add an option (-M) to LhA's global options environment variable (ENV:LHAOPTS) to make LhA ignore all .displayme files.

---

## 1.22 History

ListLhA.rexx

~~~~~

- 40.1 - initial quick hack, only displayed files.
- 40.2 - found bug, was bitten by ARexx quoting so spaces in file names screwed up.
 - added true file size in display after figuring out problem above.
 - added two unselectable total entries for new companion script
- GetSizesLhA.rexx.
 - improved messages to user showing just what the hell is going on. :-)
- 40.3 - added check to ignore file comments in archive.
 - added check to make sure file entry is less than 256 chars.

(DOpus limit)

- 40.4 - added code so that DelFilesLhA and AddFilesLhA could call ListLhA to update the window as it would be tricky for DelFilesLhA and AddFilesLhA to do this.
- 40.5 - added code to set the ADDRESS to DOpus if the script was called from someplace else, namely, DelFilesLhA and AddFilesLhA.
 - bug fix. DOpus will only allow 30 characters in the window title, I was storing the path AND LhA filename in there (which is fine if your lha files are in a top level directory). To fix this, I changed the code to store only the LhA filename in the window title and added some code to store the path to the LhA archive within the directory window itself. By playing with the display pens, this entry is "invisible" to the user.
 - added new function Quote() for dealing with filenames containing spaces.

Release 40.2

- 40.6 - bug fix: added rexxsupport.library via ADDLIB() Thanks to Michael Barsoom for reporting this bug.
 - bug fix: added quotes around archive pathname for device names with spaces in them. Thanks to Reto Thoma for reporting this.
 - added code to catch and display error messages from LHA.

GetSizesLhA.rexx

~~~~~

- 40.1 - initial version.
  - tried to mimic DOpus 'GetSizes' button.

40.2 - adjusted index calculations due to new info in the footer of the directory window.

Release 40.2

-----

40.3 - removed ScrollToShow for speed.

- added IsLhaFile() function to script.

- added code to check other window for LhA buffer, if current window isn't.

- bug fix: added -1 (current window) to all 'Status' calls.

ExtractFilesLhA.rexx

~~~~~

40.1 - initial hack after playing with AddCustHandler (gave up... for now at least :-). The problem? Well, AddCustHandler passes some arguments, but not quite enough info to be able to extract files from the archive. I could get the information I need from DOpus itself, however AddCustHandler is 'blocking' DOpus. (ie. DOpus won't respond to ARexx as it's waiting for the AddCustHandler script to end/return) If I can find a clean way of using AddCustHandler for Click-M-Click extraction, I'll update the archive.

40.2 - added code to allow extracting of all selected files at one time, instead of having to open a CON:/LhA for each file. Left original code in there for users who like that method. :-)

- improved messages to user.

- added check to see if there is a valid destination path.

40.3 - added code to set the ADDRESS to DOpus in case DOpus didn't invoke the script.

40.4 - changed code to get the path to the LhA archive from the directory window.

40.5 - added TopText call and moved "Busy on" call before requester.

40.6 - bug fixes. added missing quotes and parameters for Status calls.

40.7 - found out that LhA doesn't like certain characters in the file names it uses to extract. Added function to change these to wildcards.

40.8 - added code to check the other window if no LhA buffer found in current window.

Release 40.2

40.9 - added quotes around DestinationPath for those people having spaces in their filenames.

- removed ExtractEachFile function in the sake of speed (nobody used this, right? thought so...)
- added code to call ListLha script if user has only selected the archive but not listed it yet.
- added code to extract all files if none are selected. User must confirm this action.
- added code to handle case where only an archive file has been selected, but not listed.
- added code to use new extraction options.
- added code to allow input to the LhA program to confirm actions such as overwriting.
- bug fix: added quotes to filename when extracting without restoring the full path to allow filenames with spaces.
- added Quote() and StripQuotes() functions. changed code to use them.
- bug fix: added StripQuotes() call in GetFileInPath() function when no path was found.
- bug fix: changed code to removed CurrentWindow variable to fix problems with rescanning the correct window after extraction.

AddFilesLhA.rexx

~~~~~

- 40.1 - initial version. I said, "What the hell!", might as well be able to add and delete files from the archive as well as extract them...
- 40.2 - added code to get the path to the LhA archive from the directory window.
- 40.3 - added TopText call and moved "Busy on" call before requester.
- 40.4 - added code to allow the user to create a new archive.
  - added option to recurse subdirectories.
- 40.5 - found out that LhA doesn't like certain characters in the file names it uses to add. Added function to change these to wildcards.
- 40.6 - added code to list a new archive after creation.

#### Release 40.2

-----

- 40.7 - added code to use a selected LhA archive file if no LhA buffer is found.
  - added code to allow adding of files/dirs with spaces in their names.
  - added Quote() and StripQuotes() functions.

#### DelFilesLhA.rexx

~~~~~

- 40.1 - initial version
-

40.2 - changed the way DelFilesLhA.rexx called ListLhA.rexx as I was getting some *very* impressive crashes (continuous yellow screen upon reboot!) via 'call ListLhA.rexx'.

- moved the code to restore DOpus's requester button text from the CleanUp function as I don't think it was hitting it.

40.3 - added code to get the path to the LhA archive from the directory window.

40.4 - added TopText call and moved "Busy on" call before confirmation requester.

- added code to see if the archive is empty after the delete. If it is, the user is given the option of deleting the empty archive.

40.5 - added Busy on call after Request as it seems DOpus turns Busy off after the Request.

40.6 - found out that LhA doesn't like certain characters in the file names it uses to delete. Added function to change these to wildcards.

- added check to see if the LhA archive is empty to begin with, if so the user is given the option of deleting it.

40.7 - added code to check the other buffer window if no archive is detected in the current window.

Release 40.2

40.8 - removed display update while created the file list for speed.

- added code to delete all files if no files are selected. User must confirm the action.

- added code to ask the user if they want to delete the archive when no files are selected (asked if you wish delete all). This allows quick deleting of the archive.

- added code to ask the user if they wish to delete the selected LhA archive if no LhA buffer exists. (checks for proper extension)

- added code to check if the file is a directory entry. If it is, the user is asked if they wish to delete the directory and all files within the directory.

- bug fix: added quotes to name of parent directory to allow the restoration of a parent directory with spaces in the name.

- added flag to skip asking user if they want to delete the archive after relisting it if they already said no.

SelectFilesLhA.rexx

~~~~~

40.1 - initial version

---

40.2 - added code to call GetFileSizesLha.rexx after file selection to show the totals.

- added ScrollToIndex call so user sees the selection process.

40.3 - added TopText call and moved "Busy on" call before the string requester.

- added special pattern "\*" to select all files

Release 40.2

-----

40.4 - added new special case patterns "" and "~". Also added check to see if any files are selected before calling GetSizesLhA to avoid possible error message from that script.

- added code to do proper pattern matching using the DOpus command PatternMatch (somehow missed this command before!)

RestoreLhADir.rexx

~~~~~

40.1 - initial version

40.2 - added code to check the other buffer window as well.

40.3 - added code to re-highlight the LhA archive file after the directory has been re-scanned.

Release 40.2

40.4 - bug fix: added quotes to name of parent directory to allow the restoration of a parent directory with spaces in the name.

ViewLhAFile.rexx

~~~~~

Release 40.2

-----

40.1 - initial version. Thanks to Reto Thoma for the suggestion, this Buds for you :-)

- added code to view a file ending in .guide with MultiView.

- added code for many different file types including:

DOC README MAN TEXT TXT IFF HAM PIC JPG JPEG JFIF GIF JIF INFO

SND 8SVX ME MPG MPEG ANIM

- added a default viewer case (hex viewer)

- added a signal on failure trap to catch situation where the archive is corrupt, but was listed successfully.

- added code to extract file with full path and then delete the full path when done to get around problem where several files in the archive have the same name and using the '-x0 e' LhA options.

---

- now display the name of the file being extracted.
- added Quote() function to solve problems when dirs/files have spaces in them.
- added BRUSH to files types (IFFViewer)
- added ILBM to file types (IFFViewer)

PrintLhAFiles.rexx

~~~~~

Release 40.2

40.1 - initial version (last minute!)

- added code to check if any files are selected, if not don't bother asking to print them.

LhaHandler.rexx

~~~~~

Release 40.2

-----

40.0 - initial test version.

40.1 - found problem preventing any usefulness of this CustomHandler

- added code to view a file on double-click
- added code to extract a file on click-m-click
- added code to use new env: options for restoring (or not) paths from the archive.
- added code to allow input to the LhA program to confirm actions such as overwriting.

StopLhAHandler.rexx

~~~~~

Release 40.2

40.1 - initial version

1.23 Author

Contacting the Author

~~~~~

If you have any comments, suggestions, gripes, or God forbid... bugs,

Please feel free to contact me at the following places:

Snail-Mail: Geoff Seeley

1240 Margaret Place,

Duncan, British Columbia

Canada

V9L 4T6

E-Mail: [geoff@softwords.bc.ca](mailto:geoff@softwords.bc.ca) (InterNet)

## 1.24 The Furture

### Possible Future Enhancements

~~~~~

- use DOpus' file classes to determine viewer to use in ViewLhAFiles script.
- improve the configuration of the scripts
- compile the scripts with the ARexx compiler for speed (Can someone out there do this please???)
- create non-commented versions for speed
- add support for ZIP, TAR, and other archivers.
- improve the creation of an archive (maybe make "CreateLhA"?)
- allow operations between archives (ie. list two archives, move files between them)
- allow easier point and click? naming of the LhA archive (Suggested by Bill (bleath@BIX.com))
- allow scripts to work with more than one running one of DOpus
- add code to check the permissions of a archive file before modifying the archive.

1.25 LhA Issues

Input/Output with LhA

~~~~~

Output from the LhA program will appear in a regular console window with a title of "LhA\_Output".

If the LhA program needs input from the user during operation, a console window titled "LhA\_Input" will appear below the LhA\_Output window. Input to LhA should be typed in this window and *\*NOT\** in the LhA\_Output window where the input prompt appears.

## 1.26 Index

[Acknowledgements](#)

[AddFilesLhA](#)

[Author](#)

[Bugs](#)

[Copyrights](#)

[DelFilesLhA](#)

[ExtLhaFiles](#)  
[GetSizesLhA](#)  
[History](#)  
[Installation](#)  
[LhaHandler](#)  
[Lha Issues](#)  
[ListLhA](#)  
[Menu Options](#)  
[Preface](#)  
[PrintLhAFiles](#)  
[RestoreLhADir](#)  
[rexsupport.library](#)  
[Script Operation](#)  
[SelectFilesLhA](#)  
[StopLhAHandler](#)  
[The Future](#)  
[ViewLhAFile](#)  
[What's New?](#)

---