

BED

Marco Negri Schifferer

COLLABORATORS

	<i>TITLE :</i> BED		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Marco Negri Schifferer	August 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	BED	1
1.1	BlacksEditor Guide	1
1.2	Quick Starting	2
1.3	Introduction	3
1.4	The Author	4
1.5	Blacks Editor Support Web Page	4
1.6	Credits	4
1.7	Bug Reports	5
1.8	History	6
1.9	Future	7
1.10	Before you begin	8
1.11	Disclaimer	8
1.12	Hardware requirements	8
1.13	Installation	8
1.14	Starting Blacks Editor	9
1.15	Starting from the Shell	9
1.16	Starting from the Workbench	9
1.17	FILENAME	10
1.18	DEFS/K	10
1.19	PREFS/K	10
1.20	MACRO/K	10
1.21	QUIT/S	10
1.22	The Standard Configuration	10
1.23	Standard Menus	11
1.24	Menu name: File	11
1.25	Menu name: Window	12
1.26	Menu name: Edit	13
1.27	Menu name: Find	14
1.28	Menu name: Format	14
1.29	Menu name: Extras	15

1.30 Menu name: Macro	16
1.31 Menu name: Tools	17
1.32 Menu name: ARexx	17
1.33 Menu name: Settings	18
1.34 Menu name: ?	18
1.35 The Standard Keyboard Sequences	19
1.36 The Standard Mouse Clicks	19
1.37 Customize Blacks Editor	19
1.38 Definitions Files	19
1.39 Preferences Files	19
1.40 Supplied Material	20
1.41 Supplied Emulations	20
1.42 Supplied Macros	20
1.43 Quick Reference for Blacks Editor	20
1.44 Commands Reference	23
1.45 Alphabetical List of Commands	24
1.46 Functional Grouping of Commands	27
1.47 List of Global Commands	30
1.48 About	31
1.49 ActivateLastDoc	32
1.50 ActivateNextDoc	32
1.51 ActivatePrevDoc	33
1.52 ActivateWindow	33
1.53 BackSpace	34
1.54 BeepScreen	34
1.55 Center	35
1.56 CenterView	35
1.57 ClearBookMark	36
1.58 ClearFile	36
1.59 CloseDoc	37
1.60 ControlWindow	37
1.61 Conv2Lower	38
1.62 Conv2Spaces	38
1.63 Conv2Tabs	39
1.64 Conv2Upper	39
1.65 CopyBlk	40
1.66 CutBlk	40
1.67 Delete	41
1.68 DeleteBlk	41

1.69 DeleteEOL	42
1.70 DeleteEOF	42
1.71 DeleteEOW	43
1.72 DeleteLine	43
1.73 DeleteSOL	44
1.74 DeleteSOF	44
1.75 DeleteSOW	45
1.76 DeleteWord	45
1.77 EncryptBlk	46
1.78 EndMacro	46
1.79 ExecARexxMacro	47
1.80 ExecARexxString	47
1.81 ExecDosScript	48
1.82 ExecTool	48
1.83 Exist	49
1.84 ExistsFile	49
1.85 Find	50
1.86 FindChange	50
1.87 FormatParagraph	51
1.88 GetBlk	51
1.89 GetBlkDims	52
1.90 GetBlkInfo	52
1.91 GetChar	53
1.92 GetCurrentDir	53
1.93 GetCursorPos	54
1.94 GetDocuments	54
1.95 GetErrorInfo	55
1.96 GetFileInfo	55
1.97 GetFilePath	56
1.98 GetLastDoc	56
1.99 GetLine	57
1.100GetLockInfo	57
1.101GetMacroInfo	58
1.102GetPort	58
1.103GetPrefs	59
1.104GetPriority	59
1.105GetScreenInfo	60
1.106GetTemplate	60
1.107GetVersion	61

1.108GetViewInfo	61
1.109GetWindowInfo	62
1.110GetWindowSpec	62
1.111GetWord	63
1.112Help	63
1.113IconifyWindow	64
1.114Illegal	64
1.115Insert	65
1.116InsertTab	65
1.117InsertFile	66
1.118InsertLine	66
1.119Justify	67
1.120LeftJustify	67
1.121MarkBlk	68
1.122Move	68
1.123MoveBookMark	69
1.124MoveDown	69
1.125MoveDownScr	70
1.126MoveEOF	70
1.127MoveEOL	71
1.128MoveEOW	71
1.129MoveLeft	72
1.130MoveMatchBkt	72
1.131MoveNextTabStop	73
1.132MoveNextWord	73
1.133MovePrevTabStop	74
1.134MovePrevWord	74
1.135MoveRight	75
1.136MoveSizeWindow	75
1.137MoveSOF	76
1.138MoveSOL	76
1.139MoveSOW	77
1.140MoveUp	77
1.141MoveUpScr	78
1.142MoveWindow	78
1.143NewShell	79
1.144Nop	79
1.145OpenClip	80
1.146OpenDefinitions	80

1.147OpenDoc	81
1.148OpenFile	81
1.149OpenMacro	82
1.150OpenPrefs	82
1.151OpenRequester	83
1.152PasteClip	83
1.153PlayMacro	84
1.154PrintClip	84
1.155PrintFile	85
1.156Quit	85
1.157RecordMacro	86
1.158RemakeScreen	86
1.159RequestBool	87
1.160RequestChoice	87
1.161RequestFile	88
1.162RequestFont	88
1.163RequestNum	89
1.164RequestStr	89
1.165RightJustify	90
1.166RunTool	90
1.167SaveClip	91
1.168SaveDefPrefs	91
1.169SaveFile	92
1.170SaveFileAs	92
1.171SaveMacro	93
1.172SavePrefs	93
1.173Screen2Back	94
1.174Screen2Front	94
1.175ScrollVert	95
1.176ScrollView	95
1.177SelectLine	96
1.178SetBookMark	96
1.179SetChar	97
1.180SetCurrentDir	97
1.181SetDisplayLock	98
1.182SetFilePath	98
1.183SetInputLock	99
1.184SetPrefs	99
1.185SetPriority	100

1.186SetQuoteMode	100
1.187SetStatusBar	101
1.188SetWindowSpec	101
1.189ShiftLeft	102
1.190ShiftRight	102
1.191SizeWindow	103
1.192StripEOLBlanks	103
1.193SwapChars	104
1.194Text	104
1.195ToggleCharCase	105
1.196UndeleteLine	105
1.197UndoLine	106
1.198Window2Back	106
1.199Window2Front	107
1.200Preferences Reference	107
1.201Alphabetical List of Preferences	107
1.202Functional Grouping of Preferences	109
1.203DOCSTARTUP	111
1.204DOCSTARTUPNAME	112
1.205FILESTARTUP	112
1.206FILESTARTUPNAME	112
1.207AUTOSAVE	113
1.208AUTOSAVECONFIRM	113
1.209AUTOSAVEDELAY	113
1.210MAKEBACKUPS	114
1.211CANTBACKUPCONFIRM	114
1.212BACKUPTEMPLATE	115
1.213MAXBACKUPVERSION	115
1.214TEXTCOLOR	115
1.215BACKGROUNDCOLOR	116
1.216SELTEXTCOLOR	116
1.217SELBACKGROUNDCOLOR	116
1.218PALETTE	117
1.219SCREEN	117
1.220HORIZSCROLLER	118
1.221VERTSCROLLER	118
1.222FILEREQTYPE	118
1.223FONTREQTYPE	119
1.224SCREENMODEREQTYPE	119

1.225	AUTOINDENT	119
1.226	FREEFORM	120
1.227	OVERSTRIKE	120
1.228	WORDWRAP	121
1.229	JUMPSCROLL	121
1.230	IBMKEYPAD	121
1.231	JUMPSCROLLLINES	122
1.232	STRIPEOLBLANKS	122
1.233	TRANSLATECRS	122
1.234	SAVEEOLAS	123
1.235	TEXTFONT	123
1.236	MENUFONT	124
1.237	GADGETFONT	124
1.238	RIGHTMARGINWBORDER	124
1.239	LEAVEINDENT	125
1.240	INDENT	125
1.241	LEFTMARGIN	125
1.242	RIGHTMARGIN	126
1.243	SAVEICONS	126
1.244	ICONDRAWER	127
1.245	MOUSEBLANKER	127
1.246	OVERWRITECONFIRM	127
1.247	DOUBLELOADCONFIRM	128
1.248	SELECTWHENDRAGGING	128
1.249	AUTODETECTBINFILES	128
1.250	POPUPNEWDOC	129
1.251	CLIPBOARDUNIT	129
1.252	PRINTDEVICE	130
1.253	CONSOLE	130
1.254	DEFAULTWINDOW	130
1.255	TABWIDTH	131
1.256	TABSGIVESPACES	131
1.257	CONVERSIONONLOAD	131
1.258	CONVERSIONONSAVE	132
1.259	CONVERSIONONPRINT	132
1.260	FINDSTRING	133
1.261	CHANGESTRING	133
1.262	FINDBACKWARD	133
1.263	FINDIGNORECASE	134

1.264FINDWHOLEWORD	134
1.265FILEREQUESTER	134
1.266FONTREQUESTER	135
1.267SCREENMODEREQUESTER	135
1.268FILEPATTERN	136
1.269REXXDRAWER	136
1.270REXXPATTERN	136
1.271DOSDRAWER	137
1.272DOSPATTERN	137
1.273TOOLSDRAWER	137
1.274TOOLSPATTERN	138
1.275PREFSDRAWER	138
1.276PREFSPATTERN	139
1.277DEFSDRAWER	139
1.278DEFSPATTERN	139
1.279READONLY	140
1.280Errors Reference	140
1.281BED Errors	140
1.282Definitions Files Errors	142
1.283Preferences Files Errors	142
1.284Error #1	142
1.285Error #2	142
1.286Error #3	143
1.287Error #4	143
1.288Error #5	143
1.289Error #6	143
1.290Hit document boundary	144
1.291Not on {, [, (, <, », >,),], }	144
1.292Not allowed in read-only mode	144
1.293User requested abort	144
1.294Bookmark not set	145
1.295No block marked	145
1.296Error #13	145
1.297Error #14	145
1.298Error #15	146
1.299Not currently recording	146
1.300Not found	146
1.301Clipboard is empty	146
1.302Clipboard does not contain text	147

1.303Clipboard device not found	147
1.304ARexx process or library not found	147
1.305Command only allowed in ARexx macros	147
1.306Bookmark not found	148
1.307No macro to play	148
1.308Error #25	148
1.309Error #26	148
1.310Error #27	149
1.311Illegal while recording	149
1.312Illegal command	149
1.313Insufficient memory	149
1.314Load error	150
1.315Save error	150
1.316Backup error - not saved	150
1.317Print error	150
1.318Clipboard I/O error	151
1.319ARexx Error	151
1.320Couldn't execute tool	151
1.321AmigaGuide error	151
1.322Couldn't open console	152
1.323Error #40	152
1.324AmigaGuide library not found	152
1.325--- Illegal ---	152
1.326Definitions file not loaded successfully	153
1.327Preferences file not loaded successfully	153
1.328Preferences file not saved successfully	153
1.329Macro not loaded successfully	153
1.330Macro not saved successfully	154
1.331Unknown preference	154
1.332Invalid template	154
1.333Command not global	154
1.334AmigaDOS error	155
1.335Bad parameter	155
1.336Parameter out of range	155
1.337Cannot swap tabs	155
1.338Cursor not on a word	156
1.339No string to find	156
1.340Window is iconified	156
1.341Input is locked	156

1.342Line too long	157
1.343No line to undelete	157
1.344Cannot undo	157
1.345AmigaDOS error	157
1.346Insufficient memory	158
1.347Error creating menus	158
1.348Unknown keyword	158
1.349Unknown command	158
1.350Unknown key	159
1.351Key not mapped on this keyboard	159
1.352Quoted argument expected	159
1.353AmigaDOS error	159
1.354Insufficient memory	160
1.355Unknown preference	160
1.356Wrong template for preference	160

Chapter 1

BED

1.1 BlacksEditor Guide

- Blacks Editor 1.1 -
By Paul A. Schifferer
Original code By Marco Negri

Quick Starting (If you don't like reading long documentations)

Introduction

The Author

WWW Page

Credits

Bug Reports

History

Future

Before You Begin

Disclaimer

Hardware requirements

Installation

Starting Blacks Editor

From the Shell

From Workbench

Beginners:

The Standard Configuration

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

Advanced:

Customizing Blacks Editor

The definitions file

The preferences file

Using supplied material

Supplied emulations

Supplied ARexx Macros

Reference:

Quick Reference

The Command Reference

Alphabetical order

Functional groupings

Global commands

The Preferences Reference

Alphabetical order

Functional groupings

Error codes and messages

Blacks Editor errors

Definitions file errors

Preferences file errors

1.2 Quick Starting

Quick Starting

This section is for people who hate reading documentation and just want to know the most important things.

So here they are:

<*> You can start BED from the Shell or from the Workbench

<*> The layout of the menus, of the keyboard and the actions to take at each mouse click are called definitions, and are specified in a file with the ".dfn" extension in the "BED:Support" directory.

<*> A lot of preferences are specified in files with ".prf" extension in the "BED:Support" directory

<*> In the "Rexx" directory there are a lot of useful ARexx Macros. They can be executed using the ARexx menu.

<*> At startup, if not otherwise specified, BED loads the definitions from "BED:Support/Startup.dfn", the preferences from "BED:Support/Startup.prf", and executes the ARexx Macro "BED:Rexx/Startup.bed", if it exists.

<*> When a new window is opened, if not otherwise specified, BED executes the ARexx Macro "BED:Rexx/Doc_Startup.bed", if it exists. In the original configuration this macro does the same as "BED:Rexx/SetConfig.bed", i.e. it loads the preferences and the definitions according to the current filename extension. You can, of course, modify or delete this macro.

1.3 Introduction

Introduction

Blacks Editor is a powerful, user-friendly, very configurable text editor.

The main features are:

- * Multi-window. You can open as many windows as your memory allows.
 - * Configurability. You can define the layout of the menus, the function of every keystroke, the function of every kind of mouse click. Furthermore, each window can have different definitions.
 - * A lot of preferences. They are too many to list here... give BED a try and see them.
 - * SAS C Support. You can easily arrange it for any other compiler or language.
 - * Backup. When you save a file, a number of backups can be maintained.
 - * Autosave. Your files can be automatically saved at the interval you select.
 - * Advanced Icon Saving. A different icon can be saved, depending on the filename extension of your file.
 - * End of Line Handling. You can easily load or save files with EOL different from LF, for example files saved on PCs.
 - * Ability to use the keyboard in an IBM-style.
 - * Full Localization (only for 3.0)
 - * On-line AmigaGuide help (only for 3.0)
 - * Optional "reqtools.library" or "asl.library" requesters.
 - * Optional ARexx Macros launched at each BED start, document opening, or file opening.
 - * ARexx support. There are 151 commands, usable in ARexx Macros or in the definition of menus, keystrokes and mouse clicks. The main abilities are the following:
 - Edit and Move commands
 - Standard Clipboard Function
 - Recorded Macros
 - Paragraph Formatting
 - Bookmarks
 - Find & Replace
 - Matching Brackets
 - Undo & Undelete line
-

- Run external Tools, DOS Scripts, ARexx Macros
- Encrypting
- Open documents without a window (useful for ARexx Macros)

* And, above all, it's made by ME.

Give it a try... a look can explain better than thousands of words.

1.4 The Author

Author

Snail mail:

Paul Schifferer
515 11th Street
Edwards CA 93523
USA

E-Mail:

gandalf@amiganet.org

WWW Blacks Editor Support Web Page:

<http://linux.tc3net.com/gandalf>

1.5 Blacks Editor Support Web Page

Blacks Editor Support Web Page

On this WWW page you will find:

- Updated information about the status of the development of Blacks~Editor (new versions, minor updates, etc.)
- The ability to download the latest official version of Blacks~Editor.
- Information about how to get in touch with the author, how to become Beta-Testers, and send contributions such as localizations, ARexx macros, and whatever you have done.
- Continuous support for Beta-Testers, localizers, etc.
- The ability to download the latest beta-version (only for Official Blacks Editor Beta-Testers).

URL: <http://linux.tc3net.com/gandalf>

1.6 Credits

Credits

I want to thank all the people who have contributed to the development of Blacks Editor. This is an extended list of them:

Beta-Testers:

- Mauro Fontana
- Peter Bornhall
- Dave Dustin
- Gerbert Nuijen
- Harold H. Ipolyi
- John Gardi
- Paul Schifferer
- Rienhard Katzmann
- Arian Kulp
- Jorge Acereda Macia
- Stephen Hughes

Localizers:

- David Le Corfec (French)
- Radoslaw Chyra (Polish)
- Jorge Acereda Macia (Spanish)
- Mathias Karlsson (Svedish)

Icon and WWW page imagery designer:

- Colin Thompson

ARexx Macro Writer:

- Gerbert Nuijen

Others:

- All the users who sent me a post card or an E-Mail message
- Nico François and Magnus Holmgren, for their wonderful ReqTools
- Mauro Fontana, for the space he gives me for the WWW page
- Andrew Martin, Pavel Troller, for their help
- Nick Waterman for having checked the documentation for errors.
- Commodore, for inventing the Amiga
- Lara, my girlfriend, for listening to me for months talking about window refreshing, IDCMP, ARexx, etc. ; -)
- Pat Metheny & Mark Knopfler, for their wonderful guitars who conforted me in sleepless nights spent on my keyboard.

Well... maybe I'm slightly exaggerating with the credits...

Let's look at this Blacks Editor, finally...

1.7 Bug Reports

Bug Reports

Even though I don't guarantee anything (read the disclaimer), I think that BED, at the moment, doesn't contain any major bugs (i.e. you don't have to worry about losing your data).

If you found some bugs, however, even minor ones, or if you have some suggestions for this or another release of BED, please tell me.

[Click here](#) for my address.

1.8 History

History

--- 1.1 - 25-Nov-97 -----

Intermediate update. Bugs fixed.

- * Development resumed by Isengard Developments.
- * Hopefully the rest of the Enforcer hits have been removed.
- * I'm sure Marco added a bunch of stuff to make it 1.1, but it is unfortunately undocumented.

--- 1.02 - 06-May-96 -----

Minor update. Some bugs fixed.

- * Some Enforcer Hit removed.
- * New ARexx macros: HuntFile, DeleteFile, FetchRefs.
- * Mouse pressed inside window border (but not on the scroller) made the window scroll anyway.
- * Indent, Unindent, Comment, etc. on a block of only one line, were buggy.
- * Find Flags (Case insensitive, Whole word, etc.) wrongly handled.
- * Fonts higher than 8, were badly handled with internal default menus.
- * USESTARTUP switch added at OpenPrefs and OpenDefinitions commands. They load the prefs/defs loaded at the startup of the program. Used in the Rexx/File_Startup macro.
- * Wrong Tabs -> Spaces conversion when printing.
- * New localizations: Espanol, Svenska.
- * Documentation checked for grammar errors.

--- 1.01 - 01-Apr-96 -----

Minor update. Some bugs fixed. (Should finally work also under v37).

- * Last v39 function calls trapped. They caused BED to guru when a block was selected or a requester with cycle or palette gadgets was closed.
 - * ASL tags specified in a v37-compatible manner.
 - * Under v37 & 38 the window borders are no longer erased.
 - * The coversion from tabs to spaces when printing has been fixed.
-

- * Many other minor bugs fixed.
- * New localizations: Français, Polska.
- * The documentation now covers the standard menu items description.

--- 1.00 - 03-Mar-96 -----

Version working under v37+, but using v39 resources when available.
(Still problems under v37).

- * IBM-Style keyboard supported.
- * Horizontal scroller and optional vertical scroller added.
- * Optional ARexx macro executed at each file or document opening
- * Ability to open a document without a window
- * "reqtools.library" requesters supported.
- * Standard Clipboard supported.
- * Customizable font for gadgets.
- * Full font-sensitive requesters, with new look.
- * Gadget shortcuts in requesters.
- * AmigaDOS Protection Bits handling.
- * Optional screen pop-up at document opening.
- * Customizable number of lines to jump with JUMPSCROLL
- * Indent (also automatic) supported in paragraph formatting.
- * RIGHT_AMIGA qualifier added.
- * GetLastDoc command added.
- * Print functions fixed.
- * Tab conversion functions fixed.

--- 1.0B - 28-Jan-96 -----

First v37 compatible release. (Actually didn't work yet under v37)

--- 1.0B - 14-Jan-96 -----

First public release. Beta release. (OS v39 required)

1.9 Future

Future

First of all I have to finish this documentation...

The ideas for next version are:

<*> Full Undo.

<*> ToolManager-like Docks, or simple groups of gadgets (of course user-definable) for each window

<*> Word colouring

<*> More and more ARexx Macros, for syntax checking, auto-indenting, etc.

<*> Custom Progress Indicator support

<*> Implementation of the #LINKS keyword in the definitions file,
which includes another file, something like the #include
directive in C

<*> ... and whatever you suggest

1.10 Before you begin

Before you begin it's better if you read something about...

Disclaimer

Hardware requirements

Installation

1.11 Disclaimer

Disclaimer

THIS PROGRAM IS PROVIDED ON AN "AS IS" BASIS, NO WARRANTIES ARE
MADE, EITHER EXPRESSED OR IMPLIED. IN NO EVENT WILL I, MARCO NEGRI,
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL
DAMAGES ARISING FROM ANY USE OR MISUSE OF THIS PROGRAM. THE ENTIRE
RISK AS TO THE RESULTS AND PERFORMANCE OF THIS PROGRAM IS ASSUMED BY
YOU.

1.12 Hardware requirements

Hardware Requirements

- * An Amiga ; -)
- * OS 2.04+ (v37)
- * "asl.library" v38+
- * Commodore Installer (only needed for the installation)

(Recommended for better use)

- * A Hard Disk
- * ARexx running

1.13 Installation

Installation

To install Blacks Editor simply open the Install drawer and double-click on the icon of your language.

A Standard Installer Script will guide you through the short installation process.

1.14 Starting Blacks Editor

Starting Blacks Editor

Blacks Editor can be started either from WB or from the Shell.

Starting from the Shell

Starting from Workbench

1.15 Starting from the Shell

From the Shell

If you want to run Blacks Editor from the Shell you just have to type:

BED

followed by these optional arguments

FILENAME, DEFS/K, PREFS/K, MACRO/K, QUIT/S

1.16 Starting from the Workbench

From the Workbench

If you want to run Blacks Editor from the Workbench you have to double click on the BED icon or on any Project Icon with BED as Default Tool.

The following Tooltypes are supported:

FILENAME	- File to edit
DEFS	- Definitions file
PREFS	- Preferences file
MACRO	- Macro to execute on startup
QUIT	- Quit BED

1.17 FILENAME

FILENAME

FILENAME: If a filename is specified then this file is loaded in the first document window. If there is a copy of BED running, then it will open a new document window and load the specified file.

1.18 DEFS/K

DEFS

DEFS/K: If a defs file is specified then the definitions are loaded from it. It defaults to BED:Support/Startup.dfn.

1.19 PREFS/K

PREFS

PREFS/K: If a prefs file is specified then the preferences are loaded from it. It defaults to BED:Support/Startup.prf

1.20 MACRO/K

MACRO

MACRO/K: If this argument is specified then the ARexx Macro is executed. It defaults to BED:Rexx/Startup.bed

1.21 QUIT/S

QUIT

QUIT/S: When there is a copy of BED already running, this option forces it to quit.

1.22 The Standard Configuration

Standard configuration

This is the standard configuration of Blacks Editor, and can be found in the definition file BED:Support/Standard.dfn.

This file defines the menus, the keyboard sequences and the actions to take for each type of mouse click.

The Standard Menus

The Standard Keyboard

The Standard Mouse Buttons

1.23 Standard Menus

Standard menus:

This section contains a description of the standard menu items.

The File Menu

The Window Menu

The Edit Menu

The Find Menu

The Format Menu

The Extras Menu

The Macro Menu

The Tools Menu

The ARexx Menu

The Settings Menu

The ? Menu

1.24 Menu name: File

The File Menu:

New Doc

Opens a new document window.

Clear File

Clears the buffer of the current document.

Open File...

Opens a file requester, and the specified file is loaded into the current document window. If the current file has been modified, a confirmation requester appears.

Open New Doc...

Opens a new document window and a file requester, allowing you to load a file into the new document.

Insert File...

Opens a file requester, and the specified file is loaded and inserted into the current document at the cursor position.

Save File

Saves the file with the current filename.

Save File As...

Opens a file requester, and the file is saved with the specified filename. If a file with the same filename already exists, a confirmation requester appears.

Save & Close

Saves the file with the current filename, then the document window is closed.

Print File...

Prints the current file. A confirmation requester appears.

Close Doc...

Closes the current document window.

Quit

All open document windows are closed, and the program quits.

1.25 Menu name: Window

The Window Menu:

Select...

Displays a list of all open documents, and the specified one is activated and brought to front.

Minimize

The current document window is resized to the minimum dimensions

Maximize

The current document window is resized to the maximum dimensions

Normalize

The current document window is resized to the normal dimensions (as specified by the DEFAULTWINDOW preference).

Snapshot

Saves the dimensions of the current document window as the default normal dimensions.

Iconify

Iconifies the current document window.

Iconify All

Iconifies all the document windows.

Tile

Reorganizes the windows on the screen as tiles.

Stack

Reorganizes the windows on the screen as a stack.

Cascade

Reorganizes the windows on the screen as a cascade.

Open Desktop...

Opens a file saved with "Save Desktop As...", and restores the desktop as described in the file.

Save Desktop As...

The dimension, position, and filename of all the documents are stored into the file specified with the file requester.

1.26 Menu name: Edit

The Edit Menu:

Mark Block

Mark the start of a selection block. If a block is already selected, the block is de-selected.

Select Word

The word under the cursor is selected.

Select Line

The current line is selected.

Select All

The whole document is selected.

Cut

The selected block is erased and copied into the clipboard.

Copy

The selected block is copied into the clipboard.

Paste

The contents of the clipboard is inserted at the cursor position.

Erase

The selected block is erased.

Cut Append

The selected block is erased and appended to the end of the clipboard.

Copy Append

The selected block is appended to the end of the clipboard.

Open Clip...

The specified file is loaded and inserted into the clipboard.

Save Clip As...

The contents of the clipboard is saved with the specified filename.

Print Clip...

The contents of the clipboard is printed. A confirmation requester appears.

1.27 Menu name: Find

The Find Menu:

Find...

Opens the Find requester.

Find Next

Find the next match of the current find string.

Find & Replace...

Opens the Find & Replace requester.

Replace Next

Find the next match of the current find string and replaces it with the current replace string.

Goto Line...

Opens a requester asking the line number to move the cursor to.

Match Bracket

When the cursor is on a bracket, it moves to the matching one. At the moment the following bracket types are supported: { [(< « » >)] }

Set Bookmark

Set the specified bookmark at the current cursor position.

Goto bookmark

Moves The cursor to the specified bookmark

1.28 Menu name: Format

The Format Menu:

Format Paragraph

The paragraph under the cursor is formatted, according to the LeftMargin, RightMargin, Indent, LeaveIndent, RightMarginWBorder preferences. This means that extra spaces or tabs between words are removed, and every line is filled with as many words as possible.

Goto paragraph - Previous/Next

Moves the cursor to the start of previous/next paragraph.

Documentize

Every paragraph of the document is put onto a single line, removing the line feeds. This command is useful before loading the file into a word processor.

Left Justify

The selected block (or the current line) is justified along the left margin, according to the LeftMargin preference.

Right Justify

The selected block (or the current line) is justified along the right margin, according to the RightMargin preference.

L/R Justify

The selected block (or the current line) is justified along both margins, according to LeftMargin and RightMargin preference. This means that spaces are inserted/removed to line up the line(s) along left and right margins.

Tabs -> Spaces

Tab characters are expanded into spaces. This command affects the selected block, or the whole document.

Spaces -> Tabs

Spaces are converted into tab characters. This command affects the selected block, or the whole document.

Remove EOL Blanks

Spaces and tab characters at the ends of lines are removed. This command affects the selected block, or the whole document.

Indent Block

A tab character is added to the start of the line(s). This command affects the selected block, or the whole document.

Unindent Block

A tab character is removed (if present) from the start of the line(s). This command affects the selected block, or the whole document.

Indent Line

A tab character is added to the start of the current line.

Unindent Line

A tab character is removed (if present) from the start of the current line.

1.29 Menu name: Extras

The Extras Menu:

Undo Line

The line is restored to what it was when the cursor was moved onto it.

Undelete Line

The last deleted line is inserted at the current cursor position.

Insert Current Date

The current date is inserted at the current cursor position.

Insert Current Time

The current time is inserted at the current cursor position.

Insert ASCII Char...

Opens a requester asking the ASCII code of the character to insert

at the current cursor position.

Insert Version String

Insert a version string at the current cursor position. The filename and date are automatically inserted, you only have to insert the version number.

Comment Block

The selected block marked is as a comment. The current comment type is C-style, but you can change it modifying the "CommentBlk.bed" macro.

Number Lines

Insert the line number at the start of every line of the selected block (or of the whole document).

Word -> Lower Case

Converts the word under the cursor to lower case.

Word -> Upper Case

Converts the word under the cursor to upper case.

Toggle Char Case

Toggle the case of the character under the cursor.

Encrypt Block

Encrypt the selected block (or the whole document) with the ROT-13 algorithm. This means that it exchanges the letters A-M with the letters N-Z. Applying the encryption twice gives the original file.

1.30 Menu name: Macro

The Macro Menu:

Start Recording

Starts recording a macro. Every action will now be recorded.

Stop recording

Stops recording a macro. The macro can now be re-executed many times.

Play Macro

Executes the recorded macro once.

Play Many...

Opens a requester asking how many times to execute the recorded macro. If you enter 0, the macro will be continually executed until an error is encountered.

Open Macro...

A previously saved macro can be loaded. (Remember that you can use a saved recorded macro as an ARexx macro but, usually, not viceversa.

Save Macro As...

The recorded macro is saved as an ASCII file, which can also be executed

as an ARexx macro.

1.31 Menu name: Tools

Tools:

New Shell...

Opens a new standard Amiga Shell, whose path is set as the current file path. The geometry of the window is specified by the Console preference.

New Console...

Opens a new BED console. From here you can directly enter any BED command, which is sent to the current document. The geometry of the window is specified by the Console preference.

Exec Tool...

The specified tool is executed synchronously.

Run Tool...

The specified tool is executed asynchronously.

Exec DOS Script

The specified DOS script is executed.

Calculator

The standard Amiga calculator is launched.

Multiview

The Multiview application is launched.

...

Here you can insert your most frequently used tools

1.32 Menu name: ARexx

The ARexx Menu:

Exec ARexx Macro...

Executes the specified ARexx macro.

Exec ARexx String...

Executes the specified ARexx string.

AddChars

CountWords

ExecBlk

PrintBlk

RemoveBlankLines

SaveBlk

SaveChangedDocs

SetConfig

```
ShowAG
SortBlk
UnSetLocks
```

...

Here you can insert your most frequently used ARexx Macros.

1.33 Menu name: Settings

The Settings Menu:

Change Prefs

Opens the requester to edit the following preferences:

```
Auto-Save
Backup
Colors
Display
Edit
End Of Line
Fonts
Icons
Miscellanea
Tabs
```

Open Prefs...

Loads the preferences from the specified filename.

Save Prefs...

Saves the preferences with the specified filename.

Save Prefs As Default

Saves the preferences as "BED:Support/Startup.prf", so they will be loaded as default preferences next time BED is run.

Open Definitions...

Loads the definitions from the specified file.

1.34 Menu name: ?

?:

About BED

Gives you information about the Author and your system.

Quick Reference

Displays the AmigaGuide file with a quick reference to BED. about BED.

BED Menus

Displays the AmigaGuide help about the standard menus.

BED Commands

Displays the AmigaGuide help about the BED command under the cursor.

BED Main Help

Displays the main BED AmigaGuide Help file.

1.35 The Standard Keyboard Sequences

Still writing

Sorry :-(

I still have to write this page...

1.36 The Standard Mouse Clicks

Still writing

Sorry :-(

I still have to write this page...

1.37 Customize Blacks Editor

Still writing

Sorry :-(

I still have to write this page...

1.38 Definitions Files

Still writing

Sorry :-(

I still have to write this page...

1.39 Preferences Files

Still writing

Sorry :-(

I still have to write this page...

1.40 Supplied Material

```
Still writing

Sorry :-(

I still have to write this page...
```

1.41 Supplied Emulations

```
Still writing

Sorry :-(

I still have to write this page...
```

1.42 Supplied Macros

```
Still writing

Sorry :-(

I still have to write this page...
```

1.43 Quick Reference for Blacks Editor

Quick reference for Blacks Editor

IMPORTANT !!! These three keyboard sequences are always valid:

```
-----

[Ctrl]-[Shift]-[Alt]-F1   Restore the built-in default definitions (menus, keys, ↔
etc...)
[Ctrl]-[Shift]-[Alt]-F2   Restore the built-in default preferences
[Ctrl]-[Shift]-[Alt]-F3   Remake the screen
```

Standard keyboard sequences:

```
-----

[Return]                  Insert a line
[Enter]                   Insert a line with indent
[Backspace]               Delete the previous character
[Del]                     Delete the current character
[Tab]                     Insert a tab
[Esc]                     This help
[Help]                    This help

[CursorUp]                Move the cursor up by one line
```

[CursorDown]	Move the cursor down by one line
[CursorRight]	Move the cursor right by one character
[CursorLeft]	Move the cursor left by one character
[F1]	Open a new document
[F2]	Open a new file in the current document
[F3]	Find matching bracket
[F4]	Open the Command Shell
[F5]	Open a DOS Shell
[F6]	Move the cursor to the start of previous paragraph
[F7]	Move the cursor to the start of next paragraph
[F8]	Indent the selected block
[F9]	Save the current file if modified
[F10]	Activate the next document and bring it to front
[Shift]-[Return]	Insert a line without breaking the current line
[Shift]-[Enter]	Insert a line with indent without breaking the current line ↵
[Shift]-[BackSpace]	Delete to the start of the current word
[Shift]-[Del]	Delete to the end of the current word
[Shift]-[Tab]	Move to the previous tab stop on the current line
[Shift]-[Esc]	
[Shift]-[Help]	Display the General Blacks Editor Help
[Shift]-[CursorUp]	Move the cursor up by one screenful
[Shift]-[CursorDown]	Move the cursor down by one screenful
[Shift]-[CursorRight]	Move to the start of the next word
[Shift]-[CursorLeft]	Move to the start of the previous word
[Shift]-[F1]	Display the General Blacks Editor Help
[Shift]-[F2]	Open a new file in a new document
[Shift]-[F3]	Undo the current line
[Shift]-[F4]	Restore the window default position
[Shift]-[F5]	Iconify / Deiconify the current document window
[Shift]-[F6]	Format the current paragraph
[Shift]-[F7]	Justify current paragraph
[Shift]-[F8]	Unindent the selected block
[Shift]-[F9]	Save the current file with a different name
[Shift]-[F10]	Activate the previous document and bring it to front
[Alt]-[Return]	Insert a line with indent without breaking the current line ↵
[Alt]-[Enter]	Insert a line without breaking the current line
[Alt]-[BackSpace]	Delete to the start of the current line
[Alt]-[Del]	Delete to the end of the current line
[Alt]-[Tab]	Move to the previous tab stop on the current line
[Alt]-[Esc]	Close the current document
[Alt]-[Help]	
[Alt]-[CursorUp]	Move the cursor to the start of the document
[Alt]-[CursorDown]	Move the cursor to the end of the document
[Alt]-[CursorRight]	Move the cursor to the end of the line
[Alt]-[CursorLeft]	Move the cursor to the start of the line
[Alt]-[F1]	Move to the position indicated by bookmark 1

[Alt]-[F2]	Move to the position indicated by bookmark 2
[Alt]-[F3]	Move to the position indicated by bookmark 3
[Alt]-[F4]	Move to the position indicated by bookmark 4
[Alt]-[F5]	Move to the position indicated by bookmark 5
[Alt]-[F6]	Move to the position indicated by bookmark 6
[Alt]-[F7]	Move to the position indicated by bookmark 7
[Alt]-[F8]	Move to the position indicated by bookmark 8
[Alt]-[F9]	Move to the position indicated by bookmark 9
[Alt]-[F10]	Move to the position indicated by bookmark 10
[Ctrl]-[Return]	Insert a line with indent
[Ctrl]-[Enter]	Insert a line
[Ctrl]-[Backspace]	Delete the current line
[Ctrl]-[Del]	Delete the current line
[Ctrl]-[Tab]	Move to the next tab stop on the current line
[Ctrl]-[Esc]	Quit BED
[Ctrl]-[Help]	
[Ctrl]-[CursorUp]	Scroll the current document up
[Ctrl]-[CursorDown]	Scroll the current document down
[Ctrl]-[CursorRight]	Shift the current line or block right
[Ctrl]-[CursorLeft]	Shift the current line or block left
[Ctrl]-[F1]	Set bookmark 1 to the current cursor position
[Ctrl]-[F2]	Set bookmark 2 to the current cursor position
[Ctrl]-[F3]	Set bookmark 3 to the current cursor position
[Ctrl]-[F4]	Set bookmark 4 to the current cursor position
[Ctrl]-[F5]	Set bookmark 5 to the current cursor position
[Ctrl]-[F6]	Set bookmark 6 to the current cursor position
[Ctrl]-[F7]	Set bookmark 7 to the current cursor position
[Ctrl]-[F8]	Set bookmark 8 to the current cursor position
[Ctrl]-[F9]	Set bookmark 9 to the current cursor position
[Ctrl]-[F10]	Set bookmark 10 to the current cursor position
[Ctrl]-R	Toggle read-only mode
[Ctrl]-T	Toggle expand tabs mode
[Ctrl]-I	Toggle auto-indent mode
[Ctrl]-F	Toggle free form mode
[Ctrl]-O	Toggle overstrike mode
[Ctrl]-W	Toggle word wrap mode
[Ctrl]-J	Toggle jump scroll mode
[Ctrl]-B	Toggle backup mode
[Ctrl]-K	Toggle IBM keypad mode
[Ctrl]-Q	Quote character, next character entered is taken as is
[Ctrl]-1	Change the text color
[Ctrl]-2	Change the background color
[Ctrl]-3	Change the text color of selected text
[Ctrl]-4	Change the background color of selected text
[Alt]-[Ctrl]-[CursorLeft]	Move the cursor to the start of the word
[Alt]-[Ctrl]-[CursorRight]	Move the cursor to the end of the word
[Alt]-[Ctrl]-[Del]	Delete to the start of the word
[Alt]-[Ctrl]-[Backspace]	Delete to the end of the word

[Home]	Move the cursor to the start of the document
[End]	Move the cursor to the end of the document
[PgUp]	Scroll the document up by one page
[PgDn]	Scroll the document down by one page
[Ins]	Toggle overstrike mode
[Del]	Delete the current character
[Cursorup]	Scroll the document up by one line
[CursorDown]	Scroll the document down by one line
[CursorLeft]	Move the cursor left by one character
[CursorRight]	Move the cursor right by one character
[ScrL]	Toggle read-only mode
[PrtSc]	Print the current file

Standard mouse sequences:

Holding down the left button and pushing the mouse off the bottom or top edges of the window scrolls the display.

Double-clicking the left button marks the start of a selection block.

Holding down the middle button and clicking the right button marks the start of a selection block

Status Area Information

The letters in the status area have the following meaning:

M/m	Document modified since last save? (M=Yes, m=No)
R/r	Read Only (R=On, r=Off)
T/t	Expand Tabs (T=On, t=Off)
I/i	Auto-Indent (I=On, i=Off)
F/f	Free Form (F=On, f=Off)
O/o	Overstrike (O=On, o=Off)
W/w	Word Wrap (W=On, w=Off)
J/j	Jump Scroll (J=On, j=Off)
B/b	Create Backups (B=On, b=Off)
K/k	IBM Keyboard (K=On, k=Off)

1.44 Commands Reference

Commands Reference

Blacks Editor 1.0 supports 150 ARexx commands.

You can use these commands to write your own definition file, to modify an existing one, or to write ARexx Macros.

The global commands are the only ones which can be sent to the general ARexx port called BED. The others can only be sent to the specific ARexx port of some document.

The commands are listed according different criteria:

Alphabetical order

Functional groupings

Global commands

1.45 Alphabetical List of Commands

Alphabetical List of Commands

About	- Bring up the About requester
ActivateLastDoc	- Activate and bring to front the last document
ActivateNextDoc	- Activate and bring to front the next document
ActivatePrevDoc	- Activate and bring to front the previous document
ActivateWindow	- Activate the window of the current document
BackSpace	- Delete the character before the cursor
BeepScreen	- Flash the screen
Center	- Center the current paragraph
CenterView	- Center vertically the current line
ClearBookMark	- Clear the specified bookmark
ClearFile	- Clear the current file
CloseDoc	- Close the current document
ControlWindow	- Toggle between open and close document window
Conv2Lower	- Convert character to lower case
Conv2Spaces	- Convert tabs to spaces
Conv2Tabs	- Convert spaces to tabs
Conv2Upper	- Convert the character to upper case
CopyBlk	- Copy the selected block to the clipboard
CutBlk	- Copy the selected block to the clipboard and erase it
Delete	- Delete the character under the cursor character
DeleteBlk	- Erase the selected block
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
EncryptBlk	- Encrypt the selected block
EndMacro	- Stop the recording of a macro
ExecARexxMacro	- Execute an ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
Exist	- Check if a the specified command is supported by BED
ExistsFile	- Check if a file exists
Find	- Search in the current document for the specified string
FindChange	- Search in the current document for the specified string and ↵ replace it with another
FormatParagraph	- Format the current paragraph
GetBlk	- Return the text in the selected block

GetBlkDims	- Return info about the selected block
GetBlkInfo	- Return info about the selected block
GetChar	- Return the current character
GetCurrentDir	- Return the name of the current dir
GetCursorPos	- Return info about the current position of the cursor
GetDocuments	- Return the names of the documents and their ARexx port name
GetErrorInfo	- Return the string of the specified error code
GetFileInfo	- Return info about the current document
GetFilePath	- Return the path and/or filename of the current document
GetLastDoc	- Return the ARexx port name of the last edited document
GetLine	- Return the text of the current line
GetLockInfo	- Return info about the locks
GetMacroInfo	- Return info about the current macro recorded
GetPort	- Return the ARexx port name of a document
GetPrefs	- Return the value of the specified preference
GetPriority	- Return the task priority of BED
GetScreenInfo	- Return info about the screen
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
GetViewInfo	- Return info about the current view
GetWindowInfo	- Return info about the current document window
GetWindowSpec	- Return the specification of the current document window
GetWord	- Return the word under the cursor
Help	- Display an AmigaGuide document with help about the specified topic ↔
IconifyWindow	- Iconify/uniconify the current document window
Illegal	- Produces an error
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertFile	- Insert a file in the document
InsertLine	- Insert a new line in the document
Justify	- Justify the current paragraph
LeftJustify	- Left justify the current paragraph
MarkBlk	- Mark the start of the selection block
Move	- Move the cursor to the specified line and/or column
MoveBookMark	- Move the cursor to the specified bookmark
MoveDown	- Move the cursor down one or more lines line
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word
MoveRight	- Move the cursor right one or more characters
MoveSizeWindow	- Change the dimensions and position of the current document window ↔
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
MoveWindow	- Change the position of the current document window
NewShell	- Open a new shell

Nop	- Absolutely nothing
OpenClip	- Load the specified file into the clipboard
OpenDefinitions	- Load the specified definitions file for the current document
OpenDoc	- Open a new document
OpenFile	- Load the specified file in the current document
OpenMacro	- Load the specified macro
OpenPrefs	- Load the specified preference file for the current document
OpenRequester	- Open the specified requester
PasteClip	- Paste the clipboard into the current document
PlayMacro	- Play the recorded macro
PrintClip	- Print the contents of the clipboard
PrintFile	- Print the current document
Quit	- Close all the documents and exit
RecordMacro	- Start recording a macro
RemakeScreen	- Remake the screen
RequestBool	- Open a bool requester
RequestChoice	- Open a requester with multiple choices
RequestFile	- Open a file requester
RequestFont	- Open a font requester
RequestNum	- Open a number requester
RequestStr	- Open a string requester
RightJustify	- Right justify the current paragraph
RunTool	- Run asynchronously the selected Tool
SaveClip	- Save the contents of the clipboard in a file
SaveDefPrefs	- Save the preferences on disk, as defaults
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SaveMacro	- Save the currently recorded macro
SavePrefs	- Save the preferences on disk
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
ScrollVert	- Scroll vertically keeping the cursor in the same position
ScrollView	- Scroll the current view vertically
SelectLine	- Select the current line
SetBookMark	- Set the specified bookmark
SetChar	- Set the char under the cursor
SetCurrentDir	- Set the current directory
SetDisplayLock	- Set the lock on the display of the current file
SetFilePath	- Set the path of the current document
SetInputLock	- Set the lock on the input in the current document
SetPrefs	- Set the specified preference
SetPriority	- Set the task priority of BED
SetQuoteMode	- Set the quote mode
SetStatusBar	- Display the specified string in the status bar
SetWindowSpec	- Specify the dimensions of the current document window
ShiftLeft	- Shift the current line left one or more characters or tabs
ShiftRight	- Shift the current line right one or more characters or tabs
SizeWindow	- Change the dimensions of the current document window
StripEOLBlanks	- Strip all the blanks at the end of the lines
SwapChars	- Swap the character under the cursor with the next
Text	- Insert the specified string in the current document
ToggleCharCase cursor	- Toggle the upper/lower case of the character under the 
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line
Window2Back	- Move the current document window to back

Window2Front - Move the current document window to front

1.46 Functional Grouping of Commands

Functional Grouping of Commands

Commands dealing with load & save

ExistsFile	- Check if a file exists
GetFileInfo	- Return info about the current document
GetFilePath	- Return the path and/or filename of the current document
InsertFile	- Insert a file in the document
OpenFile	- Load the specified file in the current document
PrintFile	- Print the current document
SaveFile	- Save the current document
SaveFileAs	- Save the current document with a different filename
SetFilePath	- Set the path of the current document

Commands dealing with the editing

BackSpace	- Delete the character before the cursor
Delete	- Delete the character under the cursor character
DeleteEOL	- Delete from the cursor to the end of the line
DeleteEOF	- Delete from the cursor to the end of the file
DeleteEOW	- Delete from the cursor to the end of the word
DeleteLine	- Delete the current line
DeleteSOL	- Delete from the cursor to the start of the line
DeleteSOF	- Delete from the cursor to the start of the file
DeleteSOW	- Delete from the cursor to the start of the word
DeleteWord	- Delete the word under the cursor
Insert	- Insert the specified string in the document
InsertTab	- Insert a tab in the text
InsertLine	- Insert a new line in the document
ShiftLeft	- Shift the current line left one or more characters or tabs
ShiftRight	- Shift the current line right one or more characters or ←
Text	- Insert the specified string in the current document
UndeleteLine	- Undelete the current line
UndoLine	- Undo all the changes on the current line

Commands dealing with cursor movements

GetCursorPos	- Return info about the current position of the cursor
Move	- Move the cursor to the specified line and/or column
MoveDown	- Move the cursor down one or more lines line
MoveDownScr	- Move the cursor down one page
MoveEOF	- Move the cursor to the end of the document
MoveEOL	- Move the cursor to the end of the current line
MoveEOW	- Move the cursor to the end of the word
MoveLeft	- Move the cursor left one or more characters
MoveMatchBkt	- Move the cursor on the matching bracket
MoveNextTabStop	- Move the cursor to the next tab stop position
MoveNextWord	- Move the cursor to the start of the next word
MovePrevTabStop	- Move the cursor to the previous tab stop
MovePrevWord	- Move the cursor to the start of the previous word

MoveRight	- Move the cursor right one or more characters
MoveSOF	- Move the cursor to the start of the file
MoveSOL	- Move the cursor to the start of the current line
MoveSOW	- Move the cursor to the start of the current word
MoveUp	- Move the cursor up one or more lines
MoveUpScr	- Move the cursor up one page
ScrollVert	- Scroll vertically keeping the cursor in the same position
ScrollView	- Scroll the current view vertically

Commands dealing with bookmarks

ClearBookMark	- Clear the specified bookmark
MoveBookMark	- Move the cursor to the specified bookmark
SetBookMark	- Set the specified bookmark

Commands dealing with special edit functions

ClearFile	- Clear the current file
Conv2Lower	- Convert character to lower case
Conv2Spaces	- Convert tabs to spaces
Conv2Tabs	- Convert spaces to tabs
Conv2Upper	- Convert the character to upper case
EncryptBlk	- Encrypt the selected block
SetChar	- Set the char under the cursor
StripEOLBlanks	- Strip all the blanks at the end of the lines
SwapChars	- Swap the character under the cursor with the next
ToggleCharCase	- Toggle the upper/lower case of the character under the cursor ↔

Commands dealing with selection block and the clipboard

CopyBlk	- Copy the selected block to the clipboard
CutBlk	- Copy the selected block to the clipboard and erase it
DeleteBlk	- Erase the selected block
GetBlk	- Return the text in the selected block
GetBlkDims	- Return info about the selected block
GetBlkInfo	- Return info about the selected block
MarkBlk	- Mark the start of the selection block
OpenClip	- Load the specified file into the clipboard
PasteClip	- Paste the clipboard into the current document
PrintClip	- Print the contents of the clipboard
SaveClip	- Save the contents of the clipboard in a file
SelectLine	- Select the current line

Commands dealing with search & replace

Find	- Search in the current document for the specified string
FindChange	- Search in the current document for the specified string ↔ and replace it with another

Commands dealing with formatting of paragraph

Center	- Center the current paragraph
FormatParagraph	- Format the current paragraph
Justify	- Justify the current paragraph
LeftJustify	- Left justify the current paragraph
RightJustify	- Right justify the current paragraph

Commands dealing with recorded macros

EndMacro	- Stop the recording of a macro
GetMacroInfo	- Return info about the current macro recorded
OpenMacro	- Load the specified macro
PlayMacro	- Play the recorded macro
RecordMacro	- Start recording a macro
SaveMacro	- Save the currently recorded macro

Commands dealing with external Tools or ARexx macros

ExecARexxMacro	- Execute an ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
NewShell	- Open a new shell
RunTool	- Run asynchronously the selected Tool

Commands dealing with the configuration of the program

GetPrefs	- Return the value of the specified preference
OpenDefinitions document	- Load the specified definitions file for the current ↔
OpenPrefs document	- Load the specified preference file for the current ↔
SaveDefPrefs	- Save the preferences on disk, as defaults
SavePrefs	- Save the preferences on disk
SetPrefs	- Set the specified preference

Commands dealing with windows and screen

ActivateLastDoc	- Activate and bring to front the last document
ActivateNextDoc	- Activate and bring to front the next document
ActivatePrevDoc	- Activate and bring to front the previous document
ActivateWindow	- Activate the window of the current document
BeepScreen	- Flash the screen
ControlWindow	- Toggle between open and close document window
GetScreenInfo	- Return info about the screen
GetWindowInfo	- Return info about the current document window
GetWindowSpec	- Return the specification of the current document window
IconifyWindow	- Iconify/uniconify the current document window
MoveSizeWindow window	- Change the dimensions and position of the current document ↔
MoveWindow	- Change the position of the current document window
RemakeScreen	- Remake the screen
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
SetStatusBar	- Display the specified string in the status bar
SetWindowSpec	- Specify the dimensions of the current document window
SizeWindow	- Change the dimensions of the current document window
Window2Back	- Move the current document window to back
Window2Front	- Move the current document window to front

Commands dealing with views

CenterView	- Center vertically the current line
------------	--------------------------------------

GetViewInfo - Return info about the current view

Commands dealing with documents

CloseDoc - Close the current document
 GetDocuments - Return the names of the documents and their ARexx port name ↔
 GetLastDoc - Return the ARexx port name of the last edited document
 GetPort - Return the ARexx port name of a document
 OpenDoc - Open a new document
 Quit - Close all the documents and exit

Command allowing input in ARexx Macros

RequestBool - Open a bool requester
 RequestChoice - Open a requester with multiple choices
 RequestFile - Open a file requester
 RequestFont - Open a font requester
 RequestNum - Open a number requester
 RequestStr - Open a string requester

Commands dealing with text in ARexx macros

GetChar - Return the current character
 GetLine - Return the text of the current line
 GetWord - Return the word under the cursor

Commands useful when developing ARexx Macros

Exist - Check if a the specified command is supported by BED
 GetErrorInfo - Return the string of the specified error code
 GetTemplate - Return the template of the specified command
 GetVersion - Return the version string of BED
 Help - Display an AmigaGuide document with help about the specified topic ↔
 Illegal - Produces an error
 Nop - Absolutely nothing

Miscellaneous commands

About - Bring up the About requester
 GetCurrentDir - Return the name of the current dir
 GetPriority - Return the task priority of BED
 OpenRequester - Open the specified requester
 SetCurrentDir - Set the current directory
 SetPriority - Set the task priority of BED
 SetQuoteMode - Set the quote mode

1.47 List of Global Commands

List of Global Commands

ActivateLastDoc - Activate and bring to front the last document
 ActivateNextDoc - Activate and bring to front the next document
 ActivatePrevDoc - Activate and bring to front the previous document

ActivateWindow	- Activate the window of the current document
BeepScreen	- Flash the screen
ExecARexxMacro	- Execute an ARexx script
ExecARexxString	- Execute an ARexx string
ExecDosScript	- Execute a DOS script
ExecTool	- Execute synchronously a Tool
Exist	- Check if a the specified command is supported by BED
ExistsFile	- Check if a file exists
GetCurrentDir	- Return the name of the current dir
GetDocuments	- Return the names of the documents and their ARexx port name
GetErrorInfo	- Return the string of the specified error code
GetLastDoc	- Return the ARexx port name of the last edited document
GetPort	- Return the ARexx port name of a document
GetPriority	- Return the task priority of BED
GetScreenInfo	- Return info about the screen
GetTemplate	- Return the template of the specified command
GetVersion	- Return the version string of BED
Help	- Display an AmigaGuide document with help about the specified ↵
topic	
Illegal	- Produces an error
Nop	- Absolutely nothing
OpenDoc	- Open a new document
Quit	- Close all the documents and exit
RemakeScreen	- Remake the screen
RunTool	- Run asynchronously the selected Tool
Screen2Back	- Move the screen to back
Screen2Front	- Move the screen to front
SetCurrentDir	- Set the current directory
SetPriority	- Set the task priority of BED

1.48 About

Command name:	About
Format:	About
Release:	Version 1.00
Purpose:	Bring up the About requester
Parameters:	None
Description:	
RC:	Always 0
RESULT:	No result returned.
See also:	

Page still not complete...

1.49 ActivateLastDoc

Command name: ActivateLastDoc

Format: ActivateLastDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the last document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.50 ActivateNextDoc

Command name: ActivateNextDoc

Format: ActivateNextDoc FRONT/S

Release: Version 1.00

Purpose: Activates and bring to front the next document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.51 ActivatePrevDoc

Command name: ActivatePrevDoc

Format: ActivatePrevDoc FRONT/S

Release: Version 1.00

Purpose: Activates and grong to front the previous document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.52 ActivateWindow

Command name: ActivateWindow

Format: ActivateWindow FRONT/S

Release: Version 1.00

Purpose: Activates the window of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.53 BackSpace

Command name: BackSpace
Format: BackSpace CHARS/N
Release: Version 1.00
Purpose: Delete the character before the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.54 BeepScreen

Command name: BeepScreen
Format: BeepScreen
Release: Version 1.00
Purpose: Flashes the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.55 Center

Command name: Center
Format: Center
Release: Version 1.00
Purpose: Center the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.56 CenterView

Command name: CenterView
Format: CenterView
Release: Version 1.00
Purpose: Center vertically the current line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.57 ClearBookMark

Command name: ClearBookMark
Format: ClearBookMark BOOKMARK/N/A
Release: Version 1.00
Purpose: Clear the specified bookmark
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.58 ClearFile

Command name: ClearFile
Format: ClearFile QUIET/S
Release: Version 1.00
Purpose: Clears the current file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.59 CloseDoc

Command name: CloseDoc
Format: CloseDoc QUIET/S
Release: Version 1.00
Purpose: Closes the current document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.60 ControlWindow

Command name: ControlWindow
Format: ControlWindow ON/S,OFF/S,TOGGLE/S
Release: Version 1.00
Purpose: Toggle between open and close document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.61 Conv2Lower

Command name: Conv2Lower
Format: Conv2Lower
Release: Version 1.00
Purpose: Convert the character to lower case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.62 Conv2Spaces

Command name: Conv2Spaces
Format: Conv2Spaces SOL/S
Release: Version 1.00
Purpose: Convert the tabs to spaces
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.63 Conv2Tabs

Command name: Conv2Tabs
Format: Conv2Tabs SOL/S
Release: Version 1.00
Purpose: Convert the spaces to tabs
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.64 Conv2Upper

Command name: Conv2Upper
Format: Conv2Upper
Release: Version 1.00
Purpose: Convert the character to upper case
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.65 CopyBlk

Command name: CopyBlk
Format: CopyBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.66 CutBlk

Command name: CutBlk
Format: CutBlk APPEND/S
Release: Version 1.00
Purpose: Copy the selected block to the clipboard and erase it
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.67 Delete

Command name: Delete

Format: Delete CHARS/N

Release: Version 1.00

Purpose: Delete the character under the cursor character

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.68 DeleteBlk

Command name: DeleteBlk

Format: DeleteBlk QUIET/S

Release: Version 1.00

Purpose: Erase the selected block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.69 DeleteEOL

Command name: DeleteEOL
Format: DeleteEOL
Release: Version 1.00
Purpose: Delete from the cursor to the end of the line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.70 DeleteEOF

Command name: DeleteEOF
Format: DeleteEOF
Release: Version 1.00
Purpose: Delete from the cursor to the end of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.71 DeleteEOW

Command name: DeleteEOW

Format: DeleteEOW

Release: Version 1.00

Purpose: Delete from the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.72 DeleteLine

Command name: DeleteLine

Format: DeleteLine

Release: Version 1.00

Purpose: Delete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.73 DeleteSOL

Command name: DeleteSOL
Format: DeleteSOL
Release: Version 1.00
Purpose: Delete from the cursor to the start of the line
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.74 DeleteSOF

Command name: DeleteSOF
Format: DeleteSOF
Release: Version 1.00
Purpose: Delete from the cursor to the start of the file
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.75 DeleteSOW

Command name: DeleteSOW
Format: DeleteSOW
Release: Version 1.00
Purpose: Delete from the cursor to the start of the word
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.76 DeleteWord

Command name: DeleteWord
Format: DeleteWord
Release: Version 1.00
Purpose: Delete the word under the cursor
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.77 EncryptBlk

Command name: EncryptBlk
Format: EncryptBlk
Release: Version 1.00
Purpose: Encrypt the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.78 EndMacro

Command name: EndMacro
Format: EndMacro
Release: Version 1.00
Purpose: Stops the recording of a macro
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.
See also:

Page still not complete...

1.79 ExecARexxMacro

Command name: ExecARexxMacro

Format: ExecARexxMacro CONSOLE/S,WINDOW/K,NAME/F

Release: Version 1.00

Purpose: Execute an ARexx script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.80 ExecARexxString

Command name: ExecARexxString

Format: ExecARexxString CONSOLE/S,WINDOW/K,MACRO/F

Release: Version 1.00

Purpose: Execute an ARexx string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.81 ExecDosScript

Command name: ExecDosScript

Format: ExecDosScript CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute a DOS script

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.82 ExecTool

Command name: ExecTool

Format: ExecTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Execute synchronously a Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.83 Exist

Command name: Exist

Format: Exist COMMAND/A

Release: Version 1.00

Purpose: Check if a the specified command is supported by BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.84 ExistsFile

Command name: ExistsFile

Format: ExistsFile NAME/F

Release: Version 1.00

Purpose: Check if a file exists

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.85 Find

Command name: Find

Format: Find FIND/F

Release: Version 1.00

Purpose: Search in the current document for the specified string

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.86 FindChange

Command name: FindChange

Format: FindChange FIND/K,CHANGE,ALL/S

Release: Version 1.00

Purpose: Search in the current document for the specified string and ↔
replace it with another

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.87 FormatParagraph

Command name: FormatParagraph
Format: FormatParagraph
Release: Version 1.00
Purpose: Format the current paragraph
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.88 GetBlk

Command name: GetBlk
Format: GetBlk STEM/A
Release: Version 1.00
Purpose: Return the text in the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.89 GetBlkDims

Command name: GetBlkDims
Format: GetBlkDims
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.90 GetBlkInfo

Command name: GetBlkInfo
Format: GetBlkInfo
Release: Version 1.00
Purpose: Return info about the selected block
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.91 GetChar

Command name: GetChar
Format: GetChar
Release: Version 1.00
Purpose: Return the current character
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.92 GetCurrentDir

Command name: GetCurrentDir
Format: GetCurrentDir
Release: Version 1.00
Purpose: Return the name of the current dir
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.93 GetCursorPos

Command name: GetCursorPos

Format: GetCursorPos

Release: Version 1.00

Purpose: Return info about the current position of the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.94 GetDocuments

Command name: GetDocuments

Format: GetDocuments

Release: Version 1.00

Purpose: Return the names of the documents and their ARexx port name

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.95 GetErrorInfo

Command name: GetErrorInfo

Format: GetErrorInfo ERROR/N/A,SPECIAL/N

Release: Version 1.00

Purpose: Return the string of the specified error code

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.96 GetFileInfo

Command name: GetFileInfo

Format: GetFileInfo

Release: Version 1.00

Purpose: Return info about the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.97 GetFilePath

Command name: GetFilePath

Format: GetFilePath PATH/S,FILE/S

Release: Version 1.00

Purpose: Return the path and/or filename of the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.98 GetLastDoc

Command name: GetLastDoc

Format: GetLastDoc

Release: Version 1.00

Purpose: Return the ARexx port name of the last edited document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.99 GetLine

Command name: GetLine

Format: GetLine STARTCOL/N,ENDCOL/N

Release: Version 1.00

Purpose: Return the text of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.100 GetLockInfo

Command name: GetLockInfo

Format: GetLockInfo

Release: Version 1.00

Purpose: Return info about the locks

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.101 GetMacroInfo

Command name: GetMacroInfo
Format: GetMacroInfo
Release: Version 1.00
Purpose: Return info about the current macro recorded
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.102 GetPort

Command name: GetPort
Format: GetPort NAME/F
Release: Version 1.00
Purpose: Return the ARexx port name of a document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.103 GetPrefs

Command name: GetPrefs
Format: GetPrefs Prefs/A
Release: Version 1.00
Purpose: Return the value of the specified preference
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.104 GetPriority

Command name: GetPriority
Format: GetPriority
Release: Version 1.00
Purpose: Return the task priority of BED
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.105 GetScreenInfo

Command name: GetScreenInfo
Format: GetScreenInfo
Release: Version 1.00
Purpose: Return info about the screen
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.106 GetTemplate

Command name: GetTemplate
Format: GetTemplate COMMAND/A
Release: Version 1.00
Purpose: Return the template of the specified command
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.107 GetVersion

Command name: GetVersion

Format: GetVersion

Release: Version 1.00

Purpose: Return the version string of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.108 GetViewInfo

Command name: GetViewInfo

Format: GetViewInfo

Release: Version 1.00

Purpose: Return info about the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.109 GetWindowInfo

Command name: GetWindowInfo
Format: GetWindowInfo
Release: Version 1.00
Purpose: Return info about the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.110 GetWindowSpec

Command name: GetWindowSpec
Format: GetWindowSpec
Release: Version 1.00
Purpose: Return the specification of the current document window
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.111 GetWord

Command name: GetWord

Format: GetWord

Release: Version 1.00

Purpose: Return the word under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.112 Help

Command name: Help

Format: Help FILE/K,TOPIC

Release: Version 1.00

Purpose: Display an AmigaGuide document with an help about the specified ↵
topic

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.113 IconifyWindow

Command name: IconifyWindow

Format: IconifyWindow ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Iconify/uniconify the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.114 Illegal

Command name: Illegal

Format: Illegal

Release: Version 1.00

Purpose: Produces an error

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.115 Insert

Command name: Insert

Format: Insert TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.116 InsertTab

Command name: InsertTab

Format: InsertTab NUM/N,EXPAND/S

Release: Version 1.00

Purpose: Insert a tab in the text

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.117 InsertFile

Command name: InsertFile
Format: InsertFile NAME/F
Release: Version 1.00
Purpose: Inserta file in the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.118 InsertLine

Command name: InsertLine
Format: InsertLine NOBREAK/S, INDENT/S
Release: Version 1.00
Purpose: Insert a new line in the document
Parameters: None
Description:

RC: Always 0
RESULT: No result returned.

See also:

Page still not complete...

1.119 Justify

Command name: Justify

Format: Justify

Release: Version 1.00

Purpose: Justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.120 LeftJustify

Command name: LeftJustify

Format: LeftJustify

Release: Version 1.00

Purpose: Left justify the current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.121 MarkBlk

Command name: MarkBlk

Format: MarkBlk WORD/S

Release: Version 1.00

Purpose: Mark the start of the selection block

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.122 Move

Command name: Move

Format: Move LINE/N,COLUMN/N,CENTER/S

Release: Version 1.00

Purpose: Move the cursor to the specified line and/or column

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.123 MoveBookMark

Command name: MoveBookMark

Format: MoveBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Move the cursor to the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.124 MoveDown

Command name: MoveDown

Format: MoveDown LINES/N

Release: Version 1.00

Purpose: Move the cursor down one or more lines line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.125 MoveDownScr

Command name: MoveDownScr

Format: MoveDownScr

Release: Version 1.00

Purpose: Move the cursor down one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.126 MoveEOF

Command name: MoveEOF

Format: MoveEOF

Release: Version 1.00

Purpose: Move the cursor to the end of the document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.127 MoveEOL

Command name: MoveEOL

Format: MoveEOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the end of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.128 MoveEOW

Command name: MoveEOW

Format: MoveEOW

Release: Version 1.00

Purpose: Move the cursor to the end of the word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.129 MoveLeft

Command name: MoveLeft

Format: MoveLeft CHARS/N

Release: Version 1.00

Purpose: Move the cursor left one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.130 MoveMatchBkt

Command name: MoveMatchBkt

Format: MoveMatchBkt

Release: Version 1.00

Purpose: Move the cursor on the matching bracket

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.131 MoveNextTabStop

Command name: MoveNextTabStop

Format: MoveNextTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the next tab stop position

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.132 MoveNextWord

Command name: MoveNextWord

Format: MoveNextWord

Release: Version 1.00

Purpose: Move the cursor to the start of the next word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.133 MovePrevTabStop

Command name: MovePrevTabStop

Format: MovePrevTabStop NUM/N

Release: Version 1.00

Purpose: Move the cursor to the previous tab stop

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.134 MovePrevWord

Command name: MovePrevWord

Format: MovePrevWord

Release: Version 1.00

Purpose: Move the cursor to the start of the previous word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.135 MoveRight

Command name: MoveRight

Format: MoveRight CHARS/N

Release: Version 1.00

Purpose: Move the cursor right one or more characters

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.136 MoveSizeWindow

Command name: MoveSizeWindow

Format: MoveSizeWindow LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose: Change the dimensions and position of the current document window ↔

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.137 MoveSOF

Command name: MoveSOF

Format: MoveSOF

Release: Version 1.00

Purpose: Move the cursor to the start of the file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.138 MoveSOL

Command name: MoveSOL

Format: MoveSOL NONBLANK/S

Release: Version 1.00

Purpose: Move the cursor to the start of the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.139 MoveSOW

Command name: MoveSOW

Format: MoveSOW

Release: Version 1.00

Purpose: Move the cursor to the start of the current word

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.140 MoveUp

Command name: MoveUp

Format: MoveUp LINES/N

Release: Version 1.00

Purpose: Move the cursor up one or more lines

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.141 MoveUpScr

Command name: MoveUpScr

Format: MoveUpScr

Release: Version 1.00

Purpose: Move the cursor up one page

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.142 MoveWindow

Command name: MoveWindow

Format: MoveWindow LEFT/N/A, TOP/N/A

Release: Version 1.00

Purpose: Change the position of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.143 NewShell

Command name: NewShell

Format: NewShell WINDOW/K, FROM/K

Release: Version 1.00

Purpose: Opens a new shell

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.144 Nop

Command name: Nop

Format: Nop

Release: Version 1.00

Purpose: Absolutely nothing

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.145 OpenClip

Command name: OpenClip

Format: OpenClip APPEND/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.146 OpenDefinitions

Command name: OpenDefinitions

Format: OpenDefinitions USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00

Purpose: Load the specified definitions file for the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.147 OpenDoc

Command name: OpenDoc

Format: OpenDoc FILEREQ/S,MACRO/K,WINDOW/K,DEFINITIONS/K,SETTINGS/K,NAME ↵
/F

Release: Version 1.00

Purpose: Open a new document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.148 OpenFile

Command name: OpenFile

Format: OpenFile QUIET/S,NAME/F

Release: Version 1.00

Purpose: Load the specified file in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.149 OpenMacro

Command name: OpenMacro

Format: OpenMacro NAME/F

Release: Version 1.00

Purpose: Load the specified macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.150 OpenPrefs

Command name: OpenPrefs

Format: OpenPrefs USEDEFAULT/S,MAKEDEFAULT/S,NAME/F

Release: Version 1.00

Purpose: Load the specified preference file for the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.151 OpenRequester

Command name: OpenRequester

Format: OpenRequester REQUESTER/A

Release: Version 1.00

Purpose: Open the specified requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.152 PasteClip

Command name: PasteClip

Format: PasteClip

Release: Version 1.00

Purpose: Paste the clipboard in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.153 PlayMacro

Command name: PlayMacro

Format: PlayMacro COUNT/N

Release: Version 1.00

Purpose: Play the recorded macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.154 PrintClip

Command name: PrintClip

Format: PrintClip QUIET/S

Release: Version 1.00

Purpose: Print the contents of the clipboard

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.155 PrintFile

Command name: PrintFile

Format: PrintFile QUIET/S

Release: Version 1.00

Purpose: Print the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.156 Quit

Command name: Quit

Format: Quit QUIET/S

Release: Version 1.00

Purpose: Close all the documents and exit

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.157 RecordMacro

Command name: RecordMacro

Format: RecordMacro QUIET/S

Release: Version 1.00

Purpose: Start recording a macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.158 RemakeScreen

Command name: RemakeScreen

Format: RemakeScreen

Release: Version 1.00

Purpose: Remake the screen

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.159 RequestBool

Command name: RequestBool

Format: RequestBool TITLE/K,PROMPT/A/F

Release: Version 1.00

Purpose: Open a bool requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.160 RequestChoice

Command name: RequestChoice

Format: RequestChoice TITLE/K,PROMPT/A,CHOICE/A

Release: Version 1.00

Purpose: Open a requester with multiple choices

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.161 RequestFile

Command name: RequestFile

Format: RequestFile TITLE/K,PATTERN/K,OKGADGET/K,SAVEMODE/S,DRAWERSONLY/ ↵
S,PATH/F

Release: Version 1.00

Purpose: Open a file requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.162 RequestFont

Command name: RequestFont

Format: RequestFont TITLE/K, FONTNAME, FONTSIZE/N, FIXEDWIDTH/S

Release: Version 1.00

Purpose: Open a font requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.163 RequestNum

Command name: RequestNum

Format: RequestNum POSITIVE/S,TITLE/K,DEFAULT/N/K,PROMPT/F

Release: Version 1.00

Purpose: Open a number requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.164 RequestStr

Command name: RequestStr

Format: RequestStr TITLE/K,PROMPT/K,DEFAULT/F

Release: Version 1.00

Purpose: Open a string requester

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.165 RightJustify

Command name: RightJustify

Format: RightJustify

Release: Version 1.00

Purpose: Right justify teh current paragraph

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.166 RunTool

Command name: RunTool

Format: RunTool CONSOLE/S,WINDOW/K,WB2FRONT/S,SCREEN/S,NAME/F

Release: Version 1.00

Purpose: Run asynchronously the selected Tool

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.167 SaveClip

Command name: SaveClip

Format: SaveClip QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the contents of the clipboard in a file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.168 SaveDefPrefs

Command name: SaveDefPrefs

Format: SaveDefPrefs

Release: Version 1.00

Purpose: Save the preferences on disk, as defaults

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.169 SaveFile

Command name: SaveFile

Format: SaveFile QUIET/S,NOBACKUP/S,NOICON/S,MODIFIED/S

Release: Version 1.00

Purpose: Save the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.170 SaveFileAs

Command name: SaveFileAs

Format: SaveFileAs QUIET/S,NOBACKUP/S,NOICON/S,APPEND/S,NAME/F

Release: Version 1.00

Purpose: Save the current document with a different filename

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.171 SaveMacro

Command name: SaveMacro

Format: SaveMacro QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the currently recorded macro

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.172 SavePrefs

Command name: SavePrefs

Format: SavePrefs QUIET/S,NAME/F

Release: Version 1.00

Purpose: Save the preferences on disk

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.173 Screen2Back

Command name: Screen2Back

Format: Screen2Back

Release: Version 1.00

Purpose: Move the screen to back

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.174 Screen2Front

Command name: Screen2Front

Format: Screen2Front

Release: Version 1.00

Purpose: Move the screen to front

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.175 ScrollVert

Command name: ScrollVert

Format: ScrollVert LINE/N/A,RELATIVE/S

Release: Version 1.00

Purpose: ...

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.176 ScrollView

Command name: ScrollView

Format: ScrollView LINE/N/A,RELATIVE/S

Release: Version 1.00

Purpose: Scroll vertically the current view

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.177 SelectLine

Command name: SelectLine

Format: SelectLine

Release: Version 1.00

Purpose: Select the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.178 SetBookMark

Command name: SetBookMark

Format: SetBookMark BOOKMARK/N/A

Release: Version 1.00

Purpose: Set the specified bookmark

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.179 SetChar

Command name: SetChar

Format: SetChar CHAR

Release: Version 1.00

Purpose: Set the char under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.180 SetCurrentDir

Command name: SetCurrentDir

Format: SetCurrentDir NAME/F/A

Release: Version 1.00

Purpose: Set the current directory

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.181 SetDisplayLock

Command name: SetDisplayLock

Format: SetDisplayLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the display of the current file

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.182 SetFilePath

Command name: SetFilePath

Format: SetFilePath NAME/F/A

Release: Version 1.00

Purpose: Set the path of the curret document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.183 SetInputLock

Command name: SetInputLock

Format: SetInputLock ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the lock on the input in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.184 SetPrefs

Command name: SetPrefs

Format: SetPrefs PREFS/A,SETTING/F

Release: Version 1.00

Purpose: Set the specified preference

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.185 SetPriority

Command name: SetPriority

Format: SetPriority PRIORITY/N/A

Release: Version 1.00

Purpose: Set the task priority of BED

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.186 SetQuoteMode

Command name: SetQuoteMode

Format: SetQuoteMode ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose: Set the quote mode

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.187 SetStatusBar

Command name: SetStatusBar

Format: SetStatusBar TEXT/F

Release: Version 1.00

Purpose: Display the specified string in the status bar

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.188 SetWindowSpec

Command name: SetWindowSpec

Format: SetWindowSpec WINDOWSPEC

Release: Version 1.00

Purpose: Dimension the current document window according to the ↔
specification

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.189 ShiftLeft

Command name: ShiftLeft

Format: ShiftLeft COUNT/N,TABS/S

Release: Version 1.00

Purpose: Shift left the current line one or more characters or tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.190 ShiftRight

Command name: ShiftRight

Format: ShiftRight COUNT/N,TABS/S

Release: Version 1.00

Purpose: Shift right the current line one or more characters or tabs

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.191 SizeWindow

Command name: SizeWindow

Format: SizeWindow WIDTH/N/A,HEIGHT/N/A

Release: Version 1.00

Purpose: Change the dimensions of the current document window

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.192 StripEOLBlanks

Command name: StripEOLBlanks

Format: StripEOLBlanks

Release: Version 1.00

Purpose: Strip all the blanks at the end of the lines

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.193 SwapChars

Command name: SwapChars

Format: SwapChars

Release: Version 1.00

Purpose: Swap the character under the cursor with the next

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.194 Text

Command name: Text

Format: Text TEXT/F

Release: Version 1.00

Purpose: Insert the specified string in the current document

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.195 ToggleCharCase

Command name: ToggleCharCase

Format: ToggleCharCase FORCEUPPER/S,FORCELOWER/S

Release: Version 1.00

Purpose: Toggle the upper/lower case of the character under the cursor

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.196 UndeleteLine

Command name: UndeleteLine

Format: UndeleteLine

Release: Version 1.00

Purpose: Undelete the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.197 UndoLine

Command name: UndoLine

Format: UndoLine

Release: Version 1.00

Purpose: Undo all the changes on the current line

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.198 Window2Back

Command name: Window2Back

Format: Window2Back

Release: Version 1.00

Purpose: Move the current document window to back

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.199 Window2Front

Command name: Window2Front

Format: Window2Front

Release: Version 1.00

Purpose: Move the current document window to front

Parameters: None

Description:

RC: Always 0

RESULT: No result returned.

See also:

Page still not complete...

1.200 Preferences Reference

Preferences Reference

This is the list of the preferences supported by Blacks Editor 1.0 which can be used in any preference file, and can be modified with the command SetPrefs <pref_name> <value>.

Alphabetical order

Functional groupings

1.201 Alphabetical List of Preferences

Alphabetical List of Preferences

AUTODETECTBINFILES
AUTOINDENT
AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY
BACKGROUNDCOLOR
BACKUPTEMPLATE
CANTBACKUPCONFIRM
CHANGESTRING
CLIPBOARDUNIT
CONSOLE
CONVERSIONONLOAD
CONVERSIONONPRINT
CONVERSIONONSAVE
DEFAULTWINDOW
DEFSDRAWER
DEFSPATTERN
DOCSTARTUP
DOCSTARTUPNAME
DOSDRAWER
DOSPATTERN
DOUBLELOADCONFIRM
FILEPATTERN
FILEREQTYPE
FILEREQUESTER
FILESTARTUP
FILESTARTUPNAME
FINDBACKWARD
FINDIGNORECASE
FINDSTRING
FINDWHOLEWORD
FONTREQTYPE
FONTREQUESTER
FREEFORM
GADGETFONT
HORIZSCROLLER
IBMKEYPAD
ICONDRAWER
INDENT
JUMPSCROLL
JUMPSCROLLLINES
LEAVEINDENT
LEFTMARGIN
MAKEBACKUPS
MAXBACKUPVERSION
MENUFONT
MOUSEBLANKER
OVERSTRIKE
OVERWRITECONFIRM
PALETTE
POPUPNEWDOC
PREFSDRAWER
PREFSPATTERN
PRINTDEVICE

READONLY
REXXDRAWER
REXXPATTERN
RIGHTMARGIN
RIGHTMARGINWBORDER
SAVEEOLAS
SAVEICONS
SCREEN
SCREENMODEREQTYPE
SCREENMODEREQUESTER
SELBACKGROUNDCOLOR
SELECTWHENDRAGGING
SELTEXTCOLOR
STRIPEOLBLANKS
TABSGIVESPACES
TABWIDTH
TEXTCOLOR
TEXTFONT
TOOLSDRAWER
TOOLSPATTERN
TRANSLATECRS
VERTSCROLLER
WORDWRAP

1.202 Functional Grouping of Preferences

Functional Grouping of Preferences

ARexx Preferences:

DOCSTARTUP
DOCSTARTUPNAME
FILESTARTUP
FILESTARTUPNAME

Autosave Preferences:

AUTOSAVE
AUTOSAVECONFIRM
AUTOSAVEDELAY

Backup Preferences:

MAKEBACKUPS
CANTBACKUPCONFIRM
BACKUPTEMPLATE
MAXBACKUPVERSION

Colors Preferences:

TEXTCOLOR
BACKGROUNDCOLOR
SELTEXTCOLOR
SELBACKGROUNDCOLOR
PALETTE

Display Preferences:

SCREEN
HORIZSCROLLER
VERTSCROLLER
FILEREQTYPE
FONTREQTYPE
SCREENMODEREQTYPE

Edit Preferences:

AUTOINDENT
FREEFORM
OVERSTRIKE
WORDWRAP
JUMPSCROLL
IBMKEYPAD
JUMPSCROLLLINES

EOL Preferences:

STRIPEOLBLANKS
TRANSLATECRS
SAVEEOLAS

Font Preferences:

TEXTFONT
MENUFONT
GADGETFONT

Format Preferences:

RIGHTMARGINWBORDER
LEAVEINDENT
INDENT
LEFTMARGIN
RIGHTMARGIN

Icon Preferences:

SAVEICONS
ICONDRAWER

Miscellanea Preferences:

MOUSEBLANKER
OVERWRITECONFIRM
DOUBLELOADCONFIRM
SELECTWHENDRAGGING
AUTODETECTBINFILES
POPUPNEWDOC
CLIPBOARDUNIT
PRINTDEVICE
CONSOLE
DEFAULTWINDOW

Tabs Preferences:

TABWIDTH
TABSGIVESPACES
CONVERSIONONLOAD
CONVERSIONONSAVE
CONVERSIONONPRINT

Find Preferences:

FINDSTRING
CHANGESTRING
FINDBACKWARD
FINDIGNORECASE
FINDWHOLEWORD

Others Preferences:

FILEREQUESTER
FONTREQUESTER
SCREENMODEREQUESTER
FILEPATTERN
REXXDRAWER
REXXPATTERN
DOSDRAWER
DOSPATTERN
TOOLSDRAWER
TOOLSPATTERN
PREFSDRAWER
PREFSPATTERN
DEFSDRAWER
DEFSPATTERN
READONLY

1.203 DOCSTARTUP

Preference name: DOCSTARTUP

Format: DOCSTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.204 DOCSTARTUPNAME

Preference name: DOCSTARTUPNAME

Format: DOCSTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.205 FILESTARTUP

Preference name: FILESTARTUP

Format: FILESTARTUP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.206 FILESTARTUPNAME

Preference name: FILESTARTUPNAME

Format: FILESTARTUPNAME FILENAME

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.207 AUTOSAVE

Preference name: AUTOSAVE

Format: AUTOSAVE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.208 AUTOSAVECONFIRM

Preference name: AUTOSAVECONFIRM

Format: AUTOSAVECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.209 AUTOSAVEDELAY

Preference name: AUTOSAVEDELAY

Format: AUTOSAVEDELAY DELAY/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.210 MAKEBACKUPS

Preference name: MAKEBACKUPS

Format: MAKEBACKUPS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.211 CANTBACKUPCONFIRM

Preference name: CANTBACKUPCONFIRM

Format: CANTBACKUPCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.212 BACKUPTEMPLATE

Preference name: BACKUPTEMPLATE

Format: BACKUPTEMPLATE TEMPLATE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.213 MAXBACKUPVERSION

Preference name: MAXBACKUPVERSION

Format: MAXBACKUPVERSION MAX/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.214 TEXTCOLOR

Preference name: TEXTCOLOR

Format: TEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.215 BACKGROUNDCOLOR

Preference name: BACKGROUNDCOLOR

Format: BACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.216 SELTEXTCOLOR

Preference name: SELTEXTCOLOR

Format: SELTEXTCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.217 SELBACKGROUNDCOLOR

Preference name: SELBACKGROUNDCOLOR

Format: SELBACKGROUNDCOLOR PEN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.218 PALETTE

Preference name: PALETTE

Format: PALETTE RGB/M

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.219 SCREEN

Preference name: SCREEN

Format: SCREEN MODE, DATA/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.220 HORIZSCROLLER

Preference name: HORIZSCROLLER

Format: HORIZSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.221 VERTSCROLLER

Preference name: VERTSCROLLER

Format: VERTSCROLLER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.222 FILEREQTYPE

Preference name: FILEREQTYPE

Format: FILEREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.223 FONTREQTYPE

Preference name: FONTREQTYPE

Format: FONTREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.224 SCREENMODEREQTYPE

Preference name: SCREENMODEREQTYPE

Format: SCREENMODEREQTYPE TYPE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.225 AUTOINDENT

Preference name: AUTOINDENT

Format: AUTOINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.226 FREEFORM

Preference name: FREEFORM

Format: FREEFORM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.227 OVERSTRIKE

Preference name: OVERSTRIKE

Format: OVERSTRIKE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.228 WORDWRAP

Preference name: WORDWRAP

Format: WORDWRAP ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.229 JUMPSCROLL

Preference name: JUMPSCROLL

Format: JUMPSCROLL ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.230 IBMKEYPAD

Preference name: IBMKEYPAD

Format: IBMKEYPAD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.231 JUMPSCROLLINES

Preference name: JUMPSCROLLINES

Format: JUMPSCROLLINES LINES/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.232 STRIPEOLBLANKS

Preference name: STRIPEOLBLANKS

Format: STRIPEOLBLANKS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.233 TRANSLATECRS

Preference name: TRANSLATECRS

Format: TRANSLATECRS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.234 SAVEEOLAS

Preference name: SAVEEOLAS

Format: SAVEEOLAS MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.235 TEXTFONT

Preference name: TEXTFONT

Format: TEXTFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.236 MENUFONT

Preference name: MENUFONT

Format: MENUFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.237 GADGETFONT

Preference name: GADGETFONT

Format: GADGETFONT FONTNAME,SIZE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.238 RIGHTMARGINWBORDER

Preference name: RIGHTMARGINWBORDER

Format: RIGHTMARGINWBORDER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.239 LEAVEINDENT

Preference name: LEAVEINDENT

Format: LEAVEINDENT ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.240 INDENT

Preference name: INDENT

Format: INDENT COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.241 LEFTMARGIN

Preference name: LEFTMARGIN

Format: LEFTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.242 RIGHTMARGIN

Preference name: RIGHTMARGIN

Format: RIGHTMARGIN COLUMN/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.243 SAVEICONS

Preference name: SAVEICONS

Format: SAVEICONS ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.244 ICONDRAWER

Preference name: ICONDRAWER

Format: ICONDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.245 MOUSEBLANKER

Preference name: MOUSEBLANKER

Format: MOUSEBLANKER ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.246 OVERWRITECONFIRM

Preference name: OVERWRITECONFIRM

Format: OVERWRITECONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.247 DOUBLELOADCONFIRM

Preference name: DOUBLELOADCONFIRM

Format: DOUBLELOADCONFIRM ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.248 SELECTWHENDRAGGING

Preference name: SELECTWHENDRAGGING

Format: SELECTWHENDRAGGING ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.249 AUTODETECTBINFILES

Preference name: AUTODETECTBINFILES

Format: AUTODETECTBINFILES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.250 POPUPNEWDOC

Preference name: POPUPNEWDOC

Format: POPUPNEWDOC ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.251 CLIPBOARDUNIT

Preference name: CLIPBOARDUNIT

Format: CLIPBOARDUNIT UNIT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.252 PRINTDEVICE

Preference name: PRINTDEVICE

Format: PRINTDEVICE DEVICE

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.253 CONSOLE

Preference name: CONSOLE

Format: CONSOLE CONSOLE/F

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.254 DEFAULTWINDOW

Preference name: DEFAULTWINDOW

Format: DEFAULTWINDOW WINDOW

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.255 TABWIDTH

Preference name: TABWIDTH

Format: TABWIDTH WIDTH/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.256 TABSGIVESPACES

Preference name: TABSGIVESPACES

Format: TABSGIVESPACES ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.257 CONVERSIONONLOAD

Preference name: CONVERSIONONLOAD

Format: CONVERSIONONLOAD MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.258 CONVERSIONONSAVE

Preference name: CONVERSIONONSAVE

Format: CONVERSIONONSAVE MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.259 CONVERSIONONPRINT

Preference name: CONVERSIONONPRINT

Format: CONVERSIONONPRINT MODE/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.260 FINDSTRING

Preference name: FINDSTRING

Format: FINDSTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.261 CHANGESTRING

Preference name: CHANGESTRING

Format: CHANGESTRING STRING

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.262 FINDBACKWARD

Preference name: FINDBACKWARD

Format: FINDBACKWARD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.263 FINDIGNORECASE

Preference name: FINDIGNORECASE

Format: FINDIGNORECASE ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.264 FINDWHOLEWORD

Preference name: FINDWHOLEWORD

Format: FINDWHOLEWORD ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.265 FILEREQUESTER

Preference name: FILEREQUESTER

Format: FILEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.266 FONTREQUESTER

Preference name: FONTREQUESTER

Format: FONTREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.267 SCREENMODEREQUESTER

Preference name: SCREENMODEREQUESTER

Format: SCREENMODEREQUESTER LEFT/N, TOP/N, WIDTH/N, HEIGHT/N

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.268 FILEPATTERN

Preference name: FILEPATTERN

Format: FILEPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.269 REXXDRAWER

Preference name: REXXDRAWER

Format: REXXDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.270 REXXPATTERN

Preference name: REXXPATTERN

Format: REXXPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.271 DOSDRAWER

Preference name: DOSDRAWER

Format: DOSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.272 DOSPATTERN

Preference name: DOSPATTERN

Format: DOSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.273 TOOLSDRAWER

Preference name: TOOLSDRAWER

Format: TOOLSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.274 TOOLSPATTERN

Preference name: TOOLSPATTERN

Format: TOOLSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.275 PREFSDRAWER

Preference name: PREFSDRAWER

Format: PREFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.276 PREFSPATTERN

Preference name: PREFSPATTERN

Format: PREFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.277 DEFSDRAWER

Preference name: DEFSDRAWER

Format: DEFSDRAWER DRAWER

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.278 DEFSPATTERN

Preference name: DEFSPATTERN

Format: DEFSPATTERN PATTERN

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.279 READONLY

Preference name: READONLY

Format: READONLY ON/S,OFF/S,TOGGLE/S

Release: Version 1.00

Purpose:

Description:

See also:

Page still not complete...

1.280 Errors Reference

Errors Reference

This is the reference for error codes and messages.

The first list contains the errors caused during the normal use of the program, the second and the third contain errors occurred while parsing, respectively, definitions and preferences files.

Blacks Editor errors

Definitions file errors

Preferences file errors

1.281 BED Errors

BED Errors

- 1 Error #1
 - 2 Error #2
 - 3 Error #3
 - 4 Error #4
 - 5 Error #5
 - 6 Error #6
-

7 Hit document boundary
8 Not on {, [, (, <, «, », >,),], }
9 Not allowed in read-only mode
10 User requested abort
11 Bookmark not set
12 No block marked
13 Error #13
14 Error #14
15 Error #15
16 Not currently recording
17 Not found
18 Clipboard is empty
19 Clipboard does not contain text
20 Clipboard device not found
21 ARexx process or library not found
22 Command only allowed in ARexx macros
23 Bookmark not found
24 No macro to play
25 Error #25
26 Error #26
27 Error #27
28 Illegal while recording
29 Illegal command
30 Insufficient memory
31 Load error
32 Save error
33 Backup error - not saved
34 Print error
35 Clipboard I/O error
36 ARexx Error
37 Couldn't execute tool
38 AmigaGuide error
39 Couldn't open console
40 Error #40
41 AmigaGuide library not found
42 --- Illegal ---
43 Definitions file not loaded successfully
44 Preferences file not loaded successfully
45 Preferences file not saved successfully
46 Macro not loaded successfully
47 Macro not saved successfully
48 Unknown preference
49 Invalid template
50 Command not global
51 AmigaDOS error
52 Bad parameter
53 Parameter out of range
54 Cannot swap tabs
55 Cursor not on a word
56 No string to find
57 Window is iconified
58 Input is locked
59 Line too long
60 No line to undelete
61 Cannot undo

1.282 Definitions Files Errors

Definitions Files Errors

- 1 AmigaDOS error
- 2 Insufficient memory
- 3 Error creating menus
- 4 Unknown keyword
- 5 Unknown command
- 6 Unknown key
- 7 Key not mapped on this keyboard
- 8 Quoted argument expected

1.283 Preferences Files Errors

Preferences Files Errors

- 1 AmigaDOS error
- 2 Insufficient memory
- 3 Unknown preference
- 4 Wrong template for preference

1.284 Error #1

Message: Error #1

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.285 Error #2

Message: Error #2

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.286 Error #3

Message: Error #3

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.287 Error #4

Message: Error #4

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.288 Error #5

Message: Error #5

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.289 Error #6

Message: Error #6

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.290 Hit document boundary

Message: Hit document boundary

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.291 Not on {, [, (, <, «, », >,),], }

Message: Not on {, [, (, <, «, », >,),], }

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.292 Not allowed in read-only mode

Message: Not allowed in read-only mode

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.293 User requested abort

Message: User requested abort

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.294 Bookmark not set

Message: Bookmark not set

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.295 No block marked

Message: No block marked

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.296 Error #13

Message: Error #13

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.297 Error #14

Message: Error #14

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.298 Error #15

Message: Error #15

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.299 Not currently recording

Message: Not currently recording

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.300 Not found

Message: Not found

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.301 Clipboard is empty

Message: Clipboard is empty

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.302 Clipboard does not contain text

Message: Clipboard does not contain text

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.303 Clipboard device not found

Message: Clipboard device not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.304 ARexx process or library not found

Message: ARexx process or library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.305 Command only allowed in ARexx macros

Message: Command only allowed in ARexx macros

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.306 Bookmark not found

Message: Bookmark not found

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.307 No macro to play

Message: No macro to play

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.308 Error #25

Message: Error #25

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.309 Error #26

Message: Error #26

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.310 Error #27

Message: Error #27

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.311 Illegal while recording

Message: Illegal while recording

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.312 Illegal command

Message: Illegal command

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.313 Insufficient memory

Message: Insufficient memory

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.314 Load error

Message: Load error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.315 Save error

Message: Save error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.316 Backup error - not saved

Message: Backup error - not saved

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.317 Print error

Message: Print error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.318 Clipboard I/O error

Message: Clipboard I/O error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.319 ARexx Error

Message: ARexx Error

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.320 Couldn't execute tool

Message: Couldn't execute tool

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.321 AmigaGuide error

Message: AmigaGuide error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.322 Couldn't open console

Message: Couldn't open console

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.323 Error #40

Message: Error #40

Fault Level: 1

Probable cause:

Recovery:

Page still not complete...

1.324 AmigaGuide library not found

Message: AmigaGuide library not found

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.325 --- Illegal ---

Message: --- Illegal ---

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.326 Definitions file not loaded successfully

Message: Definitions file not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.327 Preferences file not loaded successfully

Message: Preferences file not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.328 Preferences file not saved successfully

Message: Preferences file not saved successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.329 Macro not loaded successfully

Message: Macro not loaded successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.330 Macro not saved successfully

Message: Macro not saved successfully

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.331 Unknown preference

Message: Unknown preference

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.332 Invalid template

Message: Invalid template

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.333 Command not global

Message: Command not global

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.334 AmigaDOS error

Message: AmigaDOS error

Fault Level: 20

Probable cause:

Recovery:

Page still not complete...

1.335 Bad parameter

Message: Bad parameter

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.336 Parameter out of range

Message: Parameter out of range

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.337 Cannot swap tabs

Message: Cannot swap tabs

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.338 Cursor not on a word

Message: Cursor not on a word

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.339 No string to find

Message: No string to find

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.340 Window is iconified

Message: Window is iconified

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.341 Input is locked

Message: Input is locked

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.342 Line too long

Message: Line too long

Fault Level: 10

Probable cause:

Recovery:

Page still not complete...

1.343 No line to undelete

Message: No line to undelete

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.344 Cannot undo

Message: Cannot undo

Fault Level: 5

Probable cause:

Recovery:

Page still not complete...

1.345 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.346 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.347 Error creating menus

Message: Error creating menus

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.348 Unknown keyword

Message: Unknown keyword

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.349 Unknown command

Message: Unknown command

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.350 Unknown key

Message: Unknown key

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.351 Key not mapped on this keyboard

Message: Key not mapped on this keyboard

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.352 Quoted argument expected

Message: Quoted argument expected

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.353 AmigaDOS error

Message: AmigaDOS error

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.354 Insufficient memory

Message: Insufficient memory

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.355 Unknown preference

Message: Unknown preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...

1.356 Wrong template for preference

Message: Wrong template for preference

Fault Level:

Probable cause:

Recovery:

Page still not complete...
