

**expungexref.doc**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> expungexref.doc		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 22, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>expungexref.doc</b>	<b>1</b>
1.1	expungexref.doc . . . . .	1

# Chapter 1

## expungexref.doc

### 1.1 expungexref.doc

XRef-Tools/ExpungeXRef

XRef-Tools/ExpungeXRef

\$VER: expungexref.doc 1.7 (24.09.94)

#### NAME

ExpungeXRef - expunge a given file,category or all xreffiles

#### TEMPLATE

CATEGORY, FILE/K, FORCE/S, VERBOSE/S

#### FORMAT

ExpungeXRef [[CATEGORY] category] [FILE xreffile] [FORCE] [VERBOSE]

#### FUNCTION

this command expunges a/some xreffiles from memory.If no category or file is specified all xreffiles are removed. If you turn on the switch FORCE, xreffiles are also removed, which are locked.

#### INPUTS

CATEGORY (STRING) - category of xreffiles to expunge. Can be a pattern.

FILE (STRING) - only expunge the file given here

FORCE (BOOLEAN) - expunge also such files, which are protected via the LOCK mechanism

VERBOSE (BOOLEAN) - show each file, which is expunged !

#### EXAMPLE

the following example expunges only the xreffile mytools.xref in the global xref drawer , even it is locked or not :

```
ExpungeXRef FILE mytools.xref FORCE
```

#### SEE ALSO

LoadXRef, xref.library/XR\_ExpungeXRef(), xref.library/XR\_LoadXRef()

#### HISTORY

---

ExpungeXRef 1.7 (24.9.94) :

- now displays xreffiles, which aren't expunged due to a lock

ExpungeXRef 1.6 (7.9.94) :

- workbench support added

ExpungeXRef 1.5 (3.9.94) :

- VERBOSE option added

ExpungeXRef 1.4 (6.7.94) :

- xref.library function names changed

ExpungeXRef 1.3 (28.5.94) :

- FILE argument added
-