

in

Fergus Duniho

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Fergus Duniho	July 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	Rand.guide	1
1.2	Introduction	1
1.3	Copyright	1
1.4	Copying	2
1.5	Usage	8
1.6	Examples	8
1.7	Quips	10
1.8	Blankers	10
1.9	Patterns	10
1.10	Pointers	11
1.11	Busypointers	14
1.12	Backdrops	15
1.13	Commands	15
1.14	MEDitations	15
1.15	Drawers_Icons	16
1.16	4.10.	16
1.17	Actions	17
1.18	Source code	17
1.19	fgetp()	18
1.20	5.2.	19
1.21	repstr()	19
1.22	restring()	20
1.23	fpdio.h	21
1.24	fpdstrm.h	22
1.25	next ()	22
1.26	Requirements	23
1.27	About the Author	23
1.28	History	23
1.29	Rand v1.00	23

Chapter 1

in

1.1 Rand.guide

Rand v1.00

by

Fergus Duniho

7 January 1995

Introduction
Copyright
Copying
Usage
Examples
Source code
Requirements
About the Author
History

1.2 Introduction

Rand is a program that will perform randomly selected actions for you. For example, it can perform an operation on a randomly selected file, or it can run a randomly selected program, or it can run a program with randomly selected arguments. It is quite useful at boot time. It can select random backdrops, pointers, background patterns, screen blankers, default icons, etc. And its uses don't end there. It could be used to display random pictures, to play random modules, to display random quips to the screen, etc. And don't let my imagination stop you. You might be able to find other uses for it.

1.3 Copyright

Rand v1.00 Copyright © 1995 Fergus Duniho

Rand is freeware. If you feel a need to reward me for this useful gem of a program, just let me know how useful and indispensable it is to you.

1.4 Copying

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include

anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.5 Usage

Rand requires at least two arguments to work. The first should be the name of a list file, and the second should be a format string. Rand does three things. First, it selects a line from the list file. Second, it replaces every occurrence of [] in the format string with the line it has chosen. Finally, it send the modified line to the command parser, which runs it as though you typed it on the CLI.

The list file should begin with an integer, which indicates how many lines are in it. Each line that you want Rand to select from should appear on a separate line. There should be no blank lines or extraneous text in the file.

If you make a list of filenames, it is best to include the full path. You can quickly generate lists of files with some program, such as NewList, that will display files with their full paths.

The format string should give you an expression that you could run from the CLI, once you have replaced [] with something. It may contain any number of []'s. These will all be replaced with the same string. You should enclose the format string in quotation marks. If you want to include quotation marks in the format string, you should precede a quotation mark with a backslash.

If you put semicolons in a format string, rand will parse the string at the semicolon(s) and perform multiple operation on the same randomly selected file, text, whatever.

Rand will accept any number of arguments. Odd numbered arguments should always be names of list files, and even numbered arguments should always be format strings. Rand will pair each odd numbered argument with the argument that immediately follows it.

1.6 Examples

In these examples, I will just make up appropriate file names. You would have to create the files yourself. I have included example files, but odds are they won't match what you have. Many of the examples are files I use myself. Although each example has only two arguments, you could append multiple arguments onto the same line. That is what I have done in my startup-sequence.

1. To display random selected quips:

```
rand S:Quips "echo \"[]\ \""
```

2. To run a randomly selected blanker and record which one it selected:

```
rand S:Blankers "runback wbrun [];echo >>T:Blanker \"[]\ \""
```

WBRUN is required to access the tooltypes of the icons. WBStarter won't do here, because it won't work with GarshneBlanker. Runback, or something like it, is required here, because BlitzBlank won't detach itself from the shell WBRUN runs it from. If BlitzBlank is run with just WBRUN, it will stop working once you get rid of the shell it was run from.

3. To select a random background pattern for windows:

```
rand S:Patterns "copy [] env:sys/win.pat"
```

4. To select a random pointer:

```
rand S:Pointers "copy [] env:sys/pointer.ilbm"
```

5. To select a random busy pointer for NickPrefs:

```
rand S:Busypointers "copy [] env:sys/busypointer.prefs"
```

6. To select a random backdrop:

```
rand S:Backdrops "c:makelink FROM SYS:Prefs/Presets/Backdrop TO [] SOFT"
```

This use requires Roland Mainz's improved version of makelink, which allows for soft links to files. These are links across volumes. In this example, the file SYS:Prefs/Presets/Backdrop is what I have NickPref's WBPImage set to. Rather than copy over what may sometimes be a large picture, I just make a link to a backdrop. For this to work right, you should precede it in your startup-sequence with something like:

```
if exists SYS:Prefs/Presets/Backdrop
  delete >NIL: SYS:Prefs/Presets/Backdrop
endif
```

You should also temporarily put a real backdrop in its place, so that you can set NickPrefs to it. The requester in its WBPImage program won't recognize links.

7. To play russian roulette with your startup-sequence:

```
rand S:Commands "[] s:startup-sequence"
```

S:Commands could contain "delete" on one line.

8. To listen to a random MEDitation, a la some short repetitive modules I once released for meditating with:

```
rand S:MEDitations "octamedplayer []"
```

9. To select a random default drawer icon:

```
rand S:Drawer_Icons "copy [] env:sys/def_drawer"
```

10. To append a random tagline to a letter:

```
rand S:Taglines "echo >>T:BlueEdit \"[]\""
```

11. To randomly choose between a random Workbench pattern with WBPpattern or a random backdrop with NickPref's WBPpicture.

```
rand S:Actions "rand []"
```

For this to work, you need something in your startup-sequence like:

```
if exists SYS:Prefs/Presets/Backdrop
  delete >NIL: SYS:Prefs/Presets/Backdrop
endif
```

If rand opts to select a background pattern, it won't select a backdrop, and there will no default backdrop left around to show up in place of the pattern. In this way, rand can select between patterns and backdrops. What I said about backdrops in an earlier example holds for this example too.

1.7 Quips

```
5
Behind every successful man stands a surprised mother-in-law.
Always borrow from a pessimist--he never expects to get it back.
A rich man is either a scoundrel or heir to a scoundrel.
Kelptomaniacs help themselves because they can't help themselves.
When business interferes with pleasure, give up business.
```

1.8 Blankers

```
9
Work:Blankers/ASwarm3
Work:Blankers/BlitzBlank
Work:Blankers/BServer
Work:Blankers/FracBlank_881
Work:Blankers/Garshneblanker
Work:Blankers/Rotor
Work:Blankers/Spliner
Work:Blankers/StarBlank
Work:Blankers/superdark
```

1.9 Patterns

33

Data:Patterns/BerryPatch
Data:Patterns/BioWeave
Data:Patterns/Bricks.pre
Data:Patterns/Crosses.pre
Data:Patterns/DeepBlueField.8c
Data:Patterns/Moebius.pre
Data:Patterns/Pattern.AdobeShingles
Data:Patterns/Pattern.ArtDeco
Data:Patterns/Pattern.ArtDeco10
Data:Patterns/Pattern.ArtDeco11
Data:Patterns/Pattern.ArtDeco12
Data:Patterns/Pattern.ArtDeco2
Data:Patterns/Pattern.ArtDeco3
Data:Patterns/Pattern.ArtDeco4
Data:Patterns/Pattern.ArtDeco5
Data:Patterns/Pattern.ArtDeco6
Data:Patterns/Pattern.ArtDeco7
Data:Patterns/Pattern.ArtDeco7.B
Data:Patterns/Pattern.ArtDeco7.C
Data:Patterns/Pattern.ArtDeco8
Data:Patterns/Pattern.ArtDeco9
Data:Patterns/Pattern.CrossHatch
Data:Patterns/Pattern.CrossHatch2
Data:Patterns/Pattern.CrossHatch3
Data:Patterns/Pattern.CrossHatch4
Data:Patterns/Pattern.Flower2
Data:Patterns/Pattern.Flowers
Data:Patterns/ShadowDots
Data:Patterns/waves
Data:Patterns/waves2
Data:Patterns/Wriggle
Data:Patterns/Wriggle.8c
Data:Patterns/Ziqqurat

1.10 Pointers

172

Data:Pointers/1988
Data:Pointers/1988a
Data:Pointers/3dArrow
Data:Pointers/AceHearts
Data:Pointers/adisk
Data:Pointers/Amigaball
Data:Pointers/amigachk
Data:Pointers/Arrow
Data:Pointers/arrow-3d
Data:Pointers/arrow01
Data:Pointers/Arrow02
Data:Pointers/Arrow03
Data:Pointers/artbrush
Data:Pointers/Balloon
Data:Pointers/basket
Data:Pointers/bass

Data:Pointers/Beachboy
Data:Pointers/BeachGirl
Data:Pointers/Bev
Data:Pointers/BluePencil
Data:Pointers/boat1
Data:Pointers/book
Data:Pointers/bottle
Data:Pointers/bugel
Data:Pointers/candle
Data:Pointers/candycane
Data:Pointers/captshook
Data:Pointers/cartoon
Data:Pointers/cassette
Data:Pointers/cbm
Data:Pointers/Chest
Data:Pointers/circles
Data:Pointers/clarinet
Data:Pointers/computer
Data:Pointers/Conductor
Data:Pointers/copper
Data:Pointers/cordless
Data:Pointers/corno
Data:Pointers/CryptKeeper.pointer
Data:Pointers/dairy-queen
Data:Pointers/dancer1
Data:Pointers/dancer2
Data:Pointers/desert
Data:Pointers/Disc
Data:Pointers/disk.pointer
Data:Pointers/exclaim
Data:Pointers/eyeglass
Data:Pointers/face1
Data:Pointers/finger-watch
Data:Pointers/finger1
Data:Pointers/finger2
Data:Pointers/finger3
Data:Pointers/finger4
Data:Pointers/fish
Data:Pointers/flake
Data:Pointers/Flirt
Data:Pointers/floppydisk
Data:Pointers/flower
Data:Pointers/fool1
Data:Pointers/fool2
Data:Pointers/fool3
Data:Pointers/foot
Data:Pointers/fork
Data:Pointers/frog
Data:Pointers/funylady
Data:Pointers/Garfield
Data:Pointers/ghost
Data:Pointers/ghost2
Data:Pointers/greenmntns
Data:Pointers/HallowsCat
Data:Pointers/Hand
Data:Pointers/HandPointer
Data:Pointers/handrill

Data:Pointers/handset
Data:Pointers/happy
Data:Pointers/Heart
Data:Pointers/indian
Data:Pointers/Iris
Data:Pointers/jacko
Data:Pointers/jet_fighter
Data:Pointers/jollyroger
Data:Pointers/joystick1
Data:Pointers/joystick2
Data:Pointers/joystick3
Data:Pointers/joystk
Data:Pointers/key
Data:Pointers/Kitten
Data:Pointers/light-bulb
Data:Pointers/lightbulb
Data:Pointers/Lips
Data:Pointers/Lips2
Data:Pointers/magnify
Data:Pointers/match
Data:Pointers/mickymouse
Data:Pointers/Mouse
Data:Pointers/Mouse1
Data:Pointers/MTV
Data:Pointers/needle01
Data:Pointers/needle02
Data:Pointers/NibPointer
Data:Pointers/No2_lead
Data:Pointers/NoST
Data:Pointers/Oliver
Data:Pointers/opus
Data:Pointers/OpusFace
Data:Pointers/opusfrnt
Data:Pointers/PalmTree
Data:Pointers/pencil
Data:Pointers/pencil2
Data:Pointers/pilgrim
Data:Pointers/pilgrim2
Data:Pointers/pilgrim3
Data:Pointers/pliers
Data:Pointers/plug
Data:Pointers/Pointer.1.3
Data:Pointers/Pointer.3D
Data:Pointers/Pointer.Arrow
Data:Pointers/Pointer.Arrow1
Data:Pointers/Pointer.Arrow2
Data:Pointers/Pointer.Hand
Data:Pointers/Pointer.LeftArrow
Data:Pointers/pumpkin
Data:Pointers/question
Data:Pointers/quill
Data:Pointers/rabbit1
Data:Pointers/raquet
Data:Pointers/RedBall
Data:Pointers/RedPencil
Data:Pointers/RobinH
Data:Pointers/Robot

Data:Pointers/rocket
Data:Pointers/ruler
Data:Pointers/sailboat
Data:Pointers/Santa
Data:Pointers/Sc3Dpnt
Data:Pointers/Security
Data:Pointers/ShadowPointer
Data:Pointers/silver-ware
Data:Pointers/Skull.pointer
Data:Pointers/skull2
Data:Pointers/Snowman
Data:Pointers/snowman2
Data:Pointers/snowmnts
Data:Pointers/spaceship
Data:Pointers/spoon&fork
Data:Pointers/spraycan
Data:Pointers/SteveD
Data:Pointers/stop
Data:Pointers/superman
Data:Pointers/sword
Data:Pointers/SystemArrow
Data:Pointers/TanChest
Data:Pointers/tank
Data:Pointers/TanLines
Data:Pointers/tbolt
Data:Pointers/television
Data:Pointers/tetons
Data:Pointers/thrifty-cone
Data:Pointers/Tree
Data:Pointers/trump
Data:Pointers/turkey
Data:Pointers/ufo
Data:Pointers/UKFlag
Data:Pointers/USFlag
Data:Pointers/vader
Data:Pointers/wand
Data:Pointers/wface
Data:Pointers/window
Data:Pointers/Witch
Data:Pointers/xmastree
Data:Pointers/Yield
Data:Pointers/yingyang

1.11 Busypointers

10

Data:Busy/BOING.pre
Data:Busy/D-Harp
Data:Busy/Elevator
Data:Busy/Piston.pre
Data:Busy/RedHourGlass
Data:Busy/Ricochet
Data:Busy/Shade
Data:Busy/SpinBall
Data:Busy/TwoPiston.pre

Data:Busy/WatchaMaCallit

1.12 Backdrops

23

Data:Backdrops/cobblestone
Data:Backdrops/cobblestone-1
Data:Backdrops/Fancy_Stone
Data:Backdrops/HangOnArkaden
Data:Backdrops/HangOnBlätter2
Data:Backdrops/HangOnEscher
Data:Backdrops/HangOnEscher1
Data:Backdrops/HangOnRelief3
Data:Backdrops/HangOnStruktur1
Data:Backdrops/HangOnStukko
Data:Backdrops/HerringBone
Data:Backdrops/Lyapunov3
Data:Backdrops/Lyapunov4
Data:Backdrops/Lyapunov5
Data:Backdrops/Mandelbrot1
Data:Backdrops/Mandelbrot2
Data:Backdrops/Mandelbrot3
Data:Backdrops/Mandelbrot4
Data:Backdrops/nagel-01.bru
Data:Backdrops/nagel-06.bru
Data:Backdrops/nagel-12.bru
Data:Backdrops/Nagel-47.bru
Data:Backdrops/Stonewall

1.13 Commands

6

list
list
list
delete
list
list

1.14 MEDitations

8

Music:MEDitations/MEDitation1
Music:MEDitations/MEDitation2
Music:MEDitations/MEDitation3
Music:MEDitations/MEDitation4
Music:MEDitations/MEDitation5
Music:MEDitations/MEDitation6
Music:MEDitations/MEDitation7
Music:MEDitations/MEDitation8

1.15 Drawers_Icons

2

ICONS:Drawer1.info

ICONS:Drawer2.info

1.16 4.10.

44

"Suck gas, evil doer!" -- Darkwing Duck
"Don't worry; I'm in total control." -- Bonkers
"It never hurts to help." -- Eek! the Cat
"For you, anything my Fawn Deer." -- Bonkers
"We should talk, dear; something supernatural is going on."
"Meow." -- Eek! the Cat
"My very own Squishy Bearz inflatable termite farm!" -- Wendy Elizabeth
"I've always wanted to learn Spangalese--in case I'm in Spanga."
"Kumbayah!" -- Eek! the Cat
"I've never met a real live ghost before." -- Eek! the Cat
"Maybe he's lost termite farmers of his own once." -- Eek! the Cat
"All little creatures should live in harmony." -- Eek! the Cat
"Gee, it's best when people help others in difficult times." -- Eek!
"Aaaaaaaaahhhhhhhhhhh!" Eek! the Cat
"I obey." -- A Dalek
My sister's name is ELIZA.
"A lobster for me, and for the lady too." "That's 3 lobsters."
Sing Ho! for a Bear! Sing Ho! for a Pooh!
The world didn't turn color until sometime in the 1930s.
A clear plastic binder! Pretty professional looking, eh?
Bats: The Big Bug Scourge of the Skies
"Miserable miscreant! Question my integrity, will you?" -- Calvin
"I'm writing a fictional autobiography." -- Calvin
Calvin? I'm not Calvin. I'm his duplicate. Calvin's in his room.
"Another day, another mind-boggling adventure!" -- Spaceman Spiff
Your "parents" are really bug-eyed aliens from Neptune!
A bolt of fiery crimson streaks across the sky! It's Stupendous Man!
I'll show 'em! I REFUSE to learn a lesson! -- Calvin
Another planet, another sweeping panorama of indescribable grandeur!
"Great moons of Neptune! A fool mortal female!" -- Stupendous Man
Blessed are the assimilated, for they shall be Borg.
For the Borg so loved the world, they assimilated it.
A pox on your first born, you ugly wart on a salamander's tongue!
My math minute is up! Set the clock for my spelling assignment, ok?
THANK YOU FOR NOT SMOKING!! -- Opus the penguin with a fire hose.
I OBJECT! I OBJECT! I OBJECT! I OBJECT! BY GOLLY, I OBJECT! -- Opus
Bill, here, is a former missionary. I am studying to be the Pope.
Libel!! Pphfft! Take that! PPPFPT! -- Opus.
NO! I'M NOT LISTENING! PHPTFPH! PPHTPH! -- Opus
Everything and everyone serves history's single purpose. -- Calvin
I'm the end result of history. -- Calvin
Now I'm here, and history is vindicated. -- Calvin
I'm glad I'm a man. The tampon I probably use was made by one.
Mea culpa, mea culpa, Mia Sara, oops, mea culpa, mea culpa.

1.17 Actions

2

```
S:Patterns "copy [] env:sys/wb.pat"
```

```
S:Backdrops "c:makelink FROM SYS:Prefs/Presets/Backdrop TO [] SOFT"
```

1.18 Source code

Rand is a C program compiled with GNU CC. During compilation, I linked it with a function library that I am currently developing. It is called libfpd.a, and I plan to eventually release it under the GNU LIBRARY GENERAL PUBLIC LICENSE. But I am not ready to release it yet. Here is the main source code.

```
/*
    rand.c - A program that sends random system commands.
    Copyright (C) 1995 Fergus Duniho

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; version 2 of the License.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.
*/

#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <fpd/fpdio.h>
#include <fpd/fpdstrm.h>

void setseed ();

int main (int argc, char **argv) {
    unsigned int i, j, which, maximum;
    char lines[256], line[256], fname[256];
    FILE *fptr;

    if (argc < 2)
        fprintf (stderr,
            "Usage: rand <file> <format_string> [<file> <format> ...]\n"
            "$VER: rand v1.00 (7 Jan 1995)\n"
            "Copyright 1995 Fergus Duniho\n");

    setseed();
    for (i = 1; i < argc; i+=2) {
        if ((fptr = fopen(argv[i], "r")) == NULL) {
```

```

        fprintf (stderr, "Couldn't find %s.\n", argv[i]);
        continue;
    }
    maximum = fgetp(fptr);
    which = rand() % maximum;
    for (j = 0; j < which; j++)
        next (fptr, '\n');
    getline (fptr, fname, 256);
    fclose (fptr);
    repstr (lines, argv[i+1], "[", fname, -1);
    while ((j = strcspn(lines, ";")) != 0) {
        restring (line, lines, lines, "", 0, j, 1);
        system (line);
    }
}
}

void setseed () {
    FILE *fptr;
    int seed;

    if ((fptr = fopen("SYS:Prefs/randseed", "r")) != NULL) {
        seed = fgetp(fptr);
        fclose (fptr);
    }
    else
        seed = 1;
    srand (seed);
    if ((fptr = fopen("SYS:Prefs/randseed", "w")) != NULL) {
        fprintf (fptr, "%d", rand());
        fclose (fptr);
    }
}

```

1.19 fgetp()

Fgetp() reads and returns the next positive base 10 integer in a file.

```

#include <fpd/fpdio.h>

int fgetp (FILE *fptr) {
    int c, tot = 0;

    while (!isdigit(c = getc(fptr)))
        if (c == EOF)
            return EOF;
    do {
        tot *= 10;
        tot += (c - '0');
    } while (isdigit(c = getc(fptr)));
    if (c != '\n')
        ungetc (c, fptr);
    return tot;
}

```

1.20 5.2.

Getline() is an improvement on fgets().

```
#include <fpd/fpdio.h>

int getline (FILE *fptr, char *line, long max) {
    short int flag;

    while (max--> 0) {
        *line = fgetc(fptr);
        if (*line == '\n' || *line == '\f' || *line == EOF)
            break;
        line++;
    }
    flag = (*line != EOF) ? *line : 0;
    if (flag && (*line != '\n') && (*line != '\f'))
        ungetc (*line, fptr);
    *line = '\0';
    return flag;
}
```

1.21 repstr()

```
#include <fpd/fpdstrm.h>

/* This function, whose name is an abbreviation of REPlace STRing, sends
 * to dest a copy of str with the first n occurrences of srch replaced by
 * rplc. If (n < 0), repstr replaces every occurrence of srch with rplc.
 * If (n == 0), repstr merely does a string copy. */

int repstr (char *dest, char *str, char *srch, char *rplc, int n) {
    char *srchloc, *original_rplc;
    int i;
    size_t srchlen;

    original_rplc = rplc;
    srchlen = strlen(srch);

    for (i = 0; i != n; i++) {
        if ((srchloc = strstr(str, srch)) == 0)
            break;
        while (str < srchloc)
            *dest++ = *str++;
        while ((*dest++ = *rplc++) != 0);
        --dest;
        str += srchlen;
        rplc = original_rplc;
    }
    while ((*dest++ = *str++) != 0);
    return (i);
}
```

1.22 restring()

```

/* Restring.c by Fergus Duniho */

#include <fpd/fpdstrm.h>

/* This function copies an initial segment of s1 to d1, and it copies a
 * later segment of s1 to d2. It appends s2 to d1 after it copies the
 * first segment of s1 to it. If NULL is passed to d2, the text that
 * would be copied to d2 gets appended to d1 instead.

 * The text which it copies from s1 to d1 starts at n0 and continues for
 * n1 characters. The text which it copies from s1 to d2 starts with
 * (n0 + n2) and continues for the remainder of s1.

 * This function is awfully versatile, and many different string
 * operations are defined as macros based on this single function.
 * Read fpdstrm.h for details.

 * d1 = the first destination string
 * d2 = the second destination string
 * s1 = the first source string
 * s2 = the second source string
 * n0 = the location in s1 to begin copying to d1
 * n1 = how much of s1 to initially copy to d1
 * n2 = how much of s1 to skip before copying the rest to d2

 * if n0 < 0, none of s1 gets copied.
 * if n1 < 0, all of s1 gets copied before s2 gets copied.
 * if n1 == 0, s2 gets copied before any of s1 does.
 * if n2 < 0, restring neglects to copy the remainder of s1.
 * if (n0 == 0) and (n2 == 0), all of s1 gets copied.
 * if (d2 == NULL), everything gets copied to d1.

 * The string passed to d2 may safely be the same as the string passed
 * to either s1 or to s2. The same string may be safely passed to both
 * s1 and s2. Generally, the same string should not be passed to both
 * d1 and s2. The same string should not be passed to both d1 and s1.
 * This would cause the text in s1 to change before it gets copied. */

void restring (char *d1, char *d2, char *s1, char *s2, size_t n0, size_t n1, ←
size_t n2) {

    /* Skips over initial part of s1. */
    while (n0--)
        if (*s1++ == 0) {
            s1--;
            break;
        }

    /* Begins to copy s1 to d1. */
    while (n1--)
        if ((*d1++ = *s1++) == 0) {
            d1--;
            s1--;
            break;
        }

```

```
    }

    /* Appends s2 to d1. */
    while ((*d1++ = *s2++) != '\0');

    /* Skips text in s1. */
    while (n2--)
        if (*s1++ == 0) {
            s1--;
            break;
        }

    if (d2 == NULL)
        d2 = d1 - 1;

    /* Copies remainder of s1 to d2. */
    while ((*d2++ = *s1++) != 0);
}
```

1.23 fpdio.h

```
/* FPDIO.H Copyright (C) 1994 Fergus Patrick Duniho */

#ifndef _FPDIO_H
#define _FPDIO_H

#include <ctype.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <stdarg.h>

#define RdOpen(X,Y) X=FDOpen(Y, "r")
#define WrOpen(X,Y) X=FDOpen(Y, "w")
#define ApOpen(X,Y) X=FDOpen(Y, "a")
#define nextline(X) next(X, '\n')

void wrapwrite (FILE *fptr, int ind, int lm, int rm, char *s, ...);
int fgetp (FILE *fptr);
unsigned int getp (unsigned int min, unsigned int max);
FILE *FDOpen (const char *fn, const char *mode);
int HowMany (char *fname, char c0);
char *clone_line (FILE *fptr);
int getline (FILE *fptr, char *line, long max);
int yes ();
int find (FILE *fptr, char *str);
long flinelen (FILE *fptr);
int next (FILE *fptr, char c0);
int nextnon (FILE *fptr, char c0);

#endif /* _FPDIO_H */
```


1.24 fpdstrm.h

```

/* FPDSTRM.H Copyright (C) 1995 Fergus Patrick Duniho */

#ifndef __fpdstrm_h_
#define __fpdstrm_h_

#include <ctype.h>
#include <string.h>
#include <stdlib.h>

#define delphrase(d, X, Y, Z) rephrase (d, X, "", Y, Z)
#define insphrase(d, X, Y, Z) rephrase (d, X, Y, Z, 0)
#define lefphrase(d, Y, Z) rephrase (d, Y, "", 0, Z)

#define catstr(d, s1, s2) restring (d, NULL, s1, s2, 0, -1, 0)
#define delstr(d, s, n, len) restring (d, NULL, s, "", 0, n, len)
#define insstr(d, s1, s2, n) restring (d, NULL, s1, s2, 0, n, 0)
#define overlay(d, s1, s2, n) restring (d, NULL, s1, s2, 0, n, strlen(s2))
#define lefstr(d, s, n) restring (d, NULL, s, "", 0, n, -1)
#define rgtstr(d, s, n) restring (d, NULL, s, "", strlen(s)-n, -1, 0)
#define substr(d, s, n, len) restring (d, NULL, s, "", n, len, -1)
#define divstr(d1, d2, s, n) restring (d1, d2, s, "", 0, n, 0)

#define trim(d, Z) strip (d, Z, " ", 'T')

void cparse (char *source, char *dest1, char *dest2, char c, int flag);
void delsubstr (char *dest, char *source, char c0, char c1, int flag);
int extract (char *dest, char *source, char l, char r, int flag);
void rephrase (char *dest, char *source, char *nstr, size_t n, size_t len);
int repstr (char *dest, char *str, char *srch, char *rplc, int n);
void restring (char *d1, char *d2, char *s1, char *s2, size_t n0, size_t n1, ←
    size_t n2);
void revstr (char *dst, char *src);
void strip (char *dst, char *src, char *bad, char mode);
void subphrase (char *s0, char *s1, size_t n, size_t w, int flag);
void translate (char *dst, char *src, char *output, char *input, char pad);
void wparse (char *first, char *rest, char *source, int wrdnum);

#endif /* __fpdstrm_h_ */

```

1.25 next ()

```

#include <fpd/fpdio.h>
int next (FILE *fptr, char c0) {
    int c1;
    while ((c1 = fgetc(fptr)) != c0)
        if (c1 == EOF)
            return 0;
    return 1;
}

```

1.26 Requirements

Rand requires "at least version 40 of ixemul.library." That is a direct quotation from the binary. I compiled it with GNU CC, and it takes advantage of the Unix-like facilities of ixemul.library for parsing arguments. I also tried libnix and DICE, but they didn't recognize something in quotation marks as a single argument. This made the libnix and DICE compiled versions of rand misfunction.

IxEmul.library is freely available on the Aminet, and it is distributed under the GNU LIBRARY GENERAL PUBLIC LICENSE Version 2.

Rand requires other programs to do anything useful. Rand is powerful because it knows how to delegate. See the examples for programs you can use with Rand.

1.27 About the Author

Fergus Duniho
1095 Genesee St.
Rochester, NY 14611
USA

fdnh@troi.cc.rochester.edu

Other things I've done include:

ddli341.lha - The Duniho and Duniho Life Pattern Indicator.
A computerized personality questionnaire.
MEDitate.lha - Short repetitive MED modules for meditating.
harmonix.lha - An Amigaguide file on creating realistic sounding
synthsounds in MED or OctaMED.
RNDBlack.lha - An ARexx script for selecting a random blanker.
Rand supercedes this.
ShowPics.lha - An ARexx script for using PicBoot to display random pictures
for use with GarshneBlanker's Executor blanker.
XES131.lha - ARexx scripts and other stuff for use with XDME.
Paginate.lha - A program for paginating text files. Similar to GNU's nl,
but it offers more versatile headers and footers.
AlphaSpell - A fast spelling checker with a large dictionary.

Search for these in the Aminet INDEX, or seek them out elsewhere.

1.28 History

v1.00

1.29 Rand v1.00

Released 7 January 1995. First release. The history begins here.
