

Index

- «» (initialization method) 7
- «Window Item»
 - Specification editor 139
 - WYSIWYG editor 139
- * (asterisk) as match pattern 44
- / (slash) 9, 14, 16,
- // (double slash) 15,
- 1 point border 148, 152
- 32-bit clean 127
- <<Set Defaults<< button 131
- >>New Instance>> button 131
- ? (question mark) as match pattern 44

A *A*

- Abort menu item 116
- About Method editable-text field 130
- About Prograph... menu item 32, 127
- activate 161,
- activate event 162
- Activate Method editable-text field 138
- activateEvt 161
- activation mark 21
- Active 146
- active window 161
- Add Scroll Page menu item 72
- Add to Active List button 131
- aevent methods 159
- aliases 26
- alphaLock 163
- ancestor 4
- annotation 18
 - deleting 89
 - operations 86 - 88
 - roots and terminals 88
- app1Evt 161
- app2Evt 161
- app3Evt 161
- Apple Event 161,
- Apple Event editor 160
 - Class/ID/Method triplet 160
 - Close 123
 - error 160
 - Event Class 159
 - Event ID 159
 - event suites 159
 - method to be called 159
 - Prograph application 160
- Apple Event editor 159, 160
- Apple Events 158
 - Frontier 123
 - Open Application 158
 - Open Documents 158

- Print Documents 158
- Quit Application 158
- required events 158
- Apple Events button 132, 159
- Apple menu 32, 115, 124,
 - About Prograph... 32, 127
 - Enter Editor 32, 115, 128
 - Exit Editor 128
 - Switch Context 32, 103, 115,
- Application 158, 159,
- Application Builder
- Apple Event Editor 159
 - Pop-up Menu editor 153
 - Window Editor 154
- Application editor 129, 132
 - <<Set Defaults<< 131
 - >>New Instance>> 131
 - About Method 130
 - Active List 131
 - Add to Active List 131
 - Apple Events 132
 - Classes 130
 - Delete 131
 - Edit 132
 - Install 131
 - invoking 129
 - Library 131
 - List of Instances 130
 - Menus 130
 - Name 130
- arity 8, 11, 17, 20, 83, 92,
 - enforcement 92
- Arrow key 29, 127, 147,
- asterisk () as match pattern 44
- attribute list areas 79
- attribute value
 - changing default values 80
- attribute(s) 4, 6,
 - commenting 80
 - creating 6, 79
 - deleting 80
 - dragging 80
 - editing 80
 - group selection 81
 - naming 6, 80
 - naming conventions 5
- Attributes information dialog 60
- Attributes window 6, 79 - 81
 - horizontal fuzzy line 6
 - opening 79
- Attributes... menu item 70
- autoKey 161
- automatic scrolling 28

- backups 35 , 67
- balloon attribute 156
- Balloon button 134
- Balloon Help 26 , 127 , 156
- Button 156
 - Types 157
- Balloon Help Contents 155
- Balloon Help dialog 156
- Balloon Help Editor 154
- Balloon... button 154
- beep(s) 20 , 31
- Bold check box 135
- boolean 19 ,
- Breakpoint Off menu item 119
- Breakpoint On menu item 119
- Bring Closer menu item 42 , 128
- button
 - default
 - changing 42
 - creating 42
- Button Specification editor 142

C *C*

- C 17 , 26
- Canvas Specification editor 151
- caps lock key 163
- carriage return 147
- case 8 , 10
 - controls 97
 - execution 8 ,
 - manipulation 97
 - palette 8
- case icon
 - comments 98
 - creating 97
 - deleting 98
 - dragging 98
- case list button 97
- Case List pane 97
 - closing 98
- case sensitivity 3
- case window 4 , 82 - 93 , 106 , 109
 - actions 109
 - banner logo 82
 - banner number 82
 - control buttons 82
 - copying operations 83
 - creating operations 83
 - editable 106
 - execution 106
 - locating operations 42
 - opening 82 , 109
- category pop-up menu 56
- Check Box and Radio Button set 156
- Check Box Specification editor 143

- Check check box 135
- Check Program menu item 65
- class attribute 6
- class attribute icon 6
- Class Methods window 77 - 78
 - creating 77
 - deleting 78
 - naming 78
 - opening 77
 - transforming 78
- class(es) 4,
 - attributes 6
 - Connecting/Disconnecting 76
 - creating 5, 74
 - deleting 75
 - group selection 76
 - Hide Classes 74
 - icon 5
 - left side 5
 - right side 5
 - icons 74
 - instance attribute 6
 - Naming 76
 - naming conventions 5
 - Replicate 75
 - Show Classes 74
- classes
 - compact 47
 - hidden 47
- Classes information dialog 59
- Classes menu item 70
- Classes scrolling list 130
- Classes window 5, 74 - 77
 - Opening 74
- Clear menu item 40
- Clear Program menu item 117
- Clear Steps & Breaks menu item 119
- Click in space 67
- Click Item Specification editor 141
- click techniques 163
- clipboard 40,
 - object 41, 76, 91
 - value 41
- Close 123,
- Close Box check box 138
- Close Method editable-text field 138
- Close Window 124
- Close Windows 45
- Cmd-click 27, 66
 - in space 67
 - on an element 67
- Cmd-clicking space 5, 6
- cmdKey 163
- Code fragment
 - event message 161
- Command key 163,

- Command-clicking 5
- comment(s)
 - dragging 30
 - editing 30
 - Hide 64
 - propagation 92
 - Show 64
 - visibility 64
- comments 67
- Compact 47 , 106 ,
- Compact Code 9
 - reserved names 5
- connecting datalink 84
- Constant 61 , 95 ,
 - execution 12
 - name 12
- Constant operation menu item 49 ,
- context-determined reference 11 , 85 ,
- continue 21 ,
- Continue menu item 21 , 54 ,
- Control check box 135
- control key 163
- control(s) 8 , 13 , 19 - 22 , 53 - 55 , 86
 - icons 20 - 22 ,
- controlKey 163
- Controls menu 53 - 55 ,
 - Continue 21 , 54 ,
 - Fail 18 , 22 , 54 ,
 - Finish 18 , 21 , 54 ,
 - Inject 22 , 54 ,
 - Invert 55
 - List 19 , 54 ,
 - Loop 19 , 54 ,
 - Next Case 21 , 54 ,
 - Partition 19 , 54 ,
 - Repeat 18 , 53 ,
 - Simple 53 ,
 - Super 53 ,
 - Terminate 18 , 21 , 54 ,
- conventions 1
 - object 91
- Copy menu item 40
- Copy Object menu item 41 , 128
- Copy Value menu item 41 , 128
- Core Suite 123 , 159
- Close 123
- creating a text window 36
- creating an element 27
- creating class 74
- creating methods
 - selecting a class 51
- creating Prograph objects 66
- Current Class Only 45
- Current Method Only 45
- Cut menu item 40
- cut object 92

Cut Object menu item 41 , 128

D

D

data objects 4

Data Types information dialog 57

data-determined reference 11 , 14 , 16 , 51 , 85

datafile primitives

- dataflow 3 , 8

- datalink 10 , 67 ,

- connecting 84

- creating 28

- disconnecting 84

- dragging 29

de-annotated 27

de-select 27

deactivate event 162

Debug menu item 119

debugging 108

debugging level 117 - 119

default button

- changing 42

- creating 42

default method 7

Delete button 131 , 134

Delete Object menu item 41 , 128

deleting classes 75

deselect 67

Dialog radio button 138

Disable Item check box 134

Disable Menu check box 133

disconnecting datalink 84

diskEvt 161

Do Menu 123 , 124

Document radio button 138

documentation conventions 1

double slash (//) 15 ,

double-click 68

double-clicking 93

dragging 92

- comments 30

- cursor position 29

- datalinks 29

- selected vs. unselected elements 29

driverEvt 161

E

E

Edit button 132

Edit menu 40 - 42 , 128 - 129

- Bring Closer 42 , 128

- Clear 40

- Copy 40

- Copy Object 41 , 128

- Copy Value 41 , 128

- Cut 40

- Cut Object 41 , 128
- Delete Object 41 , 128
- Paste 40
- Paste Object 41
- Propagate Attribute 42
- Replace Value 42
- Replicate Object 41 , 128
- Select All Objects 41
- Send Further 42 , 129
- Undo 40
- Edit menu items
 - availability with editors 128
- Edit Text 149 , 156 , 158 ,
 - Balloon Help 156
- Edit Text Specification editor 148
- edit windows
 - allowable user actions 72
- element(s)
 - command-clicking 31
 - dragging 29
 - editing names 30
 - grouping 30
 - linking/unlinking 30
 - opening 30
 - selecting 28
- encapsulation 15
- Enter Editor menu item 32 , 115 , 128
- Environment
 - interrupted mode 105
 - uninterrupted mode 105
- error 20 ,
- in execution 122
- error message 31
- Error Messages 122
- Evaluate 16, 86 , 94
 - name 16
 - root 17
 - terminals 17
 - use 16
- Evaluate menu item 50 ,
- evaluate primitive
- Event
 - Access 157
 - handling 158 , 160
 - type 160
- Event Class 159
- event code 161
- Event ID 159
- Event Manager 158 ,
 - event message 161 , 162
- event modifiers 162
- event record 158 , 161
- event suites 159
- Exec menu 115 - 119 ,
 - Abort 116
 - Breakpoint Off 119

- Breakpoint On 119
- Clear Program 117
- Clear Steps & Breaks 119
- Debug 119
- Execute Method 116
- Run 116 ,
- Run Initial 116
- Set Program 117
- Step/Show Level... 117
- Step/Show Off 118
- Step/Show On 118
- Trace 119
- Execute Method menu item 116
- Execute Only 106
- execute-only 47
- execution
- error messages 122
 - flow 19
 - roll forward 114
 - rollback 112
- execution window 97
- execution window(s) 106 - 114
 - background display 106
- Exit Editor menu item 128
- explicit reference 11, 85 ,
- Extensions folder 26 , 68
 - undefined elements 27
- External routines 61 ,
- externals 17
- externals files 68

F *F*

- fail 22 ,
- Fail menu item 22 , 54 ,
- failure 20
- Field 61
- file backups 67
- File menu 32 - 40
 - Launch... 39
 - New 33
 - New Text 36
 - Open Text... 36
 - Open... 33
 - Page Setup... 37
 - Print... 37
 - Quit 40
 - Save 35
 - Save As... 35
 - Save Text 37
 - Save Text As... 37
- File Preferences check boxes 67
- Files
 - Balloon Help 26
 - external 26
 - help 26

- primitive 26
- Find Again menu item 46
- find-item 147 ,
- Find... menu item
 - Close Windows 45
 - Current Class Only 45
 - Current Method Only 45
 - Ignore Upper/Lower 44
 - Match Arity 45
 - Match Pattern 44
 - modify display of windows 44
 - search criteria 44
 - string matching criteria 44
 - Text Attribute 44
 - Text Window 44
- finish 21 ,
- Finish menu item 21 , 54 ,
- font 147 ,
- styled 149
- font and size 139
- font size 150
 - system default 147
- font size 0 147
- Frontier 123

G *G*

- Get 7, 14 , 86 , 96
 - input 14
 - inputs 7
 - name 7 , 14
 - outputs 7 , 14
 - use 7
- Get menu item 50 ,
- Get method icon 7
- Global 61
- Graphic 144
- Graphical suite 159
- Gray 127
- group selection 76
- grouped elements
 - manipulation 30
- Grow Box check box 139

H *H*

- handle 35 ,
 - saving 35
- hidden classes 47
- Hide Classes menu item 64 , 74
- Hide Comments menu item 64

I *I*

- IAC 123 , 127
- icon 35 ,

- class attribute 6
- class(es) 5, 74
- compact method 47,
- controls 20 - 22,
- de-annotated 27
- Evaluate 16
- execute-only method 48
- Get 14,
- Get method 7
- Instance 13
- instance attribute 6
- List annotation 19
- Local 15
- Loop terminal 19
- Macintosh Toolbox 12, 17,
- Match 13
- operations 12,
- partition annotation 19
- Persistent 13
- plain method 7
- primitives 12,
- Set 14,
- Set method 7
- subclass 74
- Super 15
- universal method 8,
- Icon Specification editor 145
- icons
 - create 27
- Idle Method editable-text field 138
- Ignore Upper/Lower 44
- illegal attributes names 5
- illegal class names 5
- incremental load 33
- Info 26
- Info menu 27, 55 - 69, 129
 - Check Program 65,
 - Hide Classes 64, 74
 - Hide Comments 64
 - Last Error... 31, 65, 122
 - Memory Status 65
 - Options... 33, 35, 37, 66, 129
 - Propagate Comments 64
 - Show Classes 64, 74
 - Show Comments 64
 - Strip Comments 64
- Info...
 - Attributes 60
 - category pop-up menu 56
 - Classes 59
 - Data Types 57
 - format of dialog 56
 - Mac Constants 61
 - Mac Fields 63
 - Mac Globals 62
 - Mac Methods 61

- Inject 54
- Mac Structs 63
- Methods 59
- Persistents 60
- primitives 57
- scrolling list 56
- Transfer pop-up menu 56
- Types button 56 , 57
- Universal Methods 58
- inheritance 4 , 75
- Initial File 33
- Initial File preferences 66
- initialization 7 , 13 ,
- input 7
 - name 7
 - output 7
 - use 7
- inject 22 , 88 ,
- Inject menu item 22 , 54 ,
- input
 - bar 10 ,
- Insert After button 134
- Insert Before button 134
- Inside Macintosh 160 ,
- Install button 131
- instance 86 ,
- instance attribute 6
- instance attribute icon 6
- Instance button 134
- Instance generator 13 ,
 - execution 13
 - input 13
 - name 13
 - output 13
- Instance menu item 49 ,
- Inter-Application Communication (IAC) 127
- interpreted mode 68
- interpreter
 - environment 105
 - windows 106
- interrupted mode 105
- Invert menu item 55
- Italic check box 135
- Item editable-text field 133

K *K*

- Key editable-text field 134
- key event 162 , 163
- Key Method editable-text field 138
- KeyDataField 124
- keyDown 161
- Keys radio button 135
- keyUp 161
- kHighLevelEvent 161

L

L

- languages 17
- Last Error... menu item 31, 65, 122
- launching Prograph documents 25, 68
- Launch... menu item 39
- Library and Active List radio buttons 131
- List 19, 88, 89,
- List menu item 19, 54
- List of Instances scrolling list 130
- Load button 35
- Load File at Start Up 67
- Load File on New 33, 67
- Local 15, 86, 95
 - creating 15
- Local Heritage... menu item 70
- Local menu item 50
- Local to Method... menu item 51
 - Cancel 51
 - Name 51
 - OK 51
 - Locals 10, 90,
 - locating
 - operations by name 44
 - strings 44
- Loop 19, 88, 89,
- Loop menu item 19, 54,

M

M

- Mac Address 18, 87, 96,
- Mac Address menu item 50,
- Mac Constant 17, 87, 96,
- Mac Constant menu item 50,
- Mac Constants information dialog 61
- Mac Fields information dialog 63
- Mac Get Field 18, 87, 96,
- Mac Get Field menu item 51,
- Mac Global 17, 87, 96,
- Mac Global menu item 50,
- Mac Globals information dialog 62
- Mac Match 17, 87, 96,
- Mac Match menu item 50,
- Mac Methods 17, 61,
- Inject 54
- Mac Methods information dialog 61
- Mac Set Field 18, 87, 96
- Mac Structs information dialog 63
- mac structure definition 27
- Macintosh constant 163
- Macintosh Toolbox 17, 26,
- icon 12, 17,
- main program method 47
- Make Backups 35, 67
- Make Execute Only menu item 48
- Match 86, 95,

- Match Arity 45
- Match operation 13 ,
 - execution 13
 - name 13
- Match operation menu item 49 ,
- Match Pattern 44
- Memory Status menu item 65
- Menu 156 ,
 - Balloon Help 156
 - Tools 47
- Menu editable-text field 133
- Menu editor 132 - 135
 - Balloon 134
 - Bold 135
 - Check 135
 - Control 135
 - Delete 134
 - Disable Item 134
 - Disable Menu 133
 - Insert After 134
 - Insert Before 134
 - Instance 134
 - invoking 132
 - Italic 135
 - Item 133
 - Key 134
 - Keys 135
 - Menu 133
 - Method 133
 - Option 135
 - Outline 135
 - Shadow 135
 - Shift 135
 - Styles 135
 - Underline 135
- Menu Item 156 ,
 - Balloon Help 156
 - Compact 47
 - Make Execute Only 47
 - Uncompact 47
- Menu title selection 154
- menus
 - general features 31
- message 161 ,
- Method
 - compact 47
- Method editable-text field 133
- method(s) 4, 6 -9,
 - cases 8
 - Get 7,
 - initialization 7, 13 ,
 - Plain 7
 - Set 7,
- Methods information dialog 59
- Methods to Load dialog 35
- Methods... menu item 70

Miscellaneous Standard Suite 123
Modal check box 139
modifier keys 163
modifiers 161 , 162
Mouse Techniques 163
mouseDown 161
mouseUp 161
MultiFinder 158
multiple executions 106
multiplex 18 , 53 ,

N *N*

Name editable-text field 130
Name of Text Window dialog 36
networkEvt 161
New element 27
New menu item 33
new Prograph element 67
new Text window 36
New Text... menu item 36
next case 21 ,
Next Case menu item 21 , 54 ,
Notify 158 , 160 ,
nullEvent 161

O *O*

object
 copy 41
 cut 41
 de-select 27
 delete 41
 paste 41
 replicate 41
 specifier 124
object-oriented programming (OOP) 3
online help
 Attributes 60
 Classes 59
 Data Types 57
 Last Error... 65
 Mac Constants 61
 Mac Fields 63
 Mac Globals 62
 Mac Methods 61
 Mac Structs 63
 Methods 59
 Options... 66
 Persistents 60
 Primitives 57
 Universal Methods 58
Open Application 123 , 158
Open Document 123 , 158
Open Parent 97
Open Text... menu item 36

- opening files
 - selective vs. incremental load 33 - 35
- Open... menu item 33
- operation 4,
 - comments 84
 - connecting/disconnecting 84
 - Constant 12, 49 ,
 - controls 53 ,
 - de-annotated 27
 - deleting 83
 - dragging 84
 - error 20
 - Evaluate 16 , 50 ,
 - failure 20
 - Get 14 , 50 ,
 - Instance generator 13 , 49 ,
 - Local 15 , 50 ,
 - Local to Method... 51
 - Mac Address 50 ,
 - Mac Constant 50 ,
 - Mac Global 50 ,
 - Mac Match 50 ,
 - Mac Set Field 51 ,
 - Match 13 , 49 ,
 - naming 83
 - Oper to Local 51
 - Partition 19
 - Persistent 13 , 49 ,
 - Repeat 18 , 53 ,
 - Set 14 , 50 ,
 - Simple 49 , 53 ,
 - success 20
 - Super 15 , 53 ,
 - system-supplied 4
 - transformation 84
 - name change 85
 - user-defined 4
- operation icons 12 ,
- operation manipulation
 - key combinations 89
- operations 9- 18 ,
 - annotating 86 - 88
 - click spots
 - left and right 93
 - connectors 10
 - datalinks 10
 - execution 9
 - general information 9,
 - input bar 10
 - inputs 9
 - manipulation of groups 90
 - names 9, 11
 - opening 93
 - output bar 10
 - outputs 9
 - roots 10

- selection of groups 90
- side-effects 9
- terminal(s) 10
- use 9
- Opers 86
- Opers menu 48 - 52 ,
 - Constant 49 ,
 - Evaluate 50 ,
 - Get 50 ,
 - Instance 49 ,
 - Local 50 ,
 - Local to Method... 51
 - Mac Address 50 ,
 - Mac Constant 50 ,
 - Mac Get Field 51 ,
 - Mac Global 50 ,
 - Mac Match 50 ,
 - Mac Set Field 51 ,
 - Match 49 ,
 - Opers to Local 15 , 51 , 90
 - Persistent 49 ,
 - Set 50 ,
 - Simple 49 ,
- Opers to Local menu item 15 , 51 , 90
- Option check box 135
- Option key 163
- Option-click 97
- Option-Cmd-drag 67
- Option-zoom 29
- optionKey 163
- Options Dialog
 - Cmd-click 27
- Options... menu item 33 , 35 , 37 , 66 , 129
 - File Preferences 67
 - Initial File 33 , 66
 - Load File on New 33
 - Make Backups 35
 - Save Settings 69
- osEvt 161 , 162
- Outline check box 135
- output bar 10 , 54 ,

P *P*

- Page Setup... menu item 37
- parent class 4
 - icon 74
- Partition 19 , 88 , 89 ,
- Partition menu item 19 , 54 ,
- Pascal 17 , 26 ,
- Paste menu item 40
- paste object 91
- Paste Object menu item 41
- Persistent operation menu item 49 ,
- persistent(s) 13 , 23 , 86 , 95 ,
 - changing values 81

- creating 81
 - inputs 13
 - name 13, 81,
 - outputs 13
- persistents 4
- Persistents information dialog 60
- Persistents window 81
- PICT 35,
- Pict Specification editor 144
- pixel 29
- Plain 7
- plain method icon 7
- Plain radio button 138
- Plain w/Shadow radio button 138
- Pop-up Menu
 - title 153
- Pop-up Menu editor 153
- presentation conventions 1
- primitive(s) 4, 11,
- primitives
 - Types button 57
- primitives icon 12,
- primitives information dialog 57
- Print Document 123, 158
- printing
 - Constants 37
 - Match values 37
- Print... menu item 37
 - any methods window 38
 - Attribute window 39
 - Case window 39
 - classes window 37
 - Persistents window 39
 - Text window 39
- Prograph
 - annotation 53
 - as visual language 3,
 - documents
 - launching 25, 68
 - environment
 - initial file preferences 66
 - message preferences 66
 - options 66
 - interpreter 105
 - launch 68
 - program elements 4
- Prograph 2.0 35
- Prograph Classic
 - compact code 46
 - Interpreter and Compiler 127
 - launching 26
 - make execute only 47
- Prograph editor 4
 - error prevention 31
 - general rules 25 - 31
 - shortcut key combinations 31

- Prograph Extensions folder 26 , 68
- Prograph language
 - case sensitivity 3
 - overview 3
 - use of text 3
- Prograph menus 124
- Prograph splash screen 68
- Prograph window 162
- Propagate Attribute menu item 42
- Propagate Comments menu item 64

Q *Q*

- question mark (?) as match pattern 44
- Quit Application 123 , 158
- Quit menu item 40

R *R*

- Radio Button 147
 - Balloon Help 156
- Radio Set Specification editor 143
- Read-only text 146
- reference
 - context-determined 11 , 85 ,
 - data-determined 11 , 14 , 16 , 51 , 85 ,
 - explicit 11 , 85 ,
 - universal 11 , 14 , 16 , 85
- Remember Windows menu item 71
- Remove Scroll Page menu item 72
- Repeat menu item 18 , 53 ,
- repeat operation(s) 18 , 86 ,
- Replace All menu item 46
- Replace menu item 46
- Replace Value menu item 42
- replicate classes 75
- replicate object 92
- Replicate Object menu item 41 , 128
- Required Suite 159
- reserved names (compiler) 5
- resource fork 47 ,
- resource ID 35 , 156
- Resources 35 ,
- Restore Windows menu item 71
- resume event 162 ,
- return 147
- roll forward 109 , 110 , 114
- rollback 108 , 109 , 110 , 112 - 114
- roots
 - annotating 88
- Run
 - via Set Program 116
- Run Initial menu item 116
- Run menu item 116 ,
- Run on Launch 25
- running Prograph

- Show Classes menu item 64 , 74
- Show Comments menu item 64
- side effects 9
- Simple 12 , 88 , 93 ,
- Simple menu item 53 ,
- Simple operation menu item 49 ,
- single inheritance 4
- Single Step check box 118
- slash (/) 9, 14 , 16 ,
- Specification editor window 125
- Stack menu item 71
- stack window 97 ,
 - actions 108
 - multiple executions 106
 - opening 108
- Stack window icons
 - name format 107
- Startup Messages 68
- state of execution 109
- static text item 148
- Stationery Aware 127 ,
- Step or Trace mode 47
- Step/Show Level... menu item 117
- Step/Show Off menu item 118
- Step/Show On menu item 118
- String Help message 156
- Strip Comments menu item 64
- Structure 61
- style record 150
- Styled Text 149
- Styles radio button 135
- subclass 4
 - creating 5
- subclass icon 74
- success 20
- Super 86
 - use 15
- Super menu item 53 ,
- suspend event 162 ,
- suspend/resume 161 ,
- suspended execution 106
- Switch Context menu item 32 , 103 , 115 ,
- synchro 83
- synchro link 10, 84 ,
- System 7 153 ,
 - 32-bit clean 127
 - aliases 26
 - Apple Events 158
 - Balloon Help 26
 - Compatibility 139
 - IAC 127
 - Stationery aware 127
 - TrueType 139
- system beep(s) 20 , 31
- System Class Attributes
 - aevent methods 159 , 160

- Border 148
- Font 147
- Grow 148
- Move 148
- Size 147
- style record 150
- Visible 147
- Wrap 148
- System class editors 125 - 126
- specifications vs. WYSIWYG 125
- System Class primitives 158
- System class specifications 176 ,
- System classes
 - Apple Events 158
 - inheritance 76
- System Classes file 127

T *T*

TECHNICAL NOTE

- balloon help attribute 156
- saving handles 35
- terminal(s)
 - annotating 88
- terminate 21 ,
- Terminate menu item 21 , 54 ,
- Text
 - 32K limit 147
 - styled 149
- Text Attribute 44
- text file
 - opening 36
- Text Specification editor 146
- Text suite 159
- Text Window 44
- text window(s) 102
 - creating 36
 - editing 103
 - locating strings 44
 - naming 102
 - opening 102
 - saving contents 37
- ticks 161
- Tidy Icons menu item 71
- Toolbox 17 ,
- Tools menu 42 - 48
 - Compact 46
 - Find Again 46
 - Find... 43
 - Make Execute Only 48
 - Replace 46
 - Replace All 46
 - Set Selection 45
 - Uncompact 48
- Tools menu item 42
 - modify display of windows 45

Trace menu item 119
Transfer pop-up menu 56
TrueType 139
Types button 56 , 57

U *U*

Uncompact 47
Uncompact menu item 48
uncompacting a method 47
Underline check box 135
Undo menu item 40
uninterrupted mode 105
universal method
 icon 8
 Local to Method... 51
 name 8
universal methods 4, 8
Universal Methods information dialog 58
Universal Methods menu item 70
Universal Methods window 8, 72 - 73 , 116 ,
 Combinations 73
 creating method icon 73
 deleting 73
 Editing a method 73
 naming 73
 Opening 73
universal reference 11 , 14 , 16 , 85 ,
update 161 ,
updateEvt 161
Use Text Wrap 36

V *V*

value
 copy 41
 replace 42
value window 4, 99 - 102
 banner information 99
 editing 101
 effects of buttons 102
 graphic mode 101
 opening 100
 regions 99
 standard mode 100
visual information 46 , 47

W *W*

WARNING
 de-annotated forms 27
 Extensions folder 27
 launching 27
 Make Execute Only 48
warning beep 20 , 31
what 161

- when 161
- where 161
- window 158
 - Classes
 - Show 74
 - descriptions 72
 - elements 72
- Window Editor
 - clicks 67
 - Cmd-click 67
- Window editors 136 - 139
- Window Item 158 ,
 - Balloon Help 156
- Window Item Specification editor 140
 - invoking 141
- Window Item(s)
 - editors 139 - 152
- WYSIWYG editor
 - actions 139
- Window Specification editor 67 , 125 , 137 - 139
 - Activate Method 138
 - Close Box 138
 - Close Method 138
 - Dialog 138
 - Document 138
 - Grow Box 139
 - Idle Method 138
 - invoking 137
 - Key Method 138
 - Modal 139
 - Plain 138
 - Plain w/Shadow 138
- Window Title 138
 - Zoom Box 138
- Window Title editable-text field 138
- windows
 - Attributes 79 - 81
 - case 82 - 93
 - Class Methods 77 - 78
 - Classes 70 , 74 - 77
 - Hide 74
 - Opening 74
 - edit 72
 - Persistents 70 , 81
 - Stack 71
 - Universal Methods 70 , 72 - 73
 - Combinations 73
 - creating method icon 73
 - deleting 73
 - Editing a method 73
 - naming 73
 - Opening 73
- Windows and Menus radio buttons 130
- Windows menu 70 - 72
 - Add Scroll Page 72
 - Attributes... 70

- Classes 70
- Local Heritage... 70
- Methods... 70
- Persistents 70
- Remember Windows 71
- Remove Scroll Page 72
- Restore Windows 71
- Stack 71
- Tidy Icons 71
- Universal Methods 70
- Wrap 146
- WYSIWYG Window editor 125 , 136 - 137
 - actions 137
 - invoking 136
- WYSIWYG Window Item editor 139

X *X*

XPrims 12 ,

Z *Z*

Zoom 29 ,

- Option-zoom 29

Zoom Box check box 138