

## Script Commands

Script commands use mostly the "Get Option" routine which parses the statement by looking for commas. In the case of a literal argument such as STORE, that value is taken in whole so commas are allowed. If a value is required, any comma will end the input of that value.

|                                      |   |
|--------------------------------------|---|
| cell_ref, STORE, literal             | Stores literal formula into cell_ref  |
| cell_ref, ADD, literal               | Appends literal phrase onto cell_ref's formula  |
| cell_ref, FONT, value                | Changes cell_ref's font characteristic to the given value   |
| cell_ref, SIZE, value                | Changes cell_ref's font size to give value (note: allows user to use font sizes outside of those listed in program memu)  |
| cell_ref, JUST, value                | Changes cell_ref's justification characteristics to given value. (0=left, 1=center, 2=right)  |
| cell_ref, FACE, value                | Changes cell_ref's display characteristics to given value (i.e. bold, italic, etc.)   |
| cell_ref, NAME, value                | Changes cell_ref's name to given string value   |
| OPEN, [filename]                     | Opens filename if given, otherwise presents the open dialog   |
| CLOSE                                | Closes the current file   |
| PRINT                                | Same as menu Print option   |
| SAVED, [filename]                    | Saves the results of all calculated cells to the filename, if given. Otherwise prompts for a filename.  |
| HIDE[, cell_ref]                     | Makes the given cell invisible, otherwise makes all cells invisible. (note: when a cell is invisible it can still be stored to and modified, makes it useful as a variable) |
| UNHIDE[, cell_ref]                   | Makes the given cell visible, otherwise makes all cells invisible   |
| GOTO, label                          | Continues execution at the given label reference  |
| EXEC, filename                       | Continues execution with the given script file  |
| WYSISYG, ON/OFF                      | Turns on/off what-you-see-is-what-you-get option  |
| TEXT, ON/OFF                         | Turns on/off text cell display option   |
| RECALC                               | Recalculates all cells and changes display  |
| PROMPT, literal, cell_ref            | Prompts user with literal string. Value is placed into given cell_ref   |
| IF cell_ref logical_op value,command | If the first argument evaluates as true, then the given command, which can be any of the above commands, is executed. Logical operations are =, <, >, <>, <=, >=            |