

040b73747265616d747970656481a203840163c48403737373810a0a810b  
0b815f5f84012584067f411b312d37OneVision: Info ± Preferences ±  
OneVision-Type

## OneVision-Type Preferences

The OneVision-Type preferences panel is opened from the main menu. Select *<Info/Preferences>* (`;/../OneVision/MainMenu/Info/Preferences.rtfid;;↵`) and then choose *<OneVision-Type>* from the pop-up list.

### File Extensions for Drag-and-Drop

Here you can determine which file formats are accepted when importing text using *Drag-and-Drop*. The default setting lists the file extensions for the common text formats used in NEXTSTEP.

### Colors

#### *Marked Text*

This color well icon (`;/../OneVision/WorkingIntro/Colors.rtfid;;↵`) is used to set the background color for marked text blocks.

#### *Anchor Character*

This color well icon (`;/../OneVision/WorkingIntro/Colors.rtfid;;↵`) is used to set the color of the anchor character that is inserted into the text for marking the anchor position of marginal notes (`;TMSAnkerTool.rtfid;;↵`).

### Show Text Flow Marks

If this option is checked, special symbols indicate whether text flows out of a frame or into a frame. For a description of these marks,

please refer to the chapter <Text Frame Piping>  
(;Piping.rtf;Textfluûmarkierungen;-).

## **Show Columns**

Checking this options displays both the borders of the columns in a text element and the element frame itself when your are in <sup>a</sup>Edit Element<sup>o</sup> mode. If you have defined multiple columns the gutters between the columns become visible.

Version 3.03 ± © OneVision GmbH, Regensburg, Germany. All Rights Reserved.