

040b73747265616d747970656481a203840163c48403737373810a0a810b
0b815f5f84012584067f411b312d37OneVision-Type: Language and
Hyphenation

494667_TextLanguageTool.tiff ▾ Language and Hyphenation

The panel *Language and Hyphenation* offers controls for adding and removing languages as well as enabling you to maintain exception dictionaries for hyphenation in different languages.

paste.tiff ▾

Figure: The upper part of the Language and Hyphenation panel.

The top part of the panel contains a list of all selectable languages.

Add

This text field is used for adding new languages to the list.

Note: If you load a document in which a language is defined that isn't in the list, this language will be added automatically.

Remove

Clicking this button removes the selected language from the list.

Note: You can only remove languages you have added yourself and that are currently not used. You can't remove any system language.

Hyphenation

If this button is checked, it indicates that the language you have chosen has a hyphenation dictionary available. This is not the same

as the exception dictionary, which you can create yourself.

Exception Dictionary

This list shows all user-defined hyphenation exceptions that have been entered for a specific language.

Add

This text field enables you to add words to the exception dictionary. Pressing the *Return* key adds the entered expression to the list.

Observe the following syntax rules for entering exceptions:

- don't use capital letters.
- use the hyphen (-) to indicate the desired hyphenation points
- if an additional letter has to be inserted when hyphenating a word (this doesn't occur in English), add an exclamation mark followed by the character that needs to be repeated.

Example: Bettuch should be hyphenated Bett-tuch; to get the correct hyphenation, the entry should be typed like this: ^abet!t-tuch^o.

- if a letter has to be replaced by another one when hyphenating a word (this doesn't occur in English), you use the dollar sign in much the same way. The character before the ^a\$^o will then be replaced with the character following it.

Example: anklicken -> anklik-ken; the entry has to be ^aan-klic\$k-ken^o

Note: If you add a word to the exception dictionary without hyphens, this word will not be hyphenated in your text.

Remove

This command removes the selected entry from the exception dictionary.

Next: `;TMSAnkerTool.rtf`; ↩ Marginal Notes

Version 3.03 ± © OneVision GmbH, Regensburg, Germany. All Rights Reserved.