

Contents

Introduction

Very Little Bob Help File will give you an overview of all commands available to send one or more keystrokes to the active program.

Syntax

Your_Program @ List_Of_Command

EX. :

- Starting Application (application is not already loaded) :
- c:\excel\excel.exe @ %FN where %=ALT, F=File and N=New (open new file).

- d:\word\word.exe c:\doc\test.doc @ {TAB}this is new where {TAB}=TAB, "This is new" is your text.
- Sending Keys to Other Applications (application is already loaded) :
- Microsoft Excel @ %FN where %=ALT, F=File and N=New (open new file).

- Microsoft Word - c:\doc\test.doc @ {TAB}this is new where {TAB}=TAB, "This is new" is your text.

Commands Reference

ALT -----> %

SHIFT -----> +

CONTROL -----> ^

For example, to have the Shift key held down while V and L are pressed, use "+(VL)". To have Shift held down while V is pressed, followed by L being pressed without Shift, use "+VL".

To specify repeating keys, use the form {key number}; you must put a space between key and number. For example, {RIGHT 42} means press the Left Arrow key 42 times; {b 10} means press b 10 times.

Sendkeys also can't send the Print Screen (PRTSC) key to any application.

| | |
|--------------|---------------------|
| Backspace | -----> {BS} |
| Caps Lock | -----> {CAPSLOCK} |
| Del | -----> {DEL} |
| End | -----> {END} |
| Esc | -----> {ESC} |
| Home | -----> {HOME} |
| Left Arrow | -----> {LEFT} |
| Page Down | -----> {PGDN} |
| Print Screen | -----> {PRTSC} |
| Scroll Lock | -----> {SCROLLLOCK} |
| Up Arrow | -----> {UP} |
| Break | -----> {BREAK} |

| | | |
|-------------|--------|-----------------|
| Clear | -----> | {CLEAR} |
| Down Arrow | -----> | {DOWN} |
| Enter | -----> | {ENTER} |
| Help | -----> | {HELP} |
| Ins | -----> | {INSERT} |
| Num Lock | -----> | {NUMLOCK} |
| Page Up | -----> | {PGUP} |
| Right Arrow | -----> | {RIGHT} |
| Tab | -----> | {TAB} |
| F1, F2, ... | -----> | {F1}, {F2}, ... |

