

```

//*****
//*  MACRO: PR_WP.WCM
//*  PURPOSE: Send your Corel Presentations 11 slide shows to Corel WordPerfect.
//*  Author: David Rivers      Edited:      Pascal Couture, Jan. 12, 2001
//*  Copyright © 1997 Corel, Inc.
//*****
Application (Presentations; "Presentations"; Default!; "EN")
Application (WordPerfect; "WordPerfect"; "EN")
//*****
//*  Variable initialization/Setup
//*****
GLOBAL HRt = NTOC(0F90Ah)
GLOBAL vProg:=""
GLOBAL vPr:=""
GLOBAL vDLL:=""

GLOBAL vSelection:=1
GLOBAL v1:=1
GLOBAL v2:=0
GLOBAL v3:=0
GLOBAL vSN:=1
GLOBAL vBL:=0
GLOBAL vNothing:=0
GLOBAL vPN:=0
GLOBAL vHText:=""
GLOBAL vHD:=0
vStepNum:=0
vSlideNum:=0
vQuit:=0
vMode:=EnvCurrentMode() // 1=Drawing
if((vMode != 2)AND (vMode != 520)AND (vMode != 16))
    MESSAGEBOX(vStatus; "Send to Corel WordPerfect Error"; "Corel Presentations 11 must be in slide show mode."; OK!)
IconStop!)
    QUIT
endif

vProg:=EnvPaths(Presentations!)
if(vProg = "")
    MESSAGEBOX(vStatus; "Location Error"; "Cannot find Document Folder location in Settings. Go into Tools | Settings | Files,
and set your Document folder to continue."; OK!)IconStop!)
    QUIT
else
    vDirLen := STRLEN(vProg)
    vBackSlashSource := SUBCHAR(vProg;vDirLen ;1)
    if(vBackSlashSource != "\")
        vProg := vProg + "\"
        vDirLen := vDirLen + 1
    endif
endif

vPr:=EnvPaths(Program!)
IF(vPr = "")
    MESSAGEBOX(vStatus; "Location Error"; "Cannot find Program location in registration. Bitmap images may be missing on
dialog."; OK!)
ELSE
    vDirLen := STRLEN(vPr)

```

```

vBackSlashSource := SUBCHAR(vPr;vDirLen ;1)
IF(vBackSlashSource != "\")
    vPr := vPr + "\"
    vDirLen := vDirLen + 1
ENDIF
ENDIF
// vPr:=(vPr+"tools\") tools folder no longer exists
vDLL:=vPr + "pr_wp.dll"
IF(DoesFileExist(vPr+"pr_wp.dll")!=TRUE)
    MessageBox(vStatus;"File Not Found";"Cannot locate file PR_WP.DLL. This file should be located in your Corel Programs
    folder. The dialog will be missing sample bitmaps. Re-install Corel Presentations 11 if file cannot be manually found. "; OK |
    IconStop!)
ENDIF
// GET LAST USED
hkey:=0
hkey = RegistryOpenKey(CurrentUser!; "Software\Corel\Presentations\11\PR2WP Last Used")
IF(hkey != 0) // Registry is there, check for contents
    LayoutDefaults()
ENDIF

// ERROR CHECKING
// - I do a FileNew, handle error if 11 docs already open
// END
DialogDefine(100;50;50;290;183;Percent!|Cancel!;"Send to Corel WordPerfect")
DialogAddEditBox(100; "Inset"; 7; 7; 80; 140; ReadOnly!; v1; 0)
if(v1 = 1)
    DialogAddBitmap(100; "Bitmap"; 8; 8; 78; 138; SizeBmptoCtl!; vDLL; "#1")
endif
if(v2 = 1)
    DialogAddBitmap(100; "Bitmap"; 8; 8; 78; 138; SizeBmptoCtl!; vDLL; "#2")
endif
if(v3 = 1)
    DialogAddBitmap(100; "Bitmap"; 8; 8; 78; 138; SizeBmptoCtl!; vDLL; "#3")
endif
DialogAddText(100; 100; 95; 6; 50; 10; 1; "Page layout")
DialogAddHLine(100; "HLine"; 136; 10; 150)
DIALOGADDRADIOBUTTON(100; 101; 100; 17; 80; 10; "&One slide per page"; v1; RadioAuto!)
DIALOGADDRADIOBUTTON(100; 102; 100; 27; 90; 10; "&Multiple slides per page"; v2; RadioAuto!)
DIALOGADDRADIOBUTTON(100; 103; 100; 37; 45; 10; "O&utline"; v3; RadioAuto!)
DialogAddText(100; 104; 95; 54; 50; 10; 1; "Page options")
DialogAddHLine(100; "HLine"; 140; 58; 146)
DIALOGADDCHECKBOX(100; 106; 101; 65; 73; 10; "Hea&der information"; vHD)
DialogAddEditBox(100; "HText"; 177; 64; 108; 13; Left!; vHText; 75)
DIALOGADDCHECKBOX(100; 105; 101; 76; 75; 10; "&Page numbering"; vPN)
DialogAddText(100; 107; 95; 96; 50; 10; 1; "Notes options")
DialogAddHLine(100; "HLine"; 141; 100; 145)
DIALOGADDRADIOBUTTON(100; 108; 100; 106; 150; 10; "&Include speaker notes from the slide show"; vSN; RadioAuto!)
DIALOGADDRADIOBUTTON(100; 109; 100; 116; 140; 10; "Ma&ke a place for me to type notes"; vNothing; RadioAuto!)
DIALOGADDRADIOBUTTON(100; 110; 100; 126; 130; 10; "Print &lines for audience notes"; vBL; RadioAuto!)

DialogAddBitmap(100; "Header"; 8; 35; 50; 3; SizeBmptoCtl!; vDLL; "#10") // Header
DialogAddBitmap(100; "PageNum"; 8; 127; 50; 4; SizeBmptoCtl!; vDLL; "#11") // Footer
DialogAddBitmap(100; "SNotes"; 8; 68; 78; 55; SizeBmptoCtl!; vDLL; "#6") // SingleSN
DialogAddBitmap(100; "MNotes"; 8; 38; 78; 70; SizeBmptoCtl!; vDLL; "#9") // MultiSN

DialogAddHLine(100; "HLine"; 7; 154; 279)

```

```

DialogAddPushButton(100; "FINISHButton"; 129; 162; 50; 14; DefaultBtn!; " &Finish ")
DialogAddPushButton(100; "CANCELButton"; 182; 162; 50; 14; NonDefaultBtn!; " Cancel ")
DialogAddPushButton(100; "HELPButton"; 235; 162; 50; 14; NonDefaultBtn!; " &Help ")
DIALOGLOAD(100; "Presentations")

RegionShowWindow("100.CancelBtn"; Hide!)
RegionSetFocus("100.FINISHButton")
RegionEnableWindow("100.Inset"; Disable!)
if(vHD = 0)
    RegionEnableWindow("100.HText"; Disable!)
endif
if(v3 = 1)
    RegionEnableWindow("100.108"; Disable!)
    RegionEnableWindow("100.109"; Disable!)
    RegionEnableWindow("100.110"; Disable!)
    RegionShowWindow("100.MNNotes"; Hide!)
    RegionShowWindow("100.SNotes"; Hide!)
else
    if(v1 = 1)
        RegionShowWindow("100.MNNotes"; Hide!)
        if(vNothing = 1)
            RegionSetBitmap("100.SNotes"; vDLL; "#4")
        endif
        if(vBL = 1)
            RegionSetBitmap("100.SNotes"; vDLL; "#5")
        endif
    else
        RegionShowWindow("100.SNotes"; Hide!)
        if(vNothing = 1)
            RegionSetBitmap("100.MNNotes"; vDLL; "#7")
        endif
        if(vBL = 1)
            RegionSetBitmap("100.MNNotes"; vDLL; "#8")
        endif
    endif
endif
if(vHD = 0)
    RegionShowWindow("100.Header"; Hide!)
endif
if(vPN = 0)
    RegionShowWindow("100.PageNum"; Hide!)
endif
DIALOGSHOW(100;"Presentations";MainLoop)
CallBackWait ()
DialogDestroy(100)
if(vQuit = 1)
    QUIT
endif
if(vSelection = 1)
    Call(InitWP)
    Call(GOWP)
    Call(DeleteTemps)
endif
if(vSelection = 2)
    Call(InitWP)
    Call(GOWP2)

```

```

    Call(DeleteTemps)
endif
if(vSelection = 3)
    Presentations.SlideShowOutline ()
    IF(DoesFileExist(vProg+"_outline.wpd")=TRUE)
        MessageBox(vStatus;"Replace File";"File ""_outline.wpd"" already exists, would you like to replace it?"; YesNo! |
IconQuestion!)
        IF(vStatus = 6) // YES
            Presentations.FileSaveAs (Filename: vProg+"_outline.wpd"; SaveFormat: 35; Export: TRUE; SaveSelected: FALSE)
            WordPerfect.FileOpen (Filename: vProg+"_outline.wpd")
        ELSE
            QUIT
        ENDIF
    ELSE
        Presentations.FileSaveAs (Filename: vProg+"_outline.wpd"; SaveFormat: 35; Export: TRUE; SaveSelected: FALSE)
        WordPerfect.FileOpen (Filename: vProg+"_outline.wpd")
    ENDIF
    if(vPN = 1)
        WordPerfect.PageNumberFormat (Format: "Page Page # of Tot Pages #")
        WordPerfect.PageNumberPosition (Position: BottomCenter!; Default: DontUseDefaultValues!)
    endif
    WordPerfect.PosDocTop ()
endif
if(vHD = 1)
    WordPerfect.HeaderA (Action: Create!)
    WordPerfect.Center ()
    WordPerfect.Type (vHText)
    WordPerfect.SubstructureExit ()
endif
QUIT

LABEL(MainLoop)
if(MainLoop[5]=274)
    vQuit:=1
    DialogDismiss(100; "CancelBttn")
    CallbackResume ()
    Return
endif
if(MainLoop[5]=273)
    switch(MainLoop[3])
        caseof"CANCELButton":
            vQuit:=1
            DialogDismiss(100; "CancelBttn")
            CallbackResume ()
            Return
        caseof"CancelBttn":
            vQuit:=1
            DialogDismiss(100; "CancelBttn")
            CallbackResume ()
            Return
        caseof"HELPButton":
            HelpIndex (100)
// Options WS286
// Outline WS277
// Text Position WS276
// Overall 282 (100)

```

```

caseof"FINISHButton":
    vPN:=RegionGetCheck("100.105")
    vHD:=RegionGetCheck("100.106")
    DialogDismiss(100; "FINISHButton")
    CALL(SetLastUsed)
    CallBackResume ()
    Return
caseof "101": // Single Page
    RegionShowWindow("100.MNotes"; Hide!)
    RegionShowWindow("100.SNotes"; Show!)
    RegionSetBitmap("100.Bitmap"; vDLL; "#1")
    vPN:=RegionGetCheck("100.105")
    vHD:=RegionGetCheck("100.106")
    if(vPN = 1)
        RegionShowWindow("100.Header"; Hide!)
        RegionShowWindow("100.Header"; Show!)
    endif
    if(vHD = 1)
        RegionShowWindow("100.PageNum"; Hide!)
        RegionShowWindow("100.PageNum"; Show!)
    endif
    if(vSN = 1)
        RegionSetBitmap("100.SNotes"; vDLL; "#6")
    endif
    if(vNothing = 1)
        RegionSetBitmap("100.SNotes"; vDLL; "#4")
    endif
    if(vBL = 1)
        RegionSetBitmap("100.SNotes"; vDLL; "#5")
    endif
    RegionEnableWindow("100.107"; Enable!)
    RegionEnableWindow("100.108"; Enable!)
    RegionEnableWindow("100.109"; Enable!)
    RegionEnableWindow("100.110"; Enable!)
    vSelection:=1
caseof "102": // Multiple Page
    RegionShowWindow("100.SNotes"; Hide!)
    RegionShowWindow("100.MNotes"; Show!)
    RegionSetBitmap("100.Bitmap"; vDLL; "#2")
    vPN:=RegionGetCheck("100.105")
    vHD:=RegionGetCheck("100.106")
    if(vPN = 1)
        RegionShowWindow("100.Header"; Hide!)
        RegionShowWindow("100.Header"; Show!)
    endif
    if(vHD = 1)
        RegionShowWindow("100.PageNum"; Hide!)
        RegionShowWindow("100.PageNum"; Show!)
    endif
    if(vSN = 1)
        RegionSetBitmap("100.MNotes"; vDLL; "#9")
    endif
    if(vNothing = 1)
        RegionSetBitmap("100.MNotes"; vDLL; "#7")
    endif
    if(vBL = 1)

```

```

        RegionSetBitmap("100.MNotes"; vDLL; "#8")
    endif
    RegionEnableWindow("100.107"; Enable!)
    RegionEnableWindow("100.108"; Enable!)
    RegionEnableWindow("100.109"; Enable!)
    RegionEnableWindow("100.110"; Enable!)
    vSelection:=2
caseof "103": // Outline
    RegionSetBitmap("100.Bitmap"; vDLL; "#3")
    vPN:=RegionGetCheck("100.105")
    vHD:=RegionGetCheck("100.106")
    if(vPN = 1)
        RegionShowWindow("100.Header"; Hide!)
        RegionShowWindow("100.Header"; Show!)
    endif
    if(vHD = 1)
        RegionShowWindow("100.PageNum"; Hide!)
        RegionShowWindow("100.PageNum"; Show!)
    endif
    RegionEnableWindow("100.107"; Disable!)
    RegionEnableWindow("100.108"; Disable!)
    RegionEnableWindow("100.109"; Disable!)
    RegionEnableWindow("100.110"; Disable!)
    vSelection:=3
caseof "105": // Page number
    vPN:=RegionGetCheck("100.105")
    if(vPN = 1)
        RegionShowWindow("100.PageNum"; Show!)
    else
        RegionShowWindow("100.PageNum"; Hide!)
    endif
caseof "106": // Header
    vHD:=RegionGetCheck("100.106")
    if(vHD = 1)
        RegionEnableWindow("100.HText"; Enable!)
        RegionShowWindow("100.Header"; Show!)
    else
        RegionEnableWindow("100.HText"; Disable!)
        RegionShowWindow("100.Header"; Hide!)
    endif
caseof "108": // Speaker Notes
    if(vSelection = 1)
        RegionSetBitmap("100.SNotes"; vDLL; "#6")
    else
        RegionSetBitmap("100.MNotes"; vDLL; "#9")
    endif
    vSN:=1
    vNothing:=0
    vBL:=0
caseof "109": // Empty
    if(vSelection = 1)
        RegionSetBitmap("100.SNotes"; vDLL; "#4")
    else
        RegionSetBitmap("100.MNotes"; vDLL; "#7")
    endif
    vSN:=0

```

```

        vNothing:=1
        vBL:=0
    caseof "110": // Lines
        if(vSelection = 1)
            RegionSetBitmap("100.SNotes"; vDLL; "#5")
        else
            RegionSetBitmap("100.MNotes"; vDLL; "#8")
        endif
        vSN:=0
        vNothing:=0
        vBL:=1
    endswitch
endif
RETURN

```

PROCEDURE LayoutDefaults()

```

hkey:=0
hkey = RegistryOpenKey(CurrentUser!; "Software\Core\Presentations\11\PR2WP Last Used")
IF(hkey = 0) //Registry key is not there?
    // Don't load anything
ELSE
    vSelection:=RegistryQueryValue(hkey; "Selection")
    v1:=RegistryQueryValue(hkey; "1")
    v2:=RegistryQueryValue(hkey; "2")
    v3:=RegistryQueryValue(hkey; "3")
    vHD:=RegistryQueryValue(hkey; "HD")
    vHText:=RegistryQueryValue(hkey; "HText")
    vPN:=RegistryQueryValue(hkey; "PN")
    vSN:=RegistryQueryValue(hkey; "SN")
    vNothing:=RegistryQueryValue(hkey; "Nothing")
    vBL:=RegistryQueryValue(hkey; "BL")
    RegistryCloseKey(hkey)
ENDIF
ENDPROC

```

LABEL(SetLastUsed)

```

RegKey = RegistryOpenKey(CurrentUser!; "Software\Core\Presentations\11\PR2WP Last Used")
IF(RegKey = 0) // key does not exist
    RegKey2 = RegistryOpenKey(CurrentUser!; "Software\Core\Presentations\11")
    CreateKey:= RegistryCreateKey(RegKey2; "PR2WP Last Used")
    RegistryCloseKey(RegKey2)

    RegKey = RegistryOpenKey(CurrentUser!; "Software\Core\Presentations\11\PR2WP Last Used")
ELSE // key is there
    RegKey = RegistryOpenKey(CurrentUser!; "Software\Core\Presentations\11\PR2WP Last Used")
ENDIF
SetKey:=RegistrySetValue(RegKey; "Selection"; vSelection; String!)
SetKey:=RegistrySetValue(RegKey; "1"; v1; String!)
SetKey:=RegistrySetValue(RegKey; "2"; v2; String!)
SetKey:=RegistrySetValue(RegKey; "3"; v3; String!)
SetKey:=RegistrySetValue(RegKey; "HD"; vHD; String!)
SetKey:=RegistrySetValue(RegKey; "HText"; vHText; String!)
SetKey:=RegistrySetValue(RegKey; "PN"; vPN; String!)
SetKey:=RegistrySetValue(RegKey; "SN"; vSN; String!)
SetKey:=RegistrySetValue(RegKey; "Nothing"; vNothing; String!)

```

```

SetKey:=RegistrySetValue(RegKey; "BL"; vBL; String!)
RegistryCloseKey(RegKey)
RETURN

LABEL(SaveShows)
SlideShowOutline()
WaitMsgInit ()
vSlideNum:=EnvNumberOfSlides()
GLOBAL SNotes[vSlideNum]
GLOBAL vSlideTitles[vSlideNum]
GLOBAL vIsThereWAV[vSlideNum]
GLOBAL vIsThereMIDI[vSlideNum]
GLOBAL vSoundW[vSlideNum]
GLOBAL vSoundM[vSlideNum]
vStepStay:=(100 / vSlideNum)
ShowSlide(1)
for(x; 1; x<(vSlideNum+1); x+1)
    WaitMsgDisplay ("Getting slides..."; vStepNum)
    vStepNum:=(vStepNum + vStepStay)
    FileSaveAs (vProg+"tmp_x_"+x+".wpg"; WPGraphic_70!; TRUE; FALSE)
    if(vSN = 1)
        SNotes[x]:=EnvSpeakerNotes()
    endif
    vSlideTitles[x]:=EnvSlideTitle()
    CheckforSound(x)
    SlideNext()
endfor
WaitMsgDisplay ("Getting slides..."; 100)
WaitMsgHide ()
WaitMsgDestroy ()
RETURN

PROCEDURE CheckforSound(x)
vMIDI:=""
vWAV:=""
vMIDI:=EnvSlideStringData(0)
vWAV:=EnvSlideStringData(1)
if(vMIDI != "")
    vNewMIDI:=""
    vDirLen := STRLEN(vMIDI)
    vBackSlashSource:=""
    FOR(k; vDirLen; k != 0; k-1)
        IF(k != 0)
            vBackSlashSource := SUBCHAR(vMIDI; k ;1)
        ENDIF
        IF(vBackSlashSource = "\")
            vNewMIDI:=SUBSTR(vMIDI; (k+1); (vDirLen-k))
            Break
        ENDIF
    ENDFOR
    vIsThereMIDI[x]:=1
    vSoundM[x]:=vMIDI
else
    vIsThereMIDI[x]:=0
endif
if(vWAV != "")

```



```

vNewWAV:=""
vDirLen := STRLEN(vWAV)
vBackSlashSource:=""
FOR(k; vDirLen; k != 0; k-1)
  IF(k != 0)
    vBackSlashSource := SUBCHAR(vWAV; k ;1)
  ENDIF
  IF(vBackSlashSource = "\")
    vNewWAV:=SUBSTR(vWAV; (k+1); (vDirLen-k))
    Break
  ENDIF
ENDFOR
vIsThereWAV[x]:=1
vSoundW[x]:=vWAV
else
  vIsThereWAV[x]:=0
endif
ENDPROC

```

```

LABEL(DeleteTemps)
for(x; 1; x<(vSlideNum+1); x+1)
  DeleteFile(vProg+"tmp_x_" +x+".wpg"; NoPrompts!)
endfor
RETURN

```

```

LABEL(InitWP)
Call(SaveShows)
if(vMode = 2) // Editor
  SlideShowSlide()
endif
if(vMode = 16) // Sorter
  SlideShowSort()
endif
WordPerfect.FileNew ()
WordPerfect.MarginTop(0.250")
WordPerfect.MarginBottom(0.250")
WordPerfect.Font (Name: "Times New Roman Regular"; Family: 2321; Attributes: FontMatchNormal!; Weight: 90; Width:
WidthUnknown!; Source: DRSFile!; Type: TrueType!; CharacterSet: FontMatchASCII!)
WordPerfect.FontSize (FontSize: 6.0p)
if(vPN = 1)
  WordPerfect.PageNumberFormat (Format: "Page Page # of Tot Pages #")
  WordPerfect.PageNumberPosition (Position: BottomCenter!; Default: DontUseDefaultValues!)
endif
RETURN

```

```

LABEL(GOWP)
vStepNum:=0
vStepStay:=(100 / vSlideNum)
WaitMsgInit2 ()
FOR(x; 1; x<=vSlideNum; x+1)
  WaitMsgDisplay2 ("Creating document..."; vStepNum)
  vStepNum:=(vStepNum + vStepStay)
  WordPerfect.BoxCreate (BoxType: UserBox!)
  WordPerfect.BoxUpdateDisplay ()
  WordPerfect.BoxContentType (Content: Image!)
  WordPerfect.BoxImageRetrieve (Action: MakeInternal!; Filename: vProg+"tmp_x_" +x+".wpg")

```

```

WordPerfect.BoxUpdateDisplay ()
WordPerfect.BoxWidth (Width: 9.0")
WordPerfect.BoxHeight (Height: 8.0")
WordPerfect.BoxUpdateDisplay ()
WordPerfect.BoxAttachTo (Anchor: Page!)

WordPerfect.BoxOverlap (State: Yes!)
WordPerfect.BoxHorizontalAlignment (Alignment: AlignMargins!; Position: Center!; Offset: 0.0")
WordPerfect.BoxVerticalAlignment (Alignment: Top!; Offset: 0.1")
WordPerfect.BoxUpdateDisplay ()
WordPerfect.BoxEnd (State: Save!)
WordPerfect.Type (Text: "Slide "+x)
if(vIsThereMIDI[x] = 1) // MIDI
    WordPerfect.SoundClipCreate("MIDI Clip "+x; vSoundM[x]; OnDisk!; MIDI!; 0; 0)
endif
if(vIsThereWAV[x] = 1) // WAV
    WordPerfect.SoundClipCreate("WAV Clip "+x; vSoundW[x]; OnDisk!; DigitalAudio!; 0; 0)
endif
FOR(y; 1; y<=17; y+1)
    WordPerfect.HardReturn ()
ENDFOR
if(vSN = 1)
    WordPerfect.Type("NOTES:")
    WordPerfect.HardReturn ()
    WordPerfect.Type (SNotes[x])
endif
if(vBL = 1)
    WordPerfect.Type("NOTES:")
    WordPerfect.HardReturn ()
    WordPerfect.TableCreate(1; 9)
    WordPerfect.TablePosition(AlignFull!)
    WordPerfect.TableSelectOn (Table!)
    WordPerfect.TableCellLine(Left!; NoLine!)
    WordPerfect.TableCellLine(Right!; NoLine!)
endif
WordPerfect.PosDocBottom ()
if(x != vSlideNum)
    WordPerfect.HardPageBreak ()
endif
ENDFOR
WordPerfect.PosDocTop ()
WaitMsgHide2 ()
WaitMsgDestroy2 ()
RETURN

LABEL(GOWP2)
vStepNum:=0
vStepStay:=(100 / vSlideNum)
WaitMsgInit2 ()
WordPerfect.TableCreate (Columns: 2; Rows: vSlideNum)
WordPerfect.TablePosition (PositionVal: AlignFull!)
FOR(i; 1; i<=vSlideNum; i+1)
    WaitMsgDisplay2 ("Creating document..."; vStepNum)
    vStepNum:=(vStepNum + vStepStay)
    if(vIsThereMIDI[i] = 1) // MIDI
        WordPerfect.SoundClipCreate("MIDI Clip "+i; vSoundM[i]; OnDisk!; MIDI!; 0; 0)
    endif
ENDFOR

```

```

endif
if(vIsThereWAV[i] = 1) // WAV
    WordPerfect.SoundClipCreate("WAV Clip "+i; vSoundW[i]; OnDisk!; DigitalAudio!; 0; 0)
endif
WordPerfect.BoxStyleEdit (Style: "I&mage"; Library: PersonalLibrary!)
WordPerfect.BoxAttachTo (Anchor: Character!)
WordPerfect.BoxStyleEnd (State: Save!)
WordPerfect.BoxCreate (BoxType: "I&mage")
WordPerfect.BoxContentType (Content: Image!)
WordPerfect.BoxImageRetrieve (Action: MakeInternal!; Filename: vProg+"tmp_x_"+i+".wpg")
WordPerfect.BoxUpdateDisplay ()
WordPerfect.BoxContentPreserveAspectRatio(Yes!)
WordPerfect.BoxWidth(3.10")
WordPerfect.BoxHeight(2.30")
WordPerfect.BoxUpdateDisplay ()

WordPerfect.Type(" ")
WordPerfect.DeleteCharPrevious ()
WordPerfect.PosTableTopCellNext ()
WordPerfect.BoldKey ()
WordPerfect.Type("Slide "+i)
WordPerfect.FlushRight ()
WordPerfect.Type(vSlideTitles[i])
WordPerfect.BoldKey ()
WordPerfect.HardReturn ()
if(vBL = 0)
    WordPerfect.HardReturn ()
endif
if(vNothing = 0)
    WordPerfect.Type("NOTES:")
    if(vSN = 1)
        WordPerfect.HardReturn ()
        WordPerfect.Type (SNotes[i])
    else
        TableSplitRow (RowCount:8;)
        TableCellFillStyle (FillPattern: FillButton!)
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
        WordPerfect.PosTableTopCellNext ()
    endif
endif
IF(i != vSlideNum)
    WordPerfect.PosTableTopCellNext ()
ENDIF
ENDFOR
WordPerfect.PosDocTop ()
WaitMsgHide2 ()
WaitMsgDestroy2 ()
RETURN
//*****
// Wait Message Procedures for Presentations
//*****

```

```

PROCEDURE WaitMsgInit ()
    DialogDefine ("WaitMsg"; 50; 50; 150; 50; 16; "Please Wait")
    DialogAddText ("WaitMsg"; "WaitText"; 8; 10; 144; 16; 1; "")
    DialogAddProgress("WaitMsg"; "WaitBar"; 10; 30; 130; 15)
    DialogLoad ("WaitMsg"; "Presentations")
    Return
ENDPROC
PROCEDURE WaitMsgDisplay (Text; Number)
    RegionSetWindowText ("WaitMsg" + ".WaitText"; Text)
    RegionSetProgressPercent("WaitMsg" + ".WaitBar"; Number)
    DialogShow ("WaitMsg";; WaitDlgCallBack)
ENDPROC
PROCEDURE WaitDlgCallBack ()
    If (WaitDlgCallBack[5] = 274 And WaitDlgCallBack[6] = 61536)
        Assert (CancelCondition!)
    EndIf
ENDPROC
PROCEDURE WaitMsgHide ()
    DialogDismiss ("WaitMsg"; "WaitText")
ENDPROC
PROCEDURE WaitMsgDestroy ()
    DialogDestroy ("WaitMsg")
ENDPROC
/*****
/*****
// Wait Message Procedures for WordPerfect
/*****
PROCEDURE WaitMsgInit2 ()
    DialogDefine ("WaitMsg2"; 50; 50; 150; 50; 16; "Please Wait")
    DialogAddText ("WaitMsg2"; "WaitText"; 8; 10; 144; 16; 1; "")
    DialogAddProgress("WaitMsg2"; "WaitBar"; 10; 30; 130; 15)
    DialogLoad ("WaitMsg2"; "WordPerfect")
    Return
ENDPROC
PROCEDURE WaitMsgDisplay2 (Text; Number)
    RegionSetWindowText ("WaitMsg2" + ".WaitText"; Text)
    RegionSetProgressPercent("WaitMsg2" + ".WaitBar"; Number)
    DialogShow ("WaitMsg2";; WaitDlgCallBack2)
ENDPROC
PROCEDURE WaitDlgCallBack2 ()
    If (WaitDlgCallBack2[5] = 274 And WaitDlgCallBack2[6] = 61536)
        Assert (CancelCondition!)
    EndIf
ENDPROC
PROCEDURE WaitMsgHide2 ()
    DialogDismiss ("WaitMsg2"; "WaitText")
ENDPROC
PROCEDURE WaitMsgDestroy2 ()
    DialogDestroy ("WaitMsg2")
ENDPROC
/*****

```