

¼ vµ® · xâ PowerVCR

Åý¹q, £ÅÜ|”¼Æ|ì¿ý¹¼v³¼÷¤¤|n²£«~

§Y®É¹/₄Æ|ì¿ý¹/₄v

ÁÙ¥i¥H¶i|æAVI ÂàÀÉ|"MPEG-1¤u§@

íµM;M|p^aG±z¥ÍñâñW^ao¹/4vµ¹/₂s¿èœu[“]ä»s§@ñFºë¹/2o^aoAVI ÀÉ® x;M;ÓW
’o^Co[”]ä@O;ù³/4Ú^aoÃœœj^aÅ¶;i;MPowerVCR]’£”ÑñF,Ñ”ñæè® x;CPowerVCR
’£”Ñ^aoñå; Åà[‘]«¥!`à;A`à±N”ä¥|µø°TÂ^”ú,Ë,m©Ò¿ý»s;B©Î¬O,g¥Ñ¹/4v-
µ¹/₂s¿èœu[“]ä³B²Z¹L^aoAVI ÀÉ® x;M[”]³³tÅà[‘]«¬°MPEG-1ÀÉ® x[®]æ|;i;C[|]¹¥\
-à¥RñÀ¹B¥ÍMPEG-1µø°T¹/4D·Ç[®]æ|;i;^aoÀuÅlçw
çw¥i,[‘]¬Ù¥[”]ñj^aoñj^oÐÀx|s^aÅ¶;i;A|Ó¶È|b¹/4vµ[“]-½èœè±°µ¥X³|ñÖ^aoÅý[”]B|iC

|bμø°T^{1/4}v¤ù¤W°¤|æ;u°Å¤U¤Í¤K¤W;v¥`-à

PowerVCR əʊ¥Dn¥\`à

n ±N½vμ§Y®É¿ý»s¬° MPEG-1 ®æ!;iA½vμ,Ñ¤R«×¥i¹F
352x288;CμL»Y,g¥ÑAVI ÀÉÂà'«;A¥i,`¬Ù¤j¶qÀx|s¤Å¶ijC

n '£''Ñ§å! , æè¤k±N AVI ÀÉÀà '«¬° MEPG-1 ÀÉ;A''Ã''ã§å! , ÂàÀÉ¥\`-à;C
n '£''Ñ°Å¤U©M¶K¤W¤¤½s¿è¥\`-à;AÀ°§U±z°Å¿è©î;X''ÖMPEG-1μø°T¹/₄v¤ù;C.
n ¼vμ¿ý»s¶i¶¥±± ``í;Cμø°T±M·~¤Hû¥i°õ!æ§¹³/₄ã¤¤ MPEG-1
¿ý»s°Ñ¹/₄Æ³]©w;C
n Äá¹/₄v³/₄÷¤¤±± ``í;C¥i¤¹/₂±μ±q PowerVCR ``Ó¹/₂Ö³/₄äÄá¹/₄v³/₄÷¤¤«G«×¤Í¹í¤ñ;C
n ``ã|³μw¤D¡s¶q«ü¹/₄D¥i¬Ý``í;μw¤D³Ñ³/₄|¤¤¥i¥í¤A¶;C
n ``ã|³¹w¿ý¹qμø, `¥Ø¤¤w¬ù¿ý»s¥\`-à;C
n ¹|§í¹|¥í¬É±;CÂl«ö·Æ¹«§Y¥i§¹| ``MPEG -1¹/₄v-
μÀÉ®×¤¤¿ý»s;B¹¼¹/₂©ñ;B¹wÄy©M¹/₂s¿èμø°Tμ¥¥\`-à;C
n «K§Q¤¤³Á§J·¤Í³â¥zμ¶q±± ``í;C
n ±²°Ê¶b(Scroll Bar)
¥i``³³t©w¥X;u¶}©l;v»P;uμ²§ô;vÂl``Ó¹/₂s¿è¤w¿ý»s¤¤μø°Tμu¤ù;C

§þ³N³W®æ

“t²Í»Ý”D

!p'ó¿ý»sMPEG-1¹/₄Æ!jÀÉ®×

³]©w¿ý»s¹/₄vμÀÉ¤¤®æ!j

³]©wMPEG-1¹/₄vμÀÉ¿ý»s¹/₂d¥»

!p'ó»P°T³s§þ³N¤ä' ©¤HûÁpμ,

PowerVCR SP³N³W®æ

µø°T³W®æ

- µø°T®æ!; GYV12; Y41P YUY2; RGB16; RGB24; UYUV; YUV9 ©M I420 FOURCC
- , Ñ¤R«x; G176x144 (QCIF); B352x240 (SIF); B352x288 (CIF) æ320x240
- °T®ØÀW²v; G30; B 29.97 (VCD-NTSC); B 25 (PAL); B 24; B 12; B 10 FILM
- ¥i¿ï¬°µø°T¹wÄý(Preview mode)æ|½Ò!; (Overlay mode)

µ°T³W®æ

- µ°T®æ!; GPCM®æ!; ¬°¿é¤µ°T; A MPA ;]MPEG-1 µ°T) ®æ!; ¬°¿é¥Xµ°T
- ;¡¤, ÀW²v; G¥i¿ï 8 ©Î 16 ;¡¤, "ú½ÈÀW²v
- ½Ò!; G¥i¿ï³æµ; B¥ßÅéÁn; BÂùµ; B¤ÍÁp; X¥ßÅéÁnµ¥µ°T«~½è

MPEG À£ÁY³]©w°Ñ^{1/4}Æ

- ¥i¿ï I/B/P µe±; BI/Pµe±; B¤Í¶ÈIµe±µ¥¿ý»s¿ï¶µ
- "C¤@ GOP;]µe±, s²Ò; ^¤ P- æÍB- µe±¥i¥Ñ"¡¥í¤|©w, q"ä½Æ¶q
- '£"Ñ©T©w;¡¤, ÀW²v; B©T©w«~½è; B©Í"¡¥í¤|; Ü©w¤ø¿ý»s^{1/2}d¥»

|p|ó¿ý»sMPEG-1½vxù?

PowerVCR "t²|i w E

a½±μ±q;ý¹/₄v±a;B¹qμø`¥Ø;B¹/₄Æ!;ý¹/₄v³/₄÷;ý»sMPEG-1½vxù

AVIÀ!;"MPEG-1½vxμÀÉ®×

°Å;è©M!X"ÖMPEG-1ÀÉ®×

ÀÉ¬dPowerVCR;ý¹/₄v²¬ºA

“t2î»Ý”D

- „ SY@É;ý»s;G Pentium II 300MHz 3B2z3/4;A¥D°O3/4ĐÅé³l¤Ö 32MB
- „ AVI ÅàÀÉ;GPentium 166 MHz MMX 3B2z3/4;A¥D°O3/4ĐÅé³l¤Ö 32MB
- „ PCI ¼v13Å^”ú¥d»Ý¤ä’© Video for Windows¤¶±;C¤@‐ë¼v13Å^”ú¥d;BTV-Tuner¥d;B¥H¤PCÄá¼v3/4÷³£¤ä’©!¹¤¶±³W®æ)
- „ ²Å!XPCI©¡ISA¤¶±²ºµ®Ä¥d
- „ Windows 95 ¡B 98

°Å¿èMPEG-1μø°T»ss@¼v¤ù

PowerVCR ¥i¥H|s"ú MPEG-1 μø°TÀÉ® x|b¬YÓ® ÉÂ|aøøé½Tµe±;C¥Ñ©ó
PowerVCRæø³o¶µ`S® í¥\`à;A±z¥i¥HÀH·N¿í"ú²{|³ MPEG-
1ÀÉæø¥ô|ø³;¤À;A©Î±N"ä»P"ä¥{MPEG-1ÀÉ|X"Ö;A»ss@ÄÝ©ó|Û¤v·®ææø¹/₄v¤ù;C



¥Ñ³æ¤@MPEG-1ÀÉ¿í"úøµØ³;¥÷

- «Ö¤@¤U<¿í"úøµ{;i>«ö¶s"Å¿í"ú<¼Æ|i½vµ°Å±µ³/₄÷>;C
- «Ö¤@¤U<¥[¤J½vµÀÉ® x>«ö¶s;M|b PowerVCR "¡¥î¤ì¤¶±¥k¤U¤è;uÀÉ|W
;væøµøµ;¤º¿í"úñ·s½W"i½s¿è¤u¤@²M³ææø¥ô|óMPEG-
1"Ó·½ÀÉ;]"ä|³°ÆÀÉ|W.mpg;^;C«Ö¤@¤U<>«ö¶s"Ó¿í"ú±z-
n,ÑÀ£ÁY¤§µø°T°Å¿èæø®É¶i½d³ò;C



- !p¤G±z¶Èn¿í"ú!¹MPEG-
1"Ó·½ÀÉæø¤@³;¤À;A«h½Ð·Æ°ÊS«ö¶s"Ó©w,q¶}©IÂI;A"Ã·Æ°ÊE«ö¶s"Ó©
w,qµ²§ôÂI;CµM«á«Ö¤@¤U<>«ö¶sµ²§ôµø°T¿í"ú!Lµ{;C



¿TÚ HÓMPEG-1 AÉS ASÍ ÑA? XÖ

- «Ö»@»U<»^{1/4}Üµ{|;|>«ö¶s”Ã»^{1/4}ú<^{1/4}AÈ|»^{1/4}vµ°Å±µ^{3/4}÷>;C
 - «Ö»@»U<»¥[»^{1/4}vµÀÉ®x>«ö¶s;M|b PowerVCR”»^{1/4}ø¶±»k»Uøè;uÀÉ|W
|v²⁰µøµ;»²⁰»^{1/4}ú»^{1/4}s^{1/4}W”»^{1/2}s»^{1/4}ø»^{1/2}s@²M³æ²⁰¥ô!ÓMPEG-
1”Ó»^{1/2}ÀÉ;|”»^{1/3}ÆÀÉ|W.mpg;^;C«Ö»@»U<>«ö¶s”Ó»^{1/4}ú±z-
n,ÑÀ£ÁYø»^{1/2}µø°T°Å;»^{1/2}ø»^{1/2}Ø¶»^{1/2}d³Ø;C



3. |p^aG±z¶Èn¿í"ú!¹MPEG-
1"Ó·¹½ÀÉ^a¤@³;¤À|A«h½Ð·Æ°ÊS«ö¶s"Ó©w,q¶}©|Âl;A"Ã·Æ°ÊE«ö¶s"Ó©
w,qµ²§ôÂl;CµM«á«ö¤@¤U◊«ö¶sµ²§ôµø°T;í"ú!¹Lµ{¡C



Æ°ÊS¶s¤ÎE¶s”Ó³]©wÀàÀÉ¤¤¶}©IÂI©Mμ²§ôÂI

4. |p^äG±zn|X°Ö½ÆÓμø°T°Åžè¤o|hÓMPEG-1ÀÉ!°¬°³æ¤@ÀÉ®×;A½Ð-«½Æ°BÆJ1°`BÆJ3;C
 5. Yn±q¤u§@²M³æ¤¤²¾°£MPEG-1ÀÉ;A±z¥u-
n¤i¥Ö|b¤u§@²M³æ¤W¤o,ÓÀÉ®×;A°Å«ö¤@¤U<¤R°£¼vµÀÉ®×>«ö¶s;C
 6. |p^äG±z¤£ºj·N¤u§@²M³æ¤W¤oÀÉ®×;§Ç;A±z¥i|b¤u§@²M³æ¤W±N¥|¡¥[¥H-
«²Ö;C½Ð¥ý¤i¥Ö±zn-
«²Ö¤o«ü©wÀÉ®×;AµM«á«ö¤@¤U<¤W>©î<¤U>«ö¶s°Ó½Ö¾¤,ÓÀÉ®×¤o;
,§Ç;C
 7. ½Ð«ö¤@¤U<°¤iæ>«ö¶s¶}©IÀÉ®×;X°Ö¹Lµ{;CPowerVCR·|
Å¤¥Ü¤@¹i,Ü¤è¶ô°Ãn°D±zžé¤J¥Ø¹¼Ð,ô®|

©MÀÉ|W;C½Ð¤U<Àx!sÀÉ®x>«ö¶s;C

8. ·í§¹|”ÀÉ®x;|X”Ö¹Lμ{ «á;A«ö¤@¤U<¹/¼¹/½©ñ>«ö¶sÀË¬d¹/²s;è¤µ²¤G;C

¬Ý§¹¤F¹¹»; ©ú;M¤F,Ñ”í”í¥PowerVCR”Ó;ý»s¹/¼Æ;í¹/¼v¤ù¹é;b¬O¤@¥ó»’ÃP;³¹/₂í¤
¤¤u¤@;C;ó¤f¤W¤M©@°Ø¤¤¤U”Ó;M¶} ©|±z¤¤¤Ã¤@Ó¹/¼Æ;í¹/¼v¤ù;ý¹/¼v©O?

©w,qÂ^"úæø¼vµ®æ!;

μø°T°Ó·½©w,q

μ°T°Ó·½©w,q

¶i¶¥³]©w

¶i¶Y³] © w

§¹¥þä` © Pentium !!! ·s¹Bºâ«ü¥O

PowerVCR 狹W§¹¥þ³]..Í¤Æ|Ó±o¥H¹B¥ÍPentium aº¹Bºâ`à¤O;A¥H¥
[³t»P§í..}µø°T³B²z®Ä`à¤Í«~½è;CPowerVCR
¥i|Û°È°»'ú..t²Íaº³]³Æ;A"Ä±Ø¥Í¾A·íºCPU¹Bºâ«ü¥O;C|pºG±zººCPU¬OPentium!!!
©Íºõæ SIMD(single instruction multiple data) ©µ|ù«ü¥O;A«h;ý»sºº®Ä`à·|só..Í;C
|pºG±zººq,f¬OPII 300Mhz¥H¤W;M¥i¥H¤Ä;í;u§Y®Éµ®ÄÀ£ÁY;v;C|pºG±z-
n§ó§íPowerVCRº¤xu§@,é®Æ§..Í..ä¥;ººÍ©Í¥Ø;ý;M«h½D;é¤J·sºº,ô®|;C



¼vµ¶i¶Y³] © w

¥t¥~|pºG±zººq,f¤¤¥;³B²z³/4¹|bPentium II 350¥H¤Wºº,Ü;A½D¤Ä;í;u§Y®É-
µ®ÄÀ£ÁY;v;í¶µ;C|p!¹¥i¥HÅý¼vµÀ£ÁY®Ä²v§ó!n;C

© w, qMPEG-1 ½d¥»

PowerVCR əoMPEG-1 əoÀ£ÁYŞP³NŞP³N³W® æ·§z © ó¤U|C¹|̄í¤¤ „ Ñ±z° Ñ!Ò;C

¶i¶¥ŞP³N³W®æ

μø°T³W®æ

μø°T³W®æ	MPEG-1, YV12, Y41P, YUY2, RGB16, RGB24, UYUY, YUY2, YUV9,  1420 FourCC
¿Ý»s əo , ÑaR «x	176 x 144 (QCIF), 352 x 240 (SIF), 352 x 288 (CIF) and 320 x 240
μe±Åä¥Ü³t²v	30, 29, 97 fps ;] NTSC ¥i¿í¤¤@;^ 25 fps ;] PAL ©Ò¥î;^ 24, 25, 12, 10 fps ;] FILM ¥i¿í¤¤@;^
¥i¿í¤¤@;^	μø°T¹wÄy ¼Ò; ;] Video Preview ;^  μø°TÄÐÅ ¼Ò; ;] Video Overlay ;^

μ°T³W®æ

μ°T®æ!;i	¿é¤J;i GPCM
	¿é¤X;i GMPA (MPEG-1 μ°T)
;ì¤, ³t²v	¥i¿í¤¤@;^ 8 ©Î 16 ;ì¤, „ Ú¼È;ì¤, ³t²v
¼Ò; ;i	¥i¿í¤¤@;^ ³æµ;B¥ßÅéÁn;BÂù- μ¤ÍÁp;X¥ßÅéÁnμ°T«~½è

MPEG À£ÁY¥i³] © w°Ñ ¼Æ

- ¥i¿í³/4Ü“Í¥Î I/B/P μe±;B/I/P μe±¤Í¶È Iμe±¿Ý»s¿í¶μ
- “Í¥Î¤Í¥i©w, q”¤@ GOP (¹μe, s²Ö) əo P¤Î Bμe±¼Æ¥Ø
- ¥i½Ö³/4¤I;BP¤ÎBμe±¤¤À°t
- ‘£“Ñ VCD (©T©w;ì¤, ³t²v);B©T©w«~½è©M“Í¥Î¤Í©w, q¿Ý»s³] ©w

© w, qMPEG-1 ¼v¤ù¿Ý»s ½d¥»

PowerVCR ¥iÅý±z³] ©wMPEG-1 À£ÁY°Ñ ¼Æ¶i;æ¿Ý»s ©ÍÀà ‘ ¼v¤ù;C PowerVCR
‘£“Ñ¤U|C5ºØ ¼Ð·Ç əo μø°T ½d¥»;G Constant Quality (©T©wμe½è);B VCD (NTSC);B
VCD (PAL);BVCD(FILM);BEasy Movie(Â²©ö°Èμe)
;A¥H²Å;X¤@“Ç ¼Ð·Ç əo ¼v¤ùμo;æ»Ý“D;C«ö¤@¤U<MPEG-1 ¼v¤ù ½d¥»>
«ö¤s;A\$Y¥i®e©ö;a¹¬Ý³o“Ç, ê°T;C

|p±z©Ò“£;A½v¤ù½d¥»²M³æ!C¥X 5 °Ø¤
 £|Pººº]©wÀÉ·Ñ±z{í”ú;C{í”ú«á;A¥Ø«e¥{b§@¥ººº]©wÀÉ·|
 ¥X²{¬°;u¥Ø«e½v¤ù½d¥»;v;A”Ã;C¥X”ä;u¤º®e;v¤í;u»;©ú;v”Ñ±z°Ñ;Ò;C
 |pºG±z|ºzº½ì©Í·Qn¶i¤@”B¤F,Ñ|ºÃö”S§Oº]©wÀÉºº,ÔºÓ,ê®Æ;A¤U;C¹ºí·|
 ¹í±z|º©ÒÀº§U;C

3	NA	NA	NA	4
¤£©w ¤£©w	1152 kbps SIF (352x240)	1152 SIF (352x240)	1152 kbps CIF (352x288)	¤£©w ¤£©w
24 fps	29.970 fps	29.970 fps	25.000 fps	15 fps
IBBPBBPBBP	IBBPBBPBB	IBBPBBPBB	IBBPBBPBB	IP
ºººt ¥ßÅéÁn 384 kbps ¼h!, 2	P ºººt ¥ßÅéÁn 224 kbps ¼h!, 2	P ºººt ¥ßÅéÁn 224 kbps ¼h!, 2	P ºººt ¥ßÅéÁn 224 kbps ¼h!, 2	ºººt ¥ßÅéÁn 128 kbps ¼h!, 2



|p^aGn©w,q·s^{a01/4}v-
μ{y»s^{1/2}d¥»;M¥i¥H«ö¤U<·s^{1/4}W>;M^{1/2}D°Ñ|Ò;u©w,q·s^{a0}{y»s^{1/2}d¥»;v
|p^aG·Q¤F,ÑMPEGÀ£ÁYì²z;M^{1/2}D°Ñ|ÒÃö©óMPEGÀ£ÁY¤è;i;C

|p|ó»P§P³N¤A°È¤HûÁpÃ'

³Sμ, ¥»¤^{1/2}¥q§þ³N¤ä

–d–ÝWebºô¶ÀËµø±`"£ºÝÄD, Ñµæ

◦ T³S→iSþþþ³Nþä' ©³; iù·|©w' Ásó·s|bºô¶þWºººf«~ºÝAD, Ñµä; C|b±z»Pþþ³Nþä'
◦ ©þHÛ¶iþ@"BÁpÃ' þþ«e;A½D, ÓºÓ¾/Åº©Ò;CºººÝAD»P, Ñµä; C
◦ T³S→iSþþþ^þººº- : <http://www.cyberlink.com.tw>

1qxtl¶l¥ó

¥i³z¹LºÔ»ÚºÔ, Ôºaº¹q¤¶|¥º|M, ßºÝºYºADºÃ·|Àº±º¥»¤¹/²¥q; u§ºPºN¤ä

‘©³;¤ù;v¤ºµ¤ÀÐ;C½Ð±N¹q¤¶|¥ºµººe..¤U;C±b,¹;M±z§Ý¥i|¬..¹q¤¶|¥º¤ºµ¤ÀÐ;C

PowerVCR@cyberlink.com.tw

½Ð¤·Ñ;G¥»¤½¥q¶È¹ïµù¥U¹L¤º·ï¥âì·£·Ñ§þ³N¤ä

© M½Đ°È¥²|b¹q¤¶|¥Ó¤Wµù©ú±z¤²£«~¥ú¤Đ¤ùCD-Key , 1½X¡C

۱۴۰

±zæ]¥ì¶í¶ç- u, ß°ÝÄD; M°Ã³z¹L¶ç- uÀò±oµäÅÄ; C°T³s¬ì§þæ½¥q§þ³Næä
' ©³ i²ùæø¶ç- u, ¹½X¬° iG886-2-8667-1300jC

$\frac{1}{2}D^a \cdot N_j G \gg \alpha^{1/2} q \Psi E^1 \mu \bar{\mu} U^1 L^a \bar{a} \bar{a} \bar{a} \bar{a} \bar{a} \bar{a}$

© M½D°È¥²|b¶Ç- u¤Wµù©ú±z¤o2£«~¥úºÐ¤ùCD-Key ,½X|C

1q, Ü

±z¥i”¶Y¹q, Ü»P°T³S¬ì§pæo§p³Næä’ ©³i¤ù³sμ, iM³q, Ü®É¶i¬°¬P’Áæ@|Ü¬P
’Áæ”CxÑæWæÈæE®É”ìæUæÈæ-

⑧ É; C·í±z¹q, Ü, ß°Ý⑧ É; M³| |n¹½Ð±z§x|b¹q, f⑧ ÇÄä; A "Ä³Æ§

±z^{ao}¤å¥ó, ê®Æ|C^{1/2}Ð‘f“Ñ¤U|C, ê°Tμ¹§Úì|G
| μù¥U©Ò¥!g^{o2}f«~CD-Key, ^{11/2}X|C

| $\text{^2f} \ll \sim \text{a} \odot \text{\textyen} \gg, \text{^11/2X}_1\text{C}$

| ©Ò·Í¥íaoµwÅéÃþ«¬jC

| ¥X²{|b±z; Ä¹Ö¤W¥ô|ó°T®§jC

UoÝíæo°ÝÃD=°!ó:M°ÝÃDUoÝí©ó!ó®É;C

I §b³N¤ä ¸©³;¤ù¹q, Ü, ¹¹/²X;G 886-2-8667-1298

½Ð¤·Ñ;G¥»¤½¥q¶È¹ïµù¥U¹L¤º·¶¥†à|‘F”Ñ§þ³N¤ä‘©;M½Ð°È¥²³Æ§’±z¤º²£«~§C,¹(CD-key);C

g^{3/4}P°Ó


$\frac{1}{2}D^3Sp, \pm z\hat{A}\hat{E}\Psi R\Psi^2 F \sim C O(b^0 e^R a^{2\Omega} T^3 S - i \xi P, g^{3/4} P^0 C \hat{\Psi} N^2 z^0 C)$

PowerVCR "t2l|w, E

|w, EPowerVCR|w, E"i±zäo"t2l|xW«ÜÂ23æ;C°õ!æ±zCD-ROMäo*Setup.exe*
µ{|;i;C§Y·|¥X²{Åwäi°T®§¹i, Ü¤è¶ô;C«ö<¤U¤@"B>«ö¶sÄ~Äò¶i!æ;C

æ½±µ±qµø°TÓ·½¿ý»sMPEG-1ÀÉ

¤@¥¹¥¿½T|a³s±μμø°TºÓ·½, Ë, m¥ÍÆl½u³s±μ”í-
Ó¤H¹q, fμø°TÂ^”ú¥d;A”Ã|a³s±μμø°T, Ë, m”íμ®Ä¥d¤lμ®Ä³â¥z«á;A
’N¥i¥H¥íPowerVCR”Ó¿»sMPEG-1¼v¤ù;C|p¤G±z¤
’μM¾á¤ß±z¤øÆl½u²ÖºA¬O§_¥¿½T;A½D°Ñ¾/\
²Ä3³¹;G«Ø¥ßÄÝ©ó!Û¤v¤º¹/4Æ|l¹/4vμ¤u§@«C;C¤j|h¹/4Æ¤º¹/4v¹³Â^”ú, Ë, m³f·|
¤þÃØ¹¼½©ñ³nÅé;AÅý”ï¥íºl”ú, Õ©íÆ[¹½àÂ^”ú;Ü¹q, f¤º¹/4Æ|íμe±
jC±z¥i¥H¤Q¥í, Óμ{|;í”ú, ÕÆl½u³s±μ¬O§_¥¿½T;C



PowerVCR ٠٦٧١٢١٨٩٩٣]پ (§Y®É۱/۴AE۱) ; ۱/۴V۱/۴O۱)

SY® É ¼Æ ï¿ý»SMPEG-1Æ

ÀË¬d"t²îñW^aø¥|¥íø|øÐ^aÅ¶|;C^y½v«e;AÀË¬dPowerVCRñus@µw^aÐ¾÷ñW^aø¥|¥íø
aÅ¶|;CPowerVCR;ý»SMPEG-1©Ò»Ý^aøµw^aÐ^aÅ¶|;|ðøâ»Ý»D|C©óñU^aí|C

- | ±Ó°ÊPowerVCR¥Dμ{|;«á;APowerVCR^aμø°TÅä¥Üμj·|
| Åä¥Ü¥Ø«eμø°T°Ó·½,Ë,m©Ó¼½©ñ^a½v¤ù;CYn±Ó°ÊMPEG-
| 1¿ý»;s;A¶È»Ý«ö¤@¤U<¿ý½v>«ö¶s;ASY·|¥ß°è±Ó°Ê¿ý»s¶¥¬q§@·~;CYn°±
| ¤i¿ý»s¹Lμ{;A¶È»Ý«ö¤@¤U<^o±¤i>«ö¶s;C
|
|
| ¿ý»s¹Lμ{§¹;“«á;A¥i«ö¤@¤U<¹/½©ñ>«ö¶s;ÀÉμø¿ý»s^a½v¤ù¤®e;C;p^aG·Q
| ¥í¥þ;Ä¹ð¹/½O!;“ÓÀÉμøμø°T;A¶È»Ý«ö¤@¤U<³Í¤j¤Æ>«ö¶s;C
| | p^aG±znÀx;s¤w¿ý»s^aμø°T¤®e;A'N«ö¤U<|sÀÉ>«ö¶s;CPowerVCR ·|‘£
| | ¥Ü±z«ü©wÀÉ®x^a¥Ø^a¤|a;CPowerVCR·|¥Í.mpq
| | °ÆÀÉ;W°ÓÀx;s±z^aμø°TÀÉ®x;C·í±z¿ý»s^aμø°T;sÀÉ«á;A²{|b±z¥i±Ó°Ê¥t
| | ¤@Ó¿ý»s^a¶¥¬q§@·~;C
| . | p^aG±zn;|b¥ý«e¿ý»s^aμø°Tμu¤ù¤¤²K¥
| | [·s^a¿ý»sμø°T;A¶È»Ý«ö¤U<±Ó°Ê>«ö¶s;M·s^a¿ý»s¤ùÅ_’N·|;Û°Ê¥
| | [|¥ý«e^a¿ý»s¤ù¬q¤§«á;C
| . | ©Í|;A·Qn¿ý»s·s^a½v¤ùÀÉ®x;A½Ð¥ý«ö¤U<²M°F>«ö¶s;S;R°F;|b
| | PowerVCR¤¤¤@¥Ø;¤¤¤^a½È;|sÀÉ;M;|A«ö¤U;<¿ý½v>«ö¶s;Ý»s·s^a½v¤ù;C

¹W-Ù PowerVCR ¿Ý»S®Éµ{¤Í«ÙÄÒ®É¶

|p^aG-
n«ü©w^zy»s®Éμ{©Î^zy»s«ùÄò®É¶;A½Ð«Ö@¤U<¹w¬ù^zy¹/4v>«ö¶s;C¥X²{æo1ï
.Ü¤è¶ô¥!w³]¶}©I^zy¹/4v¤îµ²§ô^zy¹/4v^{æo}®É¶;A©Î¹w³]
z^ys«ùÄò®É¶;i(z^zú^zy»s«ùÄò®É¶;i^z¶;C^zé¤J¶}©I®É¶;¤îµ²§ô®É¶;A©Î^zé¤J^z
z¹/2T®æ;|(¤p®É;G¤ÀÄÁ;G¬ÍÁ)æo^zy»s«ùÄò®É¶;i,
μM«á«ö¤U;u½T©w;v«ö¶s;A PowerVCR ±N·|
|b¹w³]®É¶;i^z1F®É±Ò°Ê^zy»s¹Lμ{;A^zÃ;P^zB°õ|æ^zE¹/4Æ-
p®É(¥i¹†¬ÝPowerVCR^zÝ¹†¤¶;±¤U¤èæo©w®É³/4Åå¥Ü)
;C^z1w³]®É¶;i^z1F®É;A^zy»s¹Lμ{±N·|;Û°Ê±Ò°Ê;C
ÅÙ¹³¤@¤èæo¤k¥i¥H«ü©w^zy»sÀÉæo¤j¤p;CY«Ü³/4¤ßμw^oÐ^zÅ¶;¤
£¹/4Å^zÝ¹;A³o¶;μ^zy»s¥\`à·|«D±^z¹³®Ä;C¥i;Ò¹/4{ÂÇ¥Ñ³]©w;u^o±
¤^zy¹/4v©óÀÉ®x^æø«x^æj©ó...;v¶;iæ^zy¹/4v^z†;C
PowerVCR^zÝ¹†¤i¥H¹B¥!¹;u^zy»sÀÉæoø«x;v^z¶;μ»P;u¹w¬ù^zy¹/4v^zÑ¹/4Æ;v^{æo}U^oØ^z¶;
μ;A»'©ö;a¹/2Ö³/4¤^zy»s»Ý^zD;C
°ò¥»¤W;A PowerVCR^zC^zy»s¤@¤ÀÄÁμø°T·|²£¥!20
MB^{æo}ÀÉ®x(|p^aG|b;u©T©w^z~¹/2è;v;Bμe±¤j¤p^z° 352 x 240 ;B^zC^zí30μe-

$\pm \frac{a}{z} \circ \text{æ} | ; \text{æ} \text{U} \text{¶} | ; \text{æ} \text{ç} \text{ý} » s) ; C \text{æ} \text{f}^1 L^1 \hat{e} » \text{Ú} \text{æ} W | A \pm z \text{»} \text{Ý} n | \text{Ü} \text{æ} \text{Ö} » P \text{ç} \text{ý} » s \text{À} \text{É} | P \frac{1}{4} \text{È} \text{æ} j \text{æ} p \text{æ} \text{o} \text{»} \text{æ} -$
 $\text{ç} \text{ö} \text{í} \text{o} \text{D} \text{æ} \text{A} \text{¶} | (\text{»} \text{o} \text{»} \text{N} \text{æ} \text{O} \text{`} | @40 \text{ MB}) ; A \text{¥} H « K | b \text{ö} \text{í} \text{o} \text{D} \text{æ} W \text{»} \text{o} | ; \text{æ} | u \text{À} \text{à} \text{`} « | v \text{S} @ \cdot \sim \text{»} \text{(swapping)}$
 $(\text{!}^1 \text{æ} D \text{æ} @ \text{o} \text{Ø} » P \text{ç} \text{ý} » s \text{»} \text{È} \text{S} @ \text{æ} @ \text{o} \text{»} \text{mu} \text{ø} \text{Y} \text{í} \text{æ} \text{o} \text{Y} \text{»} \text{Y} \text{1} \text{L} \mu \{)$
 $| C \text{æ} @ , g \text{ç} \text{ý} » s \text{¶} \text{Y} \text{»} \text{q} \text{S} @ \cdot \sim \text{mu} \text{z} \text{ò} \text{»} \text{A} \text{À} x | s \text{»} \text{À} \text{É} \text{»} \text{R} \times | A « h \text{»} \text{Y} \text{í} \text{L} | \text{»} \text{Y} \text{í} \text{æ} \text{t} \text{æ} \text{o} \text{æ} \text{w} \text{ø} \text{D} \text{æ} \text{A} \text{¶} | (\text{§} \text{Y} \text{»} \text{o}$
 $\text{»} \text{o} | ; \text{æ} \text{ç} \text{A} \text{à} \text{`} \text{»} \text{æ} \text{o} \text{æ} \text{z} ; \text{æ} \text{A} \text{»} \text{x} | \text{»} \text{æ} \text{ç} \text{Y} \text{í} \text{æ} \text{A} \text{¶} | ; C$



p®É³/4¹³]©w


PowerVCR 'f..N¹w³]@oMPEG-
1³]@wÀÉ°N¹/4Æ¬°;u"}|n«~½è;vμø°T{y»s;C|p@G±z|]¬°-S§O¥Ø@o;A·Q-
n³]@w"ä¥|@o{y»s³]@wÀÉ@Í@w,q±z|Û¤v@o{y»s³]@wÀÉ;A
«h±z¥i«ö¤@¤U³]@wÀÉ«ö¶s"Ó§1;"^1¤u§@;C¹/2D°N³/4\
2Ä3³1@o;uμø°T®æ!;vD@w,qMPEG_Iμø°T®æ!;;A¥H"ú±o|³Äö³]@wMPEG-
1³]@wÀÉ@o,ê°T;C¥ç¹/2D°N³/4\@w,qMPEG-1
1/4v¤ù;ý»s¹/2d¥»°ò¥»@³/4ÄÑ;A¹ê»Û¤F,N³]@w;ý»s¹/2d¥»@o¤è@k;C

³] ©wμø°T/μ°T ḡ m

|p^aG±znC°t_mμø°T/-
μ°T^aoμwÅé, Ë, m°Ó½Ö¾ä¿é¤J, ê®Æ¬y; A½Ð«ö¤@¤U<³]©w>«ö¶s«K¥i°õ|æ|¹¤
u§@; C½Ð°Ñ|ò¹¼vµ°T₋₁; é¤[³]©w©w, qÅ^“úμø°T^ao®æ||; iA¥H”ú±o§ó|h, ê°TjC

µ®Ä"Ó·½³]©w

¡uµ®Ä³]©w;v¬O¹q,£¤µ®Ä¥d³]©w;A¥Ñ¤-
µ°T¥dÅX°Êµ{|||Ó©w;C¤U;C¹ê"Ó¬O;uESS Audio Drive;vÅX°Êµ{||¤µ°T²Ö¤A;CY-
n°t,mµ°TÂ^"ú®æ||;A½D°Ñ¾\µ®Ä¥d"Í¥Î¤ì¤â¥U¥H¤ÍMPEG-1 ³]©wÀÉ-
µ°T©w,q"Ó°t,m±z¤µ°T¥d;C



μø°T°Ó·½³]©w

μø°T³]©w;]Video Configuration;^


¡uμø°T³]©w;v¬O±Nμø°TÂ^"ú,Ë,mæo¿é¤J"i¹q,f
¤Wæo°T,¹§@³]©w³B²z;C!]¹;A;uμø°T³]©w;v§¹¥þ¬O®Ú³/4ÚμwÅéÅX°Êμ{;iæoÃþ«
¬Ó"·M©w;C¤U;C¹ê"Ó¬°¤ODA©Ó¥X²fæoFlyvideo II
μø°TÂ^"ú¥dÅX°Êμ{;iæo³]©wμe±;C|pæG±zæoÂ^"úÅX°Êμ{;i¤
f¬O³o¤@ºØ;A¤h¥X²{æo¿Ã¹ð·|¤f;P;C




μø°T³]©w

μø°T°Ó·½¬O©w,q PowerVCR ¥Ø«e¥¿§@¥î¤
¤æoμø°T°Ó·½æoÃþ«¬;C|pæG³s±μ"i±zæo¹q,f!³/4ÆÓμø°T°Ó·½
(Ó|p;A¿ý¹/4V³/4÷;B¹qμø¿i¥X³/4);A±z»Ýn¬° PowerVCR «ü©w¤@-
Óμø°T°Ó·½"Ó¿ý»s¹/4v¤ù;C

μø°T®æ!;©w,qμø°T¿é¤jæo,ÑæR«x¤i,ÑæR«x;C¹/4V¹³®æ!;³q±`¥HFour Character
Code(FOURCC)®æ!;ÓæíÜ;C¹/2D°Ñ³/4
μø°T®æ!;A¥H"ú±o,Ó²Ó,ê®Æ;C|pæGPowerVCR "t²jæo¤ä
'©©Ó¿i³/4Üæoμø°T®æ!;A¤h"æ³]©wÈ¤];·
Å¤¥Ü!b¹/4DÅÒ¥k¤U¤èæoμø°T®æ!;Äæ!;i;C'N!¹¹ê"Ó!Ó"¥
;A©Ó¿i"úæoμø°T®æ!;¬°Y41P;C|pæG±qμø°T²Ó¤A¹/4DÅÒ©Ó¿i³/4Üæoμø°T®æ!;¥
¹/4"ü"iPowerVCR¤ä'©;A¤h·|¥X²{;uPowerVCR¤¤ä'©;¹μø°T®æ!;væo°T®§;C



μø°Τ“Ó·½³]©wμe±



μø°T® æ|j

µø°TÅä¥Ü (Video Display) - Åºé¬°µwÅé, Ë, m!Ó³]ºø²ÖºA;CPowerVCR æ·|
±Ä¥¹³o°C°Ñ¹/₄Æ°Ó;ý»suø°T;C

**Å½Àà¼v¹³ μwÅéÅ^ú, Ë, m ©Ò'£"Ñ¤¬YÅþμø°T®æ|;("Ò|pYUÝ2);A¥í-à|b¿ý»s
'Á¶|¥H;u¤W¤UÄAË;]up-side-
down| ^v¤º¹/₄Ò|; "ÓÅä¥Ü;C±z¥íÀË¬d|¹¿í¶μ"Ã±N,Óμø°TÅä¥Ü×¥¿¬°¥
¿±`¹/₄Ò|;jC**

μø°TÂÐÅ|(Overlay¼Ò!;)»Pμø°T¹wÄy(Preview)¼Ò!;G;uμø°TÂÐÅ|
;v¼Ò!;¥i¥H±N¹q,£¹ï§îÅ|©ñ;b²{³ð©î¤w¿ý»S;n¤μø°T«H,¹¤W±
;A"ÃÄx;s"ä|X|"¤μø°T¹/4V¹³"íµwºÐ¤W;C¤x"ä¬OÆ{¬Ý¹/4v¤ù|r¹ð¤Ü;M'N»Ý-
;n"í¥í"í;juÅÐÅ|¼Ò!;;v;C¬O§_¬à¥H!¹¤è!;¬Ý"í,Óμø°T;A¥þ¥Ñ¹q,£
¤W¤Å,¹ï¥dÅþ«¬©Ò"M¤w;C(¤@¬ë,û·s¤Å¤Ü¥d;A|pAGP¶¤x¬y¤E¤Å¤Ü¥d;
;A³¤¤ä'©!¹¥"¬à;C!¹¥~±z¤Å¹q,£¥²¶;|w,ËDirectX¤DirectDraw¤~¬à¶¶¤QÅX°Ê¥!;C)
;v¬O!³"CA"¹ï¥d;b;uμø°TÂÐÅ|;v¼Ò!;¤U¤¤"¬à³/4A·íÅ¤¥Üμø°T;C³o-

Óæ¬æp|³®É¬O!]¬°μwÅéÂ^”ú,Ë,m»PÃ,¹Ï¥dÂX°Êμ{|;|æo½Ä¬ð©Ò³y|”;C|pæGμo¥
Í|¹±;|æp;A½Ð”Ï¥|;uμø°T¹wÄý¹¼Ò|;v;v;¶μ;C

½Ð°Ñ!Òμ°T”Ó·½³]©w

© w , q · s a o ¿ y » s ½ d ¥ »

μø°T © w , q

|p a G ± Z |³ S ® ¼ v x u ¥ X a © » Y " D i A ¥ i ¥ H © w , q | U x v a o ¿ y » s ½ d ¥ » ; C | Ü © ó |³ Ä ö MPEG - 1

Ä F Á Y a o , è ° T ; A ½ D ° N ; O MPEG - 1 μ ø ° T Ä F Á Y ¼ D · C |³ Ä ö MPEG - 1 ¼ v x u - [° c a o » ; C ú ; C

PowerVCR

' f " N ; u © T © w " C - í | x , ¼ A E ; v © i u © T © w m e ½ è ; v ° ò ¥ » Ä F Á Y x e ; i z i P u " O ¿ y » s ¼ v x u ; C

; u © T © w m e ½ è ; v i M ¿ y » s a o MPEG - 1 (" O | p " Constant Quality Movie " x i " Easy Movie ") a o " C - í | x , ¼ A E ¥ i - à x f © T © w ; A | y - O PowerVCR

· | « O Ä Ö ¿ y » s a o m e ½ è ; C ¿ y » s a o m e ½ è ¥ i ± q 1 - Ä " i 4 - Ä ; B 4 - Ä - O ³ i " i ; A | O 1 - Ä - O ¥ i ± m " ü m e ½ è ; C ° a < ~ ½ è ¿ y » s » Y n S ó | h a o μ ø ° T , è ® A E ; A · i μ M - U ¹ i x] · |

Ä à | " - ° S ó | h a o o f o D a Ä ¶ i a o » Y " D i C



· s ¼ W M P E G - 1 ¼ v x u ½ d ¥ »

© T © w " C - í | x , ¼ A E ° ò ¥ » x W - O ¹³ VCD ³] © w Ä E (NTSC x i PAL)

; A " ä " C - í ¿ y » s a o | x , ¼ A E - O © T © w ; A |] | ¹ ¥ i ¥ H | ô o â ¥ ô | ó x w a ¾ @ E ¶ i a o « x x § M P E G - 1 μ ø ° T © O » Y a o μ w o D a Ä ¶ i ; C μ M | O ; A V C D ³] © w Ä E " Ä x f - à « O Ä Ö ¿ y » s a o m e ½ è ; C



© T © w | ¼Æ aºº Ñ ¼Æ ³] © w

µe ® æ¤j¤p { i ¶µ - ° ° Ñ ± z { i ¾ Ü aº ¥ t ¤ @ Ó µø ° T « ~ ½ è { i ¶µ ; C µ e ±
¤ j¤p ¹ ª » Ú - O ¥ Ñ { A ¹ ð ¤ W aºº i - ª C © w , q ; C ± z ¥ i { i ¾ Ü » P ° Ó . ½ - Ü | P (as source) ; BCIF
(352x288) ; BSIF (352x240) © QCIF (146x144) ; C
µe ® æ ³ t ² v { i ¶µ ¥ i ³] © w ° C - í ¥ X ² { µe ® æ aº ± i ¼Æ (fps) ; C | p a G µø ° T { é ¤ J , E , m © QCIF AVI-
i © | A É aº µ e ± A aº ¥ Ü ³ t ² v ; A § C © ó ª y » s ³] © w A É © O © w , q aºº t ² v ; A « hPowerVCR · | ! Ü ° E
' ; j ¤ p aº L « á aº µ e ± " i ª y » s aº µ ø ° T ; A " i ± o ³] © w A É aº µ e ± A aº ¥ Ü ³ t ² v - Ü | P ; C | p a G-
n ¶ i ¤ @ " B ° t , mMPEG-1 µ ø ° T - [o c ; A ¹ / 2 D « ö ¤ @ ¤ U ; u ¶ i ¶ ¥
; v « ö ¶ s " Ó s @ ¶ i ¤ @ " B ² Õ o A ; C Y n ¤ F , Ñ ¶ i ¶ ¥ µ ø ° T ² Õ o A ; A ¹ / 2 D ° Ñ ¾ \ ¶ i ¶ ¥ ² Õ o A ; C

µ°T © w , q

½ D ° Ñ | O µ°T ³] © w Ä ö © ó | p | ó ³] © w { y » s MPEG-1 µ ° T ; C

MPEG-1¶i¶¥³]©w

Yn̄t̄_m MPEG-1³] © wÀÉao¶¶¥³] © w;A±z»Ýn̄ú±o¤@”Ç MPEG-1
¬[ºCºoºò¥»º3/4ÃÑ;C¹/2D°N!Ò MPEG-1 À£ÁYxîµø°T@æl;ijC



I;BB;BP μ e \pm^3]@w: 'N PowerVCR \approx ¶|¶¥µø°T³]@w[Ó"¥;A¥í³]@wMEPG-
1µe®æ²Ö|" \ddot{x} ®e;GIPB µe \pm ;B¶ÈIPµe \pm ;B¶È I µe \pm ;C |p^aG \dot{z} ³/4Ü¶ÈIµe \pm ;A«h,Ó-
µ°T·|»P°ÈöA JPEG µ°TÀÈÄþ;ü;C|¹³]@w[²£¥í·¥"Í«~½è^aøµø°T \dot{z} é¥X;A|ý·|
¹/4W \ddot{x} ;Ü³/4Ü^aø|ºD \ddot{a} ¶|;C|ý~O·íq,£¹B⁰å³t«x·U§Ö®É;AIBPµe-
±~O³|~í^aø| \ddot{z} ³/4Ü;C|]~°IBPµe \pm ^aø¹B⁰å~Ü·í½ÆÈø;M»Ýn,û^aÅÉ^aø¹q,£
 \ddot{x} ~`å³B²z§¹µ^{1/2};A|ý~O¥i¥H¥H,û,gÀÙ^aøÆÈAYå³¶|;Ax;sÀÉ®x;C

2^{3/4}° $\hat{E}|\hat{V}\hat{q}\hat{s}\hat{p}^3\hat{N}|$] Motion Estimation; $\hat{C}^3s\hat{\Delta}m\theta^\circ T\mu e \pm a_0 @ t^2 \hat{s}$ -
 $p_0 \hat{A} Y_0 \hat{U} \rightarrow ; u^{2^{3/4}} \hat{E}|\hat{V}\hat{q}\hat{s}\hat{p}^3\hat{N}| v_i C | p^a G \hat{S} \hat{U} | \hat{Y} \hat{I}^\circ \hat{P} \hat{O}^\circ t | X \hat{S} \hat{P}^3 \hat{N}$ (block matching technique)
 $| A \ll h^w w^1 | \hat{Y} \hat{I}^\circ \hat{P} \hat{O}^\circ P^r C \hat{x} @ 1 w | \hat{Y} \hat{I}^\circ \hat{P} \hat{O}^\circ |]$ predictor
candidate; $\hat{s} \hat{P} | a_0 @ t^2 \hat{s} a_0 | \hat{Y} | \hat{C}^{1/4} \hat{A} E \hat{Y}$
 $[\hat{Y} \hat{H}^3 | \hat{A} \hat{P} \hat{R} \hat{A} | A \ll h \hat{Y} i \pm o | \hat{Y} | \hat{a}^{2^{3/4}} \hat{E} | V \hat{V} \hat{q} | C \hat{Y} i | \hat{a} a_0 2^{3/4} \hat{E} | V \hat{V} \hat{q} \hat{s} \cdot j$
 $| M^{1/2} d^3 \hat{O} V | , P | \hat{Y} | \hat{C}^{1/4} \hat{A} \hat{E} | \hat{Y} | \hat{P} \hat{M} \mu | h \hat{Y} i \hat{Y} | \hat{O}^\circ \hat{O} | \hat{A} | C | \hat{O}^\circ \hat{E} a_0 \cdot j | M^2 F$
 $\hat{Y} i | \hat{a} \ll \sim 1/2 \hat{e} m \theta^\circ T | A | \hat{Y} | \hat{o} | \hat{Y} n | \hat{Y} | \hat{a} j | \hat{d}^3 \hat{O} a_0 \hat{a} j | \hat{q} | \hat{C}^{1/2} \hat{A} \hat{E} \hat{A} \hat{o}^1 B^\circ \hat{a} | \hat{a} \hat{a} O | C$

|u^{1/4}v³u^{1/2} $\mu\theta^{\circ}$ T²e³B²z^{1/2}v^{1/2}]Preprocessing|^{1/2}|C^{1/2}p³G^{1/2}| θ , μ , \emptyset , A^{1/2}h PowerVCR · |
|b^{1/2}¶|^{1/2}|æ^{1/2}A^{1/2}F^{1/2}Á^{1/2}y^{1/2}e^{1/2}±N^{1/2}A^{1/2}É^{1/2}-d^{1/2}é^{1/2}¶^{1/2} $\mu\theta^{\circ}$ T^{1/2}, $\hat{e}^{1/2}$ ®, θ E^{1/2}-y^{1/2}; A^{1/2}Y^{1/2}H^{1/2}T^{1/2}«O^{1/2}z^{1/2}y^{1/2}»^{1/2}s^{1/2}«~½è^{1/2}¶^{1/2}§^{1/2}»^{1/2}}|n^{1/2}|C^{1/2}y^{1/2}-O^{1/2}|^{1/2}|
|¶^{1/2}¶|^{1/2}b^{1/2}C^{1/2}P^{1/2}U^{1/2}3B^{1/2}2B^{1/2}z^{1/2}t^{1/2}«x^{1/2}¶^{1/2}f^{1/2}°^{1/2}÷^{1/2}§^{1/2}Ö^{1/2}®^{1/2}É^{1/2}; A^{1/2}Y^{1/2}|^{1/2}à^{1/2}|^{1/2}°^{1/2}§^{1/2}C^{1/2}z^{1/2}y^{1/2}»^{1/2}s^{1/2}®^{1/2}Ä^{1/2}-^{1/2}à^{1/2}|^{1/2}C^{1/2}

MPEG-1 μø°ΤÀ£ÁY¼Ð·Ç

MPEG-1 μø°Τ¼Ð·Ç

MPEG-1 μø°ΤÄÝ©ó ISO/IEC ¼Ð·Çº® a±Ú"t|C|CMPEG;]Motion Picture Expert Group; ^2ÓÀ'©w, qxF|P" B¼Æ|ì-
μ°TøÍ«D¥æ¿ù© È¼Æ|ìμø°Tøo|ì, , ê®Æ¬yäíÜøk; A¥iÀ£ÁYøp©ó 1.5
Mbpsºμø°T, ê®Æ; A"äøø¬ù 1.1 Mbps ¥í©óμø°T; A128kbps ¥í©óμ°T; A³Ñ¾løj¥í§@
MPEG "t²|; C

MPEG-1 ¥]§t¼ÆØ³; øÀ; A"äøøºt²|; Bμø°Tøíμ°T³; øÀ¬O§ÚÌÃöøßºø³; ¥÷; CMPEG-1
"t²|t³d§âø@Óμø°T, ê®Æ¬y»Pø@Ó©Ì|hÓμ°T, ê®Æ¬y¥[¥H|h-
«³B²z"Ã²V©M;]multiplexing; ^"Ã"Í"ä|P" BøÆ(synchronizing); C°f
øFÂºæ¹¼½©ñ¥~; AMPEG-1 "t²|, ê®Æ¬y"Ã"ä|³§ó|h½ÆÂøºø\

"à; A"Ø;pÀH¾÷; s"ú; B§ÖÀàøÍËÀà; C

MPEG-1 'f"Ñ¹½d³ò¹¼e¹¼sºø°T, ÑºR«xøí, ê®ÆÂ^"ú³t²v; CMPEG-1 ºø¥D-
nÀ³¥í¬°Àx|s¹¼vµ, ê°T©óÀx|s' CÅé|pCD-ROMøÍDAT; A"ä, ê®ÆÂ^"ú³t²vøj¬ù; b1.2
Mbpsºøk; C'N" C¬í30Óµe±»PÅä¥Ü, ÑºR«x¬°352x240ºø¹¼vøù; Ø"¥
; A;b|¹, ê®ÆÂ^"ú³t²vøUÀ£ÁY»P, ÑÀ£ÁYøø°Tºø«~½è; A»P VHS

¿ý»sºø«~½è¬Ü; ü; C

MPEG-1 μø°Τ¬[ºc

MPEG-1 μ°T¬[ºc

MPEG-1 ¼væù¬[øc


MPEG-1 æøÀ£ÁYæè; i

¥Ø«e±z©Ò¬Ý”ìæoVCD³f¬OMPEG-1æøÀ£ÁYæè; i; C”æ¹êVCD¥u¬OMPEG-1æ
 ææoæ@¶µ³W®æ!Óæw; M©w, q»PVHS¿ý¼v±a¬Û; Pµ¥¬Åæo¼vµ«~½è; C
 |pæG±z¹i¼væù½|±²|³æ@©wæo»{ÃÑ; M|mu²{æj³; ¥÷æo¼væùmu±
 ;M”æ¹ê«eæ@±i»P«áæ@±iµe±¥u|³«Üæpæo|æææf
 æ@¼Æ; CMPEG§Y¬O§Q¥|¹æ@¬S©Ê; M|bæ@²Öµe±(frame)æ
 æ©w, q¥X²Äæ@±i; u°Ñ; Òµe±; v; M«áÄòæoµe±; M¥u¬ö¿ýæ
 £|Pæo³; ¥÷; C·íµM¥ÑMPEGÀ£ÁY¥X”Óæoµe±·||³”Ç¥¢¬uæo±; æp; Mæ
 £¹L»P©Ò, ¬ÙæoæÄ¶; æñ_”Ó(¶W¹L50; ¥HæWæoÀ£ÁYæñ²v)
 ;M¹ê; b¬O; u”qÀÁæj, J; v; Cæ@²Öµe®ææo²Ö!“; M|bMPEG-1³N»yææoÙæ§¬°GOP
 (Group of Pictures); C

MPEG±Ä¥|³øææk”ÓÀ£ÁY”Cæ@Óµe±: Iµe±(Intraframe); BPµe±(Predicted frame)
 ;B¥HæîBµe±(Bi-directional frame); CæTºØµe±æo»; ©ú|pæU:

- n Iµe±: ±N³/4æÓµe±À£ÁYæx; s; A§@¬°GOPæo°Ñ; Òµe±; C
- n Pµe±: Äx|s©M«eæ@Ó°Ñ; Òµe±(I©ÍPµe±)æf; Pæo, ê®Æ; A©Ò¥HPµe±
 ¥u|û«ÜæpæoæÄ¶; ; A|y¬O»Ýn, û|hæoþæ; M¥|²³/₄Æ!ô¶æ§þ³N”Ó-
 þæoæÄ¶; C
- n Bµe±: ¥Hæ§«e¥Hæîæ§«áæoI©ÍPµe±§@¬°°Ñ; Òµe±; A©Ò¥HæÙ§@Âù; Vµe±
 ; C!³Bµe±æoMPEGÀÉ; AÀx|sæÄ¶; ¥i¥HÁYæo§þæ; A|Ó¥B¥i¥H¹/₂S¹/₂X¥Xæf
 ; ù¹¼½©ñ©ñ«~½ææoÀÉ®x; Aæf¹L»Ýn, û|hæo¹q, F¹Bºæ; C


0 µe±åæä¥Ü¶¶§ç:



µe±¶çæé¶¶§ç

0 I P B B I B B

MPEG¹/₄v°T, ê®Æµ²⁹c



MPEG-1 μ°T¬[οc

PowerVCR μ°TÀ£ÁY¤ä' © MPEG-1 ¼h!, 1x½h!, 2''âºØ¹¼Ø!; ; C
0 iu¼h!, 1iv¾A|X|ì¤, ³t²v¶W¹L128 kbps; M|y¬O¤£¥i;bÀ£ÁY³t²v¶W¹L384
kbps±ø¥ó¤U½s½X; C"Ø;p;APhilips¥d; ; ¼Æ|i¥úºD (DCC) "i¥½h!,
1À£ÁY;]"CÀW¹D192 kbps; ^; C
1 iu¼h!, 2iv ²º¥Ø¹¼D|ì¤, ³t²v¬" CÀW¹D128
kbps; C¥i"i¥ÍSó|³®Äºoµ{; ; ½X"Óºi¥Ü|ì¤, ²º¤Àºt; C|¹¼h!, ²º¥i"àÀ³¥í" CD-ROM
¤Wºoμ°TÀx|s¤¹½vμ¥úºD¤Wºoμ°Tºi; C



0 MPEG-1μ°TÀ£ÁY½d¥»³]©w

μ°T¹¼Ø!;

MPEG-1 μ°T¹¼D·Ç©w, q¥i¤ä' ©1©Î2μ°TÀW¹Dºo|ì¤, , ê®Æ¬y; G³æ¤@ÀW¹D (³æµ)
; B"âÓ¤W¥ßÀW¹D(Âùµ)©î¤@Ó¥ßÅéÁn«H, ¹(¥ßÅéÁn); C¥ßÅéÁn«H, ¹ºo"â-
ÓÀW¹D¥i¤W¥ß³B²z (¬º¥ßÅéÁn)©î¬°; uÁp|X¥ßÅéÁn; v "Ó¹B¥í¥ßÅéÁnºo-
«¹½Æ; C±z¥i;bμ°T ²ÖºA¹¼ÐÅØ¤W¬Ý"; ; A³o¥|Óμ°T¹¼Ø!; i¤i¥û¤µ¥i¥ô±z¤i"ú; C¥|-
|ºo" S®í«~¹½è¤Àz|p¤U; G

0 iu³æµ; v¬"ºæ¤@μ°TÀW¹D; C·í±z»Ýn³|§Cºo¥i"à; ; i¤, ³t²v®É; A"i¥í³æ-
μ³]©w»P³æµ"Ó·¹½; C


MPEG-1 μ°Τ³]©w

MPEG-1 μ°ΤÀΕÁY

PowerVCR μ°ΤÀΕÁY¤ä' © MPEG-1 ¼h|, 1¤½h|, 2"âºØ¹¼Ò!;jC

0 |u¼h|, 1|v ¾A|X|j¤, ³t²v¶W¹L128 kbps; M|ý¬O¤£¥i;bÀ£ÁY³t²v¶W¹L384
kbps±ø¥ó¤U½S½X|C"Ò|p;APhilips¥d|;¼Æ|i¥ú¤D (DCC) "i¥½h|,
1À£ÁY;]CÀW¹D192 kbps; ^|C

1 |u¼h|, 2|v ²¤¥Ø¹¼D|¤, ³t²v¬°"CÀW¹D128
kbps; C¥|"i¥§ó|³®Ä¤¤µ{|;½X"Ó¤i¥Ü|¤, ¤¤¤À°t|C|¹¼h|, ¤¤¥i"¤¤¤À³¥i"¤¤CD-ROM
¤¤¤W¤¤¤µ°TÀx|s¤¤¤½v¤¤¤µ¤¤¤D¤¤¤W¤¤¤µ°T¤¤¤i|C



0 MPEG-1μ°ΤÀΕÁY½d¥»³]©w

μ°Τ¼Ò|i

MPEG-1 μ°Τ¼D·Ç©w,q¥ix¤ä' ©1©12μ°ΤÀW¹D¤¤¤, ê®Æ¬y|G³¤¤¤@ÀW¹D (³¤¤µ)
¤¤¤B"âÓ¤¤¤W¤¤¤ÀW¹D(Âùµ)©¤¤¤@Ó¤¤¤B¤¤¤é¤¤¤Án¤¤¤H,¹¤¤¤(¥¤¤¤B¤¤¤é¤¤¤Án);C¤¤¤B¤¤¤é¤¤¤Án¤¤¤H,¹¤¤¤â-
¤¤¤Ó¤¤¤ÀW¹D¤¤¤i¤¤¤W¤¤¤B¤¤¤z (¬°¥¤¤¤B¤¤¤é¤¤¤Án)©¤¤¤i¤¤¤u¤¤¤Áp|X¤¤¤B¤¤¤é¤¤¤Án¤¤¤v "Ó¹B¤¤¤i¤¤¤B¤¤¤é¤¤¤Án¤¤¤-
¤¤¤¹½Æ|i¤¤¤C¤¤¤±¤¤¤Z¤¤¤i¤¤¤b¤¤¤µ¤¤¤T¤¤¤²¤¤¤Ó¤¤¤A¤¤¤¹¼¤¤¤D¤¤¤À¤¤¤O¤¤¤W¤¤¤¬¤¤¤Y¤¤¤i¤¤¤A¤¤¤³¤¤¤o¤¤¤Y¤¤¤|Ó¤¤¤µ¤¤¤T¤¤¤¹¼¤¤¤Ò|i¤¤¤i¤¤¤¶¤¤¤µ¤¤¤¥¤¤¤i¤¤¤¥¤¤¤ô¤¤¤±¤¤¤Z¤¤¤i¤¤¤ú¤¤¤C¤¤¤|-

|ao- S®í«~½è¤Àz|pxU|G

0 ³æμ⁻º³æ@μ°TÀW¹D;C·í±z»Ýn³ì§C^{ao}¥í-à|ìæ,³t²v®É;A"í¥í³æμ³]©w»P³æ-
μ"Ó·½;C

1 ¥ßÅéÁn¥]¬A”âÓ{W¥ßæoÀW¹D;CÁöµM³/4âÓ{|x,³t²v¤

£©T©w;C½s½Xμ{|;”¥†¹¹⁴u©Ê“ÓS†”}«~½è;A“äæè¤k¬¤À°t,Û|h|ì¤,”“ä|³,Û|h
°Ê¤A«H,¹¤¤ÀW¹D;C|b,Û°¤|ì¤,³t²v¤U”“¥†;u¥ßÅéÁn;v¹F”³”“Í«~½è¤¤¥ßÅéÁnµ°T;C

Áp|X|Y|B|Aé|Án|Y|º|a|ÀW|v|Y|a|B|Y|k|ÀW|D|a|o|¬|Y|C|l|x|P|i|æ|Áp|X|C|1|a|¬|a|p|Y|i|S|”|}|À|E|ÁY

⑧Ä²v;A¶È"ü"ì¥ßÅéÁn¤ÀÂ÷¤»'·L·|¥¢;C,û§C¤ÀW²v¥†§@¥

i± aoyßÅéÁn;A, u°aaoÀW²v¥î§@Áp;X¥ßÅéÁn;C\|b, u§C^{aoy}|ìx, ³t²v¤U;A±q¥

;)±`¥ßÅéÁn¤f©ö;ë§O32 ÀW±a¤o³]©w;C¹/₂Ð!b¤

¤C!}©ó³t²y¤U"¡¥í;uÁp!X¥ßÅéÁn;v "ÓÀò"ú³¡"í«~½è;C

0 ÅùuÀW¹D¥]¬A"âÓs¹¥b;W¥ßaoÀW¹D (¥a/¥k);A"Çx@ÀW¹D"ã!33/4-
-

Ó!ìg ³t²y²⁰g@¥h;C³g+`¥!h:h°ê»v..¥u°Tu{!;gg;

1 PowerVCR!Ó¼{}")|||U|U°T"Ó·½¥j-à¤¤f!P«~½è;C"|"¥¹¤|¥|;"¾|º¾!n"Ó

U°T°Å:èæoU°T:é¥X¹/₂Ø!;c

$\mu + \lambda_c c - \mu + \lambda_c x_1 x_2 y_1 y_2$

«Ø¥ß¼Æ|ì¼vµøus@«Ç

°õ!æμ°Tjý»sø§«e;Aº¥ý»Ýn°t,m½v-
μøus@Àô¹Ò;C¥Ñ©óPowerVCR¬°ø@®M¼Æ|ìMPEG-1¼v-
μÀ£ÁY³nÅé;A¬G¥||b±zºq,f»P¼vøù”Ó·½ø¶|(|”Ó|p;ý¼v¾÷;B¹qμø;í¥x¾¹;B
Äá¼v¾÷μ¥;^;A¥²¶·,Ë,m³/A·íºÆ|½u³s±μ;MÁÙn|³¼v-
μ°T,¹Å^”ú,Ë,m(”Ó|pμø°TÅ^”ú¥d)±NÃþøñ°T,¹Åà
’«|”¼Æ|ì°T,¹;Cø@¥¹³s±μ;”¥|«á;A PowerVCR §Y¥i±q±zº¼v°T;éøJ”Ó·½Å^”ú-
ì©l¼v°T,ê®Æ;A±N”ä;ý»s¬° MPEG-1 ÀÉ;A”Ã±μμÛ¼½©ñ©Ò;ý»sº MPEG-1
ÀÉ;CYn§¹|”¼Æ|ì¼vµøus@«Çºt,m;A½D°ø;æøU;C”BÆJ;G


±Nμø°TÅ^”ú¥d¥;zºT|a’;øJ±z¥D¾÷aOº PCI ’;i¼Ñ;]PowerVCR»Ý-
n¥ºt«x,û§ÖºPCIø¶±Å^”ú¥d”Óμo’§¥RøÀºø\
-à;^;C|Ü©ó;|p;ó;w,ËÅ^”ú¥dμø°TÅX°Êμ{|;”ì±zºø
Windows§@.~”t²øW;A½D°Ñ;Ø±zºøμø°TÅ^”ú¥d;w,Ë»;©ú;C

0 ¥î¥

zºTºøμø°TÆ|½u;]SºÝøI©ÍAVºÝøI;”Ó³s±μ±zºøμø°T”Ó·½,Ë,m;A”Ó|p;ý
¼v¾÷;BCCD Äá¼v¾÷;B¹qμø¾÷;]øpºGμø°TÅ^”ú¥døW|³¹qμø;í¥x¾¹;éøJ
’;i®yº,Ü§Y¥i”í¥;^;C

1 ¥îμºTÆ|½u³s±μμ®Ä¥dºø;uμºT;éøJ;v»Pμø°T”Ó·½ºø;u-
μºT;é¥X;v,Ë,m;C”Ã±NμºT¥d³s±μ”ì±zºø;éøJ;v»Pμø°T”Ó·½ºø;u-

³q±`μø°TÅ^”ú,Ë,m»s³yºÓ·|
ÀØºexø”äμ{|;jMÅý±z¥i¥Hº”øW¥Ñ¹q,fº½±μÆ[¬Ý;éøJºøvøù;C½D”í¥;íøu”ä
μ{|;j¥ý;æ”ú,Ö¬O§_¼vμºT,¹¥;zºTºø;éøJ;v,f;M;A¶;iæPowerVCRμ{|;jø¶;w,Ë;C
0 ±zº¼Æ|ì¼vµøus@«Çºø;é»Ú²ÖºA¥i”à;|]±z”í¥;íøU®a¾vÅé¾tμP;Ó;íø;C
f;P;A;ý±zø”¥i°Ñ;ØøU;C¹í”Ø±o”ìø@”ë“üøP;C



!p!ó±NÃþñ½v¤ù°T, ¹Â^"ú!Ü¹q, f¤W


±NÄþxñ¼v¤ù°T, ¹Â^"ú; Ü¹q, f ¤W

μø°T¤íμ°TÂ^"ú, Ë, m

μø°TÂ^"ú, Ë, m(PCI±¼v¹³Â^"ú¥d; B©Î¬O²Å|XUSB; BFirewire±-
±¾v¹³Â^"ú, Ë, m); CIBM PC©Î¬Û®eaoÓ¤H¹q, f
; A¥²¶·g¥Ñ¹q, fæøμø°TÂ^"ú, Ë, m("Ø|pμø°TÂ^"ú¥d)
; M¤~"à±q±q{y¹/4v³/4÷(VCR); BÄá¹/4v³/4÷(1/4Æ|; CÎ¬OÄþxñ)Â^"ú¹/4v¹³«H, ¹; MÂà
'«|"§@·~"t²l(Windows)»{±o¤§¹/4v¹³°T, ¹; M|A¶i|æ¹/4v¤ù¹/2©ñ; C¤j³; ; Áμø°TÂ^"ú
, Ë, m¤W|³S¤Y¤l(S-Video)±μÀY©ÎAV¤Y¤l(Composite-Video)±μÀY; A©Î"âøì³£|³; C



0 類比--數位控制晶片



1 2 Ø|X¥d(VGA+Capture+TV Tuner)

S¤Y¤l(S-Video)¥H¤lAV¤Y¤l(Composite Video)¤o³W®æ|bÆ|¹/₂u¤i±μÀY¤@, `¤
¤|³, Ø²Óæ»; ©ú;]Ü©óμ°TÂ^"ú; A«h¥²¶·³z¹L-

μ®Ä¥d;A!]¬°¤j³;¤Àμø°TÂ^"ú¥d¶È-àÂ^"úμø°T;Cj^³q±`ÁÊ¶Rμø°TÂ^"ú,Ë,m·|
¤þØAVI ¼v-

μÀÉ®×¿ý»sμ{|;C³q±`|b±zÀÉ¶Rμø°TÀ^"ú,Ë,m³]³Æ®É|M¥],ËxºÀ³·|
²þÀØ²Å|X³W®æ²ºÆI¹½u;C

0 **1qμø¿i¥x¾¹, E, m(TV-Tuner); G** **3\|hø½¥qøw, g!æ¾P-**
ÓøH¹q, f²o; u¹qμø¿i¥x¾¹; v; C|p²G±z²o¹q, f°t³Æ|³³o⁰Ø, E, m (³q±`¬OPCIø¶±¥d)
¥Høi|¬°TøÑ½u; M«h¥i¥H±μ!¬¹qμøµL½u¹qÀW²v; A, Ñ½Ö NTSC; B PAL; B ©î
SECAM(µL½u¹qμø³W®æ)«H, ¹; MÀà'«|¬¼Æ|i®æ|; M|b¹q, f
øW¹½©ñ; C|p²G¹¿i¥x¾¹, E, m³søW|³¹½u¹qμøÆ|¹½u; Mø]
¥i¥H|¬¬Ý|³¹½u¹qμø, `¥Ø; C³q±`ÁÈ¶R¹qμø¿i¥x¾¹, E, m·|a|bØAVI ¼v-
μÀÉ®x¿ý»sμ{|; i; C

**2Ö!X¥d(Combo Card);G¹qμø¿í¥x^{3/4}¹xø°TÂ^“ú¥d;]x]³\|A¥[x] VGA
.E,m;^2Ö!X|b@xù¥d¤W|C**

μ®Ä¥d;Gμ®Ä¥d³q±`|^³¤@Ó³Á§J·¿é¤J'¡¤O(MIC);B¤@Ó³â¥z©Î|Ó³/4÷¿é¥X
'¡¤O(Audio Out);B¤@Ó½u,ô¿é¤J'¡¤O(Line In);C½u,ô¿é¤J¤O©M³Á§J·¿é¤J¤O¤£
¥i¥H¤¬`«;C|UÓ¿é¤J'¡¤O³F"Í¥î¤F|P¤o¤T,¹Ãþ¤¬;C¤j³;¤À"Í¥î¤"Í¥î³Á§J-
·Ó¿é¤J;A"Í¥î³â¥z©Î|Ó³/4÷§@¬°¿é¥X;C PowerVCR ¤ä'© 16!¡¤, ISA ¶x¬y±Æ-
μ®Ä¥d¤ 32!¡¤, PCI ¶x¬y±Æμ®Ä¥d"â¤¡;C

μø°TÂ^"ú¥dÅX°Êµ{|

¥» ` » ¡ © ú|p|ó¥ÑWindows 95/98
"t²îÀò±oμø°TÂ^"ú¥dÅX°Êμ{|;i³o,ê°T;A¥H¤í|p|ó|w,Ë©î§ó·sμø°TÂ^"ú¥dÅX°Êμ
{|;i|C
{|w,Ë¥¿½T³oμø°TÂ^"ú¥dÅX°Êμ{|;i·¥¬°«n;C|p³G±z³oμø°TÂ^"ú¥d¤
£¬à¾A·íB§@;A©î°O®Ú¥»µL¤k¤u§@;C"ä|i]·¥
¥i¬à¬OÅX°Êμ{|;i³ºÝÄD;]©î|]w,Ë¤F·í;B©î|]ÅX°Êμ{|;i³©¥»¿ù»~;i^;C|p³G-
|;i]½T¹ê|p|¹;A«h¶·ÀË¬d"t²î¤W³oÅX°Êμ{|;i,ê°T;C
0 |b Windows "t²î¤¤;A"í¥í¤|¿í"ú;u±±"í¥x\^t²î,Ë,m³p²z-
û;v;A«K¥iÀËμøμø°TÂ^"ú¥dÅX°Êμ{|;i³o,ê°T;M©î«·s³]©w¤î§ó·s;C{í"ú;u,Ë,m³p²z
z;u;v¼ÐÅÒ¤W³oμø°TÂ^"ú¥d;AμM«á«ö¤@¤U;u¤º®e;v«ö¶s
;]©î«ö"â¤Uμø°TÂ^"ú¥d¹í¥Ü;^;A§Y·|
¥X²{|;u¤º®e;v¤ºí,Ü¤è¶ô;C{í"úí,Ü¤è¶ô¤W³o;uÅX°Êμ{|;i;v¼ÐÅÒ;A·|
¥X²{|ÅX°Êμ{|;i³o©¥»,ê°T;C;A«ö¤@¤U;uÅX°Êμ{|;iÀÉ,Ô²Ó,ê®Æ;v«ö¶s"ú±o|w
,Ë|b"t²î¤W³oÅX°Êμ{|;iÀÉ,ê°T;C|p³G-

n§ó·sÅX°Êµ{!;A«ö@¤U;u§ó·sÅX°Êµ{!;v«ö¶s¶|æÅX°Êµ{!;§ó·sµ{§ç;C



ÆI½u¤î±µÀY

0 Æö©óµø°T®æ!;

ÆI^{1/2}UXÍ±µÀY

æf|Pao μø°T, Ë, m»Ýn¥îæ

£|PÃ¶«¬¤¤¤S±µÆI½u|M¥H³S±µ;uµø°TÓ·½,Ë,m;v»P|w,Ë©Ó¹q,£

¤W^{ao};uμø°TÂ^"ú, Ë,m;v;C³q±`ÁÊ¶Rμø°T, Ë,m®É·|

ÀHæþÆl½u;Cæj³;æÀµø°TÀ^"ú,Ë,m"æi³AVºÝæl(Composite-Video)æl SºÝæl(S-

Video) "ø Ø' ; æ ð ð ± μ Å Y ; C |³" C ° a Å E a o Å ^ "ú , Æ , m - Å E ; Ü A Ù a b |³¹ q mu ø ï ¥ x ³ / ⁴ ' ; æ ð ; C



Composite Video Connector



S-Video Connector

AVºÝæl'¡æØ¥í|b,û«K©y¤ºµøºT,Ë,m;A·|^²£¥í³ææ@µøºT«H,¹;C|p¤G¬O VHS

Äá¿ý¹/₄V³/₄÷©Î¿ý¹/₄V³/₄÷¡A¬ºComposite-Video'¡¤Ö¡C¡ÓS-Video

' ¡¤Ø¥i¥H¶Czé, ûº¤«~½è¤ºµøºT¤H, ¹¡C|p¤G±z¥îSuper VHS © îHi-

8 Åá {ý ¼ V ¾ ÷ © î {ý ¼ v ¾ ÷ | A ¬ ° S-Video ' | æ Ø | C ½ D ° Ñ | Ø µ ø T ® æ | i | C

${}^3S \pm \mu\mu\theta^\circ T^\circ O^{-1/2} E_m \nmid \nexists D^1 q, f$

Yn³/4A·í|a±Nμø°T, Ÿ,m³s±μ”ì¥D¹q,f;A»Ýn”ä³AÆ¤U|CÃB¥~ , Ÿ,m;G

μø°T, Ÿ, m©Ø¥îæøμø°T;éæj/;é¥X (Video in/out) **ÆI½u;C°Ø|p;A³s±μVHS**

¿ý¹/₄v³/₄÷”í¹q,£;A»ÝnAVºÝx|Æl½u;A¥H³s±μ;ý¹/₄v³/₄÷”oμø°T;é¥X(Video out)

‘¡¤»Pμø°TÂ^”ú¥d¤ø°T¿é¤j(Video in)’¡¤;C

μ® Ä¥d © Ø¥îæo μ® Ä¿éæJ/¿é¥X(Audio in/out)ÆI½u;C”í¥î-

μ°TAE|½U³S±μ;ý¹/₄V³/₄÷¤W¤μ°T½U,ô;é¥X (Video Line Out) '¤¤Pμ®Ä¥d¤W¤-

$\mu^o T^{1/2} u$, $\hat{o} \hat{z} \hat{e} \hat{x}$ (Video Line In) | $\hat{x} \hat{O} ; C \mu M \ll \hat{a} \pm q \mu @ \hat{A} \hat{Y} d \hat{a} \hat{o} \mu^o T^{1/2} u$, $\hat{o} \hat{z} \hat{e} \hat{Y} X$ (Video Out)

'jæO³s±μ"l³â¥zjC

‘£’Ñ§óº¤³t¤º¶Ç¿é³t²v;A”Ã¥í¥H;b¤fÃö³¬¥D¹q,f¤º±

|²p_xU³s±μ»PxĀĀ_».Ē,m;C²{|bFireWire

$\pm \mu \Delta Y Y^* \otimes \phi \ll -\frac{1}{4} \Delta E |ij\rangle \langle ij| D V_i \wedge A_a \{ y^{1/4} v^{3/4} / (C^3 \ln \text{PCI})^{1/4} N^{a_0 1} q, f Y D^{3/4} / \partial O \pm N x_a \}$

©FireWire ±µÀÝ¥†§@µø°T¿é¤J;C

μø°T®æ|i

Ãþxñmuø°T®æ|i (Analog Video Format)

Composite-Video (AVøYøI±µAY)

¬°ø@¬ë1qμø;BVHS¿ý©ñ1/4v3/4÷μ¥©Ò¬í¥îøøμø°T®æ|i;C¥|¬Oø@ø|X|¬μø°T¬°
ø@øØμø°T«H,1®æ|i;A¥]§t§13/4øøμø°Tøi§i;A²[¬A|â«×(Chrominance);]|â±m,
color;^;B¥ú«×(luminance);]«G«×, brightness;^;B³ø(field);B½u±ø(line)
;B|â±m;P“B¬øøi(color sync pulse)øi³ø¬Ûμ¥øÆ¬øøi(field equalizing pulse);CNTSC
μø°T«H,1¬°|X|¬;]Composite;^μø°Tøø1ê¬Ò;C¥Ñ©ó|â«×øi¥ú«×«H,1øøÅDÅ|
;]overlay;^;A|X|¬«H,1|b«·s»ss@·C¹/₂T|â±m®É¬SSO©ö©ó{ù»~;C
S-Video(SøYøI±µAY)¬°
Hi8;BSVHSø@¬“C¥HLD²£«~©Ò¬í¥îøøμø°T®æ|i;C¥|¬í¥î|høØÆl½u¬ÓøÀ§O¶C°e
¥ú«×øi|â±m³;øAøøT,1;CS-Video|b«·s»ss@¥{¹/₂T|â±møè±;A³q±`·|
³Ö¹LComposite-Video;C

¹/₄AE|iμø°T®æ|i (Digital Video Format)

Four Character Code

(4|rø, ¹/₂X©ÍFOURCC)¬O·L³n©Ò©w,q§@¬°Windowsø§μø°T³;øÀøø4;ø,²øμ{|;¹/₂X;
A¥î“Ó{ë»{øF|PÃb«¬ø¹/₄AE|iμø°T,ê®Æ;C·L³nø½¥q©w,q
FOURCC“Ó{ë»{|b¥¹/₄À£ÁY¹/₄v¹³øμø°Tøø¹í¬À³]p;C“Ò|p;AFOURCC *YUY2*{ë»{|b
YUV ¥ú¹/₄vøø¹í¬À(pixel)øø®e;]RGB¬O¹í§øø¹í¬Àøø®e;^;C³o“Çμ{|;¹/₂X³£
¥î|bμø°Tø^“ú¥d»PÃ,¹í¥døøøøøø;C

VGA¥d¤Íµø°T«Å|¼Ò|i(Video Overlay Mode)

VGA¥d(PCÅ, ¼¥d)

²{¥NÓ¤H¹q, £¤Ã, ¹Í±±”íµ{|;¤w, g¾¤|X¤F³\|hµwÅé¥\ -à”Ó§i”}µø°T¤o½½©ñ;C;]|¹;Aµø°T¥[³t¥\ -à;¤j³;¤ÃÃ, ¹Í’¹¤ù¤¤¤w|”¬°¼·D·C;C¬¤F«OÃØ³ì¤C¤Ã, ¹Í“~½è;A±z¤Ã, ¹Í¥d¥²¶·³ì¤Ö“à°÷Å¤Ü256;â;C²{|b'X¥G©Ø|³¤ PCI ¤Ã AGP µø°T¥d³£“à¤ä’©³o¶µ°¤¥»»Ý”D;C

µø°TÅÐÅ|¼Ò|i (Video Overlay Mode)

µø°TÅÐÅ|(Video Overlay)¤¤¥Dn¥\ -à;¤b¤N”åÓ¤f|P¤¤µø°T°T, ¹(”Ø|p¼v¤ù©M|r¹Ø)-¤Å|;¤b¤@°_Å¤Ü;C¤@“ë, ü·s¤¤Å¤Ü¥d(|¤AGP¶x¬y¤E¤¤Å¤Ü¥d)³¤¤ä’©|¹¥\ -à;¤C|¹¥~¤z¤q, £¤¥²¶·¤w, Ë¤DirectX¤Í¤DirectDraw¤~“à¤¶¤Q¤X¤Ü¥|;C

$\frac{3}{4}$ ° Motion Estimation

$\frac{3}{4}$ ° Motion Estimation | $C^3s\Delta\theta\mu\theta^\circ T\mu e \pm \alpha @ t^2 \delta - p^2 \alpha A Y^2 U - \dots$; $u^{\frac{3}{4}} E | \hat{o} q s b^3 N; v; C | p^2 G S U | \dots | \hat{Y} | \hat{o} | \hat{t} | X S b^3 N$ (block matching technique)
| $A \ll h^2 w^2 i / \sqrt{q} \hat{o} \hat{t} \hat{Y} \hat{v} \hat{p} \hat{C} \hat{X} \hat{S} \hat{b}^3 N$ | predictor candidate
 $\hat{x} \hat{s} \hat{p} \hat{i} \hat{a} \hat{o} @ t^2 \delta \hat{a} \hat{o} i \hat{Y} \hat{v} \hat{p} \hat{C} \hat{X} \hat{S} \hat{b}^3 N$
[$H^3 | \hat{x} \hat{s} \hat{p} \hat{i} \hat{a} \hat{o} | A \ll h \hat{Y} \hat{i} \hat{a} \hat{o} i \hat{Y} \hat{v} \hat{p} \hat{C} \hat{X} \hat{S} \hat{b}^3 N$]
 $M^{1/2} d^3 \hat{O} V, P | \hat{Y} \hat{v} \hat{p} \hat{C} \hat{X} \hat{S} \hat{b}^3 N$
 $\hat{Y} \hat{v} \hat{p} \hat{C} \hat{X} \hat{S} \hat{b}^3 N$

À Á É Ó Ñ Æ Ì

|þ¤G±z¥†”ä¥Lçý¹/₄v, Ë, m©Î¬O¹/₄vµ¹/₂sçèµ{|;»s§@¤FAVIÀÉ;M·Qn±N”äÀà
’«¬°MPEG-1ÀÉ¥H ’¤Öøº¤D|û¥†¤Å¶;|¤PowerVCR¥†”³³t|Ó» ’¤Ö¤¤§¹|”¹/₂s¹/₂X (Àà ’«)
¥\”à;AA°¤U§¹|”¹/₄vµÅ¤ÁY¤u§@;C¤£¹LMPEG-1 ÀÉ¤¤¤~¹/₂è¤£·|
¶W¹L”Ó·¹/₂¹/₄v¤ùÀÉ;C

|p^aG^oÓ·½ÀÉ^{ao}¤º®e¤£Â|XMPEG-1©Ò³]©w¿Ý»s¹½d¥»³W®æ;APowerVCR · |
½Ò³/₄ã “Ó·½ÀÉ”Í¥!²Â|X»Ý”D;C “Ò|p;AMPEG-1 ¤§VCD³W®æ;uµe±Åã¥Ü³t²v;v¬°
”C¬í23.976;B25;B29.97;B¤¹ 30Óµe±;CY”Ó·½ÀÉ^{ao};uµe±Åã¥Ü³t²v;v¤£²Â|X¤W-
z³t²v¤§¤@;APowerVCR · °õ|æ;uµe±Åã¥Ü³t²v;vÂà ‘«;A”Í±o”Ó·½ÀÉ²Â|XMPEG-
1¹¼Ð;C|M”Ã¥B°µ!h¶µ¹½Ò³/₄ã;A”Í±o”Ó·½ÀÉ²£¥í²Â|XMPEGÀÉ^{ao}³|”Í~¹/₂è;C



PowerVCR "Í¥ÍáÌ¤¶±³]p (AVIÀMPEG-1ÀÉ®×¼Ò|i)

±NAVIAÉ½S½X¬°MPEG-1ÀÉ¤º..BAEJ

- «ö¤@¤U<µ{|;Àà'«>«ö¶s"Ã¿í"ú<¼Æ|i¹¼vµÀ'«³⁴>¿í¶µ;C
 - «ö¤@¤U<¼W¥[¼vµÀÉ®×>«ö¶s"Ó¥s¥X¥Ø;ý²M³æ;C;b PowerVCR;u"í¥í¤¶µ±|v¥k¤U¤è;uÀÉ|W|v¤µøµ;¤º;A|bÀÉ®×"t²í¤¤¿í"ú»ÝnÀ'«¤ºAVIÀÉ;C«ö¤@¤U<*>«ö¶s;A«h.|¥X²{¼vµ;ý»s;u¹½d¥»;v;í"ú²M³æ;C



3. ±q¼vμ¿ý»s;u½d¥»;v¿ú²M³æμøμ;¤;A¿úºú¥ô¤@¤ØPowerVCR©Ø
'£"Ñ©Î¬O"Ýâì;Ûq¤MPEG-1μø°T¿ý»s;u½d¥»;v;C<¤¤@¤U<* >«ö¶s;C



4. |P®É;A|p¤G±znÀà '«¾¤Ó AVIÀÉ;A½ÐÄ~Äò«¤¤@¤U<*
>«ö¶s;C©Îä;A|p¤G¶ÈnÀà '«AVI¤¤¬Y-
Ó¤ù¬q;A½Ð·Æ°Ê<S>·Æ¶s(S¥N¤í¶}©l)³]©wÀà '«¤¶}©lÂl;A"Ã·Æ°Ê<E
>·Æ¶s(E¥N¤íµ²§ô)³]©wµ²§ôÂl;C§¹"¶}©lÂl¤µ²§ôÂl©w,q«á;A½Ð«¤¤@¤U<*
>«ö¶s;A\$Y·|¥X²{ «ü©w<¥Ø¤¤ÀÉ;W>¤¤¹i,Ü¤è¶ô;C



5. «ü©w<¥Ø¤¤ÀÉ;W>¤¤¹i,Ü¤è¶ô¤¤;A«ü©w¥Ø¼ÐMPEG-1ÀÉ¤¤,Ô®|
©MÀÉ;W;C½Ð«¤¤@¤U<Àx;sÀÉ®x>«ö¶s"Ó½T»{³]©w;CµM«á«¤¤@¤U<*>«ö
¶s"Ó§¹"¤¤ MPEG-1ÀÉ¤¤Àà '«³]©w;C

6. |p¤GÁÙ!³|hÓAVIÀÉnÀà '«;A½Ð«½Æ"BAEJ1"l"BAEJ5;C|p¤Gn×qÀà
'«¤¤@²M³æ¤W¥Ô;ÓAVIÀÉ¤¤MPEG-
1½s¹/₂X³]©w;A½Ð«ü©w¤¤@²M³æ¤W¤¤ÀÉ®x;A"Ã«¤¤@¤U<½s;è¹/₄v-
µÀÉ®x>«ö¶s"Ó×q¿ý»s¤¤®e;C

7. |p¤Gn±q¤¤@²M³æ¤W¤¤R°£¬YÓÀÉ®x©l¹/₄ÆÓÀÉ®x;A¥u-
n¿úºú¤¤@²M³æ¤W¤¤ÀÉ;W;A"Ã«¤¤@¤U<¤¤R°£¹/₄v-
µÀÉ®x>«ö¶s±N,ÓÀÉ¥ÑPowerVCR¤¤@;C¥h°£;C

8. ·í¤u§@²M³æ§¹|”«á;A¹½Ð«ö¤@¤U<ºð!æ>«ö¶s”Ó¶} ©IÂàÀÉ(½s¹½X)¹Lµ{ ;C

9. ·í§¹|”ÂàÀÉ¹Lµ{ «á;A¥i«ö¤U<¹¼¹½©ñ>«ö¶sÀË¬dµ²¤G;C

ÀËµø PowerVCR

|bPowerVCR "ÍÙøìø¶±

¥kÃä|³¿ý»s¤¬ºA¡C¡M¥i¥HÀH®ÉÀË¬d¿ý¹/₄v¤¬ºA¡MµwºÐ¤Å¶¡¡M¤¹½Ö³/₄ä¿ý»s©
M¹/₄¹/₂©ñµ¶q¡C

