

SpecialVarFieldDefinition Object

The **SpecialVarFieldDefinition** Object provides properties for retrieving information and setting options for a special field found in your report (i.e., last modification date, print date, etc.). A SpecialVarFieldDefinition Object is obtained from the Field property of the **FieldObject** Object.

Properties

Application - Returns a reference to the Application Object this object is associated with. Read only.

Kind - Returns CRFieldKind (see table below) that specifies the "kind" of field (database, summary, formula, etc.). Read only.

crDatabaseField	1
crFormulaField	2
crGroupNameField	5
crParameterField	6
crSpecialVarField	4
crSummaryField	3
crParameterField	6

Name - Returns the name of the special var field. Read only.

NumberOfBytes - Returns the number of bytes required to store the field data in memory. Read only.

Parent - Reference to the Parent object (Report Object). Read only.

Report - Reference to Report Object. Read only.

SpecialVarType - Returns CRSpecialVarType (see table below) value indicating the type of special field (i.e., ReportTitle, PageNumber, etc.). Read only.

crSVTDataDate	7
crSVTDataTime	8
crSVTGroupNumber	6
crSVTModificationDate	2
crSVTModificationTime	3
crSVTPageNumber	5
crSVTPrintDate	0
crSVTPrintTime	1
crSVTRecordNumber	4
crSVTReportComments	11
crSVTReportTitle	10
crSVTTOTALPageCount	9

ValueType - Returns CRFieldValueType (see table below) which specifies the "type" of value found in the field. Read only.

CrBitmapField	17
crBlobField	15
crBooleanField	9
crChartField	21
crCurrencyField	8
crDateField	10
crDateTimeField	16
crIconField	18
crInt16sField	3
crInt16uField	4
crInt32sField	5
crInt32uField	6
crInt8sField	1

crInt8uField	2
crNumberField	7
crOleField	20
crPersistentMemoField	14
crPictureField	19
crStringField	12
crTimeField	11
crTransientMemoField	13
crUnknownField	22