SummaryFieldDefinition Object

The **SummaryFieldDefinition** Object represents the summary used in a cross-tab, group, or report, or the summary used in a group or cross-tab graph.

Properties

Application - Returns a reference to the Application Object this object is associated with. Read only.

CrossTabObject - Returns CrossTabObject Object that contains the summary field. This property is for cross-tab summary fields only; if the summary field is not from a cross-tab you will get an exception. Read only.

FooterArea - Returns Area Object indicating the Group/Report Footer area of the summary. This property is for group or report summary fields only; if the summary is from a cross-tab you will get an exception using this property. Read only.

ForCrossTab - Returns Boolean value indicating if summary is used in a cross-tab. Read only.

HeaderArea - Returns Area Object indicating the Group/Report Header area of the summary. If the summary is from a cross-tab you will get an exception using this property. Read only.

Kind - Returns CRFieldKind which specifies what "kind" of field (database, summary, formula, etc.). Read only.

```
crDatabaseField 1
crFormulaField 2
crGroupNameField 5
crParameterField 6
crSpecialVarField 4
crSummaryField 3
```

Name - Returns the name of the summary field for a group or report summary field. Cross-tab summaries do not have a unique name so an empty string will be returned. Read only.

NumberOfBytes - Returns the number of bytes required to store the field data in memory. Read only.

Parent - Reference to the Parent object (Report Object). Read only.

Report - Reference to Report Object. Read only.

SummaryType - Returns value of type CRSummaryType (see table below) indicating the type of summary (i.e., sum, average, etc.). Read only.

```
crSTAverage
                            1
crSTCount
                            6
crSTDisctintCount
                            9
crSTMaximum
                            4
crSTMinimum
                            5
crSTPopStandardDeviation
                            8
crSTPopVariance
                            7
crSTSampleStandardDeviation 3
crSTSampleVariance
                            2
                            0
crSTSum
```

ValueType - Returns CRFieldValueType (see table below) which specifies the "type" of value found in the field. Read only.

crBitmapField	17
crBlobField	15
crBooleanField	9
crChartField	21
crCurrencyField	8
crDateField	10
crDateTimeField	16
crlconField	18
crInt16sField	3
crInt16uField	4
crInt32sField	5

crInt32uField	6	
crInt8sField	1	
crInt8uField	2	
crNumberField	7	
crOleField	20	
crPersistentMemoField	14	
crPictureField	19	
crStringField	12	
crTimeField1	1	
crTransientMemoField	13	
crUnknownField	22	