
PersonalLaserWriterSC





Overview

The Apple® Personal Laser Writer® SC printer is ideal for people who wanthigh-quality laser printing at an affordable price. Designed for individual use, the Personal Laser Writer SC gives you full-page, high-resolution printing-fortext as well as graphics—on almost any material, including standard photocopy paper, letter head, labels, envelopes, and transparency film.

Because of its compact design, the Personal Laser Writer SC fits comfortably on any desktop. It

alsooffersimprovedpaperhandlingflexibilitybecauseitis designedwithonecassettethat holdsupto250sheetsofpaper, andasecondmultipurposetray thatcanbeusedforletterhead, envelopes,labels,andcardstock.

The Personal Laser Writer SC comes with a selection of fonts, in six sizes, that most people need to produce memos, reports, and presentations: Courier, Helvetica[®], Symbol, and Times[®]. It also can support additional fonts available from a variety of other suppliers.

The Personal Laser Writer SC can be upgraded to a Personal Laser Writer NT simply by having the controller board replaced by an authorized Appledealer.

Features

Benefits

300-dot-per-inch(dpi)resolution	 Produces excellent printed results near-typeset quality text, graphics, and scanned images—for memos, reports, letters, and presentations. 	
· Motorola68000processor	Supportsprinting of up to 4 pages per minute.	
CanonLBP-LXlaserxerographicprintengine	Offersoutstandingdurabilityandnearly maintenance-freeperformance. Provides a minimum performance life of 150,000 pages—equivalent to printing 100 pages aday,5 days a week,52 weeks a year, for more than 5 years.	
 Variety of Macintosh type faces and type sizes (Times, Helvetica, Courier, and Symbol) 	Letsyouprintdocuments in the most popular typefaces, in six different sizes and a range of type styles.	
Support for different printing materials	Lets you print on a variety of materials—including photocopy bond, letterhead, color stock, and overhead transparency film.	
· Integralpapercassette	Provides automatic feeding of up to 250 sheets of paper.	
- Multipurposetray	 Simplifies printing on different paper sizes, envelopes, or labels. Handles up to 50 sheets of paper or 5 envelopes. 	
Optionalenvelopecassette	· Letsyou print on up to 15 envelopes automatically.	
Backgroundprinting	 With MultiFinder®software, allows you to continue work on your Macintosh computer while printing. 	
- Upgradepath	Protects your investment by allowing you to upgrade to the Personal Laser Writer NT through simple replacement of the controller board.	

Product Details	QuickDraw Inordertoprint, the Personal LaserWriterSC reliesonasetof textand graphics routines that are built into every Macintosh, called QuickDraw [§] . When you print something on the Personal LaserWriterSC, the Macintosh sends the screen image to the printer as a 300-dpibit map.	SCSI port Since the Personal Laser Writer SC is designed for individual use, it is connected to the Macintosh through the SCSI port, which provides high-speed data transfer. This connection also allows you to daisy-chain as many assix additional SCSI devices, such as hard disks, to your system.	
System Requirements	Tousethe Personal Laser Writer SC, you'll need a Macintosh personal computer with the Personal Laser Writer SC driver.		
Upgrade Options	YourPersonalLaserWriterSCcan beupgradedtoaPersonal LaserWriterNTbyyourauthorized Appledealer.		
Technical Specifications	Marking engine CanonLBP-LXlaserxerographic Controller The Laser Writer controller hardware contains an 8MHz 68000 CPU, 64 kilobytes of ROM, 1 megabyte of RAM, and SCSI interface. Print quality 300 dots perinch for text and graphics Macintosh fonts (on disk) Courier, Helvetica, Symbol, and Times in 9-, 10-, 12-, 14-, 18-, and 24-point sizes, with their corresponding 4x fonts (36-point, 40-point, 48-point, 56-point, 72-point, and 96-point) Font styles: plain, bold, italic, and bold italic, with additional styles depending on the application (For best results, these fonts should be installed in the System	file in your Macintosh computer from the disks shipped with the Personal Laser Writer SC.) Support for additional fonts The Personal Laser Writer SC can support additional fonts from Apple and from other suppliers. For best results, install two sizes for each font: One should be the point size you want to work with on the screen, and the other should be four times that size for the printer to use. Speed Four pages per minute maximum (actual speed depends on the images printed) Interface Small Computer System Interface (SCSI)	Recommendeddutycycle Tonercartridge: 3,500pages Printer:minimum150,000 pages, with no monthly page limit Paperfeed Input: Automaticwith paper cassette Automaticormanual with multipurpose tray Output: Face down or face upoptions (continued)



PersonalLaserWriterSC

Technical Specifications *(continued)*

Printmaterials

- Applerecommends
 20-lb. photocopyortypewriter
 bond (75 g/m²), though the printer
 also accepts 16-lb. (60 g/m²) to 28-lb. (105 g/m²) paper. For best
 results, use envelopes that are
 recommended for laser printers.
- Szes
- -Paper: U.S. letter, U.S. legal, A4, B5(Japanese Industry Standard) -Envelopes: minimum 3.5x7in.(86x178mm); maximum 7.4x10.5in.(188x267mm)

Papercapacities

- Papercassette:
 250 sheets of 20-lb.(75g/m²)
 paper
- Multipurpose tray:upto50 sheets of paper or 5 envelopes
- Optional envelope cassette: 15 envelopes

(Toprintenvelopes, you can use the multipurpose tray with automaticor manual feed. To print labels, use the multipurpose tray using manual feed.)

Printable surface

- Maximumprintableline: 8.1 in. (205.9mm)
- Minimum top and bottom margins: 0.235 in. (6.0mm)
- Minimumleftmargin: 0.197 in. (5.0mm)

Minimum rightmargin: 0.197

in.(5.0mm)
(Theactual printable area may vary depending on the application.)

Size and weight

- Height: 9.8 in. (24.8 cm)
- Width: 15in. (38cm)
- Depthwithletter-size cassette:
 18.3in. (46.4cm)
- Weight: 32lb. (15kg)

Operatingenvironment

- Temperature:50° to 90°F(10° to 32°C)
- Humidity: 20to 80 percent
- Tonercartridgetransit environment: -4° to +104°F (-20° to +40°C)

Power requirements

- · U.S./Japan:100to115voltsAC, 50to60hertz
- Europe/Australia:220to240 voltsAC,50to60hertz

Powerconsumption

- 600wattsmaximumat115volts
- 550wattsmaximumat220volts

Ordering Information

Personal LaserWriter SC Order No. B0326LL/A

Withyourorder, you'll receive:

- · PersonalLaserWriterSC
- PersonalLaserWriterSCFonts disks(2)
- Installationdisk
- Papercassette
- PersonalLaserWritertoner cartridge
- PersonalLaserWriterSC
 Owner's Guide
- PersonalLaserWriterSC
 QuickSetupGuide
- Limitedwarrantystatement