



## Overview

---

HyperCard<sup>®</sup> for the Apple<sup>®</sup> IIGS<sup>®</sup> personal computer lets you create a unique personal environment for exploring and managing information. Because of its flexibility, HyperCard II GS can be used in an almost unlimited number of ways—for example, to manage personal information, to create interactive multi-media presentations and tutorials, or to build interfaces to online information services.

Like HyperCard for the Macintosh<sup>™</sup>, HyperCard II GS is based on a universal tool for storing information: the index card. But HyperCard II GS is better than ordinary index cards—it gives you cards that contain information in virtually any form: text, photographs, graphics, video, and sound.

HyperCard “buttons”—the action spots on a card—give you the freedom to work with information at your own pace and in the order you prefer. When you point to a button and click with the mouse, the computer will carry out a specific task. For example, it will move to another card so you can explore a related subject, define a term you don't understand, control a video from a laser videodisc player, prompt you for information, or run another computer program.

HyperCard II GS can work for beginners right away. HyperCard II GS comes with ready-to-use stacks for storing personal information, creating stories, and more. You can also use HyperCard II GS to run commercially available stacks, including stacks created for

Macintosh computers that have been converted for Apple IIGS use.

HyperCard II GS also offers easy methods of creating your own stacks. You can create and edit buttons and fields with easy-to-use dialogs, create artwork with the full-color Paint tools, or create advanced HyperCard programs using HyperTalk<sup>™</sup>, HyperCard's powerful, English-like scripting language.

As an expansion of the HyperCard line of software for Macintosh computers, HyperCard for the Apple IIGS is the ideal tool for anyone who wants to work with information more effectively, and anyone with special knowledge, talents, or experience that they want to share with others.

# Features

# Benefits

- 
- |  |   |
|--|---|
| <ul style="list-style-type: none"><li>· Ready-to-use stacks</li></ul>  | <ul style="list-style-type: none"><li>· Lets you start immediately with ready-to-use stacks including Addresses, Calendar, Story Board, Help, and a Tour of HyperCard.</li><li>· Provides an easy, convenient way to create your own stacks with card designs.</li></ul>  |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Complete on-line help system</li></ul>   | <ul style="list-style-type: none"><li>· Gives you immediate reference information and assistance.</li></ul>   |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Support for different media, including text, graphics, video, and sound</li></ul>  | <ul style="list-style-type: none"><li>· Lets you work with information in virtually any form.</li><li>· Provides a valuable platform for animation and interactive media.</li></ul>   |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Five user access levels</li></ul> <ul style="list-style-type: none"><li>--Browsing</li><li>--Typing</li><li>--Painting</li><li>--Authoring</li><li>--Scripting</li></ul> | <ul style="list-style-type: none"><li>· Gives you access to the HyperCard level you need:</li><li>--Browsing lets you explore stacks, but not change them.</li><li>--Typing lets you look at and enter text on cards.</li><li>--Painting allows you to change the appearance of cards and backgrounds.</li><li>--Authoring allows you to customize stacks, buttons, and templates by creating buttons and fields, and linking buttons to cards and stacks.</li><li>--Scripting allows you to customize functions of buttons and edit the scripts of cards, backgrounds, and stacks.</li></ul> |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Information organization by association and context as well as by hierarchy</li></ul>  | <ul style="list-style-type: none"><li>· Provides intuitive and efficient access to information.</li><li>· Provides sensible access to large volumes of information.</li></ul>   |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· HyperTalk scripting language with extended external command (XCMD) interface</li></ul>   | <ul style="list-style-type: none"><li>· Allows you to customize the function of buttons, cards, and stacks to build more sophisticated programs.</li></ul>  |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Options for text sizes and fonts</li></ul>   | <ul style="list-style-type: none"><li>· Lets you choose any font, size, and style for text in fields, buttons, and Paint documents.</li></ul>   |
| <hr/>  |   |
| <ul style="list-style-type: none"><li>· Runs converted Macintosh HyperCard 1.2.2 or 1.2.5 stacks</li></ul>   | <ul style="list-style-type: none"><li>· Lets you work with HyperCard stacks that have been created for Macintosh computers once they have been converted for Apple IIgs use. To use HyperCard IIgs, you'll need the following:</li><li>· An Apple IIgs computer with a minimum of 1.5 MB of memory (2 MB of memory is recommended)</li><li>· One 800K floppy disk drive and a hard disk or a network environment</li><li>· System software version 5.0.4 or later</li></ul>   |

Note: To convert stacks that have been created using Macintosh HyperCard 1.2.2 or 1.2.5 for use with HyperCard IIgs, you will need access to a Macintosh personal computer and the HyperMover program.

System Requirements	Number of cards per stack · Limited only by available disk or file-server storage	Maximum stack size · 512 megabytes, limited only by available disk or file-server storage	Card size · 640 horizontal pixels by 200 vertical lines (the size of an Apple IIGS screen)
---------------------	--	--	---

Technical Specifications	<p>Graphics</p> <ul style="list-style-type: none"> <li>· Color bitmaps with opaque and transparent areas</li> </ul> <p>Number of text fields per card</p> <ul style="list-style-type: none"> <li>· Limited by available memory and disk space</li> </ul> <p>Maximum amount of text per field</p> <ul style="list-style-type: none"> <li>· 30,000 characters</li> </ul> <p>Number of buttons and links per card</p> <ul style="list-style-type: none"> <li>· Limited by available memory and disk space</li> </ul> <p>Number of active variables</p> <ul style="list-style-type: none"> <li>· Limited by available memory</li> </ul> <p>User levels</p> <ul style="list-style-type: none"> <li>· Browsing</li> <li>–Use stacks</li> <li>· Typing</li> <li>–Use stacks</li> <li>–Enter and edit text in fields</li> </ul>	<ul style="list-style-type: none"> <li>–Create and delete cards</li> <li>· Painting</li> <li>–Paint tools on a tear-off menu</li> <li>–Draw transparent or opaque graphics</li> <li>–Draw shapes</li> <li>–Draw with different brushes</li> <li>–Magnify image 8 times for “fat bits” editing</li> <li>–Rotate, Flip, or Stretch Paint images</li> <li>–Select the last object drawn</li> <li>–Choose ColorSet for card, background, and stack</li> <li>–Import ColorSet for card and background</li> <li>–Import and export graphics from and to other files</li> <li>· Authoring</li> <li>–Create, delete, or change styles of fields and buttons</li> <li>–Create links to other cards and stacks</li> <li>· Scripting (HyperTalk)</li> <li>–Object-oriented message passing</li> <li>–Any button, field, card, background, or stack can have a script</li> <li>–Each script can have any number of “handlers” for messages generated by the system or the user</li> </ul>	<ul style="list-style-type: none"> <li>–Edit any script</li> <li>–Search or print a script</li> <li>–Full-screen script editor with automatic formatting</li> <li>–Maximum script length: 30,000 characters</li> </ul> <p>Control structures</p> <ul style="list-style-type: none"> <li>· Repeat until condition</li> <li>· Repeat with loop counter</li> <li>· If/then/else conditionals</li> <li>· Exit loop or procedure</li> <li>· Pass message/send message</li> </ul> <p>Data types</p> <ul style="list-style-type: none"> <li>· Conversion to SANE<sup>®</sup> numerics (9-place accuracy)</li> <li>· Conversion to date and time</li> </ul> <p>Variables</p> <ul style="list-style-type: none"> <li>· Contents of any field</li> <li>· Dynamically created local variables</li> <li>· Global variables</li> </ul>
--------------------------	---	---	---



# HyperCard II GS

---

Ordering Information

HyperCard II GS

Order No. A0027LL/A

With your order, you'll receive:

- 6 HyperCard program disks, including
  - HyperCard II GS Program
  - Installer and Tour
  - Help
  - HyperTalk Help
  - Stacks 1
  - Stacks 2
- Complete setup, learning, and reference documentation
- Limited warranty statement

---

Apple Computer, Inc.

20525 Mariani Avenue  
Cupertino, CA 95014  
(408) 996-1010  
TLX 171-576

© 1990 Apple Computer, Inc. Apple, the Apple logo, HyperCard, HyperTalk, Macintosh, SANE, and II GS are registered trademarks of Apple Computer, Inc. HyperMover is a trademark of Apple Computer, Inc.  
November 1990. Product specifications are subject to change without notice.  
Printed in the U.S.A.  
A0027LL/A