
Apple Macintosh Portrait Display





Overview

The Apple® Macintosh® Portrait
Display is a high-resolution 15inch monochrome display for the
modular Macintosh personal
computer family. It's ideal for
work with desktop publishing,
word processing, and general
productivity applications because
it can display one full 8 1/2 x IIinch page of text and graphics.
The Apple Macintosh Portrait

Display shows a complete page of information as it will appear in print. This makes it easy to preview and edit documents and add text or graphics; it also minimizes scrolling.

Users of the Apple Macintosh
Portrait Display will find that page
layout of text and graphics will be
more accurate and much more
efficient.

The Apple Macintosh Portrait
Display minimizes eyestrain by
using a flatter screen and higher
refresh rate than many other
displays. The Apple Macintosh
Portrait Display is also designed to
provide excellent focus for sharp,
dear images and text.

Features

Benefits

15-inch monochrome CRT (portrait orientation)	 Lets you display one full 8 1/2 x ll-inch page of text and graphics, including menu, title, and scroll bars. Displays documents with the same orientation as a letter or portrait, for more efficient page layout. 	
640 horizontal pixels by 870 vert-ical lines at 80 dots per inch (dpi)	Provides sharp display of images, text, and graphics.	
Square screen that is flatter than many other displays	Reduces the distortion normally found at the edges of CRTs. Minimizes eyestrain.	
- Analog 1-, 2-, 4-, or 8-bit pixel depth	 Allows for true shading. Permits 16 shades of gray to be displayed simultaneously at 4-bit pixel depth. Permits 256 shades of gray to be displayed simultaneously at 8-bit pixel depth. 	
· 75-hertz screen refresh rate	Reduces eyestrain by eliminating flicker.	
- Universal power supply	Lets you operate the display in electrical environments from 90 volts AC to 270 volts AC.	
· Antiglare screen	Minimizes reflected glare. Makes working in bright rooms easier.	
Extended power, video, and Apple Desktop Bus [§] (ADB) cables	· Lets you place the display away from the CPU	
Three ADB connectors on the display	Allows for direct connection of a keyboard, mouse, or other ADB device to the display, for increased flexibility.	

Technical Specifications

Picture tube

- · 15-in. diagonal, square, flat screen
- Phosphor EIA Type P4 (white)
- High-contrast antiglare surface

Screen resolution

 640 horizontal pixels by 870 vertical lines; 80 dots per inch (dpi)

User controls

Power switch, brightness, and contrast

Input signals

- Video: analog, RS-343 standard
- Sync: separate sync, negativegoing, TTL

Active video display area

 8 in. horizontal by 10.87 in. vertical (20.3 cm horizontal by 27.6 cm vertical)

Connectors

 Three Apple Desktop Bus (ADB) connectors

Scanning and refresh rates

- Horizontal scan rate: 68.85 kilohertz
- Vertical refresh rate: 75 hertz
- Dot dock: 52 megahertz

Electrical requirements

- Voltage: 90 to 270 volts AC, self-configuring
- Frequency: 47 to 63 hertz
- · Power: 75 watts maximum

Size and weight

- Height: 13.1 in. (33.2 cm)
- Width: 11.5 in. (29.2 cm)
- Depth: 14.9 in. (37.9 cm)
- Weight: 35 lb. (16 kg)

Operating environment

- Operating temperature: 50° F to 95° F (10° C to 35° C)
- Operating humidity: 90% maximum, noncondensing
- Operating altitude: 10,000 ft.
 (3,048 m) maximum



Apple Macintosh Portrait Display

System Requirements	To use the Apple Macintosh Portrait Display, you'll need the following: A Macintosh personal computer with a built-in video port or an appropriate video card such as the Macintosh Display	Card 4-8, the Macintosh Display Card 8-24, or the Macintosh Display Card 8-24GC A video cable (supplied with the monitor)	You may also want to purchase: A Macintosh Display Card VRAM Expansion Kit (Order No. M0412) An Apple Universal Monitor Stand (Order No. M0403)
	Apple Macintosh Portrait Display	Order No. M0404	With your order, you'll receive: Apple Macintosh Portrait Display Extended video cable Extended power cable Extended ADB cable Complete setup, learning, and reference documentation Limited warranty statement
	Macintosh Display Card 4·8	Order No. M0121	
	Macintosh Display Card 8-24	Order No. M0507	
	Macintosh Display Card 8-24gc	Order No. M0122	
	Macintosh Display Card VRAM Expansion Kit*	Order No. M0412	
	Apple Universal Monitor Stand	Order No. M0403	
	*Dealer installation of these chips is strongly reco	mmended.	