

```

[Identification]
    OptionType = NetService
[Options]
    DHCP
[FileConstants]
Manufacturer      = "Microsoft"
ProductMajorVersion  = "4"
ProductMinorVersion  = "0"
ProductVersion      = $(ProductMajorVersion)."$(ProductMinorVersion)
ProductOpSupport     = 132
ProductDHCPName      = "DHCPServer"
ProductDHCPImagePath = "%SystemRoot%\System32\tcpsvcs.exe"
ProductDHCPSvcType   = "autoserviceshare"
NetRuleDHCPType      = "dhcpserver tcpipService dhcp"
NetRuleDHCPUse       = "service yes yes"
NetRuleDHCPBindForm  = """"Dhcpserver"""" yes yes container"
NetRuleDHCPClass     = {"dhcp tcpipService yes"}
ProductKeyName       = $(!NTN_SoftwareBase)"\"$(Manufacturer)"\"$(Product$(
Option)Name)"\CurrentVersion"
[GeneralConstants]
UtilityInf          = "UTILITY.INF"
subroutineinf       = "SUBROUTN.INF"
Exit_Code           = 0
BillboardVisible   = 0
from                = ""
to                  = ""
ExitCodeOk          = 0
ExitCodeCancel      = 1
ExitCodeFatal       = 2
KeyNull             = ""
MAXIMUM_ALLOWED     = 33554432
SERVICE_NO_CHANGE  = 4294967295
RegistryErrorIndex  = NO_ERROR
KeyProduct          = ""
KeyParameters       = ""
TRUE                = 1
FALSE               = 0
NoTitle             = 0
ExitState           = "Active"
OldVersionExisted   = $(FALSE)
[date]
    Now = {} ? $(!LIBHANDLE) GetSystemDate
[Identify]
    read-syms Identification
    set Status        = STATUS_SUCCESSFUL
    set Identifier     = $(OptionType)
    set Media         = #("Source Media Descriptions", 1, 1)
    Return $(Status) $(Identifier) $(Media)
[ReturnOptions]
    set Status        = STATUS_FAILED
    set OptionList     = {}
    set OptionTextList = {}
    set LanguageList  = ^(LanguagesSupported, 1)
    Ifcontains(i) $($0) in $(LanguageList)
        goto returnoptions
    else
        set Status = STATUS_NOLANGUAGE
        goto finish_ReturnOptions
    endif

```

```

returnoptions = +
    set OptionList      = ^(Options, 1)
    set OptionTextList = ^(OptionsText$(0), 1)
    set Status          = STATUS_SUCCESSFUL
finish_ReturnOptions = +
    Return $(Status) $(OptionList) $(OptionTextList)
[InstallOption]
    set Option      = $(1)
    set SrcDir      = $(2)
    set AddCopy     = $(3)
    set DoCopy      = $(4)
    set DoConfig    = $(5)
    set LanguageList = ^(LanguagesSupported, 1)
    Ifcontains(i) $(0) NOT-IN $(LanguageList)
        Return STATUS_NOLANGUAGE
    endif
    Debug-Output "OEMNSVCU.INF: STF_CWDIR is: "$(!STF_CWDIR)
    Debug-Output "OEMNSVCU.INF: STF_LANGUAGE is: "$(!STF_LANGUAGE)
    set-subst LF = "\n"
    read-syms GeneralConstants
    read-syms FileConstants
    read-syms DialogConstants$(!STF_LANGUAGE)
    ifstr(i) $(!NTN_Origination) == "NCPA"
        set Continue = $(OK)
    endif
    read-syms FileConstants$(!STF_LANGUAGE)
    read-syms FileDependentDlg$(!STF_LANGUAGE)
    detect date
    set-title $(FunctionTitle)
    set to = Begin
    set from = Begin
    set CommonStatus = STATUS_SUCCESSFUL
    EndWait
Begin = +
    Ifstr(i) $(!NTN_InstallMode) == deinstall
        set StartLabel = removeadapter
    else-Ifstr(i) $(!NTN_InstallMode) == Update
        set StartLabel = UpgradeSoftware
    else-Ifstr(i) $(!NTN_InstallMode) == configure
        set StartLabel = configureadapter
        Ifstr(i) $(ProductKeyName) == $(!NTN_RegBase)
            Debug-Output "Cannot configure the software."
            Shell $(UtilityInf),RegistryErrorString,CANNOT_CONFIGURE_SOFTWARE
            ifint $(ShellCode) != $(!SHELL_CODE_OK)
                Debug-Output "ShellCode error: cannot get an error string."
                goto ShellCodeError
            endif
            set Error = $(R0)
            set from = end
            set to = end
            goto nonfatalinfo
        endif
    else-Ifstr(i) $(!NTN_InstallMode) == bind
        set StartLabel = bindingadapter
    else
        set StartLabel = installadapter
        set OEM_ABANDON_SOFTWARE = {}
        set OEM_ABANDON_OPTIONS = {}
    endif
endif

```

```

set from = $(fatal)
set to = $(fatal)
goto $(StartLabel)
installadapter = +
ifstr(i) $(!NTN_InstallMode) == "install"
  Ifstr(i) $(DoCopy) == "YES"
    Shell $(UtilityInf), DoAskSource, $(!STF_CWDDIR), $(SrcDir) YES
    Ifint $($ShellCode) != $(!SHELL_CODE_OK)
      Goto ShellCodeError
    Else-Ifstr(i) $($R0) == STATUS_FAILED
      Shell $(UtilityInf) RegistryErrorString "ASK_SOURCE_FAIL"
      ifint $($ShellCode) != $(!SHELL_CODE_OK)
        goto ShellCodeError
      endif
      set Error = $($R0)
      Goto fatal
    Else-Ifstr(i) $($R0) == STATUS_USERCANCEL
      Goto successful
    Endif
    Set SrcDir = $($R1)
  EndIf
  Debug-Output "OEMNSVCU.INF: installadapter: installing [Install-Option]"
  install "Install-Option"
  ifstr(i) $(STF_INSTALL_OUTCOME) != STF_SUCCESS
    Shell $(UtilityInf) RegistryErrorString "UNABLE_COPY_FILE"
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
      goto ShellCodeError
    endif
    set Error = $($R0)
    goto fatal
  endif
endif
set OEM_ABANDON_ON = TRUE
StartWait
set ThisOption = DHCP
Shell $(UtilityInf), AddSoftwareComponent, $(Manufacturer),+
$(Product$(ThisOption)Name),+
$(Product$(ThisOption)Name),+
$(Product$(ThisOption)DisplayName), $(STF_CONTEXTINFNAME),+
$(Product$(ThisOption)ImagePath),+
$(Product$(ThisOption)SvcType),+
"", {"Tcpip"}, "", "%SystemRoot%\System32\dhcpcsvc.dll", 7, "", "", "", "+
"%SystemRoot%\System32\kernel32.dll"
ifint $($ShellCode) != $(!SHELL_CODE_OK)
  Debug-Output "OEMNXPTC.INF: ShellCode error, add software component"
  goto ShellCodeError
endif
set RegistryErrorIndex = $($R0)
Ifstr(i) $(RegistryErrorIndex) != NO_ERROR
  EndWait
  Debug-Output "OEMNSVDH.INF: Registry error: add software components"
  CloseRegKey $($R1)
  CloseRegKey $($R2)
  CloseRegKey $($R3)
  CloseRegKey $($R4)
  CloseRegKey $($R5)
  goto fatalregistry
endif
Set DHCPVersKeyHandle = $($R1)

```

```

set DHCPNetRulesKeyHandle = $($R2)
CloseRegKey $($R3)
Set DHCPParamKeyHandle = $($R4)
Set DHCPLinkageHandle = $($R5)
set NewValueList = {{OtherDependencies,$(NoTitle),$(!REG_VT_MULTI_SZ),
{"Rpcss","NTLMSSP"}}}
Shell $(UtilityInf), AddValueList, $(DHCPLinkageHandle), $(NewValueList)
ifint $($ShellCode) != $(!SHELL_CODE_OK)
    Debug-Output "OEMNXPTC.INF: ShellCode error."
    goto ShellCodeError
endif
CloseRegKey $(DHCPLinkageHandle)
set NewValueList = {{SoftwareType,$(NoTitle),$(!REG_VT_SZ),"service"},+
{MajorVersion,$(NoTitle),$(!REG_VT_DWORD),$
(ProductMajorVersion)},+
{MinorVersion,$(NoTitle),$(!REG_VT_DWORD),$
(ProductMinorVersion)},+
{Title,$(NoTitle),$(!REG_VT_SZ),$(Product$
(ThisOption)Title)},+
{Description,$(NoTitle),$(!REG_VT_SZ),$(Product$
(ThisOption)Description)},+
{ServiceName,$(NoTitle),$(!REG_VT_SZ),$(Product$
(ThisOption)Name)},+
{OperationsSupport,$(NoTitle),$(!REG_VT_DWORD),$
(ProductOpSupport)},+
{InstallDate,$(NoTitle),$(!REG_VT_DWORD),*($(Now),1)}}
Shell $(UtilityInf), AddValueList, $(DHCPVersKeyHandle), $(NewValueList)
ifint $($ShellCode) != $(!SHELL_CODE_OK)
    Debug-Output "OEMNXPTC.INF: ShellCode error, add value list"
    goto ShellCodeError
endif
set RegistryErrorIndex = $($R0)
Ifstr(i) $(RegistryErrorIndex) != NO_ERROR
    EndWait
    Debug-Output "OEMNXPTC.INF: Registry error: add value list."
    CloseRegKey $(DHCPVersKeyHandle)
    CloseRegKey $(DHCPNetRulesKeyHandle)
    CloseRegKey $(DHCPParmKeyHandle)
    goto fatalregistry
Endif
set NewValueList = {{type,$(NoTitle),$(!REG_VT_SZ),$(NetRuleDHCPType)},+
{class,$(NoTitle),$(!REG_VT_MULTI_SZ),$(NetRuleDHCPClass)},
+
{use,$(NoTitle),$(!REG_VT_SZ),$(NetRuleDHCPUse)}, +
+
{bindform,$(NoTitle),$(!REG_VT_SZ),$(NetRuleDHCPBindForm)},
+
{InfoOption,$(NoTitle),$(!REG_VT_SZ),$(Option)}}
Shell $(UtilityInf), AddValueList, $(DHCPNetRulesKeyHandle), $(NewValueList)
ifint $($ShellCode) != $(!SHELL_CODE_OK)
    Debug-Output "ShellCode error."
    goto ShellCodeError
endif
CloseRegKey $(DHCPNetRulesKeyHandle)
set RegistryErrorIndex = $($R0)
Ifstr(i) $(RegistryErrorIndex) != NO_ERROR
    EndWait
    Debug-Output "OEMNXPTC.INF: Registry error: add value list."
    CloseRegKey $(DHCPVersKeyHandle)
    CloseRegKey $(DHCPParmKeyHandle)

```

```

        goto fatalregistry
    Endif
    set NewValueList = {{APIProtocolSupport,$(NoTitle),$(!REG_VT_DWORD),5},+
        {DebugFlag,$(NoTitle),$(!REG_VT_DWORD),0},+
        {DatabaseName,$(NoTitle),$(!REG_VT_SZ),"dhcp.mdb"},+
        {BackupDatabasePath,$(NoTitle),$(!
REG_VT_EXPAND_SZ),"%SystemRoot%\System32\dhcp\backup"},+
        {BackupInterval,$(NoTitle),$(!REG_VT_DWORD),60},+
        {DatabaseLoggingFlag,$(NoTitle),$(!REG_VT_DWORD),1},+
        {DatabaseCleanupInterval,$(NoTitle),$(!REG_VT_DWORD),1440},+
        {RestoreFlag,$(NoTitle),$(!REG_VT_DWORD),0},+
        {DatabasePath,$(NoTitle),$(!REG_VT_EXPAND_SZ),"%SystemRoot%\
System32\dhcp"}}
    Shell $(UtilityInf), AddValueList, $(DHCPParmKeyHandle), $(NewValueList)
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
        Debug-Output "OEMNXPTC.INF: ShellCode error, add value list"
        goto ShellCodeError
    endif
    set RegistryErrorIndex = $($R0)
    Ifstr(i) $(RegistryErrorIndex) != NO_ERROR
        EndWait
        Debug-Output "OEMNXPTC.INF: Registry error: add value list."
        CloseRegKey $(DHCPVersKeyHandle)
        CloseRegKey $(DHCPParmKeyHandle)
        goto fatalregistry
    Endif
    CreateRegKey $(DHCPParmsKeyHandle) {"MultiHomeInfo",$(NoTitle),GenericClass} ""
+
        $(MAXIMUM_ALLOWED) "" KeyMultiHomeInfo
    CloseRegKey $(KeyMultiHomeInfo)
    CreateRegKey $(DHCPParmsKeyHandle) {"Configuration",$(NoTitle),GenericClass} ""
+
        $(MAXIMUM_ALLOWED) "" KeyConfiguration
    CloseRegKey $(KeyConfiguration)
    CloseRegKey $(DHCPVersKeyHandle)
    CloseRegKey $(DHCPParmsKeyHandle)
    ifstr(i) $(!STF_INSTALL_TYPE) != "SETUPBOOTED"
        Shell "" AddDHCP
    endif
    Shell "oemnsvsn.inf" InstallMicrosoftAgent "DHCPServer" "DhcpMibAgent"
"%SystemRoot%\System32\dhcplib.dll"
    ifstr(i) $(!STF_GUI_UNATTENDED) == YES
        Shell "subroun.inf" GetDefaultAnswer "NetCardParameterList"
        CreateRegKey $(!REG_H_LOCAL) {$(!NTN_ServiceBase)"\DHCPServer\
Configuration", $(NoTitle),GenericClass} "" $(MAXIMUM_ALLOWED) "" KeyConfig
        ifstr $(KeyConfig) != $(KeyNull)
            CreateRegKey $(KeyConfig) {"GlobalOptionValues",$(
(NoTitle),GenericClass} "" +
                $(MAXIMUM_ALLOWED) "" KeyGlobalOption
            CloseRegKey $(KeyGlobalOption)
            CreateRegKey $(KeyConfig) {"Subnets",$(NoTitle),GenericClass} "" +
                $(MAXIMUM_ALLOWED) "" KeySubnets
            ifstr $(KeySubnets) != $(KeyNull)
                CreateRegKey $(KeySubnets) {"10.0.0.0",$(NoTitle),GenericClass}
"" +
                    $(MAXIMUM_ALLOWED) "" KeyDefSubnet
                ifstr $(KeyDefSubnet) != $(KeyNull)
                    SetRegValue $(KeyDefSubnet) {SubnetAddress, $(NoTitle), $(!
REG_VT_DWORD), 167772160}

```

```

SetRegValue $(KeyDefSubnet) {SubnetMask, $(NoTitle), $(!
REG_VT_DWORD), 4294967040}
SetRegValue $(KeyDefSubnet) {SubnetState, $(NoTitle), $(!
REG_VT_DWORD), 0}
SetRegValue $(KeyDefSubnet) {SubnetComment, $(NoTitle), $(!
REG_VT_SZ), "Default Configuration"}
SetRegValue $(KeyDefSubnet) {SubnetName, $(NoTitle), $(!
REG_VT_SZ), "Default Subnet"}
SetRegValue $(KeyDefSubnet) {ExcludedIpRanges, $(NoTitle),
$(!REG_VT_BIN), {00,00,00,00}}
CreateRegKey $(KeyDefSubnet) {"DHCPservers", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyDhcpServers
CreateRegKey $(KeyDhcpServers) {"127.0.0.1", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyLocalHost
SetRegValue $(KeyLocalHost) {ServerIpAddress, $(NoTitle),
$(!REG_VT_DWORD), 2130706433}
SetRegValue $(KeyLocalHost) {Role, $(NoTitle), $(!
REG_VT_DWORD), 1}
SetRegValue $(KeyLocalHost) {ServerHostName, $(NoTitle),
$(!REG_VT_SZ), ""}
SetRegValue $(KeyLocalHost) {ServerNetBiosName, $
(NoTitle), $(!REG_VT_SZ), ""}
CloseRegKey $(KeyDhcpServers)
CreateRegKey $(KeyDefSubnet) {"IpRanges", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyIpRanges
CreateRegKey $(KeyIpRanges) {"10.0.0.1", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyRange
SetRegValue $(KeyRange) {StartAddress, $(NoTitle), $(!
REG_VT_DWORD), 167772161}
SetRegValue $(KeyRange) {EndAddress, $(NoTitle), $(!
REG_VT_DWORD), 167772415}
SetRegValue $(KeyRange) {InUseClusters, $(NoTitle), $(!
REG_VT_BIN), {00,00,00,00}}
SetRegValue $(KeyRange) {UsedClusters, $(NoTitle), $(!
REG_VT_BIN), {00,00,00,00}}
CloseRegKey $(KeyRange)
CloseRegKey $(KeyIpRanges)
CreateRegKey $(KeyDefSubnet) {"ReservedIps", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyReservedIps
CloseRegKey $(KeyReservedIps)
CreateRegKey $(KeyDefSubnet) {"SubnetOptions", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeySubnetOptions
CreateRegKey $(KeySubnetOptions) {"051", $
(NoTitle), GenericClass} "" +
$(MAXIMUM_ALLOWED) "" KeyOption51
SetRegValue $(KeyOption51) {OptionValue, $(NoTitle), $(!
REG_VT_BIN),
{24,00,00,00,02,00,00,00,01,00,00,00,00,00,00,00,128,244,03,00,00,00,00}}
CloseRegKey $(KeySubnetOptions)
CloseRegKey $(KeyDefSubnet)
else
Debug-Output "OEMNSVDH.INF: error creating 10.0.0.0 key"
endif

```

```

        CloseRegKey $(KeySubnets)
    else
        Debug-Output "OEMNSVDH.INF: error creating Subnets key"
    endif
else
    Debug-Output "OEMNSVDH.INF: error creating Configuration key"
endif
endif
EndWait
Shell $(UtilityInf) SetMasterComponent Microsoft Tcpip $(STF_CONTEXTINFNAME)
DHCP
ifstr(i) $(!NTN_InstallPhase) != primary
    ifstr(i) $(!STF_GUI_UNATTENDED) != YES
        read-syms DHCPServerDialog
        ui start "Warning"
    endif
endif
return STATUS_SUCCESSFUL
configureadapter = +
goto end
bindingadapter =+
goto end
removeadapter = +
    Shell $(UtilityInf), RemoveSoftwareComponent, $(Manufacturer), $
(ProductDHCPName)
    ifstr(i) $(!STF_INSTALL_TYPE) != "SETUPBOOTED"
        install "Remove-DHCP-Icon"
    endif
    Shell "oemnsvsn.inf" RemoveMicrosoftAgent "DhcpMibAgent"
    goto end
UpgradeSoftware = +
    OpenRegKey $(!REG_H_LOCAL) "" $(ProductKeyName) $(MAXIMUM_ALLOWED) KeyProduct
    Ifstr $(KeyProduct) != $(KeyNull)
        install "Install-Update"
        ifstr(i) $(STF_INSTALL_OUTCOME) != STF_SUCCESS
            goto fatal
        endif
        SetRegValue $(KeyProduct) {MajorVersion,$(NoTitle),$(!REG_VT_SZ),$
(ProductMajorVersion)}
        SetRegValue $(KeyProduct) {MinorVersion,$(NoTitle),$(!REG_VT_SZ),$
(ProductMinorVersion)}
        SetRegValue $(KeyProduct) {Description,$(NoTitle),$(!REG_VT_SZ),$(Product$
(Option)Description)}
        SetRegValue $(KeyProduct) {OperationsSupport,$(NoTitle),$(!REG_VT_DWORD),$
(ProductOpSupport)}
        install "Remove-DHCP-Icon"
        install "Install-DHCP-Icon"
        CloseRegKey $(KeyProduct)
        OpenRegKey $(!REG_H_LOCAL) "" "System\CurrentControlSet\Services\
DHCPServer\Parameters" $(MAXIMUM_ALLOWED) DHCPsrvKey
        ifstr(i) $(DHCPsrvKey) != ""
            SetRegValue $(DHCPsrvKey) {BackupInterval,$(NoTitle),$(!
REG_VT_DWORD),60}
            GetRegValue $(DHCPsrvKey),"DatabaseCleanupInterval", IntervalInfo
            ifint *($(IntervalInfo),4) == 86400
                SetRegValue $(DHCPsrvKey) {DatabaseCleanupInterval,$(NoTitle),$(!
REG_VT_DWORD),1440}
            endif
            CloseRegKey $(DHCPsrvKey)

```

```

        endif
    endif
    goto end
successful = +
    goto end
infomsg =+
    read-syms InfoDlg
    ui start "Warning"
    set CommonStatus = STATUS_USERCANCEL
    goto end
warning = +
    Shell $(subroutineinf) SetupMessage, $(!STF_LANGUAGE), "WARNING", $(Error)
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
        goto ShellCodeError
    endif
    ifstr(i) $($R1) == "OK"
        goto $(to)
    else-ifstr(i) $($R1) == "CANCEL"
        goto $(from)
    else
        goto "end"
    endif
nonfatalinfo = +
    Set CommonStatus = STATUS_USERCANCEL
    Set Severity = STATUS
    goto nonfatalmsg
nonfatal = +
    Set Severity = NONFATAL
    goto nonfatalmsg
nonfatalmsg = +
    ifstr(i) $(Error) == ""
        Set Severity = NONFATAL
        Shell $(UtilityInf) RegistryErrorString "SETUP_FAIL"
        ifint $($ShellCode) != $(!SHELL_CODE_OK)
            goto ShellCodeError
        endif
        set Error = $($R0)
    endif
    Shell $(subroutineinf) SetupMessage, $(!STF_LANGUAGE), $(Severity), $(Error)
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
        goto ShellCodeError
    endif
    ifstr(i) $($R1) == "OK"
        goto $(from)
    else
        goto "end"
    endif
fatalregistry = +
    Shell $(UtilityInf) RegistryErrorString $(RegistryErrorIndex)
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
        goto ShellCodeError
    endif
    set Error = $($R0)
    goto fatal
fatal = +
    ifstr(i) $(Error) == ""
        Shell $(UtilityInf) RegistryErrorString "SETUP_FAIL"
        ifint $($ShellCode) != $(!SHELL_CODE_OK)
            goto ShellCodeError
        endif
    endif

```



```

        endif
        set Error = $($R0)
    endif
    Ifint $(BillboardVisible) != 0
        Shell "subroutn.inf" PopBillboard
        Set BillboardVisible = 0
    Endif
    Shell $(subroutineinf) SetupMessage, $(!STF_LANGUAGE), "FATAL", $(Error)
    ifint $($ShellCode) != $(!SHELL_CODE_OK)
        goto ShellCodeError
    endif
    goto setfailed
ShellCodeError = +
    set DlgType = "MessageBox"
    set STF_MB_TITLE = $(ShellCodeErrorTitle)
    set STF_MB_TEXT = $(ShellCodeErrorText)
    set STF_MB_TYPE = 1
    set STF_MB_ICON = 3
    set STF_MB_DEF = 1
    ui start "Error Message"
    goto setfailed
setfailed = +
    set CommonStatus = STATUS_FAILED
    ifstr(i) $(OEM_ABANDON_ON) == TRUE
        set OEM_ABANDON_ON = FALSE
        goto removeadapter
    endif
    goto end
end = +
    goto term
term = +
    Return $(CommonStatus)
[GetFilesSize]
    set FileSizeList = ^(Files-DHCP,3)
    set TotalSize = 0
    ForListDo $(FileSizeList)
        Split-String $(%) "=" SplitString
        set Size = *$(SplitString),3)
        set-add TotalSize = $(TotalSize) $(Size)
    EndForListDo
    set-div SizeInK = $(TotalSize) 1024
    return $(SizeInK)
[Install-Option]
    set STF_VITAL = ""
    ifstr(i) $(AddCopy) == "YES"
        AddSectionFilesToCopyList Files-DHCP $(SrcDir) $(!STF_WINDOWSSYSPATH)
    endif
    ifstr(i) $(DoCopy) == "YES"
        set !STF_NCPA_FLUSH_COPYLIST = TRUE
        CopyFilesInCopyList
    else
        LibraryProcedure STATUS,$(!NCPA_HANDLE), CopySingleFile $(!STF_HWND) $
(SrcDir)\DHCPADMN.EXE $(!STF_WINDOWSSYSPATH)\DHCPADMN.EXE
    endif
    ifstr(i) $(DoConfig) == "YES"
    endif
    Exit
[Install-Update]
    set STF_VITAL = ""

```

```

set STF_OVERWRITE      = "VERIFYSOURCEOLDER"
AddSectionFilesToCopyList Files-DHCP $(SrcDir) $(!STF_WINDOWSSYSPATH)
Exit
[Install-DHCP-Icon]
  CreateCommonProgManGroup $(GroupName), ""
  RemoveCommonProgManItem $(GroupName), $(IconName)
  CreateCommonProgManItem $(GroupName), $(IconName), dhcpadmn.exe, dhcpadmn.exe,
""
  ShowCommonProgManGroup $(GroupName), 6
  exit
[Remove-DHCP-Icon]
  RemoveCommonProgManItem $(OldGroupName), $(IconName)
  RemoveCommonProgManItem $(GroupName), $(IconName)
  exit
[AddDHCP]
  read-syms FileConstants$(!STF_LANGUAGE)
  read-syms GeneralConstants
  OpenRegKey $(!REG_H_LOCAL) "" $(!NTN_SoftwareBase)"\Microsoft\DHCPserver" $
(MAXIMUM_ALLOWED) ProductKey
  ifstr(i) $(ProductKey) != ""
    install "Install-DHCP-Icon"
    CloseRegKey $(ProductKey)
  endif
  return
[Source Media Descriptions]
  1 = "Windows NT Workstation CD-ROM" , TAGFILE = cdrom_w.40
[Signature]
  FileType = MICROSOFT_FILE
[GetSignature]
  read-syms Signature
  return $(FileType)
[ProductType]
STF_PRODUCT = Winnt
STF_PLATFORM = I386
[Files-Inf]
2, oemsetup.inf,      SIZE=1000, RENAME=$(!UG_Filename)
[LanguagesSupported]
  ENG
[DialogConstantsENG]
Help      = "Pomo&c"
Exit      = "Anuluj"
OK        = "OK"
HelpContext = ""
Continue  = "Kontynuuj"
Cancel    = "Anuluj"
[FileDependentDlgENG]
ProCaption  = "Instalator Windows NT"
ProCancel   = "Anuluj"
ProCancelMsg = "Sie Windows NT nie jest zainstalowana poprawnie. "+
  "Czy na pewno chcesz anulowa kopiowanie plikow?"
ProCancelCap = "Komunikat Instalatora sieci"
ProText1     = "Kopiowanie:"
ProText2     = "Do:"
[FileConstantsENG]
ProductDHCPDisplayName = "Microsoft DHCP Server"
ProductDHCPTitle       = "Microsoft DHCP Server"
ProductDHCPDescription = "Microsoft DHCP Server"
OldGroupName           = "Network Administration"
GroupName              = "Narzedzia administracyjne"

```

```
IconName      = "DHCP Manager"
[OptionsTextENG]
    DHCP = "Microsoft DHCP Server"
[DHCPServerDialog]
DHCPTxt = "If any adapters are using DHCP to obtain an IP address, they are now "+
    "required to use a static IP address. Press Close on the Network
Control Panel "+
    "and the TCP/IP Property Sheet will be displayed allowing you to enter
an address."
STF_MB_TITLE = $(DHCP)
DlgType = "MessageBox"
STF_MB_TEXT  = $(DHCPTxt)
STF_MB_TYPE  = 1
STF_MB_ICON  = 2
STF_MB_DEF   = 1
```