

in

BUBBLELIB\$6ltbubn126SENDMOUSEEVENT6SendMouseEventH6THEMSG 8THEXX6THEYh7THEKEYS7SETMO
THECLIENTWHDL:
THEWHEREISOBJt:WHEREISDIALOGCONTROL9WhereIsDialogControl9THEDLGID9THELISTBOXSTRING:THE
THEKEYNAMEP:THEENTRYNAME<SETTARGETWINDOW8=SetTargetWindow:THECLIENTWINDOW;OPENSAMP
GETCLIENTWHDL=
GetClientwHdlp>LPCLASSNAMET=GETLSIHINSTANCE=GetLSIHInstance=COMPILEFILEI?CompileFile=
LPFILENAME>LOADFILE=LoadFile>
UNLOADFILE`>
UnloadFile >MCREATEWINDOWEX>mCreateWindowEx4>EXSTYLEH>CLSNAME?WINDNAME@AOPTS>THEWID
YIELDTOCLIENT?
YieldToClient@ENDUSERMESSAGE0@EndUserMessage@?THEMSGID?GETUIMSCONTROLINFOBGetUIMSControlIn
THEHWNDCLIENTA
THETIMEOUTA
MSTARTANIMhA
mStartAnimATHECLIENTMODNAMEXBTTHESHOWMEMODNAMECTHECOMPILESWITCH,BMUNREGISTERANIMCLAS
MRUNHELPMACROTD
mRunHelpMacroCTHEHELPPFILECTHEHELPMACROCLSIMODULEUNLOADBYNAMEDItssin30.dllDLSIModuleUnl
STRINGTYPEXDBUBBLEREGISTERhEBubbleRegisterEBUBBLEUNREGISTEREBubbleUnregister<FBUBBLEENDFBubb
BUBBLEHELPTF
BubbleHelpXGTHETEXTETHEFLAGS|G
THECLIENTXPOSE
THECLIENTYPOSEFTHETYPEE
THEWAITCURSORGBUBBLESETCOLORFBubbleSetColor\$HTHECOLORtF
BUBBLESETFONTG
BubbleSetFontFTHEFONT4GBUBBLESETJUSTIFICATIONGBubbleSetJustificationHSETACTIVEWINDOWPHSetActive
FINDWINDOWTIFindWindowApILPWINDOWNAMEJ
SHOWWINDOWI
ShowWindowINCMDSHOWJGETWINDOW,KGetWindowJTHERELATIONSHIP<KGETWINDOWTHREADPROCESSI
GetClassNameAKNMAXCOUNTJGETMODULEFILENAMEExKGetModuleFileNameALHMODULEKNSIZELKSLEEPI
MOVEWINDOWL
MoveWindowLNWIDTHLNHEIGHTLBREPAINTLSETWINDOWPOSpLSetWindowPosXMHWNDINSERTAFTERLCX8
GETWINDOWRECTM
GetWindowRectDNLPRECTN
SETWINDOWTEXTXOSetWindowTextAMPSTRINGN
GETWINDOWTEXTNGetWindowTextANTHELENGTHO
GETCLIENTRECTO
GetClientRectNSETFOCUSQSetFocusOGETFOCUSOGetFocus`P
DESTROYWINDOW\$O
DestroyWindowPGETPRIVATEPROFILESTRING(PGetPrivateProfileStringAO
LPSECTIONNAMEPLPKEYNAMEQLPDEFAOULTPLPRETURNEDSTRING(Q
LPINIFILENAMEPWRITEPRIVATEPROFILESTRING0TWritePrivateProfileStringAQ
LPSTRINGTOADDDHQ
LOADBITMAPPLoadBitmapAQHINSTANCEV
BITMAPNAMEQDELETEOBJECThQDeleteObject<RHOBJECTR
GETMAPMODEPS
GetMapModehRHDCQ
SETMAPMODEQ
SetMapModeRNMAMPMODERCREATEFONTINDIRECTRCreateFontIndirectARLPLOGFONTSCREATEBRUSHIM
LPLOGBRUSHTGETSTOCKOBJECT<SGetStockObjectTINDEXdSGETMENUxSGetMenuJGETTICKCOUNT(UGetTi

in

GETSUBMENUUpU
GetSubMenu|UHMENUUPOSUV
GETMENUITEMIDV
GetMenuItemIdWGETMENUITEMRECTVGetMenuItemRectWUITEMVGETMENUITEMCOUNTdVGetMenuItemCount
GETMENUSTRINGVGetMenuStringAXIDVSIZE(WFLAGSW
GETCAPTUREW
GetCaptureX
SETCAPTUREpZ
SetCaptureWRELEASECAPTUREWReleaseCaptureWENABLEWINDOWYEnableWindow\$XFENABLEDXSETCUR
CLIPCUSORTZ
ClipCursorPYWINHELPYWinHelpAZ
LPHELPPFILEYWCOMMANDYDWDATAYDISPATCHMESSAGE0ZDispatchMessageAYLPMSGZSENDMESSAG
WMSGFILTERMINt\
WMSGFILTERMAX[
WREMOVEMSG]CHILDWINDOWFROMPOINTChildWindowFromPointWINDOWFROMPOINTWindowFromPoint
sndPlaySoundA]WAVEFILEd]GETSTRINGp^GetStringH^THESTRINGID^THERETVAL^UNICODE_2_ASCII^Unicode
CURSORTOXY0cPTDESTbMOVEMOUSEcPTNEWcDOMOUSE,d
THEMOUSEEVENTdEVMODdcCHOOSEMENUITEMcITEMIDcCHECKMENUdPATHELEMENTcSENDTEXTKEY
GETCLIENTPATHeSHOWHELPSTEPgTHETOPICeHIDEHELPSTEP`e
SHOWHELPTOPICe
THEHELPWIN0eSHOWVCRNEXTMESSAGEeSETBUBBLEPOSFORMENUSeSHOWTEXTBUBBLE\$gTHEQUADRANT
WAITFORDIALOG4fWAITFORSCDRAWEROPENfWAITFORLWPNAMEDFRAMETOFILLfTHEFRAMEDhWAITFORINIT
THEMAXWAITgWAITFORCHILDDIALOGgPROCESSTIMEOUTgTHESTARTTIMEhTHETIMEOUTPERIODi
ISDIALOGUP@iISDIALOGUP_2lh
THECLIENTHWNdiDISABLETHEKEYBOARDjENABLETHEKEYBOARDiDISABLETHEMOUSEBUTTONS,iENABLETHEM
THESAMPLEFILE\kOPENSTARTRUNMENUdjsWITCHCLIENTAPPGLOBALS`j
LOADMODULEjTHEMODULEkUNLOADMODULEi
RTRIMFIXED,nTHEFIXEDSTRINGkWHEREISDLGCONTROL(kWHEREISIBCONTROLkTHECTRLTYPEkTHECTRLI
in line: nTHECHILD(oTHENEXTPpiBUFSIZEoSZBUFoltpTHERETURNp o1GetClassName failed in GetClientPe
HWNDIALOGs
STARTWAITTIMEdr{ESC}du%{F4} sRestoreClientState_Error: r in line sTHEIBHWNd\$t
Shell_TrayWndsIPOSdtIRETHsILENjsMENUCOUNTvOPENSTARTRUNMENU_ERRORsOpenStartRunMenu_Error:
THEAPPNAMEuTHECLIENTWINCLASSvTHELOCALSAMPLEFILEtTHEDRAWERRETuTHEFOLDERRETt
THEICONRETDu
THEAPPHWNDv3.ActiveDocWindow.WinViewPrefs.IsViewBookmarks=FalseTvWAITFORINITIALWELCOME_ERRORu
LOAD_ERROR,xTHESHAREDCOMPONENTPATHyPBUFFERYPFULLPATHTOQD_EXEyCouldn't load module: LxLoad
MOUSEPOINT|SetClipCursorPos_Error: |DELAY_ERROR{|
DELAYSOFFAR{|
Delay_Error: |in line X|MOVETOOBJ_ERRORP}MoveToObj_Error: |MOVETOOBJREL_ERROR|H}V|MoveToObjRe
INFINITESLOPE~SIGNISTEPX|MAXx|CursorToXY_Error: |MOVEMOUSE_ERROR|
SENDMSGRET|MoveMouse_Error: |THEEVENT(|
DOMO|USE_ERROR8|CURSORPOSdMouseDown_Error: T|UNLOAD|SENDTEXTKEYS_ERROR\|Internal E
SELECTLINE|SELECTLINE_ERROR8|+{END}^SelectLine_Error: ||
SELECTPARA|SELECTPARA_ERROR\$|SelectPara_Error: |CHECKMENU_ERRORt|H|SUBMENU|IDOWNS|
ITEMSTRING|WM_INITMENUPOPOP failedH|CheckMenu_Error: ; THE16BITMENUID|GETCLIENTAPPSTRING_
THELOGFONT|BUBBLEX|BUBBLEY|THEVCRINSTRUCTION|THESCREENPOINT |
THEFONTHANDLE|Coaching BubblesH|Click Next to continue. |Click Done or Repeat.@|Error: BubbleHelp returne
TOSHORT_ERROR|ToShort_Error: |DBOUT_ERROR|
DBOut_Error: |WAITFORDIALOG_ERRORh|WaitForDialog_Error|WAITFORCHILDDIALOG_ERRORp|

in

THEPARENTHWND WaitForChildDialog_Error8 WAITFORSCDRAWEROPEN_ERROR WaitForSCDrawerOpen_ErrorT
FRAMEWIDTH8 DEFAULTFRAMEWIDTH(DEFAULT_FRAME_WIDTHT SELECTED_FRAME_LWP WaitForLWPF
SETDIALOGIDLE SetDialogIdle got calledč1Don't use the keyboard while the demo is running. C-BUFSIZE|EYour ke
THEWORKSTRING RTTrimFixed Error: ISDIALOGUP_2_ERROR LDIALOGHWNDx IsDialogUp_2 Error: |commo
STARTQD_ERRORx IRESULT LRESTORESTATESTATUS StartQD Error:T DOFRAMES_ERROR THEEXESTRI

%if GEMINI

'Make sure the fix worked (by not using it!!)

%elseif IBM_OS2

'x = LSI_INFO(103)

%else

'temporary fix (until LS Rel. 39B) to allow yielding during an execute...

x = LSI_INFO(103)

%end if

ShowMe(

)
End Suběuse "< DoFrames Error: in Linex SHOWANDSAYSTEPS_ERROR ShowAndSaySteps_Error: STAR
THEANIMSTRING Player DontLockKeyboard 0 anims.ini WORKAROUND_2 StartAnim_Error: STAR
"@h?4L?p?SO@O?SO@O(H?SO@Oh((P?@
SO@O?SO@O?SO@O(X?@SO@O(H?SO@OH?SO@Oh4H\H?SO@O?
?
?SO@O(<
p
?SO@OHH?
?
?`SO@Oh?
?
?@(<@Hl@h?(h@H@hH
\$@
8&@(|(@4@
5@
6@L
>@Hh|
@h?
?
@?
@?
"@?
\$@L&@
t(@?
*@H, @hh. @, 0@ \?h
??@?
?
?@(
(

in

x2777h1\$2389h1%2D499h137T:x:h1<3<3: :h1I35\$;H;h133l; ;h135; ;h139D
0599>
>h1
\55>?h15\$7D?p?h1%5L8?@h156X@
@h1
66@Ah1D68AAAh1p6P;ABh16T7B0Bh166HB\Bh164:pB Bh1\$777B Bh1T78C<Ch1799C
|Dh1
799D
Dh1
8D<D
Eh1
L8: E<Eh1x8:E
Fh1
809XF
xFh1
888F Fh19\$;G8G87(509? \G G8\9TC G G89: G(H89<TH|H89p> H H8:,@ HI
PK:
P;>|K K: ;X@ K
K8
;P=4L
TL8
;p<L L8<<M\$M8D<<<M
\M8
%p<=M
M8
<D MN8<<HN
hN8
%<=NN8\$=NN8P=@NO8=>(O\O: =IA,PdP: = ?P P8>D>,QLQ>: 5D>@
4T:
?A`TxT8% @B T
??T8
,@D T
U8
X@`E,UHU8@DBU U8@C U U8% @AV@V8A^hV V8@A4E V V8IA AW,W8A
IW8
ABW W8ApB W W8B B(X
HX8
DBNhX
X8
&pB B X
X8
BpF XY8B DhY Y8 'B C Y Y8\$C\$CZ
4Z8
TC EXZiZ8C C Z Z8 'C F,[[8 CDD [[8D Q [[8
[8
&DDtD\
@\8
&tD Fd\> &D E \ \> &D8J []D >5EE8]P]h14EDF []h1`EF^(h1 E HL^ ^h1 EG ^ ^h1 E^ _
_h1

in

&@&~"X&H(H(H(H(H"8888H
 d"&p"~&
 <A\$@4shP`"Vp@sxss(\$&hp
 (W
 /%n0&p
 z
 %0n0@p&t
 %
 &&
 h~(' t IIÉ x. | &&()
 *)
 \$)@PLP&o
 ?)
 ^*
 *vïoPT@^"nP
 t+ oPT@0f@^"PP"nPP8ro
 B,v oPT@J^"nP
 tV,v @, @, @
 -半 -v(v8Hn0dfvvh~ &
 h-
 .o
 h^/ffhhHXX>2RxxXRR(\$1xxX
 14 \$
 1& v, &&
 |18oP??H??
 32&`??
 x
 4 &&H)\(?Q?X h\$0ð
 s3
 4 &&vï^ " :V~8b)8KHOM"#b)<2W]p](p]8p]Hp]Xp]hpKH0_"[P+#K+_ k
 1^q}P:o2}o8
 1^q}Y2}p8
 1^q}C2}p8
 1^q}:-2}
 8
 1^q}
 :2}4p8
 1^q}<:1^q}TpJq^q)2^xq^q]j#]hj)d^xq#I@r}8}p?^pr}i]@r}#^r}i]@r}#Jpr}
)h}#_#b}?)#b}'X?)#X}8a}:#b}:X*LP*M"#X}8^s6^s6}
 W~8
 W~X
 W89Ks_")k}H#)\5KsM"WW^s#8a~X:KP+_4%KsM%KP+_T%KsM%KP+_D%
 #)J~(J#)Hf(J~(J#)J~(J#)g#}s}rT`\$^ulXb)<GJu#1W2~X8:
 :2~881^t}<^t}:1^tJ}t}J}t}Lp}J}KH0_"K*M"(b)`o~)i^t}#~X#X

in

HEANIMTYPE8THESTRING 8THEARG1 8THEARG2 8THEARG3 8THEARG4\9THECLIENT

JIM <SendEndAnim <

DWLJGetTopWindowI

in

ANIM EndAnim _SHOWRESTORESTATEDLG _ShowRestoreStateDlgTa _SETLSINST`Se

WOFCLASSDmTHEWINDOWCLASSoGETCLIENTPEERWINDOWOFCLASS_2 mCLOSEINFOBC
qNBad input to WinExecClientApp. (TODO: Replace this with an end-user message.)sRESTOREC

XLRESULT wCouldn't unload module: lw. Terminating demo. wUnLoad_Error: w
B_ERROR z#RGB Error: Input value out of range {RGB_Error: lzXYTOLONG zXYTOLONG_ER

SORTOXY_ERROR ~PTSTART ~PTMOUSE DELSLOPE ~Y_INTERCEPT`

_ERROR ^+{END}` SelectBlock_Error:

SHOWHELPTOPIC_ERROR4 HELPRET > ShowHelpTopic_Error: SHOWTEXTBUBBLE_

in

:OR EnableTheMouseMoves_Error: d RTRIMFIXED_ERRORε

in

SO@O(??R?SO@OH?H?@SSO@OhhH?????h???(Hh(8(TI(
#@@+\$(,<\$@H,\$@)*\$&@

?,,-,0,,@.L.,-h.--.P-.p-0`-

in

%x O Od PSTd P P P P %P P P P TdHQ Utd(Q8Q(Q8Q8Q8Q

in

\pJpRJJpR%JJJpll)KpM"#):KpM"#):KHOM"

)5~x#1:1)n#:bV,8',;)T#b~x^ps4lXl*M*8T)cX#)Pg#KH0_")3[
·Ks_"xV#1W84Ks_")x2W]hfx^s#KsM"8a~X:KP+_4%KsM%

KtM"^ t#Kt_%K tM'Kt_%K tM'K t_'KtM%K t_'KtM&)DKtM"^ t#Kt_%K tM'Kt_&

in

#b g * ^ x4)@k} x d#^ x6)@k} v ,#b ~ ^@x4oXg * 8:^b Xg * ^

? :#bW W ~ } aX } , } } r T ? :#bW W ~ - - aX } } } r

b b K0 M ^ 4b)X@K LM@#X # b\$) @K LM@#X ^ # XW 8b.
: V 8 V ~ 8Ob)pBKH0M")@O#G, } 0 I R [, #) U#) U#b) <KH0M

#} } } } r T ? :[e } 8

"[p,# ` ` } X ? : V V 8 ^ 8 } H G, } B

) <KH0M "#1b)05~ # }) n#) n# 8") <KH0M "#1b)05~8# }) n# V 8! V ~ X 8b):|

in

IDD9

in

tLSInst\`THELSINST8`DISABLEKEYBOARD ❖ DisableKeyboard ❖ ENABLEKEYBOARD(aEnableKe

)X ❖ mISLSEEDITORUP ❖ mQUITANIMnDOWHEREIShnMYOBJTYPE ❖ mMYOBJNAMEDnMYOBJAF
LIENTSTATE_ERRORrJrNUMCAPTIONCHARSTrTHETHREADtr

ROR0{XYToLong_Error: ❖ {SETCLIPCURSORPOS0|THEPOSITION ❖ |SETCLIPCURSORPOS_ERI

ERRORS❖

in

d c Q \ d R 0 _ d x R x R p R R % ` ` ` ` R p d p d 0 S Z e

in

#8aKpM^p}Kp_)4:KpM"KpM"8*a)a)W#

+#XI*_XIXI*_P*GH0XI*_`*^ps6)FKH0M"#b~x^s4Cb~x^
/Kp+_T%KsM%Kp+_D%KsM%Kp+_d%KsM&Kp+_t%KsM"K+_ KP

tK tM'Kp+_4%KtM%Kp+_T%KtM%Kp+_D%KtM%Kp+_d%KtM&Kp+_t%KtM'

in

Jx4)@k}x#^0x6V`~xXg*8)g#@k}v,##^@x6:}xWT?}y

T? :a18DELIIHDEL~pDEL}~}rrT?:`b4)B^#K#M'KJM'8b0:>b KJM'K'

XaX:8eK@_@#),@KLM@#X#bXb)PL^@aW#X8WI`
#"#)5KH0M"#:Lb)pBKH0M")O#G,}0I[R[,#)U#)U#b)<KH0M"#)5

KH0M"#G,)dy8+G,}8b)3[,[+KH0_#"#V`~8b)3}t[+KH0_#"#

in

Keyboard@cdisablemousebuttons DisableMouseButtons EnableMouseButtons

RG1 MYOBJARG2 MYOBJARG3pMYOBJARG4 DOWHEREIS_ERROR DoWhereIs_Error:

RORD{MOUSELONG }

in

h@h`@Hx @((

-(0-L0.t0.p.@.P./1.h/ 1p.01.X1

in

'8Kq_")4:W#KqM"9~b):KqM^Hq~8q#^XqJHqXJXqIhm);Kc

s4+XI*Mp*X8XI*M*8b)p<XI*LP*M'^s~r#JsXJb)\XI*LP*_#
+M4%K+_ KP+MD%K+_ KP+MT%K+_ KP+Md%K0_"KP+Mt%a~K

K+_ KP+M4%K+_ KP+MD%K+_ KP+MT%K+_ KP+Md%K0_"KP+Mt%

in

}rT?:V\$8QV8 b)<3}[+KH0_`#`V`~x8b)3V`KH0M"#:(i#

DEL'M'KJM'KDEL'M'b(KJM'X KJM'b2KJM'KDEL'M'b6KJM'KDEL'M'

*X aX:GXJJJJJ
iKH0M"#aX}8}rT?KP+_4%KP+_D%KP+_T%KP+_d%KP+_

)EKH0M"[p,#`}}}}}{T?

in

nableMouseButtons ◆ aISZOOMEDTblsZoomed<bGETLOCALSAMPLEFILENAME ◆ aGetLocalSamr

0

in

: /x1 .x0 1 . / 1 . 1 .x/ 1 . / 1 / 2/0/<2/ /d2 & / 1x2 &0/ 2

in

ΓL6e8U8Ue(UUfUeUUU*U\$8xV`e** WhbeW

in

!M'##`):KqM"##):W##8aKqM"Kq_")4:KqM"##:v@a[hj]!xj}!j}

x(86) <X#1) .#)@k}Xr d#b)\XI LP*_'# .XI *M0*} (88)|3#1b <3XI *_0*
!s_ %K s_ %K s_ %K s_ &K s_ "W~W~W~

, a#) H~

in

1)g#V8b):KHOM"#G,}dy8b)Q}}y#)2#)B#}y?:`WWaW

X08qb8X6X4^4YX28K_'K_M'X4:K_'K_M'X4)z^_#^_]

t%KHOM" :KP+Mt%8K80_"KHOM")7K80M"#)L8K80M")x#####

in

FileFileName, bcommon\an_srvc.lss ~~to~~TOSHORT ~~to~~VALUEPdMOVETO OBJ ~~to~~ILOC ~~to~~MOVETOO

in

!&X/1 2! &D/! &3h/0 2 &x/p4 2 & / 3 /H083 /X0T3 h /80|3 h / 0

in

√; *eW XfWJWW

in

8lxj2}o8

:XI_*_XILP*_#)#XIM*~x8"b)3XIM*XILP*M'#XIL@*M'XILI

in

W aW W 8\$aWW~py W~y å:}y?}<z j r T ? :aW W

DEL)8J^DEL(J#^ 6:NX ~X 8b8 X6X4^0 4tX28K DEL_'K DELM'X4 :K DEL_'k

#K_'KP+M4% KP+MT%KP+M4% W W W W K_'KP+MD% KP+Md%KP+MD% W W

in

BJRELxcRELXPgRELY 

in

3 h / 3 / 3 % / h 3 % 0x84 % 0 1,4 '(013D4 '80<2`4 "H081x4

in

P*M' 8) ,XI*LP*M'# 8 XI*M*~ 8!b) BXI*LP*M' ## #.)@k}hr d#

in

V~xz}z?:^K/_%K {M'K/_&K {M'K/_%K {M'K/_%K {M'K}DB

(DEL)M'X4K DEL_'K DEL)M'X(X)z^ DEL#^ DEL) DEL)8J^ DEL)(J#^06: t

)CKP+Mt%^#K_ K M'K_ K M'G, jH8&V V8^}p: ^}

in

'X0 4 'h0x2 4\$ 'x0 4(' 0t1 4 4? SO@O 0 05(5? SO@O 0 3<51

in

tf(Yd fY`v`v v vY@vPvPvw0v0vZu u u uv@v f Y f Y v v v Y Y Y v

in

)\XI *LP* _ # 8

in

*)DB[/#) AK {M'K {M'#}h{ } }r }T }? :Mb } }b) ?# }b) ?#X } }XW }8b) ?#X } }) . }# : }

)2KJM'K } }M' } } }b6KJM'K } } }M' } } } }b8 }X6X4^@ }4tX28K } } } }'K } } }M'X4 } } } } :K } } } }

} } :G } } ,}dy }8^| } } }b } }) }8K80M } } " }# } } }b } })8K80M } } "G }-JI }W~X }K } } } _ } K } _ } - }

in

Γ5? SO@O 0 515 5?@ SO@O12 5 5? SO@O81 1 5 5? SO@Ot1p6 56h1 ◀

in

vYvvpvYfYlvvgZh](gZp00ppZ@P

in

} { } { T ?

'K M'X4 K 'X K M' X() z^ # ^ J)8J^ (J#^@ 6

~x# X 8M}. X T

in

04 01 02p6 06h1 015 06 06h1 01 02 06 7h12 08H7I7h1<205 07

in

·`*Z(ggp[atg@[^[^[P[P[@[@,`P[Tg`xg`g\`

in

DEL}rT? :V`~X8C)DKJM"]J#b)~KJ_KJ_#b)BKJM"X#

in

g/lll

in

▶:A)DKH0M"J#b)~KJ_KJ_#b)\$CKH0M"X#}x^{DEL}}rT? :E

in

3^#b)81WKM'KM'W#X28 1:A:928#1)5KH0M"#)gd#)5KH0M"#:

in

281:1)5KH0M"#}DEL}rT? :b)b)T7]p#X8}Lw}rT

in

? :X)g#b]M%^E4<^I M X M)h]#J