

T. facturado

Tiempo facturado

Utilice el icono situado más a la derecha para crear su propia copia de esta hoja. No realice modificaciones en esta hoja.

Nombre:

Departamento:

Tiempo facturado

Cliente 1

Cliente 2

Total diario (horas)

Tiempo no facturado

Cliente 1

Cliente 2

Total diario (horas)

TOTAL HORAS

Gastos diversos

Total

Detalle de facturación

#NAME?
#NAME?

T. facturado

#NAME?
#NAME?
#NAME?
#NAME?
#NAME?
#NAME?
#NAME?
#NAME?
#NAME?
#NAME?

TOTALES

T. facturado

Fecha inicio: 35247

Fecha fin: 35253

35247	35248	35249	35250	35251	35252	35253	Total
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	semanal
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							

#NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME?

35247	35248	35249	35250	35251	35252	35253	Total
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	#NAME?	semanal
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							
0							

#NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME?

#NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME? #NAME?

Importe

0

Cuenta	Estimadas			Reales		Diferencia
	Tarifa	Horas	Importe	Horas	Importe	
0	0	0	0	0		#VALUE!
0	0	0	0	0		#VALUE!

T. facturado

0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!
0	0	0	0	#VALUE!

µrea de trabajo

Variables

%Sheet_Cou

0

: version counter

Cadenas

Bold items are referenced to duplicate strings

	Xlat Name	Range Name	Range
	%sheet_COUNT	%sheet_COUNT	B:B3..B:B3
Table Sheet Strings			
<u>RangeNames</u>	<u>Strings</u>		
T_1	Tiempo facturado		
T_2	Nombre:		
T_3	Departamento:		
T_4	Tiempo facturado		
T_5	Total diario (horas)		
T_6	Tiempo no facturado		
T_7	TOTAL HORAS		
T_8	Incremento		
T_9	Gastos diversos		
T_10	Total		
T_11	Detalle de facturaci�n		
T_12	Fecha inicio:		
T_13	Fecha fin:		
T_14	Total		
T_15	semanal		
T_16	Importe		
T_17	Cliente		
T_18	No facturable		
T_19	Cuenta		
T_20	Tarifa		
T_21	Estimadas		
T_22	Horas		
T_23	Reales		
T_24	Diferencia		
T_25	Utilice el icono situado m s a la derecha para crear su propia copia de esta hoja. No re		
T_26	Totales		

Sheet Strings

<u>RangeNames</u>	<u>Strings</u>
%S_1	T. facturado
%S_2	µrea de trabajo
%S_3	Cadenas
%S_4	Scripts

Function Strings

<u>RangeNames</u>	<u>Strings</u>
%F_1	pantalla-anchura

Range Strings

<u>RangeNames</u>	<u>Strings</u>
%R_7	%Sheet_Count

Cadenas

FileInfo Strings

RangeNames Strings

%D_1	SmartMasters
%D_2	Elaboraci3n de una hoja de facturaci3n
%D_3	Registre y controle en una hoja de facturaci3n el tiempo que invierte en cada actividad

Cadenas

```

# Ranges          1
Counter          2
Current Name     #NAME?
Xlat Name       #NAME?
Current Range    #NAME?

\R              {-- Create ranges based on new range names}
                {FOR K3;1;K2;1;K11}

Loop            {-- Create range name for current cell}    \u
                {CALC}
                /rnd@@(K4){calc}~
                /rnc@@(K5){calc}~@@(K6){calc}~           \W

```

RUN this macro before the one above

```

# Sheets          4
Counter          5
Current Sheet     #NAME?
Cur SheetName   Scripts
Current Range    %s_5

\S              {-- Renames all Sheets}
                {FOR K20;1;K19;1;K28}

Loop            {-- rename sheet}
alice modificaciones en esta hoja.  {CALC}
                #NAME?
                {IF K22=@@(K23)}{RETURN}
                {SHEET-NAME @@(K23),K22}

\X              {edit-copy d:b2..d:b200}

```

Pseudo-tranlator testing tool; pads all strings by %50 and adds INTL chars

```

\Y              {GOTO}Strings:b5~
\Q              {IF @cellpointer("row")>100}{QUIT}
                {IF @length(@cellpointer("contents"))<3}{Down}{BRANCH}
                {IF @cellpointer("type")="b"}{Down}{BRANCH \Q}
                #NAME?
                #NAME?
                {Down}{BRANCH \Q}

PAD             €□, f,,... †‡^%Š<Œ□Ž□□“”•——~™šœ¾¼P ¡¢£¤¥¦§¨ˆ_«-€□,¡

```


Cadenas

```
Sub Translate
Dim X As Document
Set X = Bind( [],path + [].ShortName )
X.Subject = [%D_1].CellValue
X.Title = [%D_2].CellValue
X.Description = [%D_3].CellValue
X.NoDocInfo = FALSE
End Sub
```

Translate all Strings in Strings Sheet.
Run macro W to call Global Sub Translate, \S, \R and \X
Delete all Global Subs
Paste into IDE under Globals.
Cleanup file as you like
Rename from OS as *.12M
Test

/whdb:a1..d:a1~

{Translate}
{S}
{R}
{X}

+ \Q}

f,,...††^%Š<Œ□Ž□□“”•——™šœ¾P |Œ£¤¥!\$”_«-€□,f,,...††^%Š<Œ□Ž□□“”•——™šœ¾P |Œ£¤¥!\$”_<

<-€□,f„...†‡^%Š<Œ□Ž□□“””•——™šœ¾⁄P ¡¢£¤¥¦§¨_<-€□,f„...†‡^%Š<Œ□Ž□□“””•——™šœ¾⁄P ¡¢£¤

¥|S''_«¬€□, f,,... †‡^%Š<Œ□Ž□□''''''•——~™šœ¾4P ¡£¤¥|S''_«¬€□, f,,... †‡^%Š<Œ□Ž□□''''''•——~™šœ¾4f

» ¡¢£¥¦§¨ª«¬®¯°±²³´µ¶·¸¹º»¼½¾¿ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖ×ØÙÚÛÜÝÞßàáâãäåæçèéêëìíîïðññóôõö÷øùúûüýþÿ~™šœ¼P ¡¢£¥¦§¨ª«¬®¯°±²³´µ¶·¸¹º»¼½¾¿ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖ×ØÙÚÛÜÝÞßàáâãäåæçèéêëìíîïðññóôõö÷øùúûüýþÿ~™

šœ¼P ¡£¤¥¦§¨_«¬,.,...†‡^%Š<ŒŽ□□“”•—™šœ¼P ¡£¤¥¦§¨_«¬

Scripts

Script Name	CODE	DESCRIPTION
Assign to Op	Sub Init	
Initialize	[] .Maximize	
or sub Init fo	End Sub	
Print	Sub SM1	
	[A5].Select	
	.ShowAutomaticPageBreaks=False	
	.CurrentPrintSettings.PrintWhat = \$CurrentSheet	; Prints spreadsheet page
	.CurrentPrintSettings.FooterCenter = ""	
	.CurrentPrintSettings.Orientation = \$Portrait	; set print options
	.CurrentPrintSettings.FitToPage = \$FitRowsAndColumns	
	.CurrentPrintSettings.LeftMargin = 1080	
	.CurrentPrintSettings.TopMargin = 1080	
	.CurrentPrintSettings.RightMargin = 1080	; call routine to set all backgr
	.CurrentPrintSettings.BottomMargin = 1080	; call print dialog
	[] .ShowDrawLayer = False	; restore background colors
	[] .ShowVersionBorders = False	
	CurrentApplication.Print	; turn off display of VM fames
	[] .ShowDrawLayer = True	; Print
	[] .ShowVersionBorders = True	
	[] .ShowVersionBorders = True	; turn on display of VM fames
	End Sub	
Help	Sub SM3	
	[A5].Select	
	[] .HelpContents	
	End Sub	
Send Results	Sub SM2	
	[A5].Select	
	[] .ShowDrawLayer = False	
	[] .ShowVersionBorders = False	
	[] .SelectAll	
	[] .CopyToClipboard \$BitmapFormat	
	[A5].Select	
	[] .SendMail , , "Tiempo facturado" , , , \$Clipboard	
	[] .ShowDrawLayer = True	
	[] .ShowVersionBorders = True	
	End Sub	
New TimeShe	Sub Sm4	
	[A5].Select	
	[] .NewSheet \$After,1,True	
	[%Sheet_Count].Contents = [%Sheet_Count].CellValue + 1	
	[] .SheetName = [T_17].CellValue + " " + Cstr([%Sheet_Count].CellValue)	
	[] .GroupSheets 0,1,0	
	[Picture 1].IsLocked = 0	
	[Picture 1].Visible = 0	

Scripts

```
[A:A1..A:L100].QuickCopy [B:A1]
[Picture 1].Visible = 1
[Picture 1].IsLocked = 1
[].UnGroupSheets
[B:B5].Select
[].HorizontalTitle = 1
[B:B3].DeleteRows $Full
End Sub
```


Scripts

ound to white

5

5