

Displays the name of the file or folder.

Displays where Scan will begin scanning for viruses. To specify a different location, choose Browse.

[Click here to specify where you want Scan to begin its search for viruses.](#)

Selecting this option instructs Scan to search for viruses in all subfolders within your main folder.

Selecting this option instructs Scan to search for viruses inside every file.

Selecting this option instructs Scan to only search for viruses inside program files.

Selecting this option instructs Scan to search for viruses inside files compressed with PkLite and LZEXE.

[Click here to specify program file extensions.](#)



Use this field to specify the action to be taken when a virus is found.

Selecting this option instructs Scan to display a custom message upon virus detection. For the message to be displayed, the Action option must be set to Prompt for action.

Enter the desired message to be displayed upon virus detection.

Selecting this option instructs Scan to sound an alert upon virus detection. Alert sounds at end of scan.

Selecting this option instructs Scan to log names of the infected files.

Enter the desired log file in the provided text box.

Selecting this option instructs Scan to create and maintain a log file no larger than the size specified. Deselect this option for unlimited log file size.

Enter the desired size in the provided spin box.



Displays program file extensions.

[Click here to add another program file extension.](#)

[Click here to delete the selected extension.](#)

[Click here to use Scan default program file extensions.](#)

Enter new program file extension here.

[Click here to select file to be used for logging.](#)

Selecting this option instructs Scan to scan memory.

Selecting this option instructs Scan to scan the boot sector.



Selecting this option instructs Scan to start scanning immediately after launch.

[Click here to change the icon for the configuration file.](#)

