

#1 **HexView Help Index**

HexView is a Freeware application Copyright 1996 Funduc Software Inc. Please distribute freely. It allows View, Print and Print Preview of any file formatted as a Hex Dump. To download the source code and other useful utilities (including Search and Replace for Windows 95/NT), visit <http://home.sprynet.com/sprynet/funduc> or <http://ourworld.compuserve.com/homepages/funduc>.

Commands

[File menu](#)

[View menu](#)

[Window menu](#)

[Help menu](#)

#2K3 §4 **File menu commands**

The File menu offers the following commands:

<u>Open</u>	Opens an existing document.
<u>Close</u>	Closes an opened document.
<u>Print</u>	Prints a document.
<u>Print Preview</u>	Displays the document on the screen as it would appear printed.
<u>Print Setup</u>	Selects a printer and printer connection.
<u>Exit</u>	Exits HexView.

² menu_file

³ Files: managing

⁴ File menu commands

#5 **View menu commands**

The View menu offers the following commands:

<u>Toolbar</u>	Shows or hides the toolbar.
<u>Status Bar</u>	Shows or hides the status bar.
<u>Previous Block</u>	Displays the previous block in the current file.
<u>Next Block</u>	Displays the next block in the current file.
<u>Go To Block</u>	Allows you to display the contents of a file at a specific location(offset).

#6 **Window menu commands**

The Window menu offers the following commands, which enable you to arrange multiple views of multiple documents in the application window:

<u>New Window</u>	Creates a new window that views the same document.
<u>Cascade</u>	Arranges windows in an overlapped fashion.
<u>Tile</u>	Arranges windows in non-overlapped tiles.
<u>Arrange Icons</u>	Arranges icons of closed windows.
<u>Split</u>	Split the active window into panes.
<u>Window 1, 2, ...</u>	Goes to specified window.

⁵ menu_view

⁶ menu_window

^{#7}**Help menu commands**

The Help menu offers the following commands, which provide you assistance with this application:

<u>Help</u>	Offers you an index to topics on which you can get help.
<u>Topics</u>	
<u>About</u>	Displays the version number of this application.

#8K9 §10 **Open command (File menu)**

Use this command to open an existing document in a new window. You can open multiple documents at once. Use the Window menu to switch among the multiple open documents. See Window 1, 2, ... command.

You can create new documents with the New command.

Shortcuts

Toolbar: {bmc fileopen.bmp}
Keys: CTRL+O

⁸ HID_FILE_OPEN

⁹ Files: managing

¹⁰ File Open command

#11 **File Open dialog box**

The following options allow you to specify which file to open:

File Name

Type or select the filename you want to open. This box lists files with the extension you select in the List Files of Type box.

List Files of Type

Select the type of file you want to open:

All Files (*.*)

Drives

Select the drive in which HexView stores the file that you want to open.

Directories

Select the directory in which HexView stores the file that you want to open.

Network...

Choose this button to connect to a network location, assigning it a new drive letter.

¹¹ AFX_HIDD_FILEOPEN

#12K13 §14 **Close command (File menu)**

Use this command to close all windows containing the active document.

You can also close a document by using the Close icon on the document's window, as shown below:

{bml scmenu.bmp}

¹² HID_FILE_CLOSE

¹³ Files: managing

¹⁴ File Close command

#15K16 \$17 **Toolbar**

{bml h1ptbar.bmp}

The toolbar is displayed across the top of the application window, below the menu bar. The toolbar provides quick mouse access to many tools used in HexView,

To hide or display the Toolbar, choose Toolbar from the View menu (ALT, V, T).

Click To

{bmc fileopen.bmp} Open an existing document. HexView displays the Open dialog box, in which you can locate and open the desired file.

{bmc fileprnt.bmp} Print the active document.

{bmc recprev.bmp} Go to the previous block in the current file.

{bmc recnext.bmp} Go to the next record in the current file.

¹⁵ AFX_HIDW_TOOLBAR

¹⁶ Toolbar

¹⁷ Toolbar

#18K19 §20 **Status Bar command (View menu)**

Use this command to display and hide the Status Bar, which describes the action to be executed by the selected menu item or depressed toolbar button, and keyboard latch state. A check mark appears next to the menu item when the Status Bar is displayed.

See [Status Bar](#) for help on using the status bar.

¹⁸ HID_VIEW_STATUS_BAR

¹⁹ Status Bar

²⁰ View Status Bar Command

#21K22 §23 **Status Bar**
{bml hlp sbar.bmp}

The status bar is displayed at the bottom of the HexView window. To display or hide the status bar, use the Status Bar command in the View menu.

The left area of the status bar describes actions of menu items as you use the arrow keys to navigate through menus. This area similarly shows messages that describe the actions of toolbar buttons as you depress them, before releasing them. If after viewing the description of the toolbar button command you wish not to execute the command, then release the mouse button while the pointer is off the toolbar button.

The right areas of the status bar indicate which of the following keys are latched down:

Indicator	Description
CAP	The Caps Lock key is latched down.
NUM	The Num Lock key is latched down.
SCRL	The Scroll Lock key is latched down.

²¹ AFX_HIDW_STATUS_BAR

²² Status Bar

²³ Status Bar

#24K25 §26 **Previous Block command (View menu)**
{bml recprev.bmp}

Use this command to display the Previous Block of the current file.

²⁴ HID_VIEW_PREVIOUSBLOCK

²⁵ View Previous Block

²⁶ View Previous Block command

#27K28 §29 **Next Block command (View menu)**
{bml recnext.bmp}

Use this command to display the Next Block of the current file.

²⁷ HID_VIEW_NEXTBLOCK
²⁸ View Next Block
²⁹ View Next Block command

#30K31 §32 **Go To Block command (View menu)**

Use this command to Go to a specific offset in the current file. The Go To Dialog will be displayed.

³⁰ HID_VIEW_GOTO

³¹ View Go To Block

³² View Go To Block command

#33 **New command (Window menu)**

Use this command to open a new window with the same contents as the active window. You can open multiple document windows to display different parts or views of a document at the same time. If you change the contents in one window, all other windows containing the same document reflect those changes. When you open a new window, it becomes the active window and is displayed on top of all other open windows.

#34 **Cascade command (Window menu)**

Use this command to arrange multiple opened windows in an overlapped fashion.

#35 Tile command (Window menu)

Use this command to arrange multiple opened windows in a non-overlapped fashion.

^{#36} **Tile Horizontal command (Window menu)**

Use this command to vertically arrange multiple opened windows in a non-overlapped fashion.

#37 Tile Vertical command (Window menu)

Use this command to arrange multiple opened windows side by side.

#38 **Window Arrange Icons Command**

Use this command to arrange the icons for minimized windows at the bottom of the main window. If there is an open document window at the bottom of the main window, then some or all of the icons may not be visible because they will be underneath this document window.

#39 **Split Command (Window menu)**

Use this command to split the active window into panes. You may then use the mouse or the keyboard arrows to move the splitter bars. When you are finished, press the mouse button or enter to leave the splitter bars in their new location. Pressing escape keeps the splitter bars in their original location.

#40 **1, 2, ... command (Window menu)**

HexView displays a list of currently open document windows at the bottom of the Window menu. A check mark appears in front of the document name of the active window. Choose a document from this list to make its window active.

#41 Index command (Help menu)

Use this command to display the opening screen of Help. From the opening screen, you can jump to step-by-step instructions for using HexView and various types of reference information.

Once you open Help, you can click the Contents button whenever you want to return to the opening screen.

⁴¹ HID_HELP_INDEX

#42 **Using Help command (Help menu)**

Use this command for instructions about using Help.

#43 **About command (Help menu)**

HexView is a Freeware application Copyright 1996 Funduc Software Inc. Please distribute freely. It allows View, Print and Print Preview of any file formatted as a Hex Dump. To download the source code and other useful utilities (including Search and Replace for Windows 95/NT), visit <http://home.sprynet.com/sprynet/funduc> or <http://ourworld.compuserve.com/homepages/funduc>.

#44\$45 **Context Help command**
{bml curhelp.bmp}

Use the Context Help command to obtain help on some portion of HexView. When you choose the Toolbar's Context Help button, the mouse pointer will change to an arrow and question mark. Then click somewhere in the HexView window, such as another Toolbar button. The Help topic will be shown for the item you clicked.

Shortcut

Keys: SHIFT+F1

⁴⁴ HID_CONTEXT_HELP

⁴⁵ Help Using Help Command

#46 **Title Bar**

The title bar is located along the top of a window. It contains the name of the application and document.

To move the window, drag the title bar. Note: You can also move dialog boxes by dragging their title bars.

A title bar may contain the following elements:

- {bmc bullet.bmp} Application Control-menu button
- {bmc bullet.bmp} Document Control-menu button
- {bmc bullet.bmp} Maximize button
- {bmc bullet.bmp} Minimize button
- {bmc bullet.bmp} Name of the application
- {bmc bullet.bmp} Name of the document
- {bmc bullet.bmp} Restore button

#47 **Scroll bars**

Displayed at the right and bottom edges of the document window. The scroll boxes inside the scroll bars indicate your vertical and horizontal location in the document. You can use the mouse to scroll to other parts of the document.

#48 **Size command (System menu)**

Use this command to display a four-headed arrow so you can size the active window with the arrow keys.

```
{bml curarw4.bmp}
```

After the pointer changes to the four-headed arrow:

1. Press one of the DIRECTION keys (left, right, up, or down arrow key) to move the pointer to the border you want to move.
2. Press a DIRECTION key to move the border.
3. Press ENTER when the window is the size you want.

Note: This command is unavailable if you maximize the window.

Shortcut

Mouse: Drag the size bars at the corners or edges of the window.

#49 **Move command (Control menu)**

Use this command to display a four-headed arrow so you can move the active window or dialog box with the arrow keys.
{bmc curarw4.bmp}

Note: This command is unavailable if you maximize the window.

Shortcut

Keys: CTRL+F7

#50\$⁵¹ **Minimize command (application Control menu)**

Use this command to reduce the HexView window to an icon.

Shortcut

Mouse: Click the minimize icon {bmc scmin.bmp} on the title bar.

Keys: ALT+F9

⁵⁰ HID_SC_MINIMIZE

⁵¹ System Minimize Command

#52 **Maximize command (System menu)**

Use this command to enlarge the active window to fill the available space.

Shortcut

- Mouse: Click the maximize icon {bmc scmax.bmp} on the title bar; or double-click the title bar.
- Keys: CTRL+F10 enlarges a document window.

#53 **Next Window command (document Control menu)**

Use this command to switch to the next open document window. HexView determines which window is next according to the order in which you opened the windows.

Shortcut

Keys: CTRL+F6

#54 **Previous Window command (document Control menu)**

Use this command to switch to the previous open document window. HexView determines which window is previous according to the order in which you opened the windows.

Shortcut

Keys: SHIFT+CTRL+F6

#55 **Close command (Control menus)**

Use this command to close the active window or dialog box.

Double-clicking a Control-menu box is the same as choosing the Close command.
{bml appexit.bmp}

Note: If you have multiple windows open for a single document, the Close command on the document Control menu closes only one window at a time. You can close all windows at once with the Close command on the File menu.

Shortcuts

Keys: CTRL+F4 closes a document window
 ALT+F4 closes the Hex View window or dialog box

#56 **Restore command (Control menu)**

Use this command to return the active window to its size and position before you chose the Maximize or Minimize command.

#57 **Switch to command (application Control menu)**

Use this command to display a list of all open applications. Use this "Task List" to switch to or close an application on the list.

Shortcut

Keys: CTRL+ESC

Dialog Box Options

When you choose the Switch To command, you will be presented with a dialog box with the following options:

Task List

Select the application you want to switch to or close.

Switch To

Makes the selected application active.

End Task

Closes the selected application.

Cancel

Closes the Task List box.

Cascade

Arranges open applications so they overlap and you can see each title bar. This option does not affect applications reduced to icons.

Tile

Arranges open applications into windows that do not overlap. This option does not affect applications reduced to icons.

Arrange Icons

Arranges the icons of all minimized applications across the bottom of the screen.

#58\$59 **Go To Dialog**

This dialog allows you to display the contents of a file at a specific location (offset) in the file. You can enter the offset in decimal, hexadecimal(0Xnnnn) or octal (starts with 0 ie. 047540) format.

#60 **HexView Help Index**

HexView is a Freeware application Copyright 1996 Funduc Software Inc. Please distribute freely. It allows View, Print and Print Preview of any file formatted as a Hex Dump. To download the source code and other useful utilities (including Search and Replace for Windows 95/NT), visit <http://home.sprynet.com/sprynet/funduc> or <http://ourworld.compuserve.com/homepages/funduc>.

How To ...

Open a new file in the viewer.

Commands

[File menu](#)

[View menu](#)

[Window menu](#)

[Help menu](#)

#61 **HexView Help Index**

HexView is a Freeware application Copyright 1996 Funduc Software Inc. Please distribute freely. It allows View, Print and Print Preview of any file formatted as a Hex Dump. To download the source code and other useful utilities (including Search and Replace for Windows 95/NT), visit <http://home.sprynet.com/sprynet/funduc> or <http://ourworld.compuserve.com/homepages/funduc>.

How To ...

Open a new file in the viewer.

Commands

[File menu](#)

[View menu](#)

[Window menu](#)

[Help menu](#)

#62 **HexView Help Index**

HexView is a Freeware application Copyright 1996 Funduc Software Inc. Please distribute freely. It allows View, Print and Print Preview of any file formatted as a Hex Dump. To download the source code and other useful utilities (including Search and Replace for Windows 95/NT), visit <http://home.sprynet.com/sprynet/funduc> or <http://ourworld.compuserve.com/homepages/funduc>.