

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | MOBILE | | | | | | | | | | | | | |
| | | | HiNote Ultra | | | | | | | | | | | | |
| | | | 9.5" DSTN/TFT DISPLAY, VL-VIDEO, 4-24 MB MEMORY, 170-528 MB HD, TRACKBALL, PCMCIA: LOW END III/II, H. END III/II+II, HP-SIR Infrared, Plug and Play BIOS, MS-DOS 6.22, WfW 3.1, MS-SOUND SYSTEM (50 u. 75 MHz), Lotus Organizer, Windows 95 Ready. | \$0 | | | | | | | | | | | |
| | | | HiNote Ultra | \$0 | | | | | | | | | | | |
| | | FR-P72WC-** | HiNoteUltra CS450 4MB/340MB DSTN, AUDIO | \$3,265 | F | X | | | | | | | | | |
| | | FR-P73WC-** | HiNoteUltra CT450 8MB/340MB TFT, AUDIO | \$4,300 | F | X | | | | | | | | | |
| | | FR-P74WC-** | HiNoteUltra CT475 8MB/340MB TFT, AUDIO | \$5,042 | F | X | | | | | | | | | |
| | | FR-P76WD-** | HiNoteUltra CT475 8MB/528MB TFT, AUDIO | \$5,191 | F | X | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | HiNote Ultra Mobile Media | | | X | | | | | | | | | |
| | | FR-PCP8D-W1 | 4 x CD-ROM with software, full range stereo speakers, joystick/midi port, audio line out/in, volume range control. | \$695 | F | X | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|--------------|--------------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | DESKTOP | | \$0 | | | | | | | | | | | |
| | | | Venturis 486 | | | | | | | | | | | | |
| | | | Energy Star, 0-128 KB Cache, 4-68 MB Memory, S3 Trio 32 VL 1MB DRAM, 3 ISA Slots, 1x5.25" 1x3.5" external, 2x3.5" internal bays, 1.44MB FDD, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | VENTURIS 466DX2 | \$0 | | | | | | | | | | | |
| | Win for Work | FR-854EC-WD | Venturis 466,8 MB,420MB | \$1,514 | F | | | X | | | | | | | |
| | WfW Win95 | FR-854WW-CF | Venturis 466,8 MB,420MB | \$1,514 | F | | | X | | | | | | | |
| | Win for Work | FR-854EC-WE | Venturis 466,8 MB,840MB | \$1,653 | F | | | X | | | | | | | |
| | WfW Win95 | FR-854WW-CE | Venturis 466,8 MB,840MB | \$1,653 | F | | | X | | | | | | | |
| | | | VENTURIS 4100DX2 | | | | | | | | | | | | |
| | Win for Work | FR-855EC-WD | Venturis 4100,8 MB,420MB | \$1,803 | F | | | X | | | | | | | |
| | WfW Win95 | FR-855WW-CD | Venturis 4100,8 MB,420MB | \$1,803 | F | | | X | | | | | | | |
| | Win for Work | FR-855EC-WE | Venturis 4100,8 MB,840MB | \$1,942 | F | | | X | | | | | | | |
| | WfW Win95 | FR-855WW-CE | Venturis 4100,8 MB,840MB | \$1,942 | F | | | X | | | | | | | |
| | | | Venturis e | \$0 | | | | | | | | | | | |
| | | | Energy Star, 8-128 MB Memory, S3 Trio 32 VL 1MB DRAM, 1 PCI , 1 ISA 1 PCI/ISA Slots, 1x5.25" 1x3.5" external, 2x3.5" internal bays, 1.44MB FDD, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | FR-92BWW-CC | Venturis e 575,8MB,630MB | \$1,625 | F | | | X | | | | | | | |
| | | FR-92BWW-CD | Venturis e 575,8MB,1.2GB | \$1,900 | F | | | X | | | | | | | |
| | | | Venturis Pentium | \$0 | | | | | | | | | | | |
| | | | Energy Star, 256 KB Cache, 8-128 MB Memory, S3 Trio 64 VL 1(2)MB DRAM, 1 PCI , 1 ISA 1 PCI/ISA Sots, 1x5.25" 1x3.5" external, 2x3.5" internal bays, 1.44MB FDD, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | Windows 95 units must be ordered with a Windows 95 country kit | | | | | | | | | | | | |
| | | | VENTURIS PENTIUM 575 | \$0 | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|--------------|--------------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | Win for Work | FR-920EC-WB | Venturis 575,8 MB,420 MB | \$1,947 | F | | | X | | | | | | | |
| | Win for Work | FR-920EC-WG | Venturis 575,8 MB,420 MB,CD | \$2,189 | F | | | X | | | | | | | |
| | Win for Work | FR-920EC-WD | Venturis 575,8 MB,840 MB | \$2,086 | F | | | X | | | | | | | |
| | Win for Work | FR-920EC-WE | Venturis 575,8 MB,1.2 GB | \$2,307 | F | | | X | | | | | | | |
| | | | VENTURIS PENTIUM 590 | | | | | | | | | | | | |
| | Win for Work | FR-922EC-WB | Venturis 590,8 MB,420 MB | \$2,112 | F | | | X | | | | | | | |
| | Win for Work | FR-922EC-WG | Venturis 590,8 MB,420 MB,CD | \$2,354 | F | | | X | | | | | | | |
| | Win for Work | FR-922EC-WD | Venturis 590,8 MB,840 MB | \$2,251 | F | | | X | | | | | | | |
| | Win for Work | FR-922EC-WE | Venturis 590,8 MB,1.2 GB | \$2,472 | F | | | X | | | | | | | |
| | | | VENTURIS PENTIUM 5120 | | | | | | | | | | | | |
| | Win for Work | FR-926EC-WB | Venturis 5120,8 MB,420 MB | \$2,680 | F | | | X | | | | | | | |
| | Win for Work | FR-926EC-WG | Venturis 5120,8 MB,420 MB,CD | \$2,922 | F | | | X | | | | | | | |
| | Win for Work | FR-926EC-WD | Venturis 5120,8 MB,840 MB | \$2,819 | F | | | X | | | | | | | |
| | Win for Work | FR-926EC-WE | Venturis 5120,8 MB,1.2 GB | \$3,041 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Venturis 486, Pentium Full Profile | \$0 | | | | | | | | | | | |
| | | | Energy Star, Cache up to 256 KB, 4-68 MB Memory, S3 Trio 64 VL 1(2) MB DRAM, 5 Slots, 2x5.25" 1x3.5" external, 1 PCMCIA (optional), 1.44MB FDD, 2x3.5" internal bays, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | VENTURIS FP466DX2 | \$0 | | | | | | | | | | | |
| | Win for Work | FR-862EC-WD | VenturisFP 466,8 MB,420MB | \$1,587 | F | | | X | | | | | | | |
| | WfW Win95 | FR-862WW-CF | VenturisFP 466,8 MB,420MB | \$1,587 | F | | | X | | | | | | | |
| | Win for Work | FR-862EC-WE | VenturisFP 466,8 MB,840MB | \$1,727 | F | | | X | | | | | | | |
| | WfW Win95 | FR-862WW-CE | VenturisFP 466,8 MB,840MB | \$1,727 | F | | | X | | | | | | | |
| | | | VENTURIS FP Pentium 575 | \$0 | | | | | | | | | | | |
| | Win for Work | FR-921EC-WB | VenturisFP 575,8 MB,420 MB | \$2,019 | F | | | X | | | | | | | |
| | Win for Work | FR-921EC-WG | VenturisFP 575,8 MB,420 MB,CD | \$2,261 | F | | | X | | | | | | | |
| | Win for Work | FR-921EC-WD | VenturisFP 575,8 MB,840 MB | \$2,158 | F | | | X | | | | | | | |
| | Win for Work | FR-921EC-WE | VenturisFP 575,8 MB,1.2 GB | \$2,379 | F | | | X | | | | | | | |
| | | | VENTURIS FP Pentium 590 | | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|--------------|--------------------|--|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | Win for Work | FR-923EC-WB | VenturisFP 590,8 MB,420 MB | \$2,184 | F | | | X | | | | | | | |
| | Win for Work | FR-923EC-WG | VenturisFP 590,8 MB,420 MB,CD | \$2,426 | F | | | X | | | | | | | |
| | Win for Work | FR-923EC-WD | VenturisFP 590,8 MB,840 MB | \$2,323 | F | | | X | | | | | | | |
| | Win for Work | FR-923EC-WE | VenturisFP 590,8 MB,1.2 GB | \$2,544 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Venturis Plus | \$0 | | | | | | | | | | | |
| | | | Energy Star, DMI, 256 KB Cache, 8-128 MB Memory, S3 Trio 64 VL 1(2)MB DRAM, 1 PCI , 1 ISA 1 PCI/ISA Slots, 1x5.25" 1x3.5" external, 2x3.5" internal bays, 1.44MB FDD, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | VENTURIS PLUS Pentium 575 | \$0 | | | | | | | | | | | |
| | | FR-920WW-CC | Venturis + 575,8MB,630MB | \$2,026 | F | | | X | | | | | | | |
| | | FR-920WW-CH | Venturis + 575,8MB,630MB,4xCD | \$2,232 | F | | | X | | | | | | | |
| | | FR-920WW-CE | Venturis + 575,8MB,1.2GB | \$2,309 | F | | | X | | | | | | | |
| | | | VENTURIS PLUS Pentium 590 | \$0 | | | | | | | | | | | |
| | | FR-922WW-CC | Venturis + 590,8MB,630MB | \$2,190 | F | | | X | | | | | | | |
| | | FR-922WW-CH | Venturis + 590,8MB,630MB,4xCD | \$2,397 | F | | | X | | | | | | | |
| | | FR-922WW-CE | Venturis + 590,8MB,1.2GB | \$2,474 | F | | | X | | | | | | | |
| | | | VENTURIS PLUS Pentium 5100 | \$0 | | | | | | | | | | | |
| | | FR-924WW-CC | Venturis + 5100,8MB,630MB | \$2,500 | F | | | X | | | | | | | |
| | | FR-924WW-CH | Venturis + 5100,8MB,630MB,4xCD | \$2,706 | F | | | X | | | | | | | |
| | | FR-924WW-CE | Venturis + 5100,8MB,1.2GB | \$2,783 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | VENTURIS PLUS Pentium 5120 | \$0 | | | | | | | | | | | |
| | | FR-926WW-CC | Venturis + 5120,8MB,630MB | \$2,758 | F | | | X | | | | | | | |
| | | FR-926WW-CH | Venturis + 5120,8MB,630MB,4xCD | \$2,964 | F | | | X | | | | | | | |
| | | FR-926WW-CE | Venturis + 5120,8MB,1.2GB | \$3,041 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Venturis Plus Full Profile | \$0 | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | Energy Star, DMI, 256 KB Cache, 8-128 MB Memory, S3 Trio 64 VL 1(2)MB DRAM, 1 PCI , 1 ISA 1 PCI/ISA Slots, 2x5.25" 1x3.5" external, 2x3.5" internal bays, 1.44MB FDD, Plug and Play BIOS, E-IDE, Country kit mandatory | \$0 | | | | | | | | | | | |
| | | | VENTURIS PLUS FP Pentium 575 | \$0 | | | | | | | | | | | |
| | | FR-921WW-CC | Venturis + FP 575,8MB,630MB | \$2,098 | F | | | X | | | | | | | |
| | | FR-921WW-CH | Venturis + FP 575,8MB,630MB,4xCD | \$2,304 | F | | | X | | | | | | | |
| | | FR-921WW-CE | Venturis + FP 575,8MB,1.2GB | \$2,381 | F | | | X | | | | | | | |
| | | | VENTURIS PLUS FP Pentium 590 | \$0 | | | | | | | | | | | |
| | | FR-923WW-CC | Venturis + FP 590,8MB,630MB | \$2,263 | F | | | X | | | | | | | |
| | | FR-923WW-CH | Venturis + FP 590,8MB,630MB,4xCD | \$2,469 | F | | | X | | | | | | | |
| | | FR-923WW-CE | Venturis + FP 590,8MB,1.2GB | \$2,546 | F | | | X | | | | | | | |
| | | | VENTURIS PLUS FP Pentium 5100 | | | | | | | | | | | | |
| | | FR-925WW-CC | Venturis + FP 5100,8MB,630MB | \$2,572 | F | | | X | | | | | | | |
| | | FR-925WW-CH | Venturis + FP 5100,8MB,630MB,4xCD | \$2,778 | F | | | X | | | | | | | |
| | | FR-925WW-CE | Venturis + FP 5100,8MB,1.2GB | \$2,856 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | VENTURIS PLUS FP Pentium 5120 | | | | | | | | | | | | |
| | | FR-927WW-CC | Venturis + FP 5120,8MB,630MB | \$2,830 | F | | | X | | | | | | | |
| | | FR-927WW-CH | Venturis + FP 5120,8MB,630MB,4xCD | \$3,036 | F | | | X | | | | | | | |
| | | FR-927WW-CE | Venturis + FP 5120,8MB,1.2GB | \$3,113 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | CELEBRIS GL | \$0 | | | | | | | | | | | |
| | | | Celebris GL, 590, 5120, 5133 | \$0 | | | | | | | | | | | |
| | | | 256KB std or pipeline-burst cache, 3.5" 1.44MB FDD, integrated Matrox MGA Millennium high performance 2D/3D 64-bit graphics accelerator, 16-MB fast page or EDO memory, multimedia, integrated Ethernet, PCI Triton chipset, PCI/ISA bus. Ctry. kit mandatory. | \$0 | | | | | | | | | | | |
| | | FR-952WW-AC | Celebris GL 590, 8/- MB | \$2,585 | F | | | | X | | | | | | |
| | | FR-952WW-M2 | Celebris GL 590,8/845 | \$2,771 | F | | | | X | | | | | | |
| | | FR-952WW-AD | Celebris GL 590, 16/- MB | \$2,956 | F | | | | X | | | | | | |
| | | FR-952WW-MC | Celebris GL 590,16/845/CD | \$3,399 | F | | | | X | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|-------------------------------|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | FR-952WW-M3 | Celebris GL 590, 8/1200 MB | \$2,956 | F | | | X | | | | | | | |
| | | FR-954WW-AD | Celebris GL 5120, 16/- MB | \$3,471 | F | | | X | | | | | | | |
| | | FR-954WW-MC | Celebris GL 5120,16/845/CD | \$3,914 | F | | | X | | | | | | | |
| | | FR-954WW-MD | Celebris GL 5120,16/1200/CD | \$4,099 | F | | | X | | | | | | | |
| | | FR-954WW-ME | Celebris GL 5120,16/1600/CD | \$4,285 | F | | | X | | | | | | | |
| | | FR-955WW-AD | Celebris GL 5133, 16/- MB | \$3,801 | F | | | X | | | | | | | |
| | | FR-955WW-MC | Celebris GL 5133,16/845/CD | \$4,244 | F | | | X | | | | | | | |
| | | FR-955WW-MD | Celebris GL 5133,16/1200/CD | \$4,429 | F | | | X | | | | | | | |
| | | FR-955WW-ME | Celebris GL 5133,16/1600/CD | \$4,614 | F | | | X | | | | | | | |
| | | FR-963WW-AD | Celebris GLST 5100, 16/- MB | \$3,399 | F | | | X | | | | | | | |
| | | FR-963WW-M2 | Celebris GLST 5100,8/845 | \$3,214 | F | | | X | | | | | | | |
| | | FR-963WW-M3 | Celebris GLST 5100,8/1200 | \$3,399 | F | | | X | | | | | | | |
| | | FR-963WW-MC | Celebris GLST 5100,16/845/CD | \$3,842 | F | | | X | | | | | | | |
| | | FR-964WW-AD | Celebris GLST 5120, 16/- MB | \$3,698 | F | | | X | | | | | | | |
| | | FR-964WW-MC | Celebris GLST 5120,16/845/CD | \$4,141 | F | | | X | | | | | | | |
| | | FR-964WW-MD | Celebris GLST 5120,16/1200/CD | \$4,326 | F | | | X | | | | | | | |
| | | FR-964WW-ME | Celebris GLST 5120,16/1600/CD | \$4,511 | F | | | X | | | | | | | |
| | | FR-965WW-AD | Celebris GLST 5133, 16/- MB | \$4,027 | F | | | X | | | | | | | |
| | | FR-965WW-MC | Celebris GLST 5133,16/845/CD | \$4,470 | F | | | X | | | | | | | |
| | | FR-965WW-MD | Celebris GLST 5133,16/1200/CD | \$4,656 | F | | | X | | | | | | | |
| | | FR-965WW-ME | Celebris GLST 5133,16/1600/CD | \$4,841 | F | | | X | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Celebris GL Options | | | | | | | | | | | | |
| | | FR-PCCAM-AA | 8MB (2x4MB SIMM) fast page | \$470 | F | | | X | | | | | | | |
| | | FR-PCCAM-AB | 16MB (2x8MB SIMM) fast page | \$940 | F | | | X | | | | | | | |
| | | FR-PCCAM-AC | 32MB (2x16MB SIMM) fast page | \$1,940 | F | | | X | | | | | | | |
| | | FR-PCCAM-AD | 64MB (2x32MB SIMM) fast page | \$3,880 | F | | | X | | | | | | | |
| | | FR-PCCAM-BA | 16MB (2x8MB SIMM) EDO memory | \$1,080 | F | | | X | | | | | | | |
| | | FR-PCCAM-BB | 32MB (2x16MB SIMM) EDO memory | \$2,160 | F | | | X | | | | | | | |
| | | FR-PCCAM-BC | 64MB (2x32MB SIMM) EDO memory | \$6,000 | F | | | X | | | | | | | |
| | | FR-PCCAM-CA | 2 to 4 MB WRAM module | \$290 | F | | | X | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|---|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | FR-PCCAM-CB | 2 to 8 MB WRAM module | \$860 | F | | | | X | | | | | | |
| | | FR-PCCAM-DA | 256KB Pipeline Burst cache | \$290 | F | | | | X | | | | | | |
| | | FR-PCCAM-DB | 512KB Pipeline Burst cache | \$580 | F | | | | X | | | | | | |
| | | FR-PCCAZ-AA | SCSI adapter kit for GL ST | \$110 | F | | | | X | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Celebris XL | | | | | | | | | | | | |
| | | | Pentium 90-120MHz CPU, Upgradeable to other Pentium and Alpha, 256KB Cache, 8-192MB RAM, Fast-SCSI, 2xPCI-Bus-Slots, 3xISA-Bus-Slots, 1/1 PCI/ISA, 2x3.5"+3x5.25", 2xRS232, 1xParallel, Country kit MANDATORY (M/K/D/W) | \$0 | | | | | | | | | | | |
| | | | CELEBRIS XL 590 | \$0 | | | | | | | | | | | |
| | | FR-873WW-AD | CELXL 590 8/-MB | \$2,884 | F | | | | X | | | | | | |
| | | FR-873WW-WH | CELXL 590 8/540 MB | \$3,481 | F | | | | X | | | | | | |
| | | | CELEBRIS XL 5100 | | | | | | | | | | | | |
| | | FR-A03WW-AD | CELXL 5100 16/- MB | \$3,409 | F | | | | X | | | | | | |
| | | FR-A03WW-CN | CELXL 5100 16/1GB/CD, Mtrx | \$4,666 | F | | | | X | | | | | | |
| | | | CELEBRIS XL 5100 Dual Processor | | | | | | | | | | | | |
| | | FR-A04WW-AD | CELXL 5100DP 16/- MB | \$4,450 | F | | | | X | | | | | | |
| | | FR-A04WW-CN | CELXL 5100DP 16/1GB/CD, Mtrx | \$5,706 | F | | | | X | | | | | | |
| | | | CELEBRIS XL 5120 | | | | | | | | | | | | |
| | | FR-A05WW-AD | CELXL 5120 16/- MB | \$3,708 | F | | | | X | | | | | | |
| | | FR-A05WW-CN | CELXL 5120 16/1GB/CD, Mtrx | \$4,965 | F | | | | X | | | | | | |
| | | | CELEBRIS XL 5133 | | | | | | | | | | | | |
| | | FR-A07WW-AD | CELXL 5133 16/- MB | \$4,038 | F | | | | X | | | | | | |
| | | FR-A07WW-CN | CELXL 5133 16/1GB/CD, Mtrx | \$5,294 | F | | | | X | | | | | | |
| | | | CELEBRIS XL 5133 Dual Processor | | | | | | | | | | | | |
| | | FR-A08WW-AD | CELXL 5133DP 16/- MB | \$5,521 | F | | | | X | | | | | | |
| | | FR-A08WW-CN | CELXL 5133DP 16/1GB/CD, Mtrx | \$6,777 | F | | | | X | | | | | | |
| | | | Celebris XL Pentium Pro | | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|----------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | Pentium Pro 150MHz CPU | \$0 | | | | | | | | | | | |
| | | FR-A31WW-AD | CELXL 6150, 16/-MB | \$5,037 | F | | | | X | | | | | | |
| | | FR-A31WW-CC | CELXL 6150, 16/1GB/CD, Mtrx | \$6,293 | F | | | | X | | | | | | |
| | | FR-A31WW-CN | CELXL 6150, 32/2GB/CD, AG3000 | \$10,740 | F | | | | X | | | | | | |
| | | | Celebris XL Options | | | | | | | | | | | | |
| | | FR-PCA1U-AC | CelebrisXL PowerGrade to 5133 | \$1,290 | F | | | | X | | | | | | |
| | | FR-PCA1U-AE | DECXL PowerGrade to 5133 | \$2,010 | F | | | | | | | | | | |
| | | FR-A31UX-AA | CelebrisXL PowerGrade to 6150 | \$2,150 | F | | | | X | | | | | | |
| | | FR-A31UX-AB | DECXL PowerGrade to 6150 | \$2,870 | F | | | | | | | | | | |
| | | FR-PCA1U-AA | CelebrisXL PowerGrade to Alpha 266 Mhz | \$3,230 | F | | | | X | | | | | | |
| | | | | \$0 | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|--------------------|--------------------|---|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | SERVER | | \$0 | | | | | | | | | | | |
| | | | Prioris LX 486 | | | | | | | | | | | | |
| | | | Prioris LX 486 | \$0 | | | | | | | | | | | |
| | | FR-940WW-XA | Prioris LX 466 diskless, 256 KB cache 16MB, 1.44"FDU | \$2,860 | F | | | | | | | X | | | |
| | | FR-940WW-XB | Prioris LX 466, 256 KB cache 16MB, 1.44"FDU, 850MB IDE HDD | \$3,564 | F | | | | | | | X | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Prioris LX Pentium | | | | | | | | | | | | |
| | | | Pentium 575, 590, 5120 Intel CPU, 16-192 MB Memory, 256-512 KB cache, ECC-support, 3 EISA, 2 PCI, 1EISA/1PCI, quad speed CD-ROM, ON-Board devices: PCI EIDE, PCI SCSI II Adaptec 7850, Cirrus video, PCI Digital Tulip ethernet, 1.44 MB FDD, RSM support | \$0 | | | | | | | | | | | |
| | | | 3 Year On-Site Service, Server software kit (Floppy Boot disk , drivers on CD-ROM media, ECU and QUAPLUS/FE), Country kit FR-PC94K-** mandatory! | | | | | | | | | | | | |
| | | | Prioris LX 575 | \$0 | | | | | | | | | | | |
| | | FR-941WW-XA | Prioris LX 575 diskless, 256 KB cache 16MB, 1.44"FDU | \$3,065 | F | | | | | | | X | | | |
| | | FR-941WW-XC | Prioris LX 575, 256 KB cache 16MB, 1.44"FDU, 1.05 GB HDD | \$3,636 | F | | | | | | | X | | | |
| | | | Prioris LX 590 | | | | | | | | | X | | | |
| | | FR-942WW-XA | Prioris LX 590 diskless, 256 KB cache 16MB, 1.44"FDU | \$3,330 | F | | | | | | | X | | | |
| | | FR-942WW-XC | Prioris LX 590, 256 KB cache 16MB, 1.44"FDU, 1.05 GB HDD | \$3,893 | F | | | | | | | X | | | |
| | | | Prioris LX 5120 | | | | | | | | | X | | | |
| | | FR-943WW-AX | Prioris LX 5120 diskless, 256 KB cache 0MB, 1.44"FDU | \$2,755 | F | | | | | | | X | | | |
| | | FR-943WW-XA | Prioris LX 5120 diskless, 256 KB cache 16MB, 1.44"FDU, CD | \$3,785 | F | | | | | | | X | | | |
| | | FR-943WW-XC | Prioris LX 5120, 256 KB cache 16MB, 1.44"FDU, 1.05 GB HDD, CD | \$4,481 | F | | | | | | | X | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | <i>End-of Life</i> | | Prioris XL 486 | | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------------|--------------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | 486/66 MHz Upgradeable to Pentium, 128-256KB Cache, 8-128MB RAM, Fast-Wide-SCSI, 1,44MB FD, SVGA+, 3xPCI-Bus-Slots, 4xEISA-Bus-Slots, 7x3.5"+2x5.25", 2xRS232, 1xParallel, SCSI-HDD, | \$0 | | | | | | | | | | | |
| | | | 3 Year On-Site Service, Server software kit (Floppy Boot disk , drivers on CD-ROM media, ECU and QUAPLUS/FE), Country kit FR-PC79K-** mandatory! | \$0 | | | | | | | | | | | |
| | | | Prioris XL486dx2/66 | \$0 | | | | | | | | | | | |
| | End-of Life | FR-791WW-A9 | Prioris XL 466dx2, 0MB | \$2,320 | I | | | | | | | | | X | |
| | End-of Life | FR-791WW-XA | Prioris XL 466dx2, 8MB, 535MB, 4xCD-ROM | \$3,780 | I | | | | | | | | | X | |
| | End-of Life | FR-791WW-XC | Prioris XL 466dx2, 16MB, 1,05GB, 4xCD-ROM | \$4,575 | I | | | | | | | | | X | |
| | | | Prioris XL Pentium | | | | | | | | | | | X | |
| | | | Pentium 75/90/100/133 MHz CPU or 90/100/133MHz DP, 256KB Cache, 512 Cache DP, 16-256MB RAM,512 MB DP, Fast-Wide-SCSI-2, 1,44MB FD, SVGA+, 3xPCI-Bus-Slots, 4xEISA-Bus-Slots, 7x3.5"+2x5.25", 2xRS232, 1xParallel | \$0 | | | | | | | | | | | |
| | | | 3 Year On-Site Service, Server software kit (Floppy Boot disk , drivers on CD-ROM media, ECU and QUAPLUS/FE), Country kit FR-PC79K-** mandatory! | \$0 | | | | | | | | | | | |
| | | | Prioris XL Pentium/75 | \$0 | | | | | | | | | | | |
| | | FR-797WW-A9 | Prioris XL 575, 0MB, FDD | \$2,668 | I | | | | | | | | | | |
| | | FR-797WW-XC | Prioris XL 575, 16MB, 1.05GB, 4xCD-ROM | \$4,908 | I | | | | | | | | | | |
| | | | Prioris XL Pentium/90 | \$0 | | | | | | | | | | | |
| | | FR-795WW-A9 | Prioris XL 590, 0MB | \$3,358 | I | | | | | | | | | X | |
| | | FR-795WW-XC | Prioris XL 590, 16MB, 1.05GB, 4xCD-ROM | \$5,923 | I | | | | | | | | | X | |
| | | FR-795WW-XE | Prioris XL 590, 16MB, 2x1.05GB, RAID-Controller, 4xCD-ROM | \$8,302 | I | | | | | | | | | X | |
| | | | Prioris XL Dual Processor Pentium/90 | \$0 | | | | | | | | | | | |
| | | FR-796WW-A9 | DP, 512 KB cache, 0MB | \$4,336 | I | | | | | | | | | X | |
| | | FR-796WW-XC | DP, 512 KB cache, 32 MB, 1.05GB SCSI HDD, 4xCD-ROM | \$7,967 | I | | | | | | | | | X | |
| | | | Prioris XL Pentium/100 | \$0 | | | | | | | | | | | |
| | | FR-798WW-A9 | 256KB cache, 0 MB, FDD | \$3,224 | I | | | | | | | | | X | |
| | | FR-798WW-XC | 256KB cache, 16MB, 1.05 GB SCSI, 4xCD-ROM | \$5,464 | I | | | | | | | | | X | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | Prioris XL Dual Processor Pentium/100 | | | | | | | | | | | | |
| | | FR-799WW-A9 | DP,512KB cache, 0 MB, FDD | \$4,357 | I | | | | | | | | X | | |
| | | FR-799WW-XC | DP,512KB cache, 32MB, 1.05 GB, 4xCD-ROM | \$7,916 | I | | | | | | | | X | | |
| | | | Prioris XL Pentium/133 | \$0 | | | | | | | | | | | |
| | | FR-970WW-A9 | Prioris XL 5133, 0MB, 0GB, CD, 256KB | \$4,146 | I | | | | | | | | X | | |
| | | FR-970WW-XC | Prioris XL 5133, 16MB, 1GB, CD, 256KB | \$5,871 | I | | | | | | | | X | | |
| | | FR-970WW-XD | Prioris XL 5133, 16MB, 2GB, CD, 256KB | \$6,561 | I | | | | | | | | X | | |
| | | | Prioris XL Dual Processor Pentium/133 | \$0 | | | | | | | | | | | |
| | | FR-971WW-A9 | Prioris XL 5133DP, 0MB, 0GB, CD, 512KB | \$5,464 | I | | | | | | | | X | | |
| | | FR-971WW-XC | Prioris XL 5133DP, 32MB, 1GB, CD,512KB | \$8,508 | I | | | | | | | | X | | |
| | | FR-971WW-XD | Prioris XL 5133DP, 32MB, 2GB, CD, 512KB | \$9,203 | I | | | | | | | | X | | |
| | | | Prioris XL Options | | | | | | | | | | | | |
| | | FR-PC79U-AD | CPU Upgrade to Pentium 90 MHz DP without Neptune | \$2,965 | F | | | | | | | | X | | |
| | | FR-PC79U-AG | Prioris XL upgrade to Pentium 5100 | \$2,385 | F | | | | | | | | X | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Prioris HX | | | | | | | | | | | | |
| | | | 256 MB ECC or 512 Parity memory, 6 EISA and 6PCI slots, 450 Watt power supply, CD-ROM, QA plus /FE diagnostics, cable kit 68 to 50, terminator, 1.44MB FDD, single system user license, jumper cable, country kit FR-PC88K** mandatory. | \$0 | | | | | | | | | | | |
| | | | Prioris HX 590 | \$0 | | | | | | | | | | | |
| | | FR-880WW-AX | Prioris HX 590 Kernel system, no controller, no disks, 0Mb Memory | \$5,630 | I | | | | | | | | X | | |
| | | FR-880WW-AA | Prioris HX 590 Base system, wide SCSI, no disks, 16 MB parity | \$7,045 | I | | | | | | | | X | | |
| | | FR-880WW-AB | Prioris HX 590 RAID system, 1 channel RAID, 2x1 GB SBBs, 16MB parity | \$10,810 | I | | | | | | | | X | | |
| | | FR-880WW-AC | Prioris HX 590 Base system, wide SCSI-2, 32MB ECC memory | \$8,675 | I | | | | | | | | X | | |
| | | FR-880WW-AD | Prioris HX 590 RAID system, 1 channel RAID, 2x1 GB SBBs, 32MB ECC memory | \$12,365 | I | | | | | | | | X | | |
| | | | Prioris HX 590 NetWare | \$0 | | | | | | | | | | | |
| | | FR-880WW-LA | Prioris HX 590 512 KB cache, 32 MB RAM, 1.44"FDU, 600MB SCSI-2 CD-ROM, Fast & wide PCI SCSI controller, 1GB hot swap HDD, wide and narrow to wide adapters, software utilities, Novell NetWare 4.1, 50 user license | \$11,464 | I | | | | | | | | X | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | Prioris HX 590 DP | \$0 | | | | | | | | | | | |
| | | FR-881WW-AX | Prioris HX 590 DP Kernel system, no controller, no disks, 0Mb Memory | \$7,935 | I | | | | | | | | | X | |
| | | FR-881WW-AB | Prioris HX 590 DP RAID system, 1 channel RAID, 4x1 GB SBBs, 32MB ECC | \$17,211 | I | | | | | | | | | X | |
| | | FR-881WW-AA | Prioris HX 590 DP Base system, wide SCSI, no disks, 32 MB parity | \$10,145 | I | | | | | | | | | X | |
| | | | Prioris HX 5100 MP | \$0 | | | | | | | | | | | |
| | | | All systems come with wide & narrow to wide adapters, system utilities and dr | \$0 | | | | | | | | | | | |
| | | FR-890WW-AA | Prioris HX 5100MP, single Pentium processor, diskless, 512 KB cache, 32 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 Adaptec 2940W | \$12,585 | I | | | | | | | | | | X |
| | | FR-890WW-AC | Prioris HX 5100MP, single Pentium processor, diskless, 512 KB cache, 32 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$14,935 | I | | | | | | | | | | X |
| | | FR-890WW-AB | Prioris HX 5100MP, single Pentium processor, 512 KB cache, 32 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, three 2GB Fast Wide 7200 RPM SBB hot swap disks, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$21,440 | I | | | | | | | | | | X |
| | | FR-891WW-AA | Prioris HX 5100MP, two Pentium processors, diskless, 512 KB cache per processor, 64 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 Adaptec 2940W | \$19,885 | I | | | | | | | | | | X |
| | | FR-891WW-AC | Prioris HX 5100MP, two Pentium processors, diskless, 512 KB cache per processor, 64 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$21,585 | I | | | | | | | | | | X |
| | | FR-891WW-AB | Prioris HX 5100MP, two Pentium processors, 512 KB cache per processor, 64 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, three 2GB Fast Wide 7200 RPM SBB hot swap disks, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$28,095 | I | | | | | | | | | | X |
| | | FR-892WW-AA | Prioris HX 5100MP, four Pentium processors, diskless, 512 KB cache per processor, 128 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 Adaptec 2940W | \$34,495 | I | | | | | | | | | | X |
| | | FR-892WW-AC | Prioris HX 5100MP, four Pentium processors, diskless, 512 KB cache per processor, 128 MB ECC memory, 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$36,195 | I | | | | | | | | | | X |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | FR-892WW-AB | Prioris HX 5100MP, four Pentium processors, 512 KB cache per processor, 128 MB ECC memory , 1.44 MB 3.5" FDU, 600 MB SCSI-2 CD-ROM, three 2GB Fast Wide 7200 RPM SBB hot swap disks, on-board video controller, 2-channel PCI Fast and Wide SCSI-2 RAID | \$42,705 | I | | | | | | | | | | X |
| | | | Prioris HX 5133 | \$0 | | | | | | | | | | | |
| | | FR-882WW-AX | Prioris HX 5133 kernel | \$7,787 | I | | | | | | | | | | X |
| | | FR-882WW-AA | Prioris HX 5133 16MB 1Ch f-w SCSI | \$9,229 | I | | | | | | | | | | X |
| | | FR-882WW-AB | Prioris HX 5133 16MB 2Ch f-w RAID 2x2GB | \$14,641 | I | | | | | | | | | | X |
| | | FR-882WW-AC | Prioris HX 5133 32MB ECC 1Ch f-w SCSI | \$10,748 | I | | | | | | | | | | X |
| | | FR-882WW-AD | Prioris HX 5133 32MB ECC 2Ch f-w RAID 2x2GB | \$15,826 | I | | | | | | | | | | X |
| | | | Prioris HX 5133 DP | \$0 | | | | | | | | | | | |
| | | FR-883WW-AX | Prioris HX 133 DP kernel | \$12,700 | I | | | | | | | | | | X |
| | | FR-883WW-AA | Prioris HX 133 DP 32MB 1Ch f-w SCSI | \$15,270 | I | | | | | | | | | | X |
| | | FR-883WW-AB | Prioris HX 133 DP 32MB ECC RAID 4X2GB | \$24,267 | I | | | | | | | | | | X |
| | | | | | | | | | | | | | | | |
| | | | Prioris Rack | | | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | FR-PCSRB-AX | Rackmount shelf for Prioris LX | \$830 | F | | | | | | | X | | | |
| | | FR-PCSRB-AE | HX Rack drawer 24" x 9U | \$1,550 | I | | | | | | | | | | X |
| | | FR-PCSRB-AF | XL Rack drawer 24" w x 5U | \$830 | I | | | | | | | | X | | |
| | | FR-PCSRA-BB | Prioris Rck 63" 30U pwr ctr | \$2,950 | I | | | | | | | | | | X |
| | | FR-PCSRA-AB | Prioris Rck 81" 40U pwr ctr | \$3,205 | I | | | | | | | | | | X |
| | | FR-PCSRB-AK | Rack filler panel 1U | \$125 | I | | | | | | | | | | X |
| | | FR-PCSRB-AL | Rack filler panel 2U | \$125 | I | | | | | | | | | | X |
| | | FR-PCSRB-AM | Rack filler panel 3U | \$125 | I | | | | | | | | | | X |
| | | FR-PCSRB-AN | Rack filler panel 4U | \$125 | I | | | | | | | | | | X |
| | | FR-PCSRB-AP | Rack filler panel 5U | \$125 | I | | | | | | | | | | X |
| | | FR-PCSRB-AD | Rack 4 port console 2U | \$1,665 | I | | | | | | | | | | X |
| | | FR-PCSRB-AC | Rack 8 port console 2U | \$2,460 | I | | | | | | | | | | X |
| | | FR-PCSRB-BB | Rack Eur pwr distr 16A 220V | \$570 | I | | | | | | | | | | X |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|-------------------------------|---------|-------|---------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | digital | PC | | | | | | | | |
| | | FR-PCSRB-AG | BA350 rck mntg kit 24" - 19" | \$280 | I | | | | | | | | | X | |
| | | FR-PCSRB-AW | Rack European country kit | \$1 | I | | | | | | | | | X | |
| | | FR-PCSRB-AQ | Rack 30m cble&remte mstr cons | \$2,795 | I | | | | | | | | | X | |
| | | FR-PCSRB-AR | Rack 3m int cnsl cble-2 srvs | \$340 | I | | | | | | | | | X | |
| | | FR-PCSRB-AS | Rack 2m ext cable kb/mse/mon | \$95 | I | | | | | | | | | X | |
| | | FR-PCSRB-AT | Rack 6m ext cable kb/mse/mon | \$145 | I | | | | | | | | | X | |
| | | FR-PCSRB-AJ | Rack fan assembly 220V | \$795 | I | | | | | | | | | X | |
| | | | | | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | OPTIONS | | \$0 | | | | | | | | | | | |
| | | | Memory Options | | | | | | | | | | | | |
| | | | Standard Memory | \$0 | | | | | | | | | | | |
| | | FR-PCVAM-AA | 4 MB SIMM - no parity | \$230 | F | | | X | X | | | | | | |
| | | FR-PCVAM-AB | 8 MB SIMM - no parity | \$460 | F | | | X | X | | | | | | |
| | | FR-PCVAM-AE | 16 MB SIMM - no parity | \$920 | F | | | X | X | | | | | | |
| | | FR-PCVAM-AD | 32 MB SIMM - no parity | \$1,820 | F | | | X | X | | | | | | |
| | | -PC74M-AA | 4 MB 36-Bit, 70ns SIMM | \$230 | F | | | | | | X | | | | |
| | | -PC74M-AB | 16MB, 36-Bit, 70ns SIMM | \$970 | F | | | | | | X | | | | |
| | | -PCT7M-AA | 64MB 36-Bit, 70ns SIMM | \$3,880 | F | | | | | | X | | | | |
| | | -PC77M-AA | 8 MB, (2x4), 36-Bit, 70ns SIMM | \$460 | F | | | X | X | | | X | X | X | |
| | | -PC77M-AB | 16 MB , (2x8), 36-Bit, 70ns SIMM | \$945 | F | | | X | X | | | X | X | X | |
| | | -PC77M-AC | 32 MB, (2X16), 36-Bit, 70ns SIMM | \$1,940 | F | | | X | X | | | X | X | X | |
| | | -PC77M-AD | 64 MB, (2x32), 36-Bit, 70ns SIMM | \$3,880 | F | | | X | X | | | X | X | X | |
| | | FR-PC77M-AP | 16MB (4x4MB) for HX MP | \$1,010 | F | | | | | | | | | | X |
| | | FR-PC77M-AK | 32MB (4x8MB) for HX MP | \$2,025 | F | | | | | | | | | | X |
| | | FR-PC77M-AL | 64MB (4x16MB) for HX MP | \$4,050 | F | | | | | | | | | | X |
| | | FR-PC77M-AM | 128MB (4x32MB) for HX MP | \$7,955 | F | | | | | | | | | | X |
| | | FR-PC77M-AJ | 128MB (2x64MB) for HX | \$7,955 | F | | | | | | | | | X | |
| | | FR-PCSBM-AC | 32 MB ECC SIMM (2x16) | \$2,895 | F | | | | | | | X | X | X | |
| | | FR-PCSBM-AD | 64 MB ECC SIMM (2x32) | \$4,050 | F | | | | | | | X | X | X | |
| | | | Cache Memory | \$0 | | | | | | | | | | | |
| | | FR-PC74M-BB | 128-256 128 KB 15ns CACHE MEMORY, LPx+ | \$60 | F | | | | | | | | | | |
| | | FR-PC75M-BB | 0-128 K 128K CACHE ,15ns | \$60 | F | | X | | | | | | | | |
| | | FR-PC77M-AG | 512 KB burst cache for HX90/HX90DP | \$550 | F | | | | | | | | | X | X |
| | | FR-PC77M-AH | 512 KB async cache memory module for Pentium LX | \$145 | F | | | | | | | X | | | |
| | | FR-PC77M-AR | 512 KB Sync burst cache | \$290 | F | | | | | | | | | | |
| | | FR-PC83M-BB | 256 to 512 Celebris Pentium, 3.3 V 90 MHz | \$115 | F | | | X | | | | | | | |
| | | FR-PC83M-BD | 256 to 512 Celebris Pentium, 5.0 V 60 MHz | \$115 | F | | | X | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|-------------|--|---------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | | Video Options | | | | | | | | | | | | |
| | | | Video Controllers | \$0 | | | | | | | | | | | |
| | | FR-PCXAG-AL | DEC864 PCI 2MB | \$210 | F | | | | X | | | | | | |
| | | FR-PCXAG-AQ | Matrox Millennium PCI 2MB | \$400 | F | | | | X | | | | | | |
| | | FR-PCXAG-AP | PCI S3-964 Diamond Stealth 2MB/4MB VRAM, APM | \$495 | F | | | X | X | | X | X | X | X | X |
| | | FR-PC77M-DA | DRAM 2MB UPGRADE TO 4MB FOR FR-PCXAG-AL | \$200 | F | | | | X | | | | | | |
| | | FR-PC77M-DB | DRAM 2MB UPGRADE TO 4MB FOR FR-PCXAG-AP | \$195 | F | | | | X | | | | | | |
| | | FR-PCT7M-DA | 512KB Video Dram for Prioris XL | \$95 | F | | | | | | | X | | | |
| | | FR-PC83M-CA | 1 to 2 MB video upgrade for Celebris Pentium | \$100 | F | | | X | | | | | | | |
| | | FR-PC82M-DA | 1 to 2 MB video upgrade for Celebris 486 | \$140 | F | | | X | | | | | | | |
| | | FR-PC86M-CA | 1 to 2 MB video upgrade for Venturis Full Profile | \$95 | F | | X | | | | | | | | |
| | | | Monitors | \$0 | | | | | | | | | | | |
| | | FR-PCXBV-SA | 14"/13" screen/display size color, super VGA multi scan | \$440 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXCV-VA | 14" size value color, super VGA multi scan | \$355 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXBV-KA | 17" Color, Digital controlled APM Monitor MPRII 1024x768 | \$910 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXBV-SC | 15"14" screen/display size Color, Digi-OSD, 31-58KHz, APM, MPR2 | \$540 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXCV-AC | 15" Color, 1024x768, 30-48 Khz | \$470 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXAV-EC | 17"/16" screen/display size Color, Trinitron 1280x1024, 100 Mhz, APM | \$1,288 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXAV-EE | 17"/16" screen/display size Color, 1280x1024, 100 Mhz, APM | \$1,288 | F | X | X | X | X | X | X | X | X | X | X |
| | | FR-PCXAV-HA | 21"/20" screen/display size, Color, 1280x1024, APM, MPR2 | \$2,500 | F | X | X | X | X | X | X | X | X | X | X |
| | | | | \$0 | | | | | | | | | | | |
| | | | Storage Options | | | | | | | | | | | | |
| | | | IDE Disks | \$0 | | | | | | | | | | | |
| | | FR-PCXAR-CK | 270MB Enhanced IDE 3.5" | \$305 | F | | X | X | | | | | | | |
| | | FR-PCXAR-CP | 1.2GB, Enhanced IDE | \$590 | F | | | | | | X | | | | |
| | | FR-PCXAR-CW | 425MB, Enhanced IDE, 3.5", 1", 4500 RPM | \$280 | F | | X | X | | | | | | | |
| | | FR-PCXAR-CX | 840MB, Enhanced IDE, 3.5", 1", 4500 RPM | \$415 | F | | X | X | | | X | | | | |
| | | FR-PCXAR-CQ | 1.2GB, Enhanced IDE 4500 RPM | \$590 | F | | X | X | | | X | | | | |
| | | | SCSI Disks | \$0 | | | | | | | | | | | |
| | | FR-PCXAR-BC | 535MB SCSI , 3.5", 1", 2.6, 10.5Ms - 4.4 MB/s | \$580 | F | | | | | | X | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | FR-PCXAR-AE | 1.05GB narrow SCSI-2, 3.5", 1",9.5Ms, 2.7 - 5400rpm replaces PCXAR-AL | \$845 | F | | | | | | X | X | X | X | X |
| | | FR-PCXAR-AR | 1.05GB wide SCSI-2, 3.5", 1", 10.5Ms - 5400rpm | \$845 | F | | | | | | | X | X | X | X |
| | | FR-PCXAR-AY | 2GB narrow SCSI-2 7200 RPM | \$1,575 | F | | | | | | X | X | X | X | X |
| | | FR-PCXWR-AY | 2 GB wide SCSI-2 HDD 7200 RPM replaces FR-PCXAR-AQ | \$1,625 | F | | | | | | | X | X | X | X |
| | | FR-PCXAR-AZ | 4.3 GB narrow SCSI-2 hard disk unit, 3.5", 1.6", 8ms, 7200 RPM | \$2,330 | F | | | | | | | X | | X | X |
| | | FR-PCXWR-AZ | 4.3 GB wide SCSI-2 HDD 3.5", 1.6", 8ms, 7200 RPM | \$2,430 | F | | | | | | | X | X | X | X |
| | | FR-PCXVR-AL | 1 GB narrow SCSI-2 for SBB (system building block) | \$1,005 | I | | | | | | | | | X | X |
| | | FR-PCXVR-AR | 1 GB wide SCSI for SBB | \$1,085 | I | | | | | | | | | X | X |
| | | FR-PCXVR-AY | 2 GB narrow SCSI-2 HDD 7200 RPM for SBB | \$1,850 | I | | | | | | | | | X | X |
| | | FR-PCWVR-AY | 2 GB wide SCSI-2 HDD 7200 RPM for SSB | \$1,980 | I | | | | | | | | | X | X |
| | | FR-PCXVR-AZ | 4 GB narrow SCSI-2 7200RPM for SBB | \$2,630 | I | | | | | | | | | X | X |
| | | FR-PCWVR-AZ | 4.3 GB wide SCSI-2 HDD 3.5", 1.6", 8ms, 7200 RPM for SBB | \$2,735 | I | | | | | | | | | X | X |
| | | | | | | | | | | | | | | | |
| | | | Disk Accessories | \$0 | | | | | | | | | | | |
| | | FR-PCXAR-WA | Wide SCSI cable | \$225 | F | | | | | | | | X | | |
| | | FR-PCXAR-WB | Wide to narrow SCSI adapter | \$25 | F | | | | | | | | X | X | X |
| | | FR-PCXAR-WC | SCSI cable narrow to narrow | \$100 | F | | | | | | | | X | | |
| | | FR-PCXAR-WD | SCSI cable wide to narrow | \$150 | F | | | | | | | | X | | |
| | | FR-PCXAR-WE | SCSI cable mixed to narrow | \$200 | F | | | | | | | | X | | |
| | | FR-PCXAR-WF | Int wide SCSI cable 2 connectors, controller - backplane | \$55 | F | | | | | | | | | X | X |
| | | FR-PCXAR-WG | Int wide SCSI cable 2 connectors, controller - knockout | \$55 | F | | | | | | | | | X | X |
| | | FR-PCXAR-WH | External narrow high to narrow low density (shielded) | \$55 | F | | | | | | | | X | X | X |
| | | FR-PCXAR-WK | External wide high to narrow high density (shielded) | \$135 | F | | | | | | | | | X | X |
| | | FR-PCXAR-WL | External wide high to narrow low density (shielded) | \$85 | F | | | | | | | | | X | X |
| | | FR-BN21H-02 | Extrenal narrow high to narrow high density (shielded) | \$85 | F | | | | | | | | | X | X |
| | | FR-BN21K-02 | External wide high to wide high density (shielded) | \$85 | F | | | | | | | | | X | X |
| | | FR-BN31S-1E | PCI Raid ext SCSI cable 1.5m | \$205 | F | | | | | | | | | X | X |
| | | FR-PCXAR-WJ | Single ended Active terminator | \$55 | F | | | | | | | | | X | X |
| | | -PCTXR-KT | Bezel Kit | \$15 | F | | | | | | | | | | |
| | | | Floppy Disks | \$0 | | | | | | | | | | | |
| | | -PC7XR-AA | 3.5" 1.44MB Floppy,500Kb/s | \$85 | F | | | X | X | X | X | X | X | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | MP |
|----------|-------|--------------------|--|------------|-------|--------|-------|----------|-------------|-------------|-------------|------------|------------|------------|----|
| | | | | | | HiNote | Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | MP |
| | | -PC7XR-BA | 5.25" 1.2MB Floppy 500Kb/s | \$90 | F | | | X | X | X | X | X | X | | |
| | | -PCTXR-AA | 3.5" 2.88MB Floppy 1000Kb/s | \$120 | F | | | X | X | X | X | X | X | | |
| | | | Tape Drives | \$0 | | | | | | | | | | | |
| | | -PCXAT-AA | 525MB SCSI QIC,, TR 200KB/s, 51/4", HH | \$725 | F | | | X | X | X | X | X | X | X | X |
| | | -PCXAT-AD | 2.5/5 GB QIC SCSI internal TR 300Kb/s, 51/4", HH | \$1,230 | F | | | X | X | X | X | X | X | X | X |
| | | -PCXAT-BB | 120/250MB AT-Bus QIC TR 0.5/1 MB/s, 3.5", 1" | \$305 | F | | | X | X | X | X | | | | |
| | | FR-PCXAT-AD | 2.0/4.0GB int QIC tape drive | \$1,100 | F | | | X | X | X | X | X | X | X | X |
| | | FR-PCXAT-DA | 2.0/4.0GB QIC tabletop drive | \$1,260 | F | | | X | X | X | X | X | X | X | X |
| | | FR-PCXAT-AF | 4/8 GB SCSI RDAT tape drive, 4 mm Digital Tape, 3.5", 800 KB/s | \$1,335 | F | | | | | | X | X | X | X | X |
| | | FR-PCXLT-AA | 20 GB DLT SCSI tape unit, FH | \$4,640 | F | | | | | | | X | | X | X |
| | | | CD-ROMs | \$0 | | | | | | | | | | | |
| | | -PCXCR-AD | 682MB/250ms, 5.25", HH SCSI 2x, foto CD compatible | \$425 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXCR-AH | 685.25" CDROM IDE 2x 5.25", 1.6", 300ms | \$190 | F | | | X | X | | | | | | |
| | | FR-PCXCR-AM | 685.25" CD-ROM IDE 4x 5.25", 1.6" | \$240 | F | | | | | | | | | | |
| | | FR-PCXCR-AN | 685 MB SCSI-2 quad speed CD-ROM 5.25", HH, 300 ms, buffer 256 KB | \$505 | F | | | | | | | X | X | | |
| | | | Disk Controller | \$0 | | | | | | | | | | | |
| | | FR-PCTAR-AA | RAID EISA 1channel fast SCSI | \$1,820 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAR-AB | RAID EISA 1channel fast SCSI ext. | \$1,820 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAR-CA | RAID EISA 3channel fast SCSI | \$2,155 | F | | | | | | | | | X | X |
| | | FR-PCTAZ-AE | [1540-CF] ISA SCSI | \$350 | F | | | X | X | | | | | | |
| | | FR-PCTAZ-CC | [2740A] EISA/SCSI ADAPTER | \$480 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAZ-DA | [2940] PCI/SCSI ADAPTER | \$480 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAZ-DC | [2940W] Wide PCI/SCSI ADAPTER | \$480 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAR-BC | RAID PCI/SCSI (narrow & wide) controller , 1-channel | \$1,876 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAR-BD | RAID PCI/SCSI (narrow & wide) controller , 2-channel | \$2,275 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAR-BE | RAID PCI/SCSI (narrow & wide) controller , 3-channel | \$2,155 | F | | | | | | X | X | X | X | X |
| | | FR-PCTAZ-EB | [3940W] PCI 2 channel wide SCSI controller | \$505 | F | | | | | | | | | X | X |
| | | | Server Options | \$0 | | | | | | | | | | | |
| | | FR-PCSPS-AA | 2-nd Power supply | \$325 | F | | | | | | | | | X | X |
| | | FR-BA353-AA | Small footprint Expansion unit (3 Bays) | \$515 | F | | | | | | | X | X | X | X |
| | | FR-BA350-KB | Piedestal expansion unit (7 Bays) | \$835 | F | | | | | | | X | X | X | X |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | FR-BA356-KB | Seven bay desktide expansion unit | \$1,320 | I | | | | | | | | | X | |
| | | FR-PC88U-AA | Upgr. HX590 to HX590 DP, NOT customer installable (rev 54-...-01 MLB) | \$2,965 | I | | | | | | | | | X | |
| | | FR-PC88U-AB | Upgr. HX590 to HX590 DP, NOT customer installable (rev 54-...-02 MLB) | \$2,965 | I | | | | | | | | | X | |
| | | FR-PC89U-AD | HX MP 5100 1P to 2P upgrade | \$5,785 | I | | | | | | | | | X | X |
| | | FR-PC89U-AE | HX MP 5100 2P to 4P upgrade w/ mem crd | \$11,570 | I | | | | | | | | | X | X |
| | | FR-PC89U-AA | HX 590 to HX MP 1 5100 upgrade | \$5,785 | I | | | | | | | | | X | |
| | | FR-PC89U-AB | HX 590 to HX MP 2 5100 upgrade | \$11,570 | I | | | | | | | | | X | |
| | | FR-PC89U-AC | HX 590 to HX MP 4 5100 upgrade | \$23,140 | I | | | | | | | | | X | |
| | | FR-PC89U-MC | 128 bit memory module for HX MP | \$360 | I | | | | | | | | | | X |
| | | FR-PCSAX-AA | Additional fan for HX | \$75 | F | | | | | | | | | X | |
| | | | | | | | | | | | | | | | |
| | | | Remote Server Manager | \$0 | | | | | | | | | | | |
| | | | Remote server manager Hardware kit | \$0 | | | | | | | | | | | |
| | | FR-PCDSC-AG | RSM EISA, CE Power cord , Gy/NI/It | \$930 | F | | | | | X | X | X | X | X | X |
| | | FR-PCDSC-AX | RSM EISA, No Power cord , English | \$930 | F | | | | | X | X | X | X | X | X |
| | | | RMS, Manager system package | \$0 | | | | | | | | | | | |
| | | FR-PCDSM-AG | RSM,System Package Gy/NI/It, CEE power cord | \$1,460 | F | | | | | X | X | X | X | X | X |
| | | FR-PCDSM-AX | RSM,System Package no Power cord | \$1,460 | F | | | | | X | X | X | X | X | X |
| | | | Platform reset cable | \$0 | | | | | | | | | | | |
| | | FR-PCXCK-AA | Server Manager/ST Srv Cable kit | \$65 | F | | | | | | | | | | |
| | | FR-PCXCK-AB | Server Manager/XL Srv Cable kit | \$65 | F | | | | | | | | X | | |
| | | FR-PCXCK-AC | Server Manager/MTE Srv Cable kit | \$65 | F | | | | | X | | | | | |
| | | FR-PCXCK-AD | Server Manager/2100 Srv Cable kit | \$65 | F | | | | | | | | | | |
| | | FR-PCXCK-AE | Server Manager/Prioris HX Srv Cable kit | \$65 | F | | | | | | | | | X | X |
| | | | RMS, Manager station software kit | \$0 | | | | | | | | | | | |
| | | QB-38EAA-SA | Server Manager Station SW Kit | \$530 | F | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Keyboards, Mice, Country Kits | \$0 | | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | | Keyboard Options | \$0 | | | | | | | | | | | |
| | | FR-PCTXH-IA | Keyboard/mouse extension cable 1.52 m | \$10 | F | X | X | X | X | X | X | X | X | X | X |
| | | | Mice/Pointer | \$0 | | | | | | | | | | | |
| | | FR-PC7XS-AA | 2-Button Mouse, 1.5 M PS/2 compatible | \$20 | F | X | X | X | X | X | X | X | X | X | X |
| | | | Country Kits | \$0 | | | | | | | | | | | |
| | | FR-PCT7K-** | MTE COUNTRY KIT | \$1 | F | | | | | | X | X | | | |
| | | FR-PC85K-** | VENTURIS 486 Slim line country kit, included in the system unit. Win for Work. | \$1 | F | | X | | | | | | | | |
| | | FR-PC85M-** | VENTURIS 486 Slim line country kit, included in the system unit. Windows 95 l | \$1 | F | | X | | | | | | | | |
| | | FR-PC86K-** | VENTURIS 486 Full Profile country kit, included in the system unit. Win for Wor | \$1 | F | | X | | | | | | | | |
| | | FR-PC86M-** | VENTURIS 486 Full Profile country kit, included in the system unit. Windows 95 | \$1 | F | | X | | | | | | | | |
| | | FR-PC92K-** | VENTURIS Pentium SL+ FP country kit, included in the system unit. Win for Wo | \$1 | F | | X | | | | | | | | |
| | | FR-PC92M-** | VENTURIS E,Plus + FP plus; country kit, included in the system unit. Win 95 lic | \$1 | F | | X | | | | | | | | |
| | | FR-PC83K-** | CELEBRIS 560 u. 590 Slim line country kit incl. in the system unit | \$1 | F | | | X | | | | | | | |
| | | FR-PC84K-** | CELEBRIS 590 Full Profile country kit incl. in the system unit | \$1 | F | | | X | | | | | | | |
| | | FR-PCA1X-** | CELEBRIS XL country kit Model 1 | \$1 | F | | | X | | | | | | | |
| | | FR-PCA1M-** | CELEBRIS XL country kit incl. in the system unit. Win for Work, Win 95 dual ins | \$1 | F | | | X | | | | | | | |
| | | FR-PCA1N-** | CELEBRIS XL country kit incl. in the system unit. Windows NT 3.51 license. | \$1 | F | | | X | | | | | | | |
| | | FR-PCA3N-** | CELEBRIS XL P6 country kit incl. in the system unit. Windows NT 3.51 license. | \$1 | F | | | X | | | | | | | |
| | | FR-PC79K-** | PRIORIS XL country kit | \$1 | F | | | | | | | | X | | |
| | | FR-PC88K-** | HX Server country kit | \$1 | F | | | | | | | | | X | |
| | | FR-PC89K-** | HX MP server country kit | \$1 | F | | | | | | | | | X | |
| | | FR-PC94K-** | Prioris LX country kit | \$1 | F | | | | | | X | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Communication and Network | \$0 | | | | | | | | | | | |
| | | | Network Interfaces | \$0 | | | | | | | | | | | |
| | | FR-DE203-AB | ISA, 16 bits ethernet, BNC | \$125 | F | | X | X | X | X | X | | X | | |
| | | FR-DE204-AB | ISA, 16 bits ethernet, TP | \$125 | F | | X | X | X | X | X | | X | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|--|------------|-------|--------|-------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | HiNote | Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
| | | FR-DE205-AB | ISA, 16 bits ethernet, TP+BNC+AUI | \$125 | F | | | X | X | X | X | | X | | |
| | | FR-DE203-PA | ISA, 16 bits ethernet, BNC + Pathworks license | \$335 | F | | | X | X | X | X | | X | | |
| | | FR-DE204-PA | ISA, 16 bits ethernet, TP + Pathworks license | \$335 | F | | | X | X | X | X | | X | | |
| | | FR-DE205-PA | ISA, 16 bits ethernet, TP+BNC+AUI+ Pathworks license | \$355 | F | | | X | X | X | X | | X | | |
| | | FR-PCXAN-AC | EISA 32 bits ethernet, BNC 3C579 | \$320 | F | | | | | | X | X | X | X | X |
| | | FR-PCXAN-AD | EISA 32 bit ethernet TP 3C579-TP | \$320 | F | | | | | | X | X | X | X | X |
| | | FR-PCXAN-AF | EISA, 32 bits ethernet, NE3200 | \$635 | F | | | | | | X | | X | X | X |
| | | FR-PCXAN-BA | Digiboard ISA/Xem Host Adapt | \$1,465 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXAN-BB | Digiboard Xem Concentrator | \$880 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXAN-BC | Digiboard cable conv RJ to DB | \$25 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXAN-BD | Digiboard EPC/X Host Adapt, 16Port, RJ45 | \$2,925 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXAN-BE | Digiboard EPC/X Concentrator | \$1,755 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXAN-BF | RJ45 to DECMJ11 ADAPT 8-PK | \$60 | F | | | | X | X | X | X | X | X | X |
| | | FR-PCXTN-AA | ProNet 4/16 Proteon 1990+, EISA, RJ45, DB9 | \$910 | F | | | | | | X | X | X | X | X |
| | | FR-PCXTN-AB | ProNet 4/16 Proteon 1392+, ISA, RJ45, DB9 | \$655 | F | | | X | X | X | | | X | | |
| | | FR-PCXBN-AD | RACAL PCI Ethernet card BNC and TP | \$200 | F | | | | | | | X | | X | X |
| | | FR-PCXBN-AA | PCI 32 bits ethernet | \$220 | F | | | | X | | | | X | X | X |
| | | FR-DE435-AA | PCI ethernet TP+BNC+AUI | \$175 | F | | | | X | | | | X | X | X |
| | | FR-DEFEA-DA | FDDI EISA SCO/OSF | \$1,445 | F | | | | X | | | | X | X | X |
| | | FR-DEFEA-UA | FDDI EISA Pathworks | \$1,445 | F | | | | X | | | | X | X | X |
| | | FR-DEFEA-AA | FDDI EISA WNT | \$1,445 | F | | | | X | | | | X | X | X |
| | | | | \$0 | | | | | | | | | | | |
| | | | UPS | \$0 | | | | | | | | | | | |
| | | | Smart-UPS | \$0 | | | | | | | | | | | |
| | | 4N-APACA-BS | 400VA Smart-UPS 220V 50Hz | \$410 | F | | | | | | X | X | | | |
| | | 4N-APACB-BS | 600VA Smart-UPS 220V 50Hz | \$525 | F | | | | | X | X | X | | | |
| | | 4N-APACC-BS | 900VA Smart-UPS 220V 50Hz | \$965 | F | | | | | | | X | X | X | X |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | 4N-APAOA-AA | Powerchute & Novell Software | \$80 | F | | | | | | X | X | X | X | X |
| | | 4N-APAOA-AD | Powerchute for Unix/Xenix | \$110 | F | | | | | | X | X | X | X | X |
| | | 4N-APAOA-AG | Powerchute for MSDOS/WINDOWS | \$100 | F | | | | | | X | X | X | X | X |
| | | | | \$0 | | | | | | | | | | | |
| | | | PCMCIA Options | \$0 | | | | | | | | | | | |
| | | | XX: AL-Germany, AP-France, AI-Italy, BB-Spain, AE-UK | \$0 | | | | | | | | | | | |
| | | | YY: BA-US, BP-France, BL-Germany, BI-Italy, BS-Spain | \$0 | | | | | | | | | | | |
| | | | PCMCIA Adapters | \$0 | | | | | | | | | | | |
| | | FR-PC7AH-AB | 3.5" PCMCIA Slot rear mount | \$190 | F | | | | | | | | | | |
| | | FR-PCP79-xx | PCMCIA 14.4 Data/Fax Modem | \$230 | F | | | | | | | | | | |
| | | FR-PCP79-yy | PCMCIA modem country adapter | \$55 | F | | | | | | | | | | |
| | | FR-PCP78-AG | PCMCIA 170 MB Type III HD | \$375 | F | | | | | | | | | | |
| | | FR-PCP78-AH | PCMCIA 260 MB Type III HD | \$632 | F | | | | | | | | | | |
| | | FR-PC8AH-AA | PCMCIA IR communication link, Celebris FP, Venturis FP | \$160 | F | | | | | | | | | | |
| | | FR-PCP79-DB | SCSI II Adapter | \$204 | F | | | | | | | | | | |
| | | FR-PCP79-DA | 16-Bit Sound adapter | \$204 | F | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Notebook Options | \$0 | | | | | | | | | | | |
| | | | HiNote | \$0 | | | | | | | | | | | |
| | | FR-PCP7H-AA | HiNote Car Adapter | \$95 | F | X | | | | | | | | | |
| | | FR-PCP7H-AB | HiNote Optl Battery (NiMH) | \$83 | F | X | | | | | | | | | |
| | | FR-PCP7M-AA | HiNote 4MB Memory Module | \$196 | F | X | | | | | | | | | |
| | | FR-PCP7M-AB | HiNote 8MB Memory Module | \$375 | F | X | | | | | | | | | |
| | | FR-PCP7M-AC | HiNote 16MB Memory Module | \$608 | F | X | | | | | | | | | |
| | | FR-PCP7H-AE | HiNote BttryChgr w/AC Adpt UK | \$180 | F | X | | | | | | | | | |
| | | FR-PCP7H-AX | HiNote BttryChgr w/AC Adpt CE | \$180 | F | X | | | | | | | | | |
| | | FR-PCP7H-AN | HiNote Intl AC Adapter CE | \$62 | F | X | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | FR-PCP7E-AA | HiNote Port Replicator | \$114 | F | X | | | | | | | | | |
| | | FR-PCP7E-AB | HiNote PCMCIA Port Replicator | \$228 | F | X | | | | | | | | | |
| | | FR-PCP7X-AA | Nylon Travel Case | \$62 | F | X | | | | | | | | | |
| | | FR-PCP7R-AB | 510 MB Hard drive upgrade kit | \$473 | F | X | | | | | | | | | |
| | | | HiNote Ultra | \$0 | | | | | | | | | | | |
| | | FR-PCP8H-AA | Car Adapter | \$95 | F | | X | | | | | | | | |
| | | FR-PCP8H-AB | Optional Battery (Lilon) | \$166 | F | | X | | | | | | | | |
| | | FR-PCP8M-AA | 4MB memory | \$196 | F | | X | | | | | | | | |
| | | FR-PCP8M-AB | 8MB memory | \$375 | F | | X | | | | | | | | |
| | | FR-PCP8M-AC | 16MB memory | \$869 | F | | X | | | | | | | | |
| | | FR-PCP8H-AE | Battery Chgr w/UK Pwr Cord | \$178 | F | | X | | | | | | | | |
| | | FR-PCP8H-AX | Battery Chgr w/C.EUR Pwr Cord | \$178 | F | | X | | | | | | | | |
| | | FR-PCP8H-AN | Intl AC Adptr w/C.EUR Pwr Cor | \$62 | F | | X | | | | | | | | |
| | | FR-PCP8E-AB | Expansion Dock | \$281 | F | | X | | | | | | | | |
| | | FR-PCP8X-AB | Executive Leather Portfolio | \$73 | F | | X | | | | | | | | |
| | | FR-PCP8U-AA | 75MHz Upgrade | \$864 | F | | X | | | | | | | | |
| | | FM-XE528-UP | 528 MB IDE HDU, 2.5", 13ms, 4200RpM , service upgrade | \$945 | F | | X | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | SOFTWARE | | \$0 | | | | | | | | | | | |
| | | | Backup-Software, Tape Drives | \$0 | | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | FR-PCXDT-BA | Arcada backup exec Dos/Windows | \$180 | F | | | | | | | X | X | X | X |
| | | FR-PCXDT-BB | Arcada backup exec OS/2 | \$305 | F | | | | | | | X | X | X | X |
| | | FR-PCXDT-BC | Arcada backup exec Windows NT | \$355 | F | | | | | | | X | X | X | X |
| | | FR-PCXDT-BD | Arcada backup exec Netware | \$1,230 | F | | | | | | | X | X | X | X |
| | | FR-PCXDT-BE | Arcada backup exec Windows NT station | \$1,010 | F | | | | | | | X | X | X | X |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | MS-DOS WfW | \$0 | | | | | | | | | | | |
| | | | WfW 3.11 and MS-DOS 6.22 | \$0 | | | | | | | | | | | |
| | | | Dos 6.22 Windows 3.1 | \$0 | | | | | | | | | | | |
| | | QB-MES*A-SB | MS-DOS 6.22, Windows 3.1 media | \$60 | F | X | X | X | X | X | | | | | |
| | | QB-MES*A-SA | MS-DOS 6.22, Windows 3.1 media and license | \$95 | F | X | X | X | X | X | | | | | |
| | | | Dos 6.22 Windows for Workgroups 3.11 | \$0 | | | | | | | | | | | |
| | | QC-2R5*A-HC | MS-DOS 6.22, Windows for Workgroups 3.11 disks, manual | \$60 | F | X | X | X | X | X | | | | | |
| | | QA-2R5*A-HC | MS-DOS 6.22, Windows for Workgroups 3.11 disks, manual | \$95 | F | X | X | X | X | X | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Windows NT Workstation V3.5 | \$0 | | | | | | | | | | | |
| | | | To order Windows NT software only, please contact your local Microsoft supplier | \$0 | | | | | | | | | | | |
| | | QB-0QR8A-SB | CD-ROM Windows NT 3.5 Workstation | \$470 | F | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Windows NT Server V3.5 | \$0 | | | | | | | | | | | |
| | | | To order Windows NTAS software only, please contact your local Microsoft supplier | \$0 | | | | | | | | | | | |
| | | QB-23C8A-SA | CD-ROM Windows NT 3.5 Server | \$1,205 | F | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | SCO | \$0 | | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | QA-4LDAA-GZ | SCO OpenSVR USR/ADM DOC KIT | \$170 | F | | | | | | | | | | |
| | | QA-4LDAB-GZ | SCO OpenSVR REF DOC KIT | \$170 | F | | | | | | | | | | |
| | | QB-4LDAA-WA | SCO OpenSVR HST 5U LIC CD | \$610 | F | | | | | | | | | | |
| | | QB-4LEAA-WA | SCO OpenSVR ENT 5U LIC CD | \$1,120 | F | | | | | | | | | | |
| | | QB-4LFAA-WA | SCO OpenSVR DTP 1U LIC CD | \$685 | F | | | | | | | | | | |
| | | QB-4LHAA-WA | SCO Merge SVR MLT USR LIC CD | \$905 | F | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris MP |
|----------|-------|--------------------|---|------------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|------------|
| | | | | | | | | | | | | | | | |
| | | QB-4LJAA-WA | SCO Merge SVR DTP 1 USR LIC CD | \$360 | F | | | | | | | | | | |
| | | QM-4LGAA-BA | SCO SMP LICENSE | \$905 | F | | | | | | | | | | |
| | | QM-4LKAA-BA | SCO UNIX 10 USER LICENSE | \$470 | F | | | | | | | | | | |
| | | QM-4LKAA-BB | SCO UNIX 25 USER LICENSE | \$905 | F | | | | | | | | | | |
| | | QM-4LKAA-BC | SCO UNIX 100 USER LICENSE | \$2,675 | F | | | | | | | | | | |
| | | QM-4LKAA-BD | SCO UNIX 500 USER LICENSE | \$6,005 | F | | | | | | | | | | |
| | | QM-4LKAA-BE | SCO UNIX 1000 USER LICENSE | \$8,895 | F | | | | | | | | | | |
| | | QM-4LKAA-BF | SCO UNIX 5000 USER LICENSE | \$22,165 | F | | | | | | | | | | |
| | | | | \$0 | | | | | | | | | | | |
| | | | Novell | \$0 | | | | | | | | | | | |
| | | | Netware 3.12 (*Available languages : A=US) | \$0 | | | | | | | | | | | |
| | | QB-2KQ*A-WB | Netware 3.12, 5 Users, CD-ROM | \$780 | I | | | | | | | | | | |
| | | QB-2KQ*A-WD | Netware 3.12, 10 Users, CD-ROM | \$1,765 | I | | | | | | | | | | |
| | | QB-2KQ*A-WF | Netware 3.12, 25 Users, CD-ROM | \$2,620 | I | | | | | | | | | | |
| | | QB-2KQ*A-WH | Netware 3.12, 50 Users, CD-ROM | \$3,545 | I | | | | | | | | | | |
| | | QB-2KQ*A-WK | Netware 3.12, 100 Users, CD-ROM | \$4,960 | I | | | | | | | | | | |
| | | QB-2KQ*A-WM | Netware 3.12, 250 Users, CD-ROM | \$8,865 | I | | | | | | | | | | |
| | | QA-2KQ*A-GZ | Netware V3.12, DOC KIT | \$155 | I | | | | | | | | | | |
| | | | Netware SFT | | | | | | | | | | | | |
| | | QB-2KRAB-WA | Netware SFT III V4.1, less than 100 users | \$1,100 | I | | | | | | | | | | |
| | | QB-2KRAB-WB | Netware SFT III V4.1, more than 100 users | \$2,940 | I | | | | | | | | | | |
| | | | Netware 4.1 (*G=German, A=US) | | | | | | | | | | | | |
| | | QB-2KS*A-WA | Netware V4.1, 5 users, CD-ROM | \$1,015 | I | | | | | | | | | | |
| | | QB-2KS*A-WB | Netware V4.1, 10 users, CD-ROM | \$2,110 | I | | | | | | | | | | |
| | | QB-2KS*A-WC | Netware V4.1, 25 users, CD-ROM | \$3,050 | I | | | | | | | | | | |
| | | QB-2KS*A-WD | Netware V4.1, 50 users, CD-ROM | \$4,065 | I | | | | | | | | | | |
| | | QB-2KS*A-WE | Netware V4.1, 100 users, CD-ROM | \$5,630 | I | | | | | | | | | | |

| Comments | Notes | Digital PN | Description | SSP | Group | HiNote | HiNote Ultra | Venturis | Celebris GL | Celebris XL | Prioris MTE | Prioris LX | Prioris XL | Prioris HX | Prioris HX MP |
|----------|-------|--------------------|--|----------|-------|--------|--------------|----------|-------------|-------------|-------------|------------|------------|------------|---------------|
| | | | | | | | | | | | | | | | |
| | | QB-2KS*A-WF | Netware V4.1, 250 users, CD-ROM | \$9,930 | I | | | | | | | | | | |
| | | QB-2KS*A-WG | Netware V4.1, 500 users, CD-ROM | \$19,705 | I | | | | | | | | | | |
| | | QB-2KS*A-WH | Netware V4.1, 1000 users, CD-ROM | \$37,695 | I | | | | | | | | | | |
| | | QA-2KS*A-GZ | Netware V4.1, DOC KIT | \$155 | I | | | | | | | | | | |
| | | | End of Price list | | | | | | | | | | | | |
| | | | The above list is final at the time of going to print but is updated at regular intervals. Please contact your local DIGITAL sales representative for the most up-to-date information. | | | | | | | | | | | | |
| | | | For detailed configuration please use the Product or Selling Guides. | | | | | | | | | | | | |
| | | | *- insert your Country code | | | | | | | | | | | | |
| | | Codes | F - Standard Products | | | | | | | | | | | | |
| | | | I - High-end Server Products | | | | | | | | | | | | |
| | | Prices | NRP - Net Reseller Price-1 | | | | | | | | | | | | |
| | | | NDP - Distributor Buying Price | | | | | | | | | | | | |
| | | | SSP - Suggested Selling Price | | | | | | | | | | | | |